APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

S/054/63/004/001/017/022
B101/B215

AUTHORS: Belyustin, A. A., Shul'ts, M. M.

TITLE: Electrode behavior of sodium silicate glasses containing oxides of elements of the IV and V main groups of the periodic system

PERIODICAL: Leningrad. Universitet. Vestnik. Seriya fiziki i khimii, no. 1, 1963, 149-155

TEXT: The effect of Fe_2O_3, GeO_2, SnO_2, P_2O_5, Sb_2O_3, and Bi_2O_3 on sodium silicate glasses was studied by plotting the curves E versus pH. Results: (1) Fe_2O_3 acts similarly to Al_2O_3. As little as 0.5 mole% Fe_2O_3 disturbs the H^+ function in the region pH = 1 - 4 and shifts the section of the Na^+ function towards more positive values. (2) Up to a content of 7 mole% GeO_2 affects the curve E versus pH only slightly. Stages characteristic of glass forming oxides are formed in the region pH = 2-4, whereas at a content of more than 7 mole% GeO_2, the region of the H^+ function becomes

Card 1/3

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

S/054/63/004/001/011/022
B101/B215

Method for studying the electrode ...

glass electrodes appearing in the same number of this periodical.

SUBMITTED: October 1962

Card 3/3

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

The curves E versus pH were plotted and the point b of the beginning H^+ function, point c of the end of the H^+ function, and point d of the beginning metal function were determined in order to characterize the electrode properties. The equation $E = E^0 + \vartheta \log (a_{H^+} + Ka_{M^+})$, where $\vartheta = 2.3RT/F$, K = equilibrium constant of the ion exchange between glass and solution is of satisfactory validity for a sharp transition from the H^+ function to the metal function. For three-component glasses, $\lambda = K^x/K'$ was obtained where K^x is the exchange constant of the glass containing a second oxide and K' is the exchange constant of the binary glass. The chemical stability was determined by treating the powdered glass (particle size = 80 - 100μ) for 1 hr with water or 0.1 N HCl at 100°C and by determining colorimetrically the components in solution. The chemical stability was characterized by the ratios $[R_2O]_{sol}/[R_2O]_{glass}$ and $[SiO_2]_{sol}/[SiO_2]_{glass}$. In some cases the stability of the ground glass faces was tested by measuring the loss of weight in $g/cm^2 \cdot hr$. These methods have been applied in the papers on

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

S/054/63/004/001/011/022
B101/B215

AUTHORS: Shul'ts, M. M., Parfenov, A. I., Peshekhonova, N. V., Belyustin, A. A.

TITLE: Method for studying the electrode properties and chemical stability of glasses

PERIODICAL: Leningrad. Universitet. Vestnik. Seriya fiziki i khimii, no. 1, 1963, 98-104

TEXT: The regularities governing the relation between the electrode properties of glasses and their chemical composition were studied in binary alkali silicate glasses such as Li_2O - SiO_2 and Na_2O - SiO_2, as well as in three-component glasses which, besides alkali oxide and SiO_2, contained also an element belonging to the groups II, III, IV, or V of the periodic system, as well as in multicomponent glasses such as Li_2O - Cs_2O - La_2O_3 - SiO_2; Li_2O - BaO - La_2O_3 - SiO_2; Na_2O - BaO - Al_2O_3 - SiO_2 and others. The production of electrodes in the form of blown-up glass balls of 8-10mm diameter wall thickness 0.2-0.3mm is described.

Card 1/3

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

NIKOL'SKIY, B.P.; SHUL'TS, M.M.; BELYUSTIN, A.A.

New concepts of the ion exchange theory of glass electrodes. Vest. LGU 18 no.4:86-93 '63. (MIRA 16:3)
(Electrodes, Glass) (Ion exchange)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

NIKOL'SKIY, B.P.; SHUL'TS, M.M.; BELYUSTIN, A.A.

Influence of the nature of the second glass-forming oxide on the sodium and potassium electrode functions of silicate glasses. Dokl.AN SSSR 144 no.4:844-848 Je '62. (MIRA 15:5)

1. Leningradskiy gosudarstvennyy universitet im. A.A.Zhdanova.
2. Chlen-korrespondent AN SSSR (for Nikol'skiy).
(Electrodes, Glass) (Oxides)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

SHUL'TS, M.M.; BELYUSTIN, A.A.

Effect of boric anhydride on the electrode behavior of simple sodium silicate glasses. Vest.LGU 17 no.4:135-142 '62. (MIRA 15:3)
(Boron oxide)(Electrodes, Glass)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

Electrode properties of...

S/034/62/000/003/006/010
B101/B186

SUBMITTED: November 27, 1961

Fig. 3. Logχ versus $[M_2O_3]/[Na_2O]$. (1) $Na_2O - Al_2O_3 - SiO_2$, $[Na_2O]<25$ mole%; (2) $Na_2O - Al_2O_3 - SiO_2$, $[Na_2O]>25$ mole%; (3) $Na_2O - B_2O_3 - SiO_2$; (4) $Na_2O - Ga_2O_3 - SiO_2$; (5) $Na_2O - In_2O_3 - SiO_2$.

Card 3/4

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

bindings of the hydrogen ions to the SiO_4 and AlO_4^- tetrahedrons of the glass structure. Al_2O_3 acts as a typical glass former. The range of the Na^+ function in the E-versus-pH curve extends with rising Al_2O_3 content. Ga_2O_3 also acts as glass former, but its modifying capacity becomes evident in shifting the transition from the H^+ function to the Na^+ function towards higher pH. It is concluded that gallium enters the glass both as Ga^{IV} (glass former) and as Ga^{VI} (modifier). In_2O_3 acts still less as glass former and shows even more intensive modifier action by a wide range of the H^+ function. Admixture of BaO (modifier) to Na-Al glasses reduces the effect of the second glass former (Al_2O_3), making the E-versus-pH curves similar to those for Na-In glasses. The difference between glass former and modifier can be seen from $\log \chi = f([M_2O_3]/[Na_2O])$, M = B, Al, Ga, In (Fig. 3). A small χ is characteristic of modifiers. There are 4 figures and 2 tables. The most-important English-language reference is: G. E. Eisenman, D. O. Rudin, J. M. Casby, Science, 126, 831, 1957.

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

S/054/62/000/003/008/010
B101/B186

5.4700

AUTHORS: Shul'ts, M. M., Belyustin, A. A.

TITLE: Electrode properties of sodium silicate glasses containing aluminum, gallium, or indium oxides

PERIODICAL: Leningrad. Universitet. Vestnik. Seriya fiziki i khimii, no. 3, 1962, 116 - 124

TEXT: Different effects of "glass-forming" and "modifying" oxides on the function $E = f(pH)$ have been studied for sodium silicate glasses with 22 mole% Na_2O and with different concentrations of Al_2O_3, Ga_2O_3, In_2O_3, or BaO, by measuring the emf of the element Ag|AgCl, 0.1 HCl|glass|buffer solution NaCl||KCl solution, saturated, Hg_2Cl_2|Hg. The constant K C_{Na} = 0.1 N or 3 N of the equation $\varphi = \varphi^0 + \log(a_H + Ka_{Na})$ and the value $\chi = K^{NaAl}/K^{Na}$ were determined, where K^{NaAl} is the constant for sodium alumino silicate glass, and K^{Na} the constant for sodium silicate glass. Admixing small amounts of Al_2O_3 gave the curve $E = f(pH)$ a stepwise course due to different

Card 1/4

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

the glasses, α_1 and α_2 are constants which correspond to the ratio of dissociation constants of "acid" and "salt" anion groups in the glass. The electrode properties of a glass consisting of two vitrifiers in a certain composition range, depend on the distribution of basic oxide (Na_2O) among the acid oxides (B_2O_3 and SiO_2). There are 3 figures, 1 table, and 17 references: 14 Soviet-bloc and 3 non-Soviet-bloc. The two references to English-language publications read as follows: D. A. Mac Innes, M. Dole, J. Amer. Chem. Soc., 52, 29, 1930. G. Rynders, O. Graner, D. Hubbard. J. Amer. ceram. soc., 31, 269, 1948.

SUBMITTED: July 7, 1961

X

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

sodium silicate glasses and are suited for wider pH determinations. The dependence of EMF, measured with a hydrogen - calomel electrode, on the pH of the solution, gives a stepped curve for boron silicate glasses with a B_2O_3 content of up to 7%. The effect of boric oxide on the electrode properties of the glasses is characteristic of vitrifying oxides. Stepped curves of the EMF - pH dependence of boron silicate glasses have been predicted in theoretical studies by B. P. Nikolskiy in 1953 (Ref. 15: B. P. Nikol'skiy ZhFKh, 27, 724, 1953). B. P. Nikolskiy and M. M. Shul'ts recently suggested the formula for the potential of glass electrodes with two groups of anions:

$$\varphi = \varphi^{o} + (1/2)\vartheta \log(a_{H^+} + Ka_{Na^+}) - (1/2)\vartheta \log\left(\frac{1}{a_{H^+}^{\alpha_1} Ka_{Na^+}} + \frac{\beta}{a_{H^+}^{\alpha_2} Ka_{Na^+}}\right), \quad (1)$$

where φ is the glass electrode potential; φ^{o} is the standard potential, a_{H^+} and a_{Na^+} are the ion activities in the solution, N_{H^+} and N_{Na^+} are their concentrations in the glasses,

$K = \frac{a_{H^+} N_{Na^+}}{a_{Na^+} N_{H^+}}$, β is a constant dependent on the number of anion groups in

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

S/054/62/000/001/009/011
B131/B138

AUTHORS: Shul'ts, M. M., Belyustin, A. A.

TITLE: Effect of boric oxide on the electrode properties of plain sodium silicate glasses

PERIODICAL: Leningrad. Universitet. Vestnik. Seriya fiziki i khimii, no. 1, 1962, 135-142

TEXT: Glasses free from calcium oxide and aluminum oxide were studied. Electrode glasses were produced from chemically pure boric acid, sodium carbonate, and quartz in a silite furnace in platinum crucibles at 1200-1450°C. The electrode properties of the glasses were studied in buffer mixture solutions of 0.1-3.0 N sodium chloride. Hydrogen and calomel electrodes were used for pH measurements. The EMF was measured with a ПМТВ-1 (PMTV-1) potentiometer by the compensation method. Each experiment lasted 10-14 hrs. The EMF values measured with the glass - calomel electrode were represented by the curve E versus pH. B_2O_3 additions to sodium silicate glasses were found to affect their hydrogen function in the low pH region. Glasses with higher B_2O_3 content behave like plain

Card 1/3

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

S/020/61/140/003/018/020
B110/B101

Particular electrode...

SUBMITTED: May 22, 1961

Fig. 1. Diagram of the electrode behavior of different glasses.

Legend: (1) Binary alkali-silicate glasses and glasses containing modifying ions; (2) complex glasses with glass-formers and modifiers; (3) simple glasses containing small quantities of a second glass-former; (4) glasses containing relatively large quantities of a second glass-former. The dotted sections of curves 1, 2 correspond to Eq. (3).

Fig. 1



Card 4/4

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

= B_2O_3, Ga_2O_3, ZnO_2); Na_2O - R_nO_m - SiO_2 (R_nO_m = Al_2O_3, Ga_2O_3, Fe_2O_3, GeO_2, SnO_2, TiO_2, ZrO_2, P_2O_5, Sb_2O_3, Bi_2O_3). The second hydrogen range due to the weaker acid disappears with a pH of 0 - 14, when relatively large amounts (3 - 9%) of Al_2O_3, Fe_2O_3, B_2O_3, and ZrO_2 are added (curve 4, Fig. 1). Thus, alkali-metals are bound in complex silicate systems by Al_2O_3, B_2O_3, and similar oxides. The established "differentiating effect" of a small quantity of acid oxide in glasses of simple composition is common to all glass-forming oxides and confirms the assumed binding and coordination of atoms of glass-forming elements according to M. M. Shul'ts (Ref. 18: Vestn. LGU, No. 22, 40 (1960)) and (Ref. 19: Stekloobraznoye sostoyaniye (the vitreous state), Izd. AN SSSR, 1960). There are 3 figures and 19 references: 15 Soviet-bloc and 4 non-Soviet-bloc. The most recent reference to the English-language publication reads as follows: Ref. 11: G. Eisenmann, D. O. Rudin, J. U. Casby, Sci., 126, 831 (1957).

ASSOCIATION: Leningradskiy gosudarstvennyy universitet im. A. A. Zhdanova (Leningrad State University imeni A. A. Zhdanov)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

presence of hydrogen ions bound differently strong to the glass. When adding B_2O_3 or Al_2O_3, one obtains a glass electrode with metal function (curve 4). B and Al free glasses correspond to weak acids ($K \sim 10^{-12}$, curve 1). Curves 2 and 4 correspond to Na_2O-CaO-SiO_2 systems with additions of Al_2O_3, B_2O_3, and ZrO_2. In the section aa' (curve 3), the hydrogen ions are bound to the anions of strong and weak acids in glass phase. In the section a'б'''б", the hydrogen ions are replaced by weakly bound alkali-metal ions. These are bound stronger in section б"д. The metal function is complete in д'б'''. This has been established experimentally in the ternary system Li_2O-Al_2O_3-SiO_2 with 0 - 3 mole% of Al_2O_3. Similar to Al_2O_3, B_2O_3 effects a differentiation in the system Na_2O-B_2O_3-SiO_2 at 0.1 N and 3 N Na-ion concentrations of the solution. With the curves representing the pH dependence of the potential, the vertical distance between the sections of the Na functions for glasses containing 6.6 and 9.4 mole% of B_2O_3 is: $\Delta E = \vartheta \log (a''_{NaCl}/a'_{NaCl}) = 83$ mv. Similar conditions were found for the following systems: Li_2O - R_nO_m - SiO_2 (R_nO_m

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

54700

28736 S/020/61/140/003/018/020
B110/B101

AUTHORS: Nikol'skiy, B. P., Corresponding Member AS USSR, Shul'ts, M.M., Peshekhonova, N. V., and Belyustin, A. A.

TITLE: Particular electrode behavior of glasses containing two acid (glass-forming) oxides

PERIODICAL: Akademiya nauk SSSR. Doklady, v. 140, no. 3, 1961, 641 - 643

TEXT: Electrodes of alkali glasses with basic oxides (modifiers): Cs_2O CaO, BaO, La_2O_3, etc. have hydrogen function in a large pH interval: $\varphi = \varphi^o + \vartheta \log_{H^+}$ (1); ($\vartheta = (RT/F) \cdot 2.303$). By ion exchange: H^+(glass) + M^+(solution) $\rightleftharpoons$ H^+(solution) + M^+(glass) (2), the hydrogen function changes to the metal function at certain pH's (section a"'б' of the curve 1, Fig. 1). According to the ion exchange theory, curve 1 is described by $\varphi = \varphi^o + \vartheta \log(a_{H^+} + Ka_{M^+})$ (3), where K is the equilibrium constant of Eq. (2). The divergence from Eq. (3) observed in the a"'б' section, specifically when B_2O_3 is introduced (curve 2), is explained by the

Card 1/4

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

MATEROVA, Ye.A.; MOISEYEV, V.V.; BELYUSTIN, A.A.

Comparative study of the electrode and exchange properties of the glass electrode by use of radioactive tracers. Part 2: Behavior of the potassium glass electrode in alkali metal salt solutions. Zhur.fiz. khim. 35 no.6:1258-1264 Je '61. (MIRA 14:7)

1. Leningradskiy gosudarstvennyy universitet imeni A.A.Zhdanova.
(Electrodes, Glass) (Alkali metal salts)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

BELYUSTIN, A.A.

PA - 2763

AUTHOR: MOISEYEV, V.V., MATEROVA, E.A., BELYUSTIN, A.A.

TITLE: The Production of Rubidium and Cesium Glasses and Investigation of Some of their Properties. (Poluchenniye i issledovaniye nekotorykh svoystv rubidiyevykh i tseziyevykh stekol, Russian)

PERIODICAL: Doklady Akademii Nauk SSSR, 1957, Vol 113, Nr 4, pp 824-827 (U.S.S.R.)
Received: 6 / 1957 Reviewed: 7 / 1957

ABSTRACT: The study of composed silicate glasses in which the only alkaline component is rubidium of cesium makes it possible to acquire new knowledge concerning the influence exercised by alkaline ions on the properties of glass, which is of importance for the production of glass electrodes. Above all, the interaction between glass and solution can be studied. This interaction leads to the potential difference between glass and solution which is a result of the ion exchange between glass and the solution. The production of rubidium and cesium glass is difficult because these systems are difficult to melt (1600 - 1650° C). In electrode glass with hydrogen function sometimes small additions of these metals are used (2-3%), as they prevent sodium ions from penetrating into the glass, by which the alkaline error of the glass electrode is diminished. After initial difficulties the authors were able to melt 2 types of rubidium glass, the data of which are given in form of a table. However, they were still very viscous. Synthetization was finally carried out of rubidium and cesium glass: 60% SiO_2, 20% B_2O_3, 15% R_2O,

C Card 1/2

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

BELYUSENKO, A. I.

Curved discharge guides for self-dumping cages. Ugol' 34 no.4:39-40 Ap '59. (MIRA 12:7)
(Hoisting machinery)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

SOV/121-58-9-9/21

The Profile Correction of Broaches for the Cutting of Involute Splines

component but not in designing the tool correction. Shop tests have shown low forces and the absence of sticking. There are 8 figures.

Card 2/2

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

AUTHOR: Belyura, P.G. SOV/121-58-9-9/21

TITLE: The Profile Correction of Broaches for the Cutting of Involute Splines (Korrigirovaniye profilya protyazhek dlya obrabotki evol'ventnykh shlitsev)

PERIODICAL: Stanki i Instrument, 1958, Nr 9, pp 29 - 31 (USSR)

ABSTRACT: A method for correcting internal involute spline broaches is presented after some propositions of involute trigonometry. The co-ordinates of the involute profile points and of the centres of tangential circles are found analytically, using the involute function. Figure 4 shows the positions of the separate broach teeth designed to avoid stacking. The correction is accomplished by raising the last cutting tooth relative to the first. This rise is called the broach correction. A geometric construction for the corrected tooth profile is given in Figure 5, and its inspection by means of rollers is shown in Figure 6. A correction geometry as proposed in the paper is characterised by a set of formulae from which the measurements of the broach across rollers after correction and before correction are compared. It is stated that the method presented for designing broaches is laborious only in profiling the

Card1/2

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

VYSHELESSKIY, A.N.; SHMUEL'SON, I.E.; LITVINA, L.S.; DRUSKIN, L.I.; BELYUNOVA, V.S.

New gas heating equipment for public eating establishments. Gaz. prom. 7 no.5:46-50 '62. (MIRA 17:11)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

BELYUNOVA, V.S., CHERNYSHEVA, I.G., YURLOVA, M.A.

Gas appliances for district and domestic use changed-over to operate compressed gas. Gaz.prom. 5 no.2:24-28 F '60. (MIRA 13:6)

(Gas appliances) (Liquefied petroleum gas)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

BELYUNOVA, V., inzh.; LITVINA, L., inzh.; SHUMUEL'SON, L., inzh.

Testing of a gas autoclave. Obshchestv.pit. no.5:32-36 My '62. (MIRA 15:5)

(Autoclaves--Testing)
(Restaurants, lunchrooms, etc.--Equipment and supplies)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

1ST AND 2ND ORDERS

PROCESSES AND PROPERTIES INDEX

3RD AND 4TH ORDERS

CA

22

Bituminous materials. I. N. Belyumova. *Khim. Stoikie Materialy, Sbornik Statei* 1939, 21-43; *Khim. Referat. Zhur.* 1940, No. 2, 135. Bituminous and bitumenlike materials (tar, pitch) and their application to brick lining of app., floors and various reservoirs for protection against the action of chem. reagents are described. Good results were obtained from the asphalt-bitumen putty, "Bitumitol," which is a mixt. of petroleum bitumens, coal tar pitch and various inin. and org. fiber fillers. Lining by means of asphalt-bitumen putties must be carried out in dry, heated structures (not below 8-10°). Protection from corrosion by bituminous materials is possible on steel-concrete, wooden and metal app. Obtaining a good protective layer depends on the quality of the lining and its materials.

W. R. Henn

ASM-SLA METALLURGICAL LITERATURE CLASSIFICATION

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

Preparation and application of chemically resistant asphalt-bituminous compositions. V. Volodin, I. Belyunova and A. Klimkova. *Org. Chem. Ind.* (U. S. S. R.) 3, 229-33(1937).--A discussion based on some exptl evidence and literature. Chas. Blanc

ASM-SLA METALLURGICAL LITERATURE CLASSIFICATION

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

1ST AND 2ND ORDERS

PROCESSES AND PROPERTIES INDEX

20

Improving the strength and chemical resistance of bricks and concrete articles I. N. Belyanova. Russ. 51,132, May 31, 1937. The articles are satd with water and then immersed in molten coal-tar pitch

COMMON ELEMENTS

OPEN

ASM-SLA METALLURGICAL LITERATURE CLASSIFICATION

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

BELYUNOV, S.A., inzh.; DMITRIYEV, V.I., dots., kand. ekon. nauk; KUCHURIN, S.F.; LIN'KOV, M.V.; MULYUKIN, F.P.; NEDOPEKIN, G.K., inzh.; PUZYNYA, I.Ye., inzh.; RAYKHER, G.Kh., inzh.; TRUBACHEV, T.Ye., inzh.; TYVANCHUK, D.P., inzh.; UMBLIYA, V.E., kand. ekon. nauk; KHOKHLOV, N.F., dots. kand. ekon. nauk; CHUDOV, A.S., prof., doktor ekon. nauk; ERLIKH, V.S., inzh.; IVLIYEV, Ivan Vasil'yevich, red.; KRISHTAL', L.I., red.; KHITROV, P.A., tekhn. red.

[Planning in railroad transportation] Planirovanie na zheleznodorozhnom transporte; spravochnik. Moskva, Vses. izdatel'sko-poligr. ob"edinenie M-va putei soobshcheniie, 1961. 470 p. (MIRA 14:11)
(Railroads--Management)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

Y [A]

BELIUNOV, S. and BATKIN, R.

Zheleznodorozhnyi transport vo vtorom kvartale 1932 g. [Railroad transport in the second quarter of 1932]. (Sots. transport, 1932, no. 4, p. 11-19).

DLC: HE7.S6

SO: Soviet Transportation and Communications, A Bibliography, Library of Congress, Reference Department, Washington, 1952, Unclassified.

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

BELIUNOV, S. A.

Itogi desiatiletiia natsionalizirovannogo vodnogo transporta, ego nuzhdy i perspektivy. [Results of a decade of nationalized inland transportation, its needs and prospects.]. (Transport i khoz-vo, 1927, no. 8-9, p. 25-26). DLC: HE7.T68

SO: Soviet Transportation and Communications, A Bibliography, Library of Congress, Reference Department, Washington, 1952, Unclassified.

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

ACC NR: AT7004328

in the article for $\tau = t$. The final integral formula for $f_\omega(\tau)$ permits these conclusions: (1) The absolute error of transmission can be determined, and the points of maximum and minimum signal distortion can be indicated; (2) Variation of these values depending on the pass-band value can be explored; (3) The effect of f(t) characteristics on the absolute error of transmission can be established. Orig. art. has: 20 formulas.

SUB CODE: 09 / SUBM DATE: 14Jul66 / ORIG REF: 004

Card 2/2

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

ACC NR: AT7004328 SOURCE CODE: UR/0000/66/000/000/0107/0115

AUTHOR: Belyuchenko, I. M. (L'vov)

ORG: none

TITLE: Signal transmission through ideal low-pass filter

SOURCE: AN UkrSSR. Metody i sredstva preobrazovaniya informatsii (Methods and means of information conversion). Kiev, Naukova dumka, 1966, 107-115

TOPIC TAGS: signal transmission, electric filter

ABSTRACT: The signal at the output of a frequency-selective system is given by: $f_\omega(\tau) = \int_0^t g(\tau - t) f(t)\,dt$, where f(t) - input signal, $f_\omega(t)$ - output signal, $g(t-\tau)$ - impulse transient response of the system. For an ideal low-pass filter: $g(\tau - t) = \frac{1}{\pi} \cdot \frac{\sin \omega(\tau - t)}{(\tau - t)}$. The present transmission error $f_\omega(\tau) - f(t)$ is determined

Card 1/2

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

On Determining the Quality of the Metal of Old Steam Boilers SOV/137-57-1-1534 (cont.)

of the specimen investigated should be characterized in accordance with existing standard scales. In order to evaluate the quality of the metallic structure of boiler steel, the author recommends four indexes supplemented by not less than two sharp photographs of the metal specimen investigated.

K. M.

Card 2/2

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

Translation from: Referativnyy zhurnal. Metallurgiya, 1957, Nr 1, p 203 (USSR) SOV/137-57-1-1534

AUTHOR: Belyunas [Bielіūnas, K.]

TITLE: On Determining the Quality of the Metal of Old Steam Boilers and a Procedure for Carrying out Metallographic Analysis Therefor (K voprosu opredeleniya kachestva metalla starykh parovykh kotlov i provedeniya metallograficheskogo analiza) in Lithuanian

PERIODICAL: Tr. Kaunassk. politekhn. in-ta 1955, Vol 3, pp 167-180

ABSTRACT: The author investigated the structure, mechanical properties, and chemical composition of the metal of various parts of 286 old steam boilers for the purpose of developing a general procedure for investigating in-service steam boilers. It is recommended that the metallographic investigation of the structure and tests for hardness and a_k be performed by the N. N. Davidenkov method. The author proposes a questionnaire which includes all possible structural elements and defects of boiler steel for the characterization of its macro- and microstructure. The structural elements

Card 1/2

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

BELYUKAS, K.K.[Bieliukas, K.], akademik, red.; ZHELNIN, G.A., red.; GUDELIS, V.K., red.; LESIS, I.P.[Liesis, J.], red.; MAAZIK, V.Ya.[Maasik, V.], red.; OZOL, L.P. [Ozols,L.], red.; ORVIKU, K.V., red.; RAZHINSKAS, A.K. [Razinskas, A.], red.; SPRINGIS, K.Ya., red.

[Recent and latest crustal movements in the Baltic region; materials of the Interrepublic Conference on the Problems of Recent Tectonic Movements in the Baltic Region for the 2d International Symposium on the Study of Recent Crustal Movements, Helsinki, 1965] Sovremennye i noveishie dvizheniia zemnoi kory v Pribaltike; materialy... k II Mezhdunarodnomu simpoziumu po izucheniiu sovremennykh dvizhenii zemnoi kory, Khel'sinki, 1965. Pod red. V.K.Gudelisa. Vilnius, AN Litovskoi SSR, 1964. 139 p. (MIRA 18:1)

1. Mezhrespublikanskoye soveshchaniye po voprosam neotektonicheskikh dvizheniy Pribaltiki. 3d, Vilna, 1962. 2. Akademiya nauk Litovskoy SSR (for Belyukas).

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

GUDONITE, M.[Gudonyte, M.], otv. red.; BELYUKAS, K.[Bieliukas, K.] red.; MESHKAUSKAS, K.[Meskauskas, K.], red.; YANUSHKYAVICHYUS, V. [Januskevicius, V.], red.

[Transactions of the Conference on the Problems of the Distribution of Industry and Urban Development, Vilnius, August 20-23, 1962] Trudy Konferentsii po voprosam razmeshcheniia promyshlennosti i razvitiya gorodov. Vilnius, AN Litovskoi SSR, 1963. 200 p. (MIRA 17:4)

1. Konferentsiya po voprosam razmeshcheniya promyshlennosti i razvitiya gorodov. Vilna, 1962. 2. Institut ekonomiki AN Litovskoy SSR (for Meshkauskas).

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

BELYUKAS, K.K.[Beliukas, K.], akademik, red.; GRIGYALIS, A.A. [Grigelis, A.], kand. geol.-miner. nauk, red.; GUDELIS, V.K., kand. geol.-miner. nauk, red.; KISNERYUS, Yu.L. [Kisnerius, J.], kand. geol.-miner. nauk, red.; KARATAYUTE-TALIMAA, V.N.[Karatajute-Talimaa, V.], kand. biol. nauk, red.

[Problems of geology in Lithuania] Voprosy geologii Litvy. Pod red. A.A.Grigialisa i V.N.Karataiute-Talimaa. Vil'nius, 1963. 623 p. (MIRA 16:11)

1. Lietuvos TSR Mokslu Akademija, Vilna, Geologijos ir geografijos institutas. 2. AN Litovskoy SSR (for Belyukas).
(Lithuania--Geology)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

BELYUKAS, K.

Brief operation survey of the Geographical Society of the Lithuanian S.S.R. Izv. Vses. geog. ob-va 93 no.4:371-373 Jl - Ag '61. (MIRA 14:7)
(Lithuania--Geographical societies)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

BELYUKAS,K.K., doktor geograficheskikh nauk, redaktor; BULAVAS,Yu.I., kandidat istoricheskikh nauk, redaktor; KOMAR,I.V., kandidat geograficheskikh nauk, redaktor; KONOVALYUK,G.A., redaktor; GLEYKH,D.A., tekhnicheskiy redaktor

[Lithuanian S.S.R.] Litovskaia SSR. Moskva, Gos.izd-vo geogr. lit-ry, 1955. 389 p. (MLRA 9:3)

1. Deystvitel'nyy chlen AN Litovskoy SSR, (for Belyukas) 2. Chlen-korrespondent AN Litovskoy SSR, (for Bulavas) 3. Starshyy nauchnyy sotrudnik Instituta geografii AN SSSR, (for Komar)
(Lithuania--Geography)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

BIELIUKAS, K.

BIELIUKAS, K. K

The lakes of the Lithuanian SSR.

P. 7 (Lietuvos TSR Mokslu akademija. Geologijos ir geografijos institutas. MOKSLUNIAI PRANESIMAI. Vol. 1, 1955, Vilnius, Lithuania)

Monthly Index of East European Accessions (EEAI) LC. Vol. 7, no. 2, February 1958

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

BELYUKAS, PROF K. K.

Aug 53

USSR/Geophysics - Lakes

"Lakes of the Lithuanian SSR," Prof K. K. Belyukas, Active Member Acad Sci Lithuanian SSR

Priroda, No 8, pp 103-105

States that about 4000 lakes occupy more than 93,850 hectares of the total area in Lithuania. Lakes are being utilized to develop the fishing industry and in several cases for hydroelectric power stations.

276T62

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

ILLEGIBLE

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

BELYUCHENKO, I.P., inzhener

Mechanized casting mold lubrication. Stal' 15 no.7:660-661 Jl '55. (MIRA 8:9)

1. "Azovstal'".

(Founding)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

BELYUCHENKO, I., aspirant

Protection of legumes in Cuba. Zashch. rast. ot vred. i bol. 10 no.8:49-50 '65. (MIRA 18:11)

1. Universitet druzhby narodov imeni Patrisa Lumumby.

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

BELYTSER, V. A.: KHODOKOVA, E.L.

Fermentation

Mechanism of the action of ferens; criticism of P.V. Afanas's hypothesis. Ukr. biokhim. zhur., 22, No. 1, 1950.

Monthly List of Russian Accessions, Library of Congress, October 1952. Unclassified.

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

ILLEGIBLE

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

L 23378-66

ACC NR: AP6007650

biogenous content; 3) this fact strongly supports the view of Treshnikov (1959) and Coachman and Barnes that the surface Arctic waters are largely of Pacific Ocean origin; 4) a considerable water exchange at the 1500 to 2000 m layer apparently exists between the western and eastern depressions of the basin; and 5) the conclusions arrived at indicate the necessity for a different approach to the study of the dynamics and origin of Arctic water masses. Orig. art. has: 4 figures.

SUB CODE: 08/ SUBM DATE: 31Dec64/ ORIG REF: 010/ OTH REF: 003

Card 2/2

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

L 23378-66 EWT(1) GW

ACC NR: AP6007650 (N) SOURCE CODE: UR/0213/66/006/001/0076/0081

AUTHOR: Nikiforov, Ye. G.; Belysheva, Ye. V.; Blinov, N. I.

ORG: Arctic and Antarctic Scientific Research Institute (Arkticheskiy i Antarkticheskiy nauchno-issledovatel'skiy institut)

TITLE: Structure of water masses in the eastern part of the Arctic basin

SOURCE: Okeanologiya, v. 6, no. 1, 1966, 76-81

TOPIC TAGS: ocean dynamics, sea water, ocean current, ocean property

ABSTRACT: Earlier investigators (Nansen, Shirokov, Shtokman) identified surface, deep, and bottom water masses in the Arctic. However, a study made in 1941 and investigations conducted by Maksimov (1946) Timofeyev (1946, 1951), and others have revealed the presence of an underwater rise impeding water exchange at the bottom water level in the Nansen depression. Tudkovich (1955), Treshnikov (1959), and Coachman and Barnes (1961) investigated Arctic water characteristics and established the existence of Pacific Ocean waters in the basin. A study made between 1951 and 1963 showed that 1) the intermediate temperature minimum found at 100 to 150 m water levels in the eastern part of the Arctic basin, and the interlayer are of the Pacific Ocean origin; 2) the composition of the two layers entering the Arctic basin from the Pacific Ocean through the Bering Strait are substantially different in temperature, salinity, and

Card 1/2

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

ACC NR: AT6028736

the central portion of that sea, the outward spread of the Atlantic water is limited near latitude 80° N by the 0° isotherm and the isooxygen line of 8.60 ml/l. The amount of dissolved oxygen is greater beyond those limits. Oxygen content decreases with depth because of its consumption by oxidizing organic matter. Orig. art. has: 4 figures.

SUB CODE: 08/ SUBM DATE: none/ ORIG REF: 004

Card 2/2

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

ACC NR: AT6028736 (N) SOURCE CODE: UR/3116/66/269/000/0019/0027

AUTHOR: Belysheva, Ye. V. (Candidate of geographical sciences)

ORG: none

TITLE: Some peculiarities in the distribution of dissolved oxygen in the north Greenland Sea in winter

SOURCE: Leningrad. Arkticheskiy i antarkticheskiy nauchno-issledovatel'skiy institut. Trudy, v. 269, 1966. Okeanograficheskiye i gidrometeorologicheskiye issledovaniya Arkticheskikh morey (Oceanographic and hydrometeorological studies of Arctic Seas), 19-27

TOPIC TAGS: sea water, photosynthesis, oxygen consumption

ABSTRACT: The concentration of oxygen dissolved in the sea water is determined for any point of the sea by the ratio of velocities of its entry and absorption. Upper layers of the sea are enriched by oxygen by direct absorption from the atmosphere and photosynthesis. Deeper layers in the sea receive oxygen exclusively from the circulation of oxygenated waters. The characteristics of the cold, deeper waters in the western parts of the Greenland Sea fluctuate from season to season. From summer to winter, the bottom waters become cooler and their oxygen content increases correspondingly. These changes are conditioned by the vertical exchange with the overlying layer of Atlantic water and by the southward displacement of the deeper waters of the Greenland Sea. In

UDC: 551.464.621(268.2)

Card 1/2

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

L 09077-67 EWT(1) GW

ACC NR: AT6028737 (N) SOURCE CODE: UR/3116/66/269/000/0028/0037

AUTHOR: Belysheva, Ye. V. (Candidate of geographical sciences)

ORG: none

TITLE: Alkali reserve of the Laptev Sea

SOURCE: Leningrad. Arkticheskiy i antarkticheskiy nauchno-issledovatel'skiy institut. Trudy, v. 269, 1966. Okeanograficheskiye i gidrometeorologicheskiye issledovaniya Arkticheskikh morey (Oceanographic and hydrometeorological studies of Arctic Seas), 28-37

TOPIC TAGS: sea ice, alkali, chlorine

ABSTRACT: The author summarizes the findings of Alekin, Bochkarev and other researchers on the chemical composition--in particular, the alkalinity--of the waters discharging into the Laptev Sea from the Lena, Yana, Anabar, and Khatanga rivers. A table presents data, by month, on the Ca, Mg, Na, K, HCO_3, SO_4, and Cl content of the rivers flowing into the Laptev Sea basin. Data are also presented on the chlorinity and alkalinity of Laptev Sea ice. Maps of alkalinity on the surface and at various depths and in various regions of the Laptev Sea are given. Orig. art. has: 5 tables, 5 figures.

SUB CODE: 08/ SUBM DATE: none/ ORIG REF: 011

UDC: 551.464:543.319(268.52)

Card 1/1

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

PUSHKAREVA, S.A., kand.tekhn.nauk (g. Sverdlovsk); BELYSHEVA, N.A., inzh. (g. Sverdlovsk)

Effective method for reconditioning the brush holders of traction motors. Elek. i tepl. tiaga 5 no.3:18-19 Mr '61. (MIRA 14:6)
(Electric railway motors)
(Brushes, Electric)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

PUSHKAREVA, S.A., kand.tekhn.nauk; BELYSHEVA, N.A., inzh.

Using copper plating for restoring brushholder dimensions. Vest. TSNII MPS 19 no.1:59-60 '60. (MIRA 13:4)

1. Ural'skoye otdeleniye Vsesoyuznogo nauchno-issledovatel'skogo instituta zheleznodorozhnogo transporta Ministerstva putey soobshcheniya.

(Brushes, Carbon (Electric)--Maintenance and repair)
(Electric locomotives)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

Belyshev, N.

RADTSIG, V., kand.tekhn.nauk; BELYSHEVA, N., inzh.

Using ferric sulfate as a coagulant. Zhil.-kom.khoz. 7 no.11:16-18 '57. (MIRA 10:12)

(Water--Purification) (Iron sulfates)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

SIDOROV, Yuriy Pavlovich; KOKOREV, Vasiliy Aleksandrovich; BELYSHEV, Ye.V., retsenzent; CHUGREYEVA, V.N., red.; TRISHINA, L.A., tekhn. red.

[The P-105 pneumatic and G-105B hydraulic looms]Pnevmaticheskie P-105 i gidravlicheskie G-105B tkatskie stanki. Moskva, Rostekhizdat, 1962. 85 p. (MIRA 15:12)

(Looms)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

BELYSHEVA, Ye.V.

"Problems in the chemistry of seas"; "Trudy" of the Institute of Oceanography of the Academy of Sciences of the U.S.S.R., vol.33. Reviewed by E.V.Belysheva. Okeanologiia 1 no.6:1118-1119 '61. (MIRA 15:1)

(Sea water--Composition)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

BELYSHEV, Ye.V.

Effectiveness of using AT-100-6 looms. Tekst. prom. 20 no. 12:17-18 D '60. (MIRA 13:12)

1. Direktor Pavlovo-Pokrovskoy fabriki.
(Looms)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

BELYSHEV, Valentin Nikolayevich; BORISOV, Vitaliy Ivanovich; PROSVIRNIN, Aleksandr Dmitriyevich; SHNEYDER, Georgiy Konstantinovich; LIPGART, A.A., prof., red.; AVAKIMOV, G.G., red.izd-va; SHIKIN, S.T., tekhn. red.

[GAZ-51A motortruck; design, maintenance, and repair] Avtomobil' GAZ-51A; ustroistvo, obsluzhivanie i remont. Izd. 2., ispr. i dop. Pod obshchei red. A.A.Lipgarta. Moskva, Gos.nauchno-tekhn.izd-vo mashinostroit. lit-ry, 1958. 515 p. (MIRA 11:7)
(Motortrucks)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

BELYSHEV, V.N.

(Automobile of the Gor'kov Automobile factory, model-51; construction, maintenance and repair) Moskva, Gos. nauchno-tekhn. izd-vo mashinostroit. lit-ry, 1952. 487 p. (53-18817)

TL215.G2A5

1. Motor -trucks. I. Belyshev, V.N.

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

ROZHOK, I., podpolkovnik; BELYSHEV, V., kapitan

Competitions for signalmen by correspondence. Voen. vest. 41 no.5:107-108 My '61. (MIRA 14:8)
(Communications, Military--Study and teaching)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

BELYSHEV, P.V.

Basic directions in developments in equipment and techniques in the textile industry during the present seven-year plan. Izv.vys.ucheb.zav.; tekh.tekst.prom. no.1:3-8 '60. (MIRA 13:6)

1. Ivanovskiy tekstil'nyy institut.
(Textile industry)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

BELYSHEV, P.V.; USOV, G.V.; SOLOV'YEV, M.K. [deceased]; LEBEDEV, N.D.; LEVIN, V.F.; PEVZNER, M.L.; USOV, A.M.; ZOLKIN, I.D.; KONONOV, N.A.; IVANOV, P.P., red.; PANKRATOV, A.I., tekhn. red.

[Economics of a textile enterprise; for the aid of studying applied economics] Ekonomika tekstil'nogo predpriiatiia; v pomoshch' izuchaiushchim konkretnuiu ekonomiku. Ivanovo, Ivanovskoe knizhnoe izd-vo, 1960. 359 p. (MIRA 14:7)

(Textile industry)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

BELYSHEV, P.V., kandidat tekhnicheskikh nauk, dotsent.

Effect of relative humidity of the air on breakages of staple yarn. Tekst.prom. no.3:42-44 Mr '56. (MLRA 9:6)
(Humidity) (Yarn)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

HELYSHEV, P.V., kandidat tekhnicheskikh nauk.

Introducing high-speed warp yarn winding. Tekst.prom.15 no.3:20-21 Mr '55. (MLRA 8:4)
(Weaving)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

BELYSHEV, P.V.

"High-speed unreeling of yarn"
Tekst. prom. 12,no. 6, 1952

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

ACC NR: AT6035090

had been investigated prior to setting up the stations, and the optimal locations had been selected. A detailed description of the procedure for placing and removing the recorder-carrying stations is given, and the process is illustrated. It was established that none of the anchored stations was subject to drifting during the experimental work. Orig. art. has: 2 figures and 4 equations.

SUB CODE: 08/ SUBM DATE: none

Card 2/2

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

ACC NR: AT6035090 (11) SOURCE CODE: UR/3095/66/035/000/0111/0115

AUTHORS: Belyshev, I. I.; Grigor'yev, G. N.

ORG: none

TITLE: Method for setting up autonomous anchored stations during the fourteenth trip of the scientific research ship "Mikhail Lomonosov"

SOURCE: AN UkrSSR. Morskoy gidrofizicheskiy institut. Trudy, v. 35, 1966. Gidrofizicheskiye i gidrokhimicheskiye issledovaniya tropicheskoy zony Atlantiki (Hydrophysical and hydrochemical research in the tropical zone of the Atlantic), 111-115

TOPIC TAGS: ocean current, sea water, recording equipment, ocean floor topography / BPV-2 recording equipment

ABSTRACT: A method for setting up anchored stations carrying self-recording equipment of the type BPV-2 for the study of currents in the tropical region of the Atlantic Ocean is described. Altogether, 15 anchored stations were placed and removed during the 14th trip of the scientific research ship "Mikhail Lomonosov" for investigating the configuration of the Brazilian and Lomonosov currents. The stations were placed at depths of 3000--5000 m. The buoyancy and dynamic stresses have been calculated for the specific conditions, taking into consideration the current velocity, water density, and strength of the materials used. The topography of the sea bottom

Card 1/2

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

BELYSHEV, I.I., fel'dsher (Shakhta Kamenskoy oblasti)

Group irradiation of miners by ultraviolet rays. Fel'd. i akush. 21 no.9:37 S '56. (MLRA 9:10)

(MINERS--DISEASES AND HYGIENE)
(ULTRAVIOLET RAYS--THERAPEUTIC USE)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

BELYSHEV, B.P.

Oil and gas formation in the lower Carboniferous in the Veslyanskiy swell. Geol. nefti i gaza 9 no.8:31-35 Ag '65. (MIRA 18:8)

1. Permnefterazvedka.

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

BELYSHEV, B.F.

Morphogenetic territories in the northern Palaearctic. Izv. Alt. otd. Geog. ob-va SSSR no.[illegible]:145-147 '65. (MIRA 18:12)

1. Biologicheskiy institut Vostochno-Sibirskogo otdeleniya AN SSSR.

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

BELYSHEV, B.F.

Phenology of the flight of [illegible] in Siberia beyond the Arctic Circle and [illegible] of this phenomenon in northern [illegible]. Zool. zhur. 44 no.7:1061-1067 '65. (MIRA 18:8)

1. Vostochnosibirskiy biologicheskiy institut Sibirskogo otdeleniya AN SSSR, Irkutsk.

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

BELYSHEV, B.F.

New genera and species of dragonflies (Odonata, Insecta) in the U.S.S.R. from the Far East. Zool. zhur. 44 no.4:611-613 '65. (MIRA 18:6)

1. Vostochnosibirskiy biologicheskiy institut Sibirskogo otdeleniya AN SSSR, Irkutsk.

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

BELYSHEV, B.F.

[illegible] of dragonflies [illegible] [illegible] Valley and some problems of [illegible] [illegible] infestation of birds. Izv. [illegible] 8 Ser. Biol.-med. nauk no. [illegible]-139 '64 ([illegible] 18:1)

1. Vostochno-Sibirskiy biologicheskiy institut [illegible] [illegible] AN [illegible], Irkutsk.

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

BELYSHEV, B.F.; DUL'KEYT, G.D.

Odonatological fauna of the eastern Altai. Trudy Vost.-Sib. fil. AN SSSR no.40:81-97 '64. (MIRA 17:4)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

BELYSHEV, B.F.

Odonatological fauna of the upper Ob' Valley. Trudy Vost. -Sib. fil. AN SSSR no.40:4-70 '64. (MIRA 17:4)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

BELYSHEV, B.F.; KURENTSOV, A.I.

Study of dragonflies (Odonata) in the Amur Valley. Trudy Vost.-Sib. fil. AN SSSR no.40:71-80 '64. (MIRA 17:4)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

BELYSHEV, B.F.

Basic problems of interrelations between the dragonflies (Odonata, Insecta) of Siberia and America within the Palaearctic area. Izv. SO AN SSSR no.12. Ser. biol.-med. nauk no.3:66-75 '63. (MIRA 17:4)

1. Vostochno-Sibirskiy biologicheskiy institut Sibirskogo otdeleniya AN SSSR, Irkutsk.

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

BELYSHEV, B.F.

Structure and history of the formation of insular and peninsular odonatological faunas of northeastern Asia. Zool. zhur. 42 no.11:1638-1645 '63. (MIRA 17:2)

1. East Siberian Biological Institute, Siberian Branch of the Academy of Sciences of U.S.S.R., Irkutsk.

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

BELYSHEV, Boris Fedorovich; KOZHOV, M.M., doktor biol. nauk, otv. red.; KRICHEVSKAYA, F.I., red. izd-va; GALIGANOVA, L.M., tekhn. red.

[A guide to the dragonflies of Siberia based on imaginal and larval phases] Opredelitel' strekoz Sibiri po imaginal'nym i lichinochnym fazam. Moskva, Izd-vo Akad. nauk SSSR, 1963. 112 p. (MIRA 16:7)

(Siberia--Dragonflies)
(Siberia--Insects--Development)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

BELYSHEV, B.F.

Range of the Palaearctic region in the New World based on the distribution of Odonata. Zool.zhur. 41 no.11:1743-1746 N '62. (MIRA 16:1)

(North America—Dragonflies)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

BELYSHEV, B.F. (Irkutsk); OVODOV, N. (Irkutsk)

Somatochlora sahlbergi Trybom (Odonata, Insecta) in southern Siberia. Zool. zhur. 40 no.12:1892-1893 D '61. (MIRA 15:3)
(Baikal Lake region--Dragonflies)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

BELYSHEV, B.F.

The boundary of Palaearctic Asia on basis of the distribution of Odonata. Annales zool 19 no.12:437-453 N '61.

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

BELYSHEV, B.F.

Vertical limits of dragonfly distribution in the Altai Mountains.
Zool.zhur. 40 no.7:1103-1104 Jl '61. (MIRA 14:7)
(Altai Mountains--Dragonflies)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

BELYSHEV, B.F.

Zoogeography of the upper Ob' Valley based on the distribution of dragonflies (Odonata, Insecta). Izv.Sib.otd.AN SSSR no.8:93-104 '61. (MIRA 14:8)

1. Vostochno-Sibirskiy filial Sibirskogo otdeleniya AN SSSR, Irkutsk.

(Ob' Valley--Dragonflies)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

HELYSHEV, B.F.

Utilization of other animals for locomotive purposes within the body of water by the mollusk Spherium corneum L. Kraeved. sbor. no.6:97-98 '61. (MIRA 15:2)

(Mollusks—Behavior)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

BELYSHEV, B.F.

Conditions governing the existence of larvae of the dragonfly Orthetrum albistylum Selys in a hot spring of the Baikal region. Zool. zhur. 39 no.9:1432-1433 S '60. (MIRA 13:9)
(Baikal Region--Dragonflies)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

BELYSHEV, B.F.

Phenology of the flight of dragonflies (Odonata) in steppes of the Altai Mountain region and some general features of this phenomenon. Ent. obozr. 39 no.2:395-403 '60. (MIRA 13:9)

1. Vostochno-Sibirskiy filial Sibirskogo otdeleniya Akademii nauk SSSR, Irkutsk.
(Altai Mountain region--Dragonflies) (Phenology)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

BELYSHEV, B.F.

Principal subdivisions of the Palaearctic region on the basis of the distribution of dragonflies (Insecta, Odonata). Izv. Sib. otd. AN SSSR no. 10:94-102 '60. (MIRA 13:12)

1. Vostochno-Sibirskiy filial Sibirskogo otdeleniya AN SSSR.
(Dragonflies) (Zoogeography)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

BELYSHEV, B.F.

Forest-steppe relicts in the bird fauna of the Narym taiga. Trudy Probl. i tem. sov. no.9:108-111 '60. (MIRA 13:9)

1. Altayskiy gosudarstvennyy zapovednik.
(Narym region--Birds)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

BELYSHEV, B.F.

BELYSHEV, B.; DOSHIDORDZHI, A.

Dragonflies (Odonata) of Mongolia [with summary in English]. Zool. zhur. 37 no.1:34-40 Ja '58. (MIRA 11:2)

1. Mongol'skiy gosudarstvennyy universitet, Ulan-Bator.
(Mongolia--Dragonflies)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

USSR/General and Systematic Zoology. Insects. Systematics and Faunistics P

Abs Jour : Ref Zhur - Biol., No 3, 1959, No 11448

Author : Belyshev B.F., Shevchenko V.V.
Inst : Institute of Zoology AS KazSSR
Title : Fauna of the Dragonflies (Odonata) in Talas Altae and Karatay (Western Tyan-Shan').

Orig Pub : Tr. In-ta zool. AN KazSSR, 1958, 8, 222-223

Abstract : An inventory of 21 dragonfly species and data on places and time of collection.

Card : 1/1

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

BELYSHEV, B.F.

Two findings of fossil rodents in Western Siberia. Mat. po ist. fauny i flory Kazakh. 2:82-83 '58. (MIRA 11:7)
(Tara Valley--Jerboas, Fossil) (Anuy Valley--Beavers, Fossil)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

[illegible], [illegible], Cand Bio Sci--([illegible] "[illegible] ~~[illegible]~~ Ob region.

[illegible], [illegible]. 11 [illegible] (Min of Higher [illegible] [illegible]. [illegible] State U[illegible] V.V.

[illegible]), [illegible] [illegible] [illegible] [illegible].

([illegible], 31-5[illegible], 101)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

BELYSHEV, B.F.

"Dragonflies of the Latvian S.S.R." by Z.D. Spuris. Reviewed by B.F. Belyshev. Zool. zhur. 36 no.6:957 Je '57. (MLRA 10:8)
(Latvia--Dragonflies)
(Spuris, Z.D.)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

BELYSHEV, B.P.

Dwarf form of Lestes uncatus Kirby (Odonata, Lestidae) from the hot springs of northern Transbaikalia. Ent. obos. 36 no.1:161-162 '57. (MLRA 10:4)

1. Biyskiy muzey, g. Biysk.
(Baikal region--Dragonflies)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

BELYSHEV, B.F.

Scientific literature and textbooks on deratization published by medical institutions; in place of a review. Gig. i san. 22 no.3: 88-90 Mr '57. (MLRA 10:6)

(RATS--EXTERMINATION)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

BELYSHEV, B. F.

GDR / General and Special Zoology. Insects. Systematics and Faunistics. P

Abs Jour : Ref Zhur - Biol., No 10, 1958, No 44658

Author : Belyschew, B. F.
inst : Not given
Title : The Larvae of Agrion hylas Trybom. (Odonata, Agrionidae).

Orig Pub : Dtsch. entomol. Z., 1957, 4, No 3-4, 191-192

Abstract : Not given

Card 1/1

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6

USSR/General and Special Zoology. Insects P

Abs Jour : Ref Zhur - Biol., No 6, 1958, No 25581

isolated areas were enumerated. In the study of the area-shapes two basic types were made apparent: ribbon-like and rounded. The ribbon-like areas were endemic to the north; the rounded areas, 50% of the total number, were mostly endemic to Eastern Asia; they were remnants of wider areas. V-shaped areas were transitional; less numerically than the other areas (7%), they were characteristic of western P. The shape of 25.8% of areas was indistinct; these were the areas which enclosed the Paleoarctic only in part.

Card : 3/3

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600011-6