"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

ACC NR: AP6004883

the charge exchange chamber were analyzed by means of electric and magnetic fields and those with the proper energy and mass, corresponding to the energy and mass of the initial probe beam particles, were recorded with a scintillation counter. The sensitivity was such that a beam current corresponding to 10^{-10} A of singly-charged ions could be employed. The injector and detector assemblies were enclosed in iron housings of approximately 1 cm wall thickness for magnetic shielding. The plasma density was calculated from the attenuation of the beam on traversing the plasma. The theoretical discussion is facilitated by the fact that once a beam particle is ionized it is removed from the beam by the ambient magnetic field, so that the possibility of the ion becoming neutralized again does not have to be considered. The most significant beam attenuating process is shown to be resonant charge exchange with plasma protons; ionization by electron impact is also significant, but other processes are negligible. The effect of scattering of beam atoms was partly eliminated by comparing the attenuation of the beam by the plasma with its attenuation by an equivalent mass of unionized gas, and the residual effect of scattering was shown experimentally to be imperceptible. The attenuation of the beam was independent of beam energy over the investigated range from 4 to 20 keV. The attenuation of such high energy beams is nearly independent of the plasma temperature. The decay curve of the plasma in the "Al'fa" machine from 1.5×10^{13} to 0.2×10^{13} cm^{-3} as measured with the hydrogen atom probe agreed within the experimental error with the decay curve measured with a microwave interferometer. It is concluded that with the investigated technique one can make

Card 2/3

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

L 16043-66

ACC NR: AP6004883

absolute measurements of the ion concentration in a hot hydrogen plasma over the range of plasma thickness from 5×10^{13} to 10^{16} cm^{-2}. The authors thank N. V. Fedorenko for his interest and for valuable discussions. Ye. G. Komar and A. M. Timonin for their interest, and M. M. Larionov and V. V. Rozhdestvenskiy for performing the microwave interferometer measurements. Orig. art. has: 6 formulas and 7 figures. [15]

SUB CODE: 20/ SUBM DATE: 03May65/ ORIG REF: 015/ OTH REF: 007/ ATD PRESS: 4203

FW

Card 3/3

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

KISLYAKOV, B.

[Party organization in the struggle for high labor productivity] Partiinaia organizatsiia v bor'be za vysokuiu proizvoditel'nost' truda. Moskva, Gos. izd-vo polit. lit-ry, 1955. 70 p.
(Labor productivity) (MLRA 8:11)

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

KISLYAKOV, B.G.

Use of RRS-1 radio relay equipment in frontier areas. Vest.sviazi 20 no.1:16 Ja '60. (MIRA 13:5)

1. Nachal'nik Kokchetavskogo oblastnogo upravleniya svyazi.
(Radio, Shortwave)

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

MARKOV, N.G., tekhnolog; TRUKHACHEV, M.M., tekhnolog; KISLYAKOV, F.V.,

Letter to the editor. Vest.mash. 35 no.12:18 '55. (MLRA 9:5)
(Sandblast)

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

KISLYAKOV, F.V.

1005* (Russian: Hydraulic Abrasive Blasting of Metal Parts. Abrazivno-zhidkostnaia obrabotka detalei) [illegible] Markov, F. V. Kislyakov, and M. M. Trukhachev. *Vestnik Mashinostroenia*, v. 36, no. 9, Sept. 1956, p. 56-57.

Describes a machine designed for treating metallic surfaces with liquids carrying an abrasive material. The treatment is claimed to be free from the usual defects of other machining methods, and to improve the fatigue strength and corrosion resistance of the part treated.

Metal 3

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

KISLYAKOV, L.D.; BOCHAROV, V.A.

Flotation activity of various copper minerals during the flotation of ores from the cementation zone of the Uchaly deposit. TSvet. met. 35 no.6:11-13 Je '62. (MIRA 15:6)
(Ural Mountains--Copper ores) (Flotation)

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

1ST AND 2ND ORDERS

3RD AND 4TH ORDERS

PROCESSES AND PROPERTIES INDEX

9

Preparation of powdered iron, copper and nickel from their oxides by reduction with hydrogen. I. P. Kislyakov, *J. Applied Chem.* (U. S. S. R.) 12, 1668-70(in French, 1677)(1939).—Iron oxide powder contg. Fe 69.90, S 0.40%, P none, As none and SiO_2 none was reduced by heating with H_2. Formation of pyrophoric Fe was prevented by raising the reduction temp. to 580-630° and having a zone of the highest temp. of 600-800°. The product is slightly fused, but it can easily be broken up in a mortar. Copper oxide used in the prepn. of Cu powder contained Cu 79.65, Fe 0.1, losses in heating 0.48%. The reduction was carried out best at 480-530°; it gave a slightly fused material. Ni_2O_3 was reduced to 0.5-0.6% O_2. The reduction temp. is not given. A. A. Boehtlingk

ASM-SLA METALLURGICAL LITERATURE CLASSIFICATION

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

KISLYAKOV, I. P.

"Wear in Friction and the Structure of Metalloceramic Hard Alloys."
Sub 15 Jun 51, Moscow Inst of Nonferrous Metals and Gold imeni
M. I. Kalinin

Dissertations presented for science and engineering degrees in
Moscow during 1951.

SO: Sum. No. 480, 9 May 55

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

KISLYAKOV I.P.

MEYERSON, G.A.; KISLYAKOV, I.P.

Investigation of the mechanical wear of powdered-metal hard alloys subjected to friction. Tren. i izn.mash. no.9:59-71 '54.(MLRA 7:9)
(Powder metallurgy) (Steel alloys) (Mechanical wear)

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

137-58-4-6905

Translation from: Referativnyy zhurnal, Metallurgiya, 1958, Nr 4, p 84 (USSR)

AUTHOR: Kislyakov, I. P.

TITLE: Sintering Metal Powders with Formation of a Liquid (Molten) Phase [O spekanii metallicheskikh poroshkov s obrazovaniyem zhidkoy (rasplavlennoy) fazy]

PERIODICAL: Sb. nauch. tr. Mosk. in-ta tsvet. met. i zolota, 1955, Nr 25, pp 477-486

ABSTRACT: Problems of sintering with the formation of a liquid phase are examined. It is noted that even in sintering in the so-called solid phase it is necessary to take into consideration the possibility that small quantities of the liquid and gas phases will be present. The possibility of formation of a "dense" skeleton of a more refractory phase, under identical quantitative conditions of phase composition, depends upon the size and shape distribution of the grains. The formation of a "skeleton" of a more refractory phase with very thin "interlayers" of a more viscous phase in the joints of the "skeleton" must be deemed possible. In some cases this may even be deemed desirable for the purpose of obtaining a "skeleton" of less brittleness. M. B.

Card 1/1

1. Metal powders (Liquid)--Sintering--Theory

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

KISLYAKOV, I. P.

PHASE I BOOK EXPLOITATION 325

Kislyakov, Igor' Pavlovich

Metallurgiya redkikh metallov (Metallurgy of Rare Metals) Moscow, Metallurgizdat, 1957. 232 p. 7,500 copies printed.

Reviewers: Bol'shakov, K. A., Dr., Professor, and the Department of Non-Ferrous Metallurgy, Irkutskiy Gorno-metallurgicheskiy institut (Irkutsk Mining and Metallurgical Institute): Tseft, A. L., Dr., Prof., Corresponding Member of the Kazakh SSR Academy of Sciences; Skobeyev, I. K., Doctor, Professor; Nadol'skiy, A. P. Candidate of Technical Sciences; and Serikov, A. P., Candidate of Technical Sciences; Ed.: Belyayevskaya, L. V.; Ed. of Publishing House: Kamayeva, O. M.; Tech. Ed.: Attopovich, M. K.

PURPOSE: This is a textbook for students in the fields of mining and geological engineering, ore-concentration methods, and rare-metal metallurgy. It may also be used by engineers and other workers engaged in the production and application of rare metals.

Card 1/13

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

COVERAGE: The author discusses methods of extracting tungsten, molybdenum, tantalum, niobium, vanadium, titanium, zirconium, uranium, thorium, beryllium, lithium, the rare-earth metals, and trace associates (gallium, indium, thallium, germanium, and rhenium). Physical and chemical properties, together with information on fields of application, are given for each of these elements. The author devotes considerable attention to the composition of ores and concentrates, as well as to the behavior in metallurgical processes of all minerals introduced into the ores or concentrates, with a view to showing to what extent the composition governs the choice of a suitable procedure for ore reduction. Theoretical discussions of metallurgical processes are kept to a minimum. There are 159 references, of which 53 are Soviet, 96 English, 7 German, 2 French, and 1 Portuguese.

TABLE OF CONTENTS:

Foreward

Ch. I. General Considerations 3

1. Definition of the concept of "rare metal". Occurrence of rare metals 5
2. Classification of rare metals 8

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

KISLYAKOV I. P.

Handbook on Machine-Building (Cont.) SOV/3505

Spravochnik po mashinostroitel'nym materialam v chetyrekh tomakh, tom 2: Tsvetnyye metally i ikh splavy (Handbook on Machine-Building Materials in 4 vols., vol. 2, Non-Ferrous Metals and Alloys) Moscow, Mashgiz, 1959 639pp

Hardening of the surface 460
Mechanical properties of molybdenum 460
Molybdenum alloys 464
Fields of application of molybdenum 467

Zirconium (Kislyakov, I. P., Candidate of Technical Sciences) 468

General characteristics 468
Chemical properties 470
Metallurgy of zirconium 476
Mechanical working of zirconium 476
Welding and soldering of zirconium and with zirconium 477
Mechanical properties of zirconium 478
Zirconium alloys 483

Vanadium (Kislyakov, I. P.) 491

Card 16/22

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

Handbook on Machine-Building (Cont.) SOV/3505

Physical properties 491

Chemical properties 492
Metallurgy [extraction] and processing [powder metallurgy] of vanadium 493
Hot working and cold rolling 494
Applications of vanadium 499
Vanadium alloys 499

Tantalum and niobium (Zelikman, A. N.) 501

Physical properties 501
Chemical properties 504
Metallurgy of tantalum and niobium 509
Production of compact metal 509
Forming of tantalum and niobium 510
Cleaning and surface treatment 510
Alloys of tantalum and niobium 510
Applications of tantalum and niobium 514

Beryllium (Kislyakov, I. P.) 514

Card 17/22

Sintered carbides for cutting tools 533

Card 18/22

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

S/149/62/000/003/008/011
A006/A101

21.2110
11600

AUTHORS: Beylina, L. V., Kislyakov, I. P.

TITLE: Investigating the wettability and impregnability of titanium and zirconium nitride briquets with molten cobalt and nickel

PERIODICAL: Izvestiya vysshikh uchebnykh zavedeniy, Tsvetnaya metallurgiya, no. 3, 1962, 129 - 134

TEXT: To complete data on the preparation and properties of nitride-base alloys, the authors studied the preparation of Ti and Zr-nitride powders and the identification of their composition; the pressing and sintering of porous briquets; the wettability of nitrides with molten nickel and cobalt and the impregnability of porous briquets with these materials. The nitrides were obtained from standard grade Ti and Zr metals or oxides. Nitriding of the metals was carried out in two stages with slow temperature rise to 1,100 and 1,150°C. Nitriding of oxides was performed in 3 stages at 1,600°C. The composition and parameters of the crystal lattice of nitrides and the nitride grain size were determined. Briquets were pressed in a steel mold from Ti and Zr-nitride powders, mixed with a 5% rubber solution in benzine. The briquets were sintered in a vacuum furnace

Card 1/3

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

S/149/62/000/003/008/011
A006/A101

Investigating the...

with a molybdenum heater, at 500 - 600°C for 45 minutes and at 1,400 - 1,450°C for 60 minutes. Impregnability and wettability of the briquets with molten nickel and cobalt was tested in the same furnace. The Co powder contained in %: 99.5 Co; 0.22 Ni; 0.10 C; 0.01 C; 0.06 Fe; 0.04 Si; 0.07 aq. The Ni powder was composed (in %) of: 99.56 Ni; 0.07 Co; 0.10 O; 0.01 C; 0.056 Fe; 0.04 Si; 0.016 C; 0.14 aq. Average values of wetting angles were determined. The tests yielded the following results: In wetting Ti-nitride with molten Co and Ni the wetting angles are in both cases below 90°. The possibility of saturating porous briquets, pressed from Ti-nitride powder, with molten metals, depends upon the purity and the granulometric composition of the nitride powder. Ti-nitride obtained by nitriding high-purity Ti metal can be sufficiently well impregnated with molten Co and Ni. Ti-nitride obtained by nitriding Ti-oxide in the presence of carbon (black) is wetted by the metal but not impregnated. This is explained by contamination with free carbon and its fine-grained nature. Zr-nitride obtained by nitriding Zr-metal powder is wetted with molten Co and Ni but not impregnated, this is probably due to the aforementioned causes and to the presence of residual oxygen, preserved on account of incomplete nitriding. It is assumed that the pseudo-binary Ti nitride - Ni and Ti nitride - Co sections show an eutectic nature,

Card 2/3

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

KISLYAKOV, I.P.

AID Nr. 978-1 28 May

WETTING OF WC AND TiC BY MOLTEN Cu AND Cu-Ni ALLOYS (USSR)

Kislyakov, I. P., L. V. Beylina, and A. N. Kuzin. Izvestiya vysshikh uchebnykh zavedeniy. Tsvetnaya metallurgiya, no. 1, 1963, 117-120.
S/149/63/000/001/005/008

The Moscow Institute of Fine Chemical Technology has studied the wetting of solid WC and TiC by molten Cu, Cu-Ni alloys (with up to 30% Ni), Ni, and Co at 1080 to 1250°C in a pure Ar atmosphere. It was found that WC is readily wet by both Cu and Cu-Ni alloys. The contact angle θ in these systems is less than 90°, even at temperatures only 10-20°C above the melting point of the lowest-melting component. The θ decreases with increasing exposure time at a constant temperature or with increasing temperature. The temperature of complete wetting ($\theta = 0$) was found to be 1220-1250°C for Cu, and 1200-1220°C for the Cu-Ni alloys. The Cu-Ni alloys wet WC at a lower temperature, and more rapidly at the same temperature, than Cu; the higher the Ni content, the more rapid the wetting. No wetting of TiC by

Card 1/2

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

AID Nr. 978-1 28 May

WETTING OF WC AND TiC [Cont'd] S/149/63/000/001/005/008

Cu or Cu-Ni alloys was observed at temperatures up to 1250°C and exposure time up to 2 hrs. It is believed, however, that a higher purity of TiC or increased exposure time would facilitate wetting. Complete wetting of TiC with Ni or Co takes place at temperatures 20 and 30°C higher than the melting temperature of Ni and Co, respectively. Melting at lower than the melting temperatures of pure Ni and Co, observed at the Ni-TiC and Co-TiC interfaces, is associated with the eutectic nature of the pseudobinary TiC-Ni and TiC-Co systems. The qualitative effect of the exposure time and temperature on the wetting of TiC by Ni and Co is similar to that in the wetting of WC by Cu and Cu-Ni alloys. [MS]

Card 2/2

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

ACCESSION NR: AT4030804 S/0000/63/000/000/0182/0191

AUTHOR: Kislyakov, I. P.

TITLE: Packing, the growth of grains, and surface phenomena during sintering with the liquid phase

SOURCE: AN UkrSSR. Institut metallokeramiki i spetsial'ny*kh splavov. Poverkhnostny*ye yavleniya v rasplavakh i protsessakh poroshkovoy metallurgii (surface phenomena in liquid metals and processes in powder metallurgy). Kiev, Izd-vo AN UkrSSR, 1963, 182-191

TOPIC TAGS: packing, grain, surface phenomenon, sintering, liquid phase, ceramics, titanium carbide, tungsten carbide, cobalt, copper, iron, titanium nitride, nickel, surface tension

ABSTRACT: This paper is a continuation of the author's previous work (I. P. Kislyakov, Sbornik trudov MITsMIZ, no. 23, "Tekhnologiya tsvetny*kh metallov" (technology of nonferrous metals), Metallurgizdat, M., 1952, p. 83). The author described the character of the kinetics of growth of grain by the change in character of the distribution curve of granulometric composition of the liquid phase. Results are presented in graphs and tables. The basic phenomena of the examined process

Card 1/2

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

ACCESSION NR: AT4030804

are: the formation of eutectic liquid, its distribution along capillary channels, filling the pores, adsorption, surface wetting of the solid phases, solution up to saturation at a given temperature, the establishment of a mobile equilibrium with the solution of irregularities and small particles, and the growth of large particles. With practically complete packing, the presence of the liquid phase assures a continuation in the growth of the grains of the solid phase with sufficient speed. Orig. art. has: 10 tables and 6 figures.

ASSOCIATION: Moskovskiy institut tonkoy khimicheskoy tekhnologii, Moscow (Moscow Institute of Fine Chemical Technology)

SUBMITTED: 23Nov63 DATE ACQ: 16Apr64 ENCL: 00

SUB CODE: ML NO REF SOV: 006 OTHER: 008

Card 2/2

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

KISLYAKOV, I.P.; SMIRNOVA, I.N.

Phase diagram in the system barium chloride-barium tungstate. Zhur. neorg. khim. 9 no.12:2788-2789 D '64. (MIRA 18:2)

1. Moskovskiy institut tonkoy khimicheskoy tekhnologii imeni Lomonosova.

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

DORFMAN, V.F.; BOL'SHAKOV, K.A.; KISLYAKOV, I.P.

Transport reactions in germanium precipitation by the iodide method. Izv. AN SSSR. Neorg. mat. 1 no.1:37-46 Ja '65. (MIRA 18:5)

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

L 52623-65 EWT(1)/EWT(m)/EWP(i)/T/EWP(t)/EEC(b)-2/EWP(b) Pi-4 LJP(c)
JD/GG

ACCESSION NR: AP5014074 UR/0363/65/001/004/0471/0477

40
39
B

AUTHOR: Dorfman, V. F.; Bol'shakov, K. A.; Kislyakov, I. P.

TITLE: Conditions of crystallization of deposits from the gas phase in transport reactions

SOURCE: AN SSSR. Izvestiya. Neorganicheskiye materialy, v. 1, no. 4, 1965, 471-477

TOPIC TAGS: epitaxial growing, germanium film, transport chemical reaction, mass transfer, crystal growth

ABSTRACT: The mechanisms of the transport of reagents in the gas phase and the possibility of controlling mass transfer in transport chemical methods have been studied by taking as an example the method of growing epitaxial films of germanium, based on the reversibility of the reaction

$$GeI_4\ gas + Ge_{solid} \rightleftarrows 2GeI_2\ gas$$

A formula is proposed for an approximate estimate of the critical velocity of a gas stream below which it is necessary to take into account the role of diffusion in the

Card 1/3

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

L 52623-65
ACCESSION NR: AP5014074

transport of the gaseous reagents.

$$v_c = \sqrt{D \cdot v_t \frac{d^2 f(l/v_t)}{dl^2} \left| \frac{df(l/v_t)}{dl} \right|}$$

In the iodide process of growth of germanium films in a horizontal gas stream, iodine and germanium iodides separate into phases in the source zone, and the diodide and tetraiodide do so in the substrate zone. These effects lead respectively to the slowing down of iodination and to the nonuniformity of the epitaxial deposition on a vertical substrate. The uniformity of deposition is promoted by an inclined position of the substrate in the tube, a regular decrease in temperature along the axis of the deposition zone, and an increase in the rate of gas flow. The latter two factors also improve the homogeneity of the film thickness on various substrates in the same process, and the increase in flow rate accelerates the process. By alternating the regions of deposition with small source zones, one can achieve a multizone deposition from a single gas stream. A continuous deposition of epitaxial films can be achieved by means of a parallel arrangement of the source and substrates in the reaction tube, a suitable temperature gradient being present between them. "The authors express their appreciation to A. M. Anisimova,

Card 2/3

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

L 52623-65

ACCESSION NR: AP5014074

2

G. S. Banina, and M. S. Belokon' for their participation in the experimental work."

Orig. art. has: 4 figures and 8 formulas.

ASSOCIATION: none

SUBMITTED: 20Jan65 ENCL: 00 SUB CODE: GC, SS

NO REF SOV: 008 OTHER: 000

Card 3/3

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

L 40[illegible]-65 EEC(b)-2/EWA(c)/EWT(1)/EWT(m)/EWP(b)/T/EWP(t) Pi-4 IJP(c) CG/JD

ACCESSION NR: AP5011472 UR/0076/65/039/004/0996/1000 29 28 B

AUTHOR: Dorfman, V. F.; Kislyakov, I. P.; Bol'shakov, K. A.

TITLE: Reaction kinetics in the iodide method of growing epitaxial germanium layers 27 21

SOURCE: Zhurnal fizicheskoy khimii, v. 39, no. 4, 1965, 996-1000

TOPIC TAGS: germanium crystal, epitaxial germanium layer, crystal cultivation, iodide method, reaction kinetics, disproportionation reaction 21

ABSTRACT: The kinetics of the iodide process under dynamic conditions was studied in a horizontal quartz tube with hydrogen as the carrier of iodine. The substrates were germanium plates cut out of a single crystal along the (111) plane. The degree to which equilibrium was established in the zone of the source was measured by the ratio R = total consumption of germanium/total consumption of iodine. At sufficiently small R, the growth rate of germanium layers can assume even negative values, i.e., gaseous etching of the substrates begins. The temperature effect on the growth is expressed by the equation

$$v = [(8{,}2 \pm 0{,}5) \cdot 10^{2} \cdot e^{-4000/RT} - (2{,}8 \pm 0{,}2) \cdot 10^{4} \cdot e^{-6000/RT}] (\mu/\text{час}),$$

Card 1/2

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

L 48986-65

ACCESSION NR: AP5011472

where v is the rate of epitaxial growth. The dependence of the growth rate on the initial concentration of iodine vapors and hence GeI_2 vapors indicates that the disproportionation GeI_2 (s) + GeI_2 (g) $\rightleftarrows$ Ge (s) + GeI_4 (g) is a first-order, heterogeneous reaction. The nature of the distribution of the growth rate along the length of the reaction tube can be adjusted within certain limits by changing the temperature curve in the deposition zone. Orig. art. has: 7 figures and 7 formulas.

ASSOCIATION: Moskovskiy institut tonkoy khimicheskoy tekhnologii im. M. V. Lomonsova (Moscow Institute of Fine Chemical Technology)

SUBMITTED: 01Apr64 ENCL: 00 SUB CODE: SS, IC

NO REF SOV: 004 OTHER: 001

Card 2/2

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

L 54029-65 EWP(e)/EWT(m)/EWP(t)/EWP(b)/EWP(i) IJP(c) JD

ACCESSION NR: AP5013525 UR/0076/65/039/005/1248/1251
541.124/.128

AUTHOR: Dofman, V. F.; Kislyakov, I. P.; Bol'shakov, K. A.

21
B

TITLE: Doping of germanium layers during growth by the iodide method

SOURCE: Zhurnal fizicheskoy khimii, v. 39, no. 5, 1965, 1248-1251

TOPIC TAGS: germanium film, epitaxial growth, germanium doping, gallium iodide, germanium iodide

ABSTRACT: The authors used antimony as the donor impurity and boron, aluminum, and gallium as the acceptor impurities. Attempts to dope germanium with boron and aluminum were unsuccessful. Gallium was iodinated under dynamic conditions in a laminar gas flow to study the equilibrium in the Ga-I system at various temperatures. The equilibrium constant K_p for the reaction $GaI_3 + Ga \rightleftarrows 3GaI$ was calculated for the 600--900°C range. The effect of temperature on the equilibrium atomic ratio of iodine to gallium and the relationship between log K_p and the reciprocal temperature $1/T$ indicate the possibility of the following reactions for gallium:

$$^2/_3Me + {}^1/_3MeJ_3 \rightleftharpoons MeJ,$$
$$^1/_3Me + {}^2/_3MeJ_3 \rightleftharpoons MeJ_2,$$

Card 1/2

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

L 54029-65

ACCESSION NR: AP5013525

Experimental data show that the following reactions also occur for gallium:

$$Me + {}^{1}/_{2}GeJ_2 \rightleftharpoons MeJ + {}^{1}/_{2}Ge,$$
$$Me + {}^{3}/_{2}GeJ_2 \rightleftharpoons MeJ_3 + {}^{3}/_{2}Ge,$$
$$MeJ + GeJ_2 \rightleftharpoons MeJ_3 + Ge.$$

Orig. art. has: 3 figures and 16 formulas.

ASSOCIATION: none

SUBMITTED: 01Apr64 ENCL: 00 SUB CODE: GC

NO REF SOV: 001 OTHER: 004

Card 2/2

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

SMIRNOVA, I.N.; KISLYAKOV, I.P.

Diagram of states in the systems Na_2WO_4 - $SrWO_4$ and Na_2WO_4 - $BaWO_4$. Izv. AN SSSR. Neorg. mat. 1 no.7:1162-1165 Jl '65. (MIRA 18:9)

1. Moskovskiy instituta tonkoy khimicheskoy tekhnologii imeni M.V. Lomonosova.

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

DORFMAN, V.F.; KISLYAKOV, I.P.; BOL'SHAKOV, K.A.

Kinetics of reactions in the iodide method of formation of epitaxial films of germanium. Zhur. fiz. khim. 39 no.4:996-1000 Ap '65. (MIRA 19:1)

1. Moskovskiy institut tonkoy khimicheskoy tekhnologii imeni Lomonosova.

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

L 29616-66 EWT(m)/EWP(t)/ETI IJP(c) JD

ACC NR: AP6011319 SOURCE CODE: UR/0363/66/002/003/0507/0510

AUTHOR: Zobnina, A. N.; Kislyakov, I. P.; Strelina, N. V.

32
B

ORG: Moscow Institute of Precision Chemical Technology im. M. V. Lomonosova (Moskovskiy institut tonkoy khimicheskoy tekhnologii)

TITLE: Conditions attending the formation of zinc molybdate

SOURCE: AN SSSR. Izvestiya, Neorganicheskiye materialy, v. 2, no. 3, 1966, 507-510

TOPIC TAGS: zinc, molybdenum, zinc compound, molybdate

ABSTRACT: The conditions of precipitation of zinc molybdate from aqueous solutions containing molybdate and zinc ions were determined by the potentiometric titration technique. The precipitation experiments were conducted at 22°-100°C with a solution pH of 4.36 to 6.2 for 18-144 hours. A standard calomel electrode served as a reference and a glass electrode was used as an indicator. The compositions of the precipitates and solutions were determined chemically. The solutions were prepared from chemically pure grade $Zn(NO_3)_2 \cdot 6H_2O$ and $Na_2MoO_4 \cdot 2H_2O$. It was found that regular zinc molybdate ($ZnMoO_4$) precipitates in the 5.0-6.0 pH range. At pH>6 the

Card 1/2

UDC: 546.47'776

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

L 29616-66

ACC NR: AP6011319

0

$ZnMoO_4$-$Zn(OH)_2$ mixture precipitates and at pH<5.0 a mixture of $ZnMoO_4$ and isopoly-salts precipitates. It is possible that the $ZnMoO_4$ formation occurs via isopolysalt intermediates. Increased temperature and longer precipitation duration lead to better structure and less water content in the precipitate. At 278°±10°C $ZnMoO_4 \cdot 2H_2O$ becomes anhydrous. Orig. art. has: 5 figures and 2 tables.

SUB CODE: 07/ SUBM DATE: 12Jun65/ ORIG REF: 000/ OTH REF: 006

Card 2/2 cc

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

L 32164-66 EWT(m)/T/EWP(t)/ETI IJP(c) JD/JG

ACC NR: AP6011320 SOURCE CODE: UR/0363/66/002/003/0511/0513

52
50
B

AUTHOR: Zobnina, A. N.; Kislyakov, I. P.

ORG: Institute of Precision Chemical Technology im. M. V. Lomonosova (Institut tonkoy khimicheskoy tekhnologii)

TITLE: Investigation of the ZnO-MoO_3 system

SOURCE: AN SSSR. Izvestiya. Neorganicheskiye materialy, v. 2, no. 3, 1966, 511-513

TOPIC TAGS: zinc oxide, molybdenum compound, molybdenum, ~~molybdate~~ EUTECTIC MIXTURE, X RAY ANALYSIS, MELTING POINT, MATERIAL MIXING

ABSTRACT: The ZnO-MoO_3 system was studied using thermal-differential analysis, x-ray analysis and the luminescence method. The object of the work was to fill a gap in the literature. Samples of various compositions were prepared by mixing and fusing (at 700-900°C) chemically pure ZnO, $ZnMoO_4$, and MoO_3. It was found that $ZnMoO_4$ (which has a melting point of 990° ± 10°C) undergoes a peritectic transformation into a $3ZnO_3$ compound. This peritectic transformation occurs at 1060° ± 10°C. At the peritectic point, the ZnO-MoO_3 compound contains 46.52 mol % MoO_3. It was found that $ZnMoO_4$ and $3MoO_3$ form an eutectic which contains 49.75 mol % MoO and has a melting point of 985°± ±10°C. The $2nMoO_4$ also forms a eutectic with MoO_3; this eutectic contains 81.3 mol % MoO_3 and its melting point is 660° ± 10°C. The authors express their thanks to N. V.

UDC: 546.47'776

Card 1/2

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

L 32164-66

ACC NR: AP6011320

2

Stemin for participating in this work and to Yu. S. Leonov and M. A. Koustantinova--Shlezinger for kind consultations concerning the luminescence method. Orig. art. has: 1 figure.

SUB CODE: 07/ SUBM DATE: 12Jul65/ ORIG REF: 003/ OTH REF: 004

Card 2/2 GD

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

L 42178-66 EWT(m)/T/EWP(t)/ETI IJP(c) WW/JD/JG/GD

ACC NR: AT6022480 (A) SOURCE CODE: UR/0000/65/000/000/0116/0120

AUTHOR: Kislyakov, I. P.; Smirnova, I. N.; Buynov, B. I.; Khomutova, T. V.; Tokunov, T. V. 44

ORG: Moscow Institute of Fine Chemical Technology im. M. V. Lomonosov (Moskovskiy Institut tonkoy khimicheskoy tekhnologii) B+1

TITLE: Synthesis and solubility of barium, calcium, and manganese tungstates in melts of certain salts

SOURCE: Vsesoyuznoye soveshchaniye po fizicheskoy khimii rasplavlennykh soley. 2d, Kiev, 1963. Fizicheskaya khimiya rasplavlennykh soley (Physical chemistry of fused salts); trudy soveshchaniya. Moscow, Izd-vo Metallurgiya, 1965, 116-120.

TOPIC TAGS: tungstate, barium compound, calcium compound, manganese compound, solubility, chemical precipitation, aqueous solution, temperature dependence, recrystallization

ABSTRACT: Manganese tungstate was prepared by precipitation from aqueous solutions of $MnCl_2$ and Na_2WO_4, and $MnWO_4 \cdot 2H_2O$ was obtained. A study of the solubility of dehydrated $MnWO_4$ in Na_2WO_4 and Na_2WO_4 + 20% NaCl melts showed it to be strongly temperature-dependent. Three different types of $MnWO_4$ crystals corresponding to three different regions of crystallization were obtained. Manganese tungstate was also prepared in the melt via the reaction $Na_2WO_4 + MnCl_2 \rightarrow 2NaCl + MnWO_4$, and the product did not differ from that prepared by recrystallization. Barium tungstate was obtained by

Card 1/2

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

L 42178-66

ACC NR: AT6022480

precipitation from dilute aqueous solutions of $BaCl_2$ and Na_2WO_4. A microvisual-polythermal method was used in studying the solubility in the $BaCl_2$-$BaWO_4$ system at high temperatures. Coarsely crystalline $BaWO_4$ was prepared by recrystallizing dehydrated $BaWO_4$ in molten $BaCl_2$ and also by the reaction $BaCO_3 + WO_3 \rightarrow BaWO_4 + CO_2$ in the same medium. Calcium tungstate was obtained in similar fashion. Its solubility in $CaCl_2$ at high temperatures was determined. Attempts to crystallize $CaWO_4$ from $CaCl_2$ melt showed this method to be inappropriate in air (the $CaWO_4$ crystals contained excess CaO). Orig. art. has: 4 figures and 1 table.

SUB CODE: 07/ SUBM DATE: 23Aug65/ ORIG REF: 003/ OTH REF: 002

Card 2/2

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

L 06226-67 EWT(m)/EWP(t)/ETI IJP(c) JD/JG

ACC NR: AP6029823 SOURCE CODE: UR/0363/66/002/008/1467/1476

AUTHOR: Kislyakov, I. P.; Mal'nikov, A. I.; Sokolovskaya, R. V.; Tokunov, O. I. 44 41

ORG: Moscow Institute of Fine Chemical Technology im. M. V. Lomonosov (Moskovskiy institut tonkoy khimicheskoy tekhnologii) B

TITLE: Reactions of formation of barium tungstates in solid phases

SOURCE: AN SSSR, Izvestiya. Neorganicheskiye materialy, v. 2, no. 8, 1966, 1467-1476

TOPIC TAGS: tungstate, barium compound, barium oxide, carbonate, CHEMICAL REACTION

ABSTRACT: Thermal, x-ray phase and chemical analyses were used to study the solid-phase reactions of $BaCO_3$ with WO_3, $BaCO_3$ with $BaWO_4$, $BaCO_3$ with $2BaO \cdot WO_3$, and $BaWO_4$ with $3BaO \cdot WO_3$. The formation of $BaWO_4$ begins at 300°C; a catalytic participation of $H_2O_{(g)}$ in the formation of $BaWO_4$ is postulated. The reaction of α-$BaCO_3$ with WO_3 increases markedly at 515-575°C and in an abrupt manner at 950°C as a result of the formation of a liquid eutectic phase composed of 50 mole % $BaWO_4$ and 50 mole % WO_3. The reaction of formation of $BaWO_4$ does not reach completion in stoichiometric compositions (at a heating rate of 400 deg/hr) up to 1280°C. An increase in excess $BaCO_3$ above the stoichiometry causes a virtually complete formation of $BaWO_4$ at 950°C. It is shown that when the mixtures $BaCO_3/WO_3 > 1$ and $BaCO_3/BaWO_4 = 1$ are heated, the reactions of formation of $2BaO \cdot WO_3$ and $3BaO \cdot WO_3$ occur irrespective of the relative amount

Card 1/2 UDC: 546.431'786

L 06226-67

ACC NR: AP6029823 3

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

of $BaCO_3$ present in the mixture. $2BaO \cdot WO_3$ is formed by the reaction of $BaCO_3$ with $BaWO_4$ at 810°C. The rate of its formation increases markedly above 950-990°C. The effect of formation of $2BaO \cdot WO_3$ is displayed at 1130-1160°C depending upon the initial composition. In addition to $2BaO \cdot WO_3$, $3BaO \cdot WO_3$ begins to form at about 1000°C, and the rate of its formation increases substantially above 1090°C. The effect of formation shows up at 1210-1280°C depending upon the initial composition. Authors thank G. A. Vydrik for performing test recordings of the composite thermograms and S. I. Kopeykin and I. V. Kovaleva for their participation in the work. Orig. art. has: 5 figures, 1 table and 11 formulas.

SUB CODE: 07/ SUBM DATE: 27Jun65/ ORIG REF: 008/ OTH REF: 009

Card 2/2 HB

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

L 1555-66 EPA(s)-2/EWT(m)/T/EWP(t)/EWP(b)/EWA(c) IJP(c) JD/JG

ACCESSION NR: AP5022269 UR/0363/65/001/007/1162/1165
541.12.012

26
25
B

AUTHOR: Smirnova, I. N.; Kislyakov, I. P.

TITLE: Phase diagrams of the systems Na sub 2 Wo sub 4-SrWO sub 4 and Na sub 2 Wo sub 4-BaWO sub 4

SOURCE: AN SSSR. Izvestiya. Neorganicheskiye materialy, v. 1, no. 7, 1965, 1162-1165

TOPIC TAGS: tungstate, sodium compound, strontium compound, barium compound

ABSTRACT: The study of the phase diagrams involved the use of thermography with simple and differential recording on a KVT-3 electronic recording potentiometer, the microvisual-polythermal method, and x-ray phase analysis. The phase diagram of the Na_2WO_4-$SrWO_4$ system is of eutectic type; the composition of the eutectic is 3 mole % $SrWO_4$, and its melting point is 680-685C. Sodium tungstate has 2 polymorphic transformations, at 575 and 592C, both of which appear on the cooling curves. The Na_2WO_4-$BaWO_4$ system is analogous to the previous one. The composition of the eutectic is 4 mole % $BaWO_4$, and its melting point is 680-683C. The temperatures of the phase transformations are tabulated and the phase diagrams are given for both systems. Orig. art. has: 2 figures and 2 tables.

Card 1/2

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

L 1555-66

ACCESSION NR: AP5022269

ASSOCIATION: Moskovskiy institut tonkoy khimicheskoy tekhnologii im. M. V. Lomonosova (Moscow Institute of Fine Chemical Technology)

SUBMITTED: 23Mar65 ENCL: 00 SUB CODE: IC, SS

NO REF SOV: 000 OTHER: 002

Card 2/2

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

ACC NR: AR6026486 SOURCE CODE: UR/0274/66/000/004/A022/A023

AUTHOR: Kislyakov, I. S.

TITLE: Frequency conversion and network transformations of RC-filters

SOURCE: Ref. zh. Radiotekhnika i elektrosvyaz', Abs. 4A142

REF SOURCE: Tr. uchebn. in-tov svyazi. M-vo svyazi SSSR, vyp. 26, 1965, 77-84

TOPIC TAGS: frequency conversion, ~~RC filter~~, IR filter, resistance capacitance

ABSTRACT: Frequency conversion is considered in the synthesizing active RC filters which recently have received considerable attention in connection with IR-band uses and semiconductor-device developments. The problem is solved for an active nonautonomous quadripole consisting of R, C, and active elements. Derived from mesh-current equations, this formula for the current or voltage transfer function $T_{(p)}=f[(r\beta p)]$ permits analyzing the relations between the conversion of a normalized complex frequency p and the corresponding variations of circuit elements: normalized resistance factor r and normalized capacitance factor β. Here, $r_{ik}=\frac{R_{ik}}{R_0}$; $\beta_{ik}=R_0\omega_0 C_{ik}$, where R_0 and ω_0 are arbitrary resistance and frequency, respectively. The derived formulas permit determining the configuration and the normalized coefficients of filter elements if the circuit of the initial RC-filter is known. In each case, two filter solutions are possible; an RC-circuit and an RL-circuit which have identical transfer functions. Numerical examples of using the above method are cited. A. K. [Translation of abstract]

Card 1/1 SUB CODE: 09 UDC: 621.372.54

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

Kislyakov, I. Ye.

SOV/6-59-7-4/25

5(2), 3(4)

AUTHOR: Sokolova, O. I.

TITLE: Results of the Competition for the Best Improving Suggestion (Itogi konkursa na luchsheye ratsionalizatorskoye predlozheniye)

PERIODICAL: Geodeziya i kartografiya, 1959, Nr 7, pp 17-21 (USSR)

ABSTRACT: In May 1959, the ordinary competition for the best improving suggestion in the field of topographic-geodetic and cartographic production was concluded at the Glavnoye upravleniye geodezii i kartografii MVD SSSR (Main Administration of Geodesy and Cartography of the Ministry of Internal Affairs of the USSR). 7 aerogeodetic services, 8 cartographic institutes and NRKCh took part. A total of 30 topographic-geodetic, and 31 cartographic, suggestions were submitted. The 1st prize of 1,000 rubles was awarded to V. A. Morozov and V. V. Urusov (Minskaya kartograficheskaya fabrika (Minsk Cartographic Plant) for the "Seamless Fastening of Atlas Blocks". The 2nd prizes of 750 rubles were awarded to: 1) Ye. L. Bratslavskiy, V. M. Varzugin, Yu. N. Galitskiy, O. P. Shetler and V. P. Stepanov (NRKCh) for "Technology of the Use of Standard Bases (tipovaya osnova)". 2) I. V. Gurevich, V. M. Varzugin, E. O. Radovil'skaya, O. D. Shetler, L. I. Zmeykova for "Technology of the Manufacture of Combined Diapositives" (NRKCh). 3) D. A. Larin (Moskovskoye AGP (Moscow AGP)) for "Reduction of Work in Evaluating the Accuracy of Symmetric Geodetic Nets Formed by Figures of Regular Shape". 4) N. V. Shreyber (Novosibirskoye AGP (Novosibirsk AGP)) for "Light Collapsible Ladder of Dural for Prospecting". - The 3rd prizes of 500 rubles each were awarded to : 1) I. F. Shevaldin (Yakutskoye AGP (Yakutsk AGP)) for "Establishment of Fixed Points by the Method of Thawing by Means of Vapor". 2) V. D. Ol'shanskiy (Yakutskoye AGP (Yakutsk AGP)) for "Construction of an Overhead Trolley for Timber Transport". 3) I. A. Kyzin (Moskovskoye AGP (Moscow AGP)) for "Variation in the Attachment of Photographs on the STD-2". 4) V. F. Zarubin (Moskovskoye AGP (Moscow AGP)) for "Raising of Geodetic Signs by 5-7 Meters". 5) D. I. Smirnov, I. V. Gurevich, Z. I. Aleksandrova, V. M. Varzugin, V. K. Kirillov and I. Ye. Kislyakov (NRKCh) for "Technology of the Completion and Edition of Topographic Maps by the Photorelief Method". 6) M. F. Glushanin (Minskaya kartograficheskaya fabrika (Minsk Cartographic Institute)) for "Vertical Filing Machine for Brochures". 7) A. A. Vnukov (Tashkentskaya kartograficheskaya fabrika (Tashkent Cartographic Institute)) for "Mechanism for the Loading of Trucks With Paper Rolls". 8) A. N. Tsokolenko (Ukrainskoye AGP (Ukrainian AGP)) for "Replacement of the Arc Lamp for the Heliographic-printing Machine KP-1 by an Illuminating Device With Luminescent Lamps DS-40". 9) G. M. Grigor'yev (Sverdlovskoye AGP (Sverdlovsk AGP)) for "Ruler for Drawing in the Preparation of Map Compilations and Final Compilations". 10) L. G. Izrailev (Severo-Zapadnoye AGP (North-west AGP)) for "Improvement of the Contact Mechanism in the Micrometer by Vodar". 11) S. M. Andreyev (Moskovskoye AGP (Moscow AGP)) for "Formulas and Form for a More Rational Computation of Superelevations From the Trigonometric Leveling". 12) D. G. Vil'ner (Sverdlovskoye AGP (Sverdlovsk AGP)) for "New Numbering and Painting of Leveling Staffs". 13) G. M. Grinberg (Moskovskoye AGP (Moscow AGP)) for "Formulas and Table for Extreme Divergences Between the Free Terms of Polar and Base Conditions Computed on a Plane and on a Ball". - Besides, the following suggestions were approved by the jury: 1) V. T. Trykov (Sverdlovskoye AGP (Sverdlovsk AGP)), "Underframe for Observations From the Telescopic Tower". 2) B. V. Osinskiy

Card 1/6

Card 2/6

Card 3/6

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

SOV/6-59-7-4/25

Results of the Competition for the Best Improving Suggestion

(Severo-Zapadnoye AGP (North-west AGP)) Template (pulotka) for "Determining the Corrections of Centering and Reducing With an Auxiliary Scale for Determining the Corrections of the Curvature of the Image of the Geodetic Line and of the Spheric Excess". 3) V. G. Mauyerar (Moskovskoye AGP (Moscow AGP)), "Variation of the Construction of the Heliotrope". 4) G. M. Shlefendorf (Moskovskoye AGP (Moscow AGP)), "Zero Thermostat for the Gravimeters of the GAK-XX-type". 5) P. I. Ponom (Moskovskoye AGP (Moscow AGP)), "Device for Cutting Aluminum". 6) A. I. Fikhman and G. M. Grimberg (Moskovskoye AGP (Moscow AGP)), "Prospecting Mast". 7) Ya. I. Negmevitskiy, N. A. Pashukevich and M. P. Glushanin (Minskaya kartograficheskaya fabrika (Minsk Cartographic Institute)), " A Workbench Device for Mixing Offset Colors". 8) I. L. Gintsberg (Tashkentskaya kartograficheskaya fabrika (Tashkent Cartographic Institute)), "Device for Grinding the Edges of Plate Glass". 9) A. A. Vnukov (Tashkentskaya kartograficheskaya fabrika (Tashkent Cartographic Institute)), a) "Mechanism for Inclining the Grinding Case". b) "Mechanism for Lifting the Trough With the Balls". 10) V. I. Turchenko and S. A. Loushteyn (Tashkentskaya kartograficheskaya fabrika (Tashkent Cartographic Institute)), "Automatic Switch-off of Arc Lamps". 11) I. V. Vasil'yeva (Tashkentskaya kartograficheskaya fabrika (Tashkent Cartographic Plant), "Increase in the Durability of Light-sensitive Rubber Solution (Adhesive)". 12) V. M. Sher (Kiyevskaya kartograficheskaya fabrika (Kiyev Cartographic Plant), "Correspondence of the Stroke-elements on Topographic Maps With the Letters on the Machine Printing Forms". 13) V. V. Bozrikov, S. P. Yakunin (Rizhskaya kartograficheskaya fabrika (Riga Cartographic Plant), "On the Improvement in the Construction of Mechanisms for Pressing-on the Inking Rollers and Friction Drums on the Offset Machines 'Planeta-Super-Kvinta'". 14) A. Ya. Simanovskiy (Rizhskaya kartograficheskaya fabrika (Riga Cartographic Plant), "A Rational Method of Making Positives of Printing Forms of Relief Printing on Tracing Paper for Printing Books on Offset Machines". 15) O. M. Yankovskiy (Rizhskaya kartograficheskaya fabrika (Riga Cartographic Plant), "Synchronization and Automatization of the Switching on and off of Arc Lamps and of the Suction Fan in the Copying Department". 16) V. F. Alampiyev (Rizhskaya kartograficheskaya fabrika (Riga Cartographic Plant), "Variation in the Technology of Making Sets of Outline Maps of the Fifth Class". 17) V. V. Il'yushin (Rizhskaya kartograficheskaya fabrika (Riga Cartographic Plant), "Preparation of Collecting- and Corresponding Positives by the Method of the Washed-out Relief on 'viniproz'". 18) V. M. Dudochkin (Tbilisskaya kartograficheskaya fabrika (Tbilisi Cartographic Plant), "Switching off the Motor of the Compressor on the Copying Frame by Means of the Change Lever for Lifting the Glass and by Means of the Vacuum". 19) D. I. Matkava (Tbilisskaya kartograficheskaya fabrika (Tbilisi Cartographic Plant), "Device for Laying on the Negatives in Copying". 20) N. M. Serbin (Tbilisskaya kartograficheskaya fabrika (Tbilisi Cartographic Plant), "Device for Drying Paper on Offset Machines". 21) S. M. Konstantinova (Tbilisskaya kartograficheskaya fabrika (Tbilisi Cartographic Plant), "Progressive Method and Procedure for the Preparatory Work in Calculating and Plotting the Geographic Network on Maps to Be Compiled". 22) K. I. Mironov (NRKCh) "A Workbench for Repairing the Guides of the Offset Machine". 23) Yu. P. Tarasov (NRKCh) "Device for Regulating the "taler" of the Offset Machine". 24) Ye. N. Klyuchanskaya and S. V. Nesterova (NRKCh) "Improving the Method of Precipitating the Silver Nitrate in Used Solutions".

Card 4/6

Card 5/6

Card 6/6

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

KISLYAKOV, K.S., laureat Stalinskoy premii; tokar'; PETUSHKO, P.I., inzhener; DONSKOY, Ya., redaktor; KUCHERSKIY, I., tekhnicheskiy redaktor.

[Entire brigades of excellent workers] Skvoznye brigady otlichnogo kachestva. [Kharkov] Khar'kovskoe knizhno-gazetnoe izd-vo, 1952. 36 p. (MLRA 8:2)

1. Khar'kovskiy turbogeneratornyy zavod imeni S.M.Kirova (for Kislyakov).
(Kharkov--Turbines)

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

KISLYAKOV, K.S.

TJ1160.A34

TREASURE ISLAND BOOK REVIEW

AID 852 - S

KISLYAKOV, K. S.

RABOTA SKVOZNOY BRIGADY OTLICHNOGO KACHESTVA (Work of a Composite Crew of Machine-tool Operators). In Akademiya Nauk SSSR. Peredovoy opyt novatorov mashinostroyeniya (Progressive Experience of Leading Men in the Machine-Building Industry) 1954. Part I: Skorostnyye metody mekhanicheskoy obrabotki metallov (High-Speed Methods in Machining of Metals). p. 49-52.

The author of this short report, one of the leading operators of vertical boring and turning machines at the Khar'kov Turbogenerator Plant im. Kirov, describes the organization and work of assorted crews of highly-qualified men engaged in production of a certain unit of the steam turbines, generators or other power equipment.

The output of these crews (89 in number) organized in various shops, with a few additional groups organized "inter-departamentally", i.e., consisting of members from as many as four different shops, shows great improvements in quality and quantity and reduction of spoilage. The author makes several suggestions for productivity of labor at the plant.

1/1

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

ZOLOTAREV, A.N., kand. ekon. nauk; KISLYAKOV, K.S., tokar'-karusel'shchik.

Study and generalization of leading work methods as a factor in the rise of productivity. Trudy Khar'. inzh.-ekon. inst. 9:37-55 '57. (MIRA 11:6)

(Efficiency, Industrial)

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

KISLYAKOV, Konstantin Sergeyevich, Geroy Sotsialisticheskogo Truda, tokar'; DONSKOY, Ya.Ye., red.; LIMANOVA, M.I., tekhn. red.

[Achieved through the work of everyone of us]Trudom kazhdogo iz nas. Khar'kov, Khar'kovskoe knizhnoe izd-vo, 1962. 35 p. (MIRA 15:11)

1. Khar'kovskiy turbinnyy zavod imeni S.M.Kirova (for Kislaykov).
(Kharkov--Turbines)

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

20

Ash and slags of Moscow basin coal burned in a pulverized condition as a raw material for the production of

WALL-CONSTRUCTION MATERIALS. L.A. Kislyakov. Stroitel. Material.
1935, No. 12, 24-37.

E.E. Stefanowsky

ASM-SLA METALLURGICAL LITERATURE CLASSIFICATION

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

1ST AND 2ND ORDERS

3RD AND 4TH ORDERS

PROCESSES AND PROPERTIES INDEX

Experiments on the technical production of lime-ash brick. L. A. Kislyakov. *Stroitel. Materialy* **1936**, No. 12, 23-4; *Chem. Zentr.* **1938**, II, 920; cf. *C. A.* **30**, 4205[1]. — Good results were obtained in the production of brick from slag-ash wastes from tech. furnaces when 8-10% of lime was added and the pressed mass contained 12-15% moisture. The brick so produced scarcely differed from ordinary silicate brick as regards their value as a building material.

M. G. Moore

ASM-SLA METALLURGICAL LITERATURE CLASSIFICATION

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

1ST AND 2ND ORDERS

PROCESSES AND PROPERTIES INDEX

3RD AND 4TH ORDERS

20

CA

Gas concretes from Moscow district coal ash. L. A. Kislyakov and N. N. Gurceva. *Keramika* 1939, No. 4, 11-4.—Gas concretes were made by autoclaving, with an addn. of 0.1-0.2% of aluminium powder, (a) lime, cement and ash and (b) lime and ash. The first was fairly strong and air-stable, the second less so. Floor blocks can be prepared from cementless gas concrete containing 3% of $CaCl_2$ as filler. The frost resistance is low.

R. R. Stefanowsky

ASM-SLA METALLURGICAL LITERATURE CLASSIFICATION

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

1ST AND 2ND ORDERS

PROCESSES AND PROPERTIES INDEX

2 - (14) - 49

C

Roof shingle. L. A. KISLYAKOV AND YA. YU. ROITHERG (M. Hosch, inventor). U.S.S.R. 64,697, May 31, 1945; abstracted in *Chem. Zentr.*, 1948, I [5/6] 393.—A mixture of CaO, ashes, and ground shingle (with or without the addition of 2 to 3% gypsum, $CaCl_2$, or NaCl) is molded, dried in air, and treated with water or steam.

M.HA.

ASM-SLA METALLURGICAL LITERATURE CLASSIFICATION

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

KISLYAKOV, L. A.

VOLZHENSKIY, A. V. and KISLYAKOV, L. A. "Gypsum materials and woods for constructing high buildings", Mest. stroit. materialy, 1948, Issue 6, p. 22-26/

SO: U-3042, 11 March 53, (Letopis 'Zhurnal 'nykh Statey, No. 7 1949).

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

KISLYAKOV, L. A.

Dissertation: "Changes of the Properties of Gypsum Calcined at High Temperatures." Cand Tech Sci, Sci Res Inst of Construction Engineering, Moscow, 1953. (Referativnyy Zhurnal--Khimiya, Moscow, No 5, Mar 54)

SO: SUM 243, 19 Oct 54

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

KISLYAKOV, L.A.

VOLZHENSKIY, A.V., professor; KISLYAKOV, L.A., kandidat tekhnicheskikh nauk; TEMKIN, L.Ye., inzhener; nauchnyy redaktor; ROSTOVTSEVA, M.P., redaktor; PERSON, M.N., tekhnicheskiy redaktor

[Production of hollow reinforced-concrete beams and panels for ceilings and floors] Proizvodstvo zhelezobetonnykh pustotelykh balok-nastilov i panelei perekrytii. Moskva, Gos. izd-vo lit-ry po stroitel'stvu i arkhitekture, 1954. 60 p. (MLRA 7:10)

1. Chlen-korrespondent Akademii arkhitektury SSSR (for Volzhenskiy)
(Girders) (Precast concrete construction)
(Floors, Concrete)

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

NAGIRNYAK, F.I.; KISLYAKOV, L.D.; NIKITIN, Yu.I.

Practical experience with hydraulic cyclones at the Krasnouralsk concentration plant. TSvet.met. 29 no.2:9-15 F '56. (MLRA 9:6)

1.Uralmekhanobr.
(Krasnouralsk--Copper--Metallurgy)

[redacted]

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

137-58-6-11328

Translation from: Referativnyy zhurnal, Metallurgiya, 1958, Nr 6, p 10 (USSR)

AUTHORS: Kislyakov, L.D., Epel'man, L.L., Sinel'shchikova, Ye.N., Skorodumova, L.P.

TITLE: Results of Introduction of Selective Flotation of Copper-and-zinc Ores at the Krasnoural'sk Concentrating Mill (Rezul'taty osvoyeniya selektivnoy flotatsii medno-tsinkovykh rud na Krasnoural'skoy obogatitel'noy fabrike)

PERIODICAL: Byul. Tsentr. in-t inform. M-va tsvetn. metallurgii SSSR, 1957, Nr 3, pp 13-20

ABSTRACT: Experiments were conducted with various procedures for the selective flotation (F) of Cu-Zn ores of the Sibayev deposit, under industrial and pilot-plant conditions. The procedure recommended is one of direct selective F, first of Cu, with fine comminution of the concentrate of the primary flotation, followed by double fining thereof, and then of Zn-FeS_2 flotation with fine grinding of the combined concentrate with subsequent F of Zn therefrom, with four finings. FeS_2 concentrate is also separated from the tailings of the combined F. The Zn is depressed during the copper cycle by cyanide and $ZnSO_4$, while

Card 1/2

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

137-58-6-11328

Results of Introduction (cont.)

$CuSO_4$ is used to activate the Zn during the zinc cycle. The collector is butyl xanthate. Hydrocyclones are used for control classification and thickening. Qualitative and equipment diagrams of the F process are presented, as well as tables of F procedures and performance criteria thereof.

L.B.

1. Copper ores--Flotation 2. Zinc ores--Flotation

Card 2/2

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

KISLYAKOV, L.D.; BELOVOD, R.N.; EPEL'MAN, L.L.; SINEL'SHCHIKOVA, Ye.N.

Adopting the use of hydraulic cyclones at the Krasnoural'sk Ore Dressing Plant. Trudy Uralmekhanobra no.5:11-30 '59. (MIRA 15:1)

1. Ural'skiy nauchno-issledovatel'skiy institut mekhanicheskoy obrabotki poleznykh iskopayemykh (for Kislyakov, Belovod).
2. Krasnoural'skaya obogatitel'naya fabrika (for Epel'man, Sinel'shchikova).

(Krasnoural'sk--Ore dressing)
(Separators (Machines))

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

BOCHAROV, V.A.; KISLYAKOV, L.D.

Collective flotation of secondary copper and zinc sulfides with subsequent additional comminution and separation of the collective concentrate. TSvet. met. 35 no.1:6-10 Ja '62. (MIRA 16:7)
(Sulfides) (Flotation)

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

KISLYAKOV, L.D.; BOCHAROV, V.A.; ARZHANNIKOV, G.I.

Flotation of pyrite with the use of smoke gases. TSvet. met. 36 no.4:22-26 Ap '63. (MIRA 16:4)

(Flotation) (Pyrites)

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

BOCHAROV, V.A.; KISLYAKOV, L.D.; ARZHANNIKOV, G.I.

Ways of improving the quality of concentrates during the dressing of Ural copper-zinc ores. TSvet. met. 36 no.8:12-16 Ag '63. (MIRA 16:9)

(Ural Mountains--Nonferrous metals)
(Ore dressing--Quality control)

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

BOCHAROV, V.A.; KISLYAKOV, L.D.

Conditions for the flotation of various copper and zinc sulfides out of ore pulp. TSvet. met. 36 no.12:8-11 D '63. (MIRA 17:2)

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

ADAMOV, E.V.; KISLYAKOV, L.D.; NAGIRNYAK, F.I.; TROITSKIY, A.V., otv. red.

[Ore dressing practices for nonferrous, rare, and noble metals] Praktika obogashcheniia rud tsvetnykh redkikh i blagorodnykh metallov na fabrikakh SSSR. Moskva, Izd-vo "Nedra," 1964. 238 p. (MIRA 17:8)

1. Ural'skiy nauchno-issledovatel'skiy institut mekhanicheskoy obrabotki poleznykh iskopayemykh.

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

KISLYAKOV, L.D.; BOCHAROV, V.A.; ARZHANNIKOV, G.I.

Flotation practices of Ural mountain pyrites and ways of improving the qualitative indices of ore dressing. TSvet. met. 37 no.6:11-14 Je '64. (MIRA 17:9)

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

VERSHININ, Ye.A.; FILIMONOV, V.N.; KISLYAKOV, L.D.; CHVANOV, P.A.; BELYAYEV, M.A.; KOROBKOV, V.P.

Efficient flotation flow chart for collective concentrates at the Sibay plant. TSvet. met. 38 no.4:14-17 Ap '65. (MIRA 18:5)

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

DEMIDOVICH, G.I.; KISLYAKOV, L.D.

Study of floatability of antlerite from the Udokan deposit.
TSvet. met. 38 no.4:21 Ap '65. (MIRA 18:5)

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

KISLYAKOV, L.N.

SA

B66
0

602. Calculation of television amplifier performance for minimum signal distortion. KISLYAKOV, L.N. *Radiotekhnika*, 3 (*No.* 3) 64-74 (1948) *In Russian.*— Transient response of single and two-stage video amplifiers of simple design (single series inductance) is calculated in terms of steady state amplitude and phase response, using the parameter $k = (L/C)^{1/2}/R$.

A. L.

ASM-SLA METALLURGICAL LITERATURE CLASSIFICATION

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

KISLYAKOV, L. N.

PA 20/49T102

USSR/Radio Sep/Oct 48
Amplifiers
Mathematics, Applied

"Transfer Processes in an Amplifier Stage With a Complex Corrective Network," L. N. Kislyakov, Cand Tech Sci, 10½ pp

"Radiotekh" Vol III, No 5-pp. 43-53

Derives equation for output voltage of amplifier stage with complex correction when a single voltage impulse is applied to the input. Gives conditions for optimum correction, and investigates problem of effectiveness of a complex corrective network. Submitted 10 Jun 48.

[redacted] 20/49T102

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

KISLYAKOV, N. A.

"Nekotoryye brachnyye tseremonii u narodov Sredney Azii i problema materinskogo roda."

report submitted for 7th Intl Cong, Anthropological & Ethnological Sciences, Moscow, 3-10 Aug 64.

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

L 18767-63 EPR/EPA(b)/EPF(c)/EWT(1)/EPF(n)-2/BDS APFTC/ASD/IJP(C)/SSD
Ps-4/Pd-4/Pr-4/Pu-4 WW
ACCESSION NR: AR3006433 S/0124/63/000/008/B025/B026

SOURCE: RZh. Mekhanika, Abs. 8B150

78

AUTHOR: Rebrov, A. K.; Kislyakov, N. I.

TITLE: Heat transfer by a bounded plane plate during free motion of a rarefied gas

CITED SOURCE: Tr. Kazansk. aviats. in-ta, vyp. 66, 1961, 91-96

TOPIC TAGS: heat transfer, rarefied gas

TRANSLATION: This work is devoted to the experimental determination of the heat transfer from a vertical plate in a rarefied gas. The experimental apparatus and technique was described in another of the author's works (see ref. 8B149). Plane packets of dimension 240 by 80mm and 80 by 80mm and thickness 1.4mm, made by sandwiching heating wires in a mica shell between copper plates of .5mm thickness. The heater worked from an accumulator. The experiments were conducted in the range $5 \cdot 10^{-3} < p < 120$ mm mercury. The experimental data show that the dependence of the thermal transfer coefficient α on the pressure p is qualitatively of the same form as for the cylinders, but the thermal transfer from the plates is less. It was shown that the thermal transfer from the plates in a bounded space depending on

Card 1/2

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

L 18767-63
ACCESSION NR: AR3006433

pressure, can occur in the system of free motion, common thermal conductivity, and thermal conductivity, weakened by the presence of a discontinuity at the thermal-transferring surface. All the experimental data was put in the form of criterial dependences. For $5 \cdot 10^2 < GP < 2 \cdot 10^6$ the dependence

$$N_H = 0.74 (G_H P)^{0.25}$$

is given, where N G P are the Nusselt, Grasgof and Prandtl numbers. The index H signifies that as a characteristic of the length, the height of the plate, H is taken. Comparison is made of the experimentally obtained data with the formula of M. A. Mikheev. An analysis of the effect of the heat outflow from the side boundary of the plate is given. It is shown that the finite width of the lateral boundary must be taken into account for $\delta_{DH} < 18$ B. Here δ_{DH} is the thickness of boundary layer at the height of the upper edge of the plate, B is the width. Bibliog. 6 names. V. A. Sukhnev

DATE ACQ: 28Aug63 SUB CODE: AI, PH ENCL: 00

Card 2/2

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

ACCESSION NR: AT4024399 S/2529/61/000/066/0091/0096

AUTHOR: Rebrov, A. K.; Kislyakov, N. I.

TITLE: Heat transfer from a limited flat plate during free convection in a rarefied gas

SOURCE: Kazan. Aviatsionny*y institut. Trudy*, no. 66, 1961. Aviatsionny*ye dvigateli (Aircraft engines), 91-96

TOPIC TAGS: chamber pressure, heat conduction, heat convection, heat exchange, heat transfer, convection, free convection, rarefied gas, convecting force, shell temperature, temperature, pressure

ABSTRACT: Existing generalizations and analyses applied to experimental data obtained on heat transfer from flat plates refer to cases where convective forces are localized to the very surface of the cooling body, i.e. when the thickness of the gas layer in motion is considerably less than the characteristic dimension of the surface. For theoretical investigations of such cases, common simplifications applied to the boundary layer theory are acceptable. However, in altitude equipment design and in analyses of heat systems in technological processes with vacuum applications, it is necessary to account for a considerable growth of boundary

Card 1/4

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

ACCESSION NR: AT4024399

layer thickness at decreasing pressure and for the influence of body form. To study these influences, an investigation on heat transfer from vertical flat plates was performed by the authors, and the test installation was described by one of them elsewhere (Accession Nr.: AT4024397). The test plates, packages of 240x80x1.4 mm^3 and 80x80x1.4 mm^3, consist of copper sheets 0.5 mm thick soldered at the edges with a space between the sheets accommodating mica-insulated heating wire. During experiments heating power, plate surface, and vacuum chamber shell temperatures, and the pressure in the chamber were measured. The tests were conducted over a pressure range of $5x10^{-3} < p < 120$ mm of Hg column. Two vertical positions were used for the 240x80x1.4mm^3 plate, once with the larger and once with the smaller side upright. It was found that film coefficients at heat transfer from a flat plate in the limited space of a vacuum chamber, first drop sharply with decreasing pressure, corresponding to a system of free convection; at that time the pressure dependence is only slight, and the system is one of common heat conduction; finally, with further decreases of pressure, the heat conduction system remains, but is weakened by the presence of a larger temperature step at the heat transfer surface. The existence of a system corresponding to common heat conduction was explained by the influence of chamber walls hindering a free convection. In comparison with tests obtained elsewhere on cylinders (Accession Nr.: AT4024397), the heat transfer from flat plates is considerably lower. A discussion follows

Card 2/4

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

ACCESSION NR: AT4024399

with regard to the question of choosing a side of a rectangular plate for consideration as the characteristic length for correlation. It was concluded that in cases of free convection, M. A. Mikeyev's formula is applicable:

$$Nu = 0.54(GrPr)^{0.25} \quad \text{at } GrPr > 5\times10^{2},$$

where Nu and Gr are the criteria of Nusselt and Grashof, whereby the shorter side of the rectangular plate has to be used as the characteristic length and Pr is criterion of Prandtl. In the investigated case, however, the heat transfer is described by the formula:

$$Nu_H = 0.74(Gr_H Pr)^{0.25} \quad \text{at } 5\times10^{2} < GrPr < 2\times10^{6},$$

where the subscript H indicates that the height of the plate has to be used as the characteristic length. The more intensive heat transfer indicated by the last formula is due to conditions of experiment, where boundary layer thickness is on the same order of magnitude as plate dimensions or greater, and, consequently, heat transfer is intensified by additional heat transfer in directions across planes passing through edge faces. Orig. art. has: 3 figures and 10 formulas.

Card 3/4

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

ACCESSION NR: AT4024399

ASSOCIATION: Aviatsionnyy institut, Kazan (Aviation Institute)

SUBMITTED: 05Dec61 DATE ACQ: 15Apr64 ENCL: 00

SUB CODE: TD, AS NO REF SOV: 005 OTHER: 001

Card 4/4

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

KISLYAKOV, Nikolay Timofeyevich, kand. tekhn. nauk [deceased]; BOGDANOV, I.A., red.; VERINA, G.P., tekhn. red.

[Principles of analysis of the operation of railroads] Osnovy analiza ekspluatatsionnoi raboty zheleznykh dorog. Izd.2., ispr. i dop. Moskva, Gos. transp. zhel-dor. izd-vo, 1958. 194 p.
(Railroads—Traffic) (MIRA 11:7)

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

KISLYAKOV, N.T., kand. tekhn. nauk; BOGDANOV, I.A., red.; VERINA, G.P., tekhn. red.

[Fundamentals of the analysis of the operation of railroads] Osnovy analiza ekspluatatsionnoi raboty zheleznykh dorog. Moskva, Transzheldorizdat, 1954. 125 p. (MIRA 16:8)
(Railroads—Management)

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

KISLYAKOV,P.D.; KARGOPOLOV,T.P., general-leytenant voysk svyazi, redaktor; RUDIN,M.Z., podpolkovnik, redaktor; SRIBNIS,N.V., tekhnicheskiy redaktor

[Communication troops of the Soviet army] Voiska sviazi Sovetskoi Armii; kratkii ocherk. Moskva, Voen.izd-vo Ministerstva oborony SSSR, 1955. 212 p. (MIRA 9:3)

(Communications, Military)

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

S/124/63/000/003/037/065
D234/D308

AUTHOR: Kislyakov, Sava

TITLE: Stability of prismatic shells

PERIODICAL: Referativnyy zhurnal, Mekhanika, no. 3, 1963, 15, abstract 3V91 (Godishnik Inzh.-stroit. in-t. Tak. stroit., arkhitekt. i khidrotekhn., 1961, v. 13, no.1, 57-71 (Bulg.; summary in Fr.))

TEXT: On the basis of the semi-momentless theory of V. Z. Vlasov the author considers prismatic folds with open profile (or shells approximated by them), compressed along the stringers. He deduces the equations of critical state which differ from V. Z. Vlasov's 8-term equations by the presence of additional terms containing $\sigma_{k-2}, \ldots, \sigma_{k+2}$ and the load parameter P in the static group (with respect to $\sigma''_{k-1}, \ldots, \sigma''_{k+1}, G_{k-2}, \ldots, G_{k+2}$); the kinematic equations (with respect to $\sigma_{k-2}, \ldots, \sigma_{k+2}, G''_{k-1}, \ldots G''_{k+1}$) are

Card 1/2

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

Stability of prismatic shells

S/124/63/000/003/037/065
D234/D308

not varied. The method of trigonometrical series developed by Khristo P. V"rbanov (Izv. Tekhn. in-t B"lg. AN, 1958, no. 5-6, 3-77; RZhMekh, 1959, no. 9, 10516) for arbitrary boundary conditions is used, and its application to the well-known equations of stability of closed profile shells is also shown. The problem reduces to a system of homogeneous algebraic equations whose determinant is made equal to 0. A numerical example is solved. An extension to the case of a weakly pyramidal fold is given. Methods of other generalizations and connection with the problem of stability of a thin-walled rod is discussed. [Abstracter's note: Complete translation.]

Card 2/2

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

KUNIN, N.F.; KISLYAKOV, S.A.

Dynamic effects of plastic deformation in copper and its alloys. Dokl. AN BSSR 8 no.2:124-126 F '64. (MIRA 17:8)

1. Belorusskiy gosudarstvennyy universitet imeni Lenina. Predstavleno akademikom AN BSSR R.P. Severdenko.

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

L 52738-65 EWT(m)/EWA(d)/T/EWP(t)/EWP(k)/EWP(b)/EWA(c) Pf-4 JD/HW

ACCESSION NR: AP5011087 UR/0250/65/009/003/0164/0166

22
21
B

AUTHOR: Kislyakov, S. A.; Kunin, N. F.

TITLE: Some characteristics of the dynamic deformations of alloys

SOURCE: AN BSSR. Doklady, v. 9, no. 3, 1965, 164-166

TOPIC TAGS: alloy deformation, dynamic coefficient, dynamic deformation, induced thermal emf, residual thermal emf, brass deformation, braking effect

ABSTRACT: It is now well established that the incorporation of foreign atoms into crystalline lattices slows down the relaxation processes occurring during plastic deformation. This braking effect should appear at all temperatures. Consequently, the dynamic coefficients in alloys should be less temperature sensitive than the coefficients of pure metals. To test this assumption, experiments were carried out with 0.98 mm diameter wires of α-brass previously annealed for 5 hours at 623K. The dynamic effect of the induced thermal emf was measured by a method described earlier (N. F. Kunin, L. I. Afanas'yeva, S. S. Kozlova, FMM, 12, 595, 1961). Results for the residual thermal emf show that the dynamic coefficients of the alloy are indeed athermal. Orig. art. has: 1 table.

Card 1/2

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

L 52738-65

ACCESSION NR: AP5011087

ASSOCIATION: Belorusskiy gosudarstvennyy universitet im. V. I. Lenina (Belorussian State University)

SUBMITTED: 03Jul64 ENCL: 00 SUB CODE: MM

NO REF SOV: 003 OTHER: 000

Card 2/2

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

KISLYAKOV, S.D. (Sofiya, Bolgariya)

The theory of sloping shells with a two-way curvature. Stroi. mekh. i rasch. soor. 4 no.1:4-10 '62. (MIRA 16:12)

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

KISLYAKOV, V.A.

34132. Vliyaniye russkoy Filosofskoy mysli na razvitiye otechestvennoy Fiziologii. Sbornik nauch. rabot studentov Karelo-fin. gos. un-ta, vyp. 1, 1948, s. 5-20

SO: Knizhnaya Letopis' No 6, 1955

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

KISLYAKOV, V.A., kand.tekh.

Calculating distribution of currents and voltages on an electrified railroad section when a substation drops out of operation. Trudy MIIT no.104:69-79, '59. (MIRA 12:9)
(Electric railroads--Substations)
(Electric railroads--Wires and wiring)

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

MARKVARDT, K.G., doktor tekhn.nauk, prof.; KISLYAKOV, V.A., inzh.

Efficient capacity of the power supply system for electric railroads. Vest. TSNII MPS 20 no.7:15-17 '61. (MIRA 14:12)

1. Moskovskiy institut inzhenerov transporta.
(Electric railroads--Substations)

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

KISLYAKOV, V.A., inzh.

Determination of the power of a.c. traction substations. Trudy MIIT no.144:4-9 '62. (MIRA 15:10)
(Electric railroads—Current supply)
(Electric railroads—Substations)

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

MININ, G.A., kand.tekhn.nauk; SERGEYEV, N.G., kand.tekhn.nauk; BESSONOV, V.A., inzh.; KISLYAKOV, V.A., inzh.

Use of mathematical statistics and the probability theory for studying and designing the power supply systems of electric railroads. Trudy MIIT no.144:38-49 '62. (MIRA 15:10)
(Electric railroads—Current supply)

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

KISLYAKOV, V.A., inzh.

Use of an iteration method for solving some nonlinear electrical traction problems. Trudy MIIT no.144:181-186 '62. (MIRA 15:10)
(Electric railroads--Current supply)

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

KISLYAKOV, V.A., inzh.

Concerning the operation of the auxiliary machinery of a d.c. locomotive at decreased voltages. Trudy MIIT no.144:197-207 '62. (MIRA 15:10)

(Electric locomotives)

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

MARKVARDT, G.G.; KISLYAKOV, V.A., inzh., red.

[Some problems in the design of electric power supply systems for single-phase current electric railroads] Nekotorye voprosy rascheta sistemy energosnabzheniia elektricheskikh zheleznykh dorog odnofaznogo toka. Moskva, Vses. zaochnyi in-t inzhenerov zhel-dor. transp., 1962. 73 p. (MIRA 17:3)

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

KISLYAKOV, V.A., kand.tekhn.nauk

Conditions for calculating the power and the distribution of receivers of regenerated excessive power. Trudy MIIT no.199:233-237 '65. (MIRA 18:8)

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

MARKVARDT, Konstantin Gustavovich, prof., doktor tekhn. nauk; MIRIN, G.A., kand. tekhn. nauk, dots., red.; KISLYAKOV, V.A., kand. tekhn. nauk, red.;

[Electric power supply of electric railroads] Elektrosnabzhenie elektricheskikh zheleznykh dorog. Moskva, Transport, 1965. 463 p. (MIRA 18:12)

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

KISLYAKOV, V. A

Dissertation: "Conditioned Reflexes to Motor Reactions Which Occur When an Animal is Rotated." Cand Biol Sci, Inst of Physiology imeni I. P. Pavlov, Acad Sci USSR, Moscow, Oct-Dec 53. (Vestnik Akademii Nauk, Moscow, Jun 54)

SO: SUM 318, 23 Dec. 1954

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

KISLYAKOV, V.A.

Conditioned motor reflexes produced by a reaction set up by rotating the animal. Trudy Inst.fiziol. no.2:69-75 '53. (MLRA 7:5)

1. Laboratoriya interotseptivnykh uslovnykh refleksov (zaveduyushchiy E.Sh.Ayrapet'yants). (Conditioned response)

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

KISLYAKOV, V.A.

Method of the study of vestibular effect on the higher nervous function. Fiziol. Zh. SSSR 39 no.4:486-488 July-Aug 1953. (CIML 25:1)

1. Laboratory of Interoceptive Conditioned Reflexes of the Institute of Physiology imeni I. P. Pavlov of the Academy of Sciences USSR.

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

EXCERPTA MEDICA Sec.2 Vol.10/8 Phy.Biochem. Aug 57

3466. KISLAKOV V.A. Enteroreceptive Conditioned Reflexes Lab., Leningrad. *Influence of rotation on conditioned food reflexes in dogs (Russian text) TRUDY INST. FIZIOL. I. P. PAVLOVA AKAD. NAUK 1956, 5 (156-158), Graphs 2

Spinning (one revolution in 3 sec.) for 40 sec. which ended 5-20 sec. before a conditioned food signal (sound, light) was switched on inhibited the conditioned reflex activity in dogs: there was a decreased salivation, a differentiation deepening and latent periods were prolonged. The shorter the interval between the end of spinning and the switching-on of the conditioned reflex, the more pronounced was the inhibition. After multiple application of rotation its inhibitory action decreased. References 11.

Pronin - Moscow

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

EXCERPTA MEDICA Sec. Vol.10/12 Phy.Biochem. Dec. 57

KISLYAKOV V.A.

5251. KISLYAKOV V.A. *Changes in the conditioned statokinetic reflexes in labyrinthectomized dogs (Russian text) Z. VYŠČ. NERV. DEJATEL. 1956, 6/3 (438-442) Graphs 8

Conditioned statokinetic reflexes (c.s.r.) were elaborated in 4 dogs by rotating them on a special centrifuge (diameter 1 m., 1 cycle per 2 sec.). To counterbalance the centrifugal force the animals leaned against the central wall of the compartment. This unconditioned reaction was registered by a pneumatic system. Stimulation of skin was used as conditioned stimulus for 20 sec. before and 15 sec. after the rotation began. As was shown in previous papers, labyrinthectomy does not change c.s.r. Enucleation performed several months after labyrinthectomy evokes a temporary disturbance of differentiations and reduction of c.s.r. The old c.s.r. soon attained the preoperative level and it was possible to elaborate new ones.

Bureš - Prague

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"

"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8

KISLJAKOV, V.A.

AJRAPETJANC, E.S.; KISLJAKOV, V.A.; LOBANOVA, L.V.; MOJSEJEVA, N.A.

Role of the motor analysor in compensatory function of the cerebral cortex. Cesk. fysiol. 6 no.3:311-316 Aug 57.

1. Fysiologicky ustav I. P. Pavlova AV SSSR. Laborator interoceponich podminenych relfexu.

(CEREBRAL CORTEX, physiology,
compensatory funct., role of motor analyzer (Cz))
(MOVEMENT,
motor analyzer, role in compensatory funct. of cerebral cortex (Cz))

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000722820020-8"