"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

KOVALEV, D.S., kand.med.nauk

Study of intraocular pressure in patients with chemical burns of the eyes. Zdrav.Bel. 8 no.12:47-49 D '62. (MIRA 16:1)

1. Kafedra glaznykh bolezney (zav. - prof. M.Z.Popov) Smolenskogo meditsinskogo instituta.
(INTRAOCULAR PRESSURE) (EYE--WOUNDS AND INJURIES)

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

KOVALEV, D.S., kand. med. nauk

Hyaluronidase activity of the iris tissue and the ciliary body of the eye in glaucoma, cataract and traumas. Trudy SMI 16:253-258 '63. (MIRA 18:1)

1. Iz kafedry glaznykh bolezney (zav. - prof. M.Z. Popov) Smolenskogo gosudarstvennogo meditsinskogo instituta.

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

KOVALEV, D.T.

Short-delay blasting in sinking an inclined shaft. Shakht.stroi. 5 no.4:24-25 Ap '61. (MIRA 14:5)

1. Chelyabinskiy nauchno-issledovatel'skiy institut gornogo dela.
(Shaft sinking) (Blasting)

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

BAL'KIN, M.K.; KOVALEV, D.T.

Use of the short-delay blasting method for driving inclines.
Ugol' 37 no.11:18-20 N '62. (MIRA 15:10)

1. Chelyabinskiy nauchno-issledovatel'skiy institut gornogo dela.
(Chelyabinsk Basin--Coal mines and mining) (Blasting)

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

REZNIK, I.D.; KOVALEV, D.Ya.; KUDRIN, A.N.; TUMASOV, V.F.; GRITSKOVA, V.T.; KRUGLYAKOVA, M.S.

Depletion of waste slags from shaft furnace smelting of oxidized nickel ores in electric crucibles. TSvet. met. 36 no.9:22-28 S '63. (MIRA 16:10)

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

REZNIK, I.D., kand. tekhn. nauk; LYUMKIS, S.Ye.; KOVALEV, D.Ya.; TUMASOV, V.F.; KRUGLYAKOVA, M.S.; GRITSKOVA, V.T.

Periodic process of depleting waste slags from the shaft-furnace smelting of oxidized nickel ores with the help of an electric hearth. Sbor. nauch. trud. Gintsvetmeta no.23:151-163 '65. (MIRA 18:12)

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

KOVALEV, F.I. [deceased]; TSYGANKO, N.I.; PAVLUTSKAYA, Ye.I., redaktor; GUROVA, O.A., tekhnicheskiy redaktor

[Instructions for applying the classification of reserves to copper deposits] Instruktsiia po primeneniiu klassifikatsii zapasov k mestorozhdeniiam medi. Moskva, Gos.nauchno-tekhn.izd-vo lit-ry po geol. i okhrane nedr, 1954. 25 p. (MLRA 10:10)

1. Russia (1923- U.S.S.R.) Gosudarstvennaya komissiya po zapasam poleznykh iskopayemykh.
(Copper ores)

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

VERESHCHETIN, V., kand. yuridicheskikh nauk; KOVALEV, F., kand. yuridicheskikh nauk

Again a falsification. Av. i kosm. 45 no. 2:92-94 F '63. (MIRA 16:2)

(Space flight)

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

SOV/24-58-12-5/27

AUTHOR: Kovalev, F.I., Mostkova, G.P. (Moscow)

TITLE: The Operation of Saturable Reactors in d.c. Transmission Converters Subject to Control and Reversal (Rabota nasyshchayushchikhsya reaktorov v preobrazovatel'nykh ustanovkakh peredachi postoyannogo toka pri nalichii regulirovaniya i reversa)

PERIODICAL: Izvestiya Akademii Nauk, Otdeleniye Tekhnicheskikh Nauk, 1958, Nr 12, pp 32-37 (USSR)

ABSTRACT: The saturable reactors are inserted in the anode circuits of mercury rectifiers, which are shunted by capacitors, as shown in the three-phase bridge circuit of Fig.1. The physical causes of the waveforms for the anode voltage u_a, phase current i, and reactor voltages u_1 to u_3 shown in Fig.2 (for inverter operation) are discussed. Eq.1 gives the reactor voltage during the second magnetization; v_{20}, the point where this second phase begins, is given roughly by Eq.2 (where RC is in μsec). The induction at the end of this second magnetization is given by Eq.3. Fig.3 describes the state of the core during these three phases of magnetization; Eq.4 gives

Card 1/3

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

the voltage on the reactor during the third magnetization phase. Eq.5 defines the duration of this phase (Δv_3). Fig.4 gives the relation of the invertor extinction angle δ with the duration of the first phase. Fig.5 shows the dependence of δ' (the angle of extinction of apparatus working in two invertor regions with $\delta = 60^o$ and $\delta = 15^o$) and of δ on the reactor power P_1^*. Fig.6 relates δ' and δ to the design power of the reactor and also gives the $\Delta\beta$ required to keep δ constant. Eq.6 relates v_1 to the design power (approximately; see Fig.4). Eq.7 gives the point at which the magnetization changes sign and Eq.8 the time for which the reactor is not ready for a fresh rectification phase. Fig.5 shows the anode voltage and phase current with and without the reactors, and the flux in the cores, for two values of δ. It is concluded that brief operation as an inverter under fault conditions need not be hazardous, but that prolonged

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

SOV/24-58-12-5/27

The Operation of Saturable Reactors in d.c. Transmission Converters Subject to Control and Reversal

working at small extinction angles is inadvisable, unless special measures (reactor shunts etc.) are taken. There are 6 figures and 8 references of which 5 are Soviet, 1 Italian, 1 English and 1 German.

SUBMITTED: 21st April 1958.

Card 3/3

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

Kovalev, F.I.

14(6),8(0) PHASE I BOOK EXPLOITATION SOV/3071

Akademiya nauk SSSR. Energeticheskiy institut

Elektroenergetika, vyp. 1 (Electric Power Engineering, Nr 1) Moscow, Izd-vo AN SSSR, 1959. 159 p. Errata slip inserted. 2,800 copies printed.

Eds. of Publishing House: P. F. Ogarkov and Ye. N. Grigor'yev; Tech. Ed.: Ye. V. Zelenkova; Editorial Board: Yu. G. Tolstov, Doctor of Technical Sciences (Resp. Ed.), I. M. Markovich, Doctor of Technical Sciences, I. S. Stekol'nikov, Doctor of Technical Sciences, P. I. Zubkov, Candidate of Technical Sciences, G. V. Nikhnevich, Candidate of Technical Sciences, V. I. Levitov, Candidate of Technical Sciences, and N. D. Bol'shov (Secretary)

PURPOSE: This collection of articles is intended for specialists in the various fields of electric power engineering treated in it.

COVERAGE: The first issue of the collection of articles, "Elektroenergetika," appeared in April 1959. It is published by ENIN imeni G. M. Krzhizhanovskiy of the Academy of Sciences, USSR. The articles in this issue are based on research and work of the authors under the auspices of ENIN. The articles are on a high theoretical and technical level and represent original contributions to various present-day problems in electrical engineering. References are given after most of the articles.

TABLE OF CONTENTS:

Tolstov, Yu. G., and A. L. Sarkisov. Arc Rectifiers With Increased Pressure 3

In 1954 and 1955 several theoretical and experimental investigations were made at the Institute in order to determine the possibility of using hot-cathode arc rectifiers with increased pressure for long-distance d-c power transmission. The investigations were aimed at improving the parameters of E. Marx arc rectifiers produced in Germany before and during the war. The authors conclude that, despite improvements, modern mercury arc rectifiers are superior to the hot-cathode ones and recommend use of the former in long-distance d-c power transmission. The following organizations and scientific personnel participated in the investigations together with ENIN: IMYaT - D.A. Petrov, K. M. Korol'kov, E. L. Petrusevich; MGU - N. A. Kaptsov, M. Z. Khokhlov and the welding section; Academy of Sciences, USSR - N. N. Rykalin, Corresponding Member of the Academy, I. D. Kulagin, A. I. Fugin and others. There are 4 references: 3 Soviet and 1 German.

Neyman, L. R., Ye. G. Burtsev, and S. N. Glitermik. Model of D-C Electric Power Transmission System of the Power Engineering Laboratory imeni M. A. Shatelen, ENIN AN SSSR 12

This d-c high-voltage network analyzer (model) was built at the laboratory in 1952/53. The following investigations are being conducted with it: increase of reliability and stability of network operation and effect of d-c electric power transmission on the static and dynamic stability of an a-c power system. The investigations are being conducted under the supervision of L. R. Neyman, Corresponding Member of the Academy of Sciences, USSR. There are no references.

Kovalev, F. I., and G. P. Montkova. High-Frequency Oscillations in Rectifying Units With Saturable Reactors 20

As a result of investigations conducted at the NIIPT, ENIN and other organizations, methods were found for damping complex oscillations generated in converter installations. This was accomplished by switching a bypass circuit consisting of capacitances and resistances connected in series into the rectifier and power transformer phases. There are 6 references: 2 Soviet, 2 English, 1 German and 1 Italian.

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

KOVALEV, F.I. (Moskva)

Faulty operation due to the breakdown of a semiconductor rectifier controlling saturable reactors. Izv. AN SSSR. Otd. tekh. nauk. Energ. i avtom. no.5:28-36 S-O '59. (MIRA 13:1)
(Semiconductors) (Electric current rectifiers)

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

KOVALEV, F. I., Cand Tech Sci (diss) -- "Investigation of the operation of a three-phase bridge rectifier controlled by saturated reactors". Moscow, 1960. 18 pp (Acad Sci USSR, Power Engineering Inst im G. M. Krzhizhanovskiy), 150 copies (KL, No 14, 1960, 132)

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

MOSTKOVA, G.P.; KOVALEV, F.I.

Operating conditions of a three-phase bridge rectifier with non-linear anode inductances. Elektroenergetika no.4:133-148 '61. (MIRA 14:8)

(Electric current rectifiers) (Bridge circuits)

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

MOSTKOVA, G.P., kand.tekhn.nauk; KOVALEV, F.I., kand.tekhn.nauk

Calculation of the parameters and characteristics of a semiconductor rectifier with saturable reactor control. Elektrichestvo no.10:38-46 O '61. (MIRA 14:10)

1. Energeticheskiy institut im. Krzhizhanovskogo.
(Electric current rectifiers)

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

MOSTKOVA, G.P.; KOVALEV, F.I.

Comparison of networks for connecting saturable reactors used to control a three-phase transistor rectifier. Elektroenergetika no.5:90-97 '62. (MIRA 15:4)
(Electric current rectifiers) (Magnetic amplifiers)

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

TOLSTOV, Yu.G.; MOSTKOVA, G.P.; KOVALEV, F.I.; TAFT, V.A., doktor tekhn. nauk, prof.; ZAVOZIN, L.F., red. izd-va; DOROKHINA, I.N., tekhn. red.

[Three-phase semiconductor power rectifiers with magnetic amplifier control] Trekhfaznye silovye poluprovodnikovye vypriamiteli, upraviliaemye drosseliami nasyshcheniia. Moskva, Izd-vo Akad. nauk SSSR, 1963. 171 p. (MIRA 16:7)
(Electric current rectifiers)

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

ACC NR: AM6014513 (N) Monograph UR/

Kovalev, Feliks Ivanovich; Mostkova, Galina Pavlovna; Sviridov, Artem Fedorovich; Shukilov, Vladislav Fedorovich

Marine static/semiconductor/ converters (Sudovyye staticheskiye/ poluprovodnikovyye/ preobrazovateli) Leningrad, Izd-vo "Sudostroyeniye", 1965, 240 p. illus., biblio. 1,600 copies printed.

TOPIC TAGS: ship component, electric energy conversion, frequency conversion, semiconductor rectifier, electric filter

PURPOSE AND COVERAGE: This book presents marine static electric power coverters (rectifiers, inverters, frequency converters) in semiconductor valves, principles of their action, and a comparison of different bacis schemes. It also includes recommendations for the selection of more optimal schemes for marine static electric power converters in semiconductor valves. According to the given design relationship it is possible to determine parameters of basic elements of converter units and construct their operating characteristics. Also included are marine rectifier aggregates in semiconductor valves with regulated and stabilized output voltage and current for supplying various types of loads. External and regulating characteristics are shown, such as the power factor, devices protecting against overcurrents and overvoltages, filters, structures and means of cooling marine rectifier aggregates. The book is recommended for engineers and technicians working with the de-

Card 1/2 UDC 621.314:629.12

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

ACC NR: AM6014513

sign and assembly of marine electric power units. It also can be useful to students in ship-building institutes.

TABLE OF CONTENTS (abridged):

Preface -- 3
Introduction -- 5
Ch. I. Rectifiers -- 7
Ch. II. Inverters -- 92
Ch. III. Frequency converters -- 144
Ch. IV. Marine rectifier aggregates -- 164
Ch. V. Protection and signalling in marine converters -- 203
Ch. VI. Construction of marine converters -- 223
Bibliography -- 237

SUB CODE: 13,10 /SUBM DATE: 22Oct65/ ORIG REF: 043/ OTH REF: 025/

Card 2/2

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

KOVALEV, F.L.

BYKOV, Boris Vladimirovich, ekonomist; VOL'SKIY, V.S., inzhener; KOVALEV, F., inzhener, laureat Stalinskoy premii.

[Generalization and comprehensive introduction of Stakhanovite practice; initiative of innovators of the Sverdlovsk Order of the Red Banner of Labor "Pnevmostroimashina" named after Ordzhonikidze] Obobshchenie i kompleksnoe vnedrenie stakhanovskogo opyta; pochin novatorov Sverdlovskogo ordena trudovogo krasnogo znameni zavoda "Pnevmostroimashina" im. Ordzhonikidze. [Sostaviteli: B.V.Bykov i V.S.Vol'skii] Moskva, Gos.nauchno-tekhn.izd-vo mashinostroit.lit-ry, 1953. 46 p. (MLRA 6:7)

1. Sverdlovskiy Ordena trudovogo krasnogo znameni zavod "Pnevmostroimashina" imeni Ordzhonikidze. (Building machinery industry)

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

1. KOVALEV, F.L.

2. USSR (600)

4. Hydroelectric Power Stations

7. Application of F.L. Kovalev's method on the construction of the Khakovka hydroelectric station, Biul.stroi.tekh. 10 no. 7, 1953.

9. Monthly List of Russian Accessions, Library of Congress, APRIL 1953, Uncl.

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

KOVALEV, F.L., kand.tekhn.nauk

Steadfastly introduce progressive techniques into light industry. Mekh.trud.rab. 11 no.11:36-38 N '57. (MIRA 10:11)
(Industry)

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

KOVALEV, F. L.

~~KOVALEV, F. L.~~ (Engr)

Production Methods

Dissertation: "Practice of Soviet Industry in the Field of Study, Generalization, and Mass Propagation of Advanced Methods of Work." Cand Tech Sci, Moscow Textile Inst, 1 Apr 54. (Vechernyaya Moskva Moscow, 17 Mar 54)

SO: SUM 213, 20 Sep 1954

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

KOVALEV, F. I.

Daily introduction of outstanding practices. Tekst.prom.14 no.12: 4-6 D'54. (MLRA 8:2)

1. Zamestitel' nachal'nika Tekhnicheskogo upravleniya Ministerstva promyshlennykh tovarov shirokogo potrebleniya SSSR.
(Textile industry)

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

KOVALEV, F.

Guests of Chinese textile workers. Sots.trud.no.9:99-102 S '56.
(MLRA 9:12)

(China--Textile industry)

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

KOVALEV, F.L.

With our Chinese friends. Tekst. prom. 17 no.3:54-58 Mr '57.
(China--Textile industry) (MLRA 10:4)

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

KOVALEV, F.L., kand.tekhn.nauk.

Ways of developing equipment and methods in the woolen industry.
Tekst. prom. 18 no.8:21-26 Ag '58. (MIRA 11:10)

1. Direktor Tsentral'nogo nauchno-issledovatel'skogo instituta shersti.
(Woolen and worsted manufacture)

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

KOVALEV, F.L., kand.tekhn.nauk, red.; GAMBURG, Ya.Yu., retsenzent; FORMAL'SKIY, M.I., retsenzent; KISELEV, M.A., retsenzent; PLEMYANNIKOV, M.N., red.; SOKOLOVA, V.Ye., red.; LIOZNOV, A.G., red.; KNAKNIN, M.T., tekhn.red.

[Manual on wool spinning] Spravochnik po sherstopriadeniiu. Pod red. F.L.Kovaleva. Izd.2., perer. i dop. Moskva, Izd-vo nauchno-tekhn.lit-ry RSFSR, 1960. 785 p. (MIRA 13:12)

1. Moscow. TSentral'nyy nauchno-issledovatel'skiy institut sherstyanoy promyshlennosti.
(Woolen and worsted spinning)

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

KOVALEV, F.L., kand.tekhn.nauk, laureat Stalinskoy premii; TERYUSHNOV, A.V., prof.; FEDOROV, K.P.; BARABANOV, L.G.

For a mass subscription to "Tekstil'naia promyshlennosti'"; readers' letters. Tekst. prom. 20 no. 11:87 N '60. (MIRA 13:12)

1. Direktor TSentral'nogo nauchno-issledovatel'skogo instituta shersteanoy promyshlennosti (for Kovalev). 2. Zaveduyushchiy kafedroy pryadeniya khlopka Moskovskogo tekstil'nogo instituta (for Teryushnov). 3. Master po detalyam Remontno-montazhnogo otdela fabriki imeni Frunze (for Fedorov). 4. Direktor kombinata "Trekhgornaya manufaktura" imeni Dzerzhinskogo (for Barabanov).
(Textile industry--Periodicals)

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

KOVALEV, F.L.

Applications of research work in the wool industry. Tekst. prom. 23 no.12:13-16 D '63. (MIRA 17:1)

1. Direktor TSentral'nogo nauchno-issledovatel'skogo instituta shorstyanoy promyshlennosti (TsNIIShersti).

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

KOVALEV, F.L., kand. tekhn. nauk

Use of synthetic fibers in the assortment of woolen cloth. Tekst. prom. 24 no.9:71-75 S '64. (MIRA 17:11)

1. Direktor TSentral'nogo nauchno-issledovatel'skogo instituta sherstyanoy promyshlennosti.

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

KOVALENKO, V.N.

Double colorimetry in testing the activity of preparations of strophanthus and digitalis. Apt.delo 7 no.2:50-55 Mr-Ap '58. (MIRA 11:4)

1. Iz Leningradskogo nauchno-issledovatel'skogo instituta perelivaniya krovi.

(DIGITALIS) (STROPHANTHUS) (COLORIMETRY)

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

KOVALENKO, V.N., starshiy nauchnyy sotrudnik

Work of blood service installations of the R.S.F.S.R. Akt.vop.perel. krovi no.7:20-27 '59. (MIRA 13:1)

1. Organizatsionno-metodicheskiy sektor Leningradskogo instituta perelivaniya krovi.
(BLOOD--COLLECTION AND PRESERVATION)

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

KOVALENKO, Valentin Nikolayevich; VINOGRADOV, V.M., red.; RULEVA, M.S., tekhn. red.; CHUNAYEVA, Z.V., tekhn. red.

[Pharmacology textbook for medical schools] Uchebnik farmakologii dlia meditsinskikh uchilishch. Izd.4., dop. i perer. Leningrad, Gos. izd-vo med. lit-ry Medgiz, Leningr. otd-nie, 1961. 326 p. (MIRA 14:9)

(PHARMACOLOGY)

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

KOVALENKO, V. N.; MIKHAYLYANTS, O. A.; SALIDZHANOV, S. B.; SHEYKH-ZADE, R. M.

Mineral wool made of raw material from Tashkent District. Sbor. nauch. trud. NII po stroi. ASiA no.2:63-68 '61. (MIRA 16:1)

(Tashkent District—Mineral wool)

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

VOROB'YEV, S.P.; KOVALENKO, V.N.

Treatment of epilepsy with restricted fluid intake and salt-free diets in association with drug therapy. Vop.psikh.i nerv. 8:383-388 '62. (MIRA 17:4)

1. Iz 7-go nervnogo organicheskogo otdeleniya Nauchno-issledovatel'skogo psikhonevrologicheskogo instituta imeni V.M.Bekhtereva (zav. otdeleniyem S.P.Vorob'yev, dir. instituta - B.A.Lebedev).

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

KOVALENKO, V.N.; MIKHAYLYANTS, O.A.

Briquetting loess dolomite charges in the production of mineral wool. Sbor. nauch. trud. NII po stroi. ASIA no.4:84-91 '63. (MIRA 17:8)

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

YEREMENKO, V.V.; KOVALENKO, V.N.

Relation of the effective adhesiveness of soil pastes to shear stress. Dokl. AN Uz. SSR no.8:35-38 '58. (MIRA 11:9)

1.Institut sooruzheniy AN UzSSR. Predstavleno akademikom AN UzSSR M.T. Urazbayevym.

(Soil mechanics)

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

YEREMENKO, V.V.; KOVALENKO, V.N.

Specific plastic deformation as an index of the plasticity of soils. Trudy SANIIRI no. 98:47-54 '59. (MIRA 14:1)
(Soil mechanics)

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

KOVALENKO, V.P.

Meteorological service for the agriculture in the Uzbek S.S.R.
Meteor. i gidrol. no.5:51-53 My '57. (MIRA 10:8)
(Uzbekistan--Meteorology, Agricultural)

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

FA 54/49T38

KOVALENKO, V. P.

USSR/Electricity
Transmission Lines
Insulators

Dec 48

"Mass Ignition of Towers From Leakage Currents,"
V. P. Kovalenko, T. P. Musatov, Engineers, 1½ pp

"Elek Stants" No 12

Describes 21 cases of ignition of wooden ⊓-shaped towers from leakage currents in 1946 in a southern regional network. Cases occurred in sections not exposed to contamination from industrial enterprises, majority during wet months. Analysis showed that dust accumulated in insulators during prolonged dry

54/49T38

USSR/Electricity (Contd)

Dec 48

spell. Dust was composed of 40% organic impurities, 50% sand, and 10% limestone. Light rain was insufficient to wash insulators but increased leakage currents. Recommends coating poles with fireproof, current-conducting material, and shunting danger points of towers by metal bands.

54/49T38

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

MUSATOV, T.P., inzhener; KOVALENKO, V.P., inzhener.

Connecting powerful synchronous compensators without drying. Elektrichestvo no.8:59-60 Ag '53. (MLRA 6:8)

(Electric transformers)

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

KOVALENKO, V.P.

MUSATOV, T.P., inzhener; KOVALENKO, V.P., inzhener.

Control of the connections of steel and aluminum leads of the open part of a high-voltage substation. Energetik 5 no.8:31 Ag '57. (MLRA 10:10)

(Electric substations)

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

KOVALENKO, V. P.

SOV-91-58-4-14/29

AUTHORS: Musatov, T.P. and Kovalenko, V.P., Engineers

TITLE: "35 kv" Current Transformers with "PB" Type Insulators (Transformatory toka 35 kv vnutrenney ustanovki na izolyatorakh tipa PB)

PERIODICAL: Energetik, 1958, Nr 4, pp 19-20 (USSR)

ABSTRACT: In some distribution systems, the 35 kv current transformers of the "TP" type still have bakelite insulation. They are not being manufactured any more by the Soviet industry, but a great number of them are still in service. For the replacement of bakelite current transformers, the workshops of the Stalinskiy setevoy rayon Donbassenergo (Stalino "Donbassenergo" Network Sector) have manufactured current transformers, the cores of which were fixed on the flange of "PB-35" type bushings (Figure 1). There are 25 current transformers of this kind in service. For manufacturing the cores for current transformers, transformer steel of "E4A" grade or steel taken from old built-in 110 kv current transformers is utilized. Asbestos-cement or asbestos-slate baffles rigidly fastened between bakelite "TP-35" type current transformers can temporarily increase their service reliability.

Card 1/2

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

SOV-91-58-4-14/29

"35 kv" Current Transformers with "PB" Type Insulators

There is 1 photo and 2 diagrams.

1. Transformers--Manufacture 2. Transformers--Materials

Card 2/2

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

Kovalenko, V.P.

PHASE I BOOK EXPLOITATION SOV/3778

Ukrainian SSR. Gosudarstvennaya planovaya komissiya

Avtomatizatsiya i priborostroyeniye; sbornik nauchnykh trudov, vyp. 1. (Automation and Instrument Making; Collected Scientific Works, No. 1) Kiyev, Gostekhizdat USSR, 1959. 107 p. 3,000 copies printed.

Ed.: V. Demskiy; Tech. Ed.: K. Gusarov; Editorial Board: P.M. Mel'nik (Chief Ed.), N.T. Zharov, G.S. Kryshtab, I.A. Orlov, (Resp. Ed.), L.A. Shoykhet, and N.V. Yarin.

PURPOSE: This collection of articles is intended for scientific and technical workers and for students of schools of higher education specializing in automation, telemechanics, and computing.

COVERAGE: The collection contains papers on the automation of metallurgical, chemical and power engineering and on the development of new instruments, telemechanical units, and a program control system for turret lathes. A bibliography on automatic analysis of solutions containing 86 items: 42 Soviet, 34 English, 5 German, 4 French and 1 Polish, is included. No personalities are mentioned.

AUTOMATION OF INDUSTRIAL PROCESSES

Korobko, M.I., A.G. Strel'chenko, V.N. Korotkevich, V.I. Kozlyuk, A.I. Tyshko, V.M. Artynskiy. Automation System for Open-Hearth Thermal Processes 9

[illegible], M.I., V.I. Kozlyuk. Open-Hearth Control System 14

Shumilov, K.A., B.G. Mikryukov. Automatic Inspection and Control of Blast Distribution in Open-Hearth Tuyeres 17

Popov, R.R. New Indirect Method for the Automatic Analysis of Multicomponent Solutions 22

Spynu, G.A., Yu.I. Kobus, V.Ye. Gizila, V.N. Afanas'yev. Program Control System of Turret Lathe 1341 F 29

Spynu, G.A., and O.V. Poritskiy. Shift Pickup Called "Magnetic Stops" 35

AUTOMATION EQUIPMENT

Inosov, V.L. Comparison of Methods of Selecting Telemechanic Frequency Codes 40

Skirta, B.K. and V.I. Tupas. Circuitry for Synchronous Reception of Telemechanic Frequency Codes (Synchronous Generator-Filters) 44

Sin'kov, V.M., V.P. Kovalenko. Calculator "Ekran-2" for the Economic Distribution of Active Load in Power Systems 50

Sin'kov, V.M. and [illegible], Z.Yu. Basis for Selecting Criterion With Regard to the Necessity of Registering Net Losses During Distribution of Load Among Electric Power Stations. 55

Pechuk, V.I. and V.A. Lapiy. Electronic Level Controller 61

Vagner, I.V., A.I. Novosel'skaya, L.P. Titarenko. β-Concentration Meter for Potassium Salt Solutions 64

Yanovich, V.S., K.M. Krolevets, Yu.M. Altayskiy. Highly Sensitive Germanium Phototriode 69

Pomenko, V.A. and B.I. Vasil'yev. Gold-Welded Germanium Pulse Diode 71

AUTOMATIC CONTROL

Shirankov, G.D. New Principle of Control Using High-Speed Nonlinear Controllers for Industrial Processes With Considerable Lag 75

Grishchuk, V.P. and Yu.I. Samoylenko. Approximate Methods for Selecting Optimum Adjustments of Discontinuous Control Systems 80

Ladiyev, R.Ya., and A.V. Ogorodnik. Selection of Control Parameters for a Mercury-Pool Electrolytic Bath 87

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

SIN'KOV, V.M.; KOVALENKO, V.P.

The "Ekran-2" computer for economic distribution of active load in electric power systems. Avtom.i prib. no.1:50-54 '59.(MIRA 13:10)
(Electronic analog computer)

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

SIN'KOV, V.M., kand.tekhn.nauk; ZASENKO, V.L., inzh.; KOVALENKO, V.P., inzh., FOL'KMAN, K.Yu., inzh.

Computer for calculating the distribution of active loads with a given fuel consumption. Elektrichestvo no.8:5-15 Ag '60. (MIRA 13:8)

1. Institut avtomatiki Gosplana USSR.
(Electronic analog computers)
(Electric power distribution)
(Electric power plants)

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

KOVALENKO, V.P., inzh.; SAMARETS, V.D., inzh.

Raising discharge voltages in the RVP series 35kv. excess voltage supressor. Energetik 8 no.1:24-25 Ja '60. (MIRA 13:5)

(Voltage regulators)

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

BUYEVICH, V.V.; GNEDIN, L.P.; KOVALENKO, V.P.

High-speed networks for compensating the brake action of excess losses and moment of inertia in a synchronous model generator. Sbor.rab.po vop.elektromekh.no.8:318-326 '63. (MIRA 16:5)

(Electric generators) (Rotating amplifiers)

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

KOVALENKO, V.P. (Kiyev)

Simplified calculation of the dynamic stability of a power system using a digital computer. Izv. AN SSSR, Energ. i transp. no.6:675-679 N-D '63. (MIRA 17:1)

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

KOVALENKO, V.P.

Phase transfer characteristics of resonant elements. Trudy Inst. elektrotekh. AN URSR 20:109-116 '63.

(MIRA 17:11)

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

BUSLOV, L.I.; KOVALENKO, V.P.; SHESTOPALOV, V.N.

Receiving device of a multiple-message remote control system. Trudy Inst. elektrotekh. AN URSR 20:190-197 '63.

(MIRA 17:11)

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

KOVALENKO, V.P. (Kiyev)

Equivalent transformation of complex electric power systems. Izv. AN SSSR. Energ. i transp no.2:182-191 Mr-Ap'64. (MIRA 17:5)

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

KOVALENKO, V.P., starshiy prepodavatel'

Automatic control by chain-type variable speed drive.
Les., bum. i der. prom. no.1:14-20 '65.
(MIRA 18:12)

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

SORCKA, I.F., inzh.; KOVALENKO, V.P., inzh.

Operation of blast fans of power transformers. Energ. i elektrotekh. prom. no.2:59-60 Ap-Je '65. (MIRA 18:8)

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

L 52708-65 EWT(1)/EWT(m)/EPF(n)-2/EWG(m)/EPA(w)-2/EWP(t)/EWP(b) Pz-6/Po-4
Pab-10/Pi-4 IJP(c) JD/WW/JG/AT

ACCESSION NR: AP5012639 UR/0051/65/018/005/0931/0933
533.9

18
17
B

AUTHOR: Morgulis, N. D.; Nabich, I.L.; Dyadyun, Yu. A.; Kovalenko, V. P

TITLE: Determination of the electron temperature of a cesium plasma in a thermoelectric diode by spectral methods

21

SOURCE: Optika i spektroskopiya, v. 18, no. 5, 1965, 931-933

TOPIC TAGS: cesium plasma, electron temperature, spectroscopy, thermionic energy conversion, thermionic diode, discharge mode, arc mode

ABSTRACT: Spectrometric methods were used because of the difficulties of using the probe method for measuring the electron temperature in a diode with an electrode spacing of only a few millimeters. Studies of intensity distributions were made in the continuous recombination spectrum and in the bright-line radiation spectrum. In the preliminary experiments a UM-2 monochromator with photoelectric registration was used in the 4000—4944 Å wavelength range. This instrument was replaced later by a DFS-4 spectrometer with photographic and photoelectric registration, and measurements were made in the 4000—6300 Å range. The diode contained a ThC_2 cathode (directly heated to about 2000 K) and an Mo anode. The interelectrode distance was 5 mm, the contact potential distance difference, about 1.5 v, and the cesium vapor pressures about 0.3 mm Hg. The monochromator

Card 1/2

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

L 52708-65
ACCESSION NR: AP5012639

measurements, which led to values corresponding to electron temperatures T_e = 2500K, indicated a linear n_e/i dependence. The experiments made with the spectrometer showed that at i_0 = 10 amp/cm^2 the characteristics are similar to those of a normal arc discharge spectrum in cesium vapor. The second doublet of the principal series 4555/93 Å and the secondary series of cesium at λ > 5000 Å were clearly visible. Measurements made at i_0 = 10 amp/cm^2 indicated an electron temperature of 2300K. This value did not change at i = 1/2 i_0 = 5 amp/cm^2, the point at which the combined mechanism of thermal charge generation on the cathode and volume ionization by collisions should start acting. It is emphasized that the Maxwellian velocity distribution of the electrons and the observed uniformity of the temperatures of slow and relatively fast electrons may help to explain the nature of phenomena in discharge plasma not only in a close-spaced diode but also in the case of regular arc discharge instruments. "The authors thank I. I. Kondilenko for making available to them the DFS-4 spectrometer." Orig. art. has: 2 figures. [ZL]

ASSOCIATION: none

SUBMITTED: 28Apr64 ENCL: 00 SUB CODE: NP, EC

NO REF SOV: 005 OTHER: 006 ATD PRESS: 4012

Card 2/2

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

KOVALENKO, V.R.

Acute thrombopenia in Basedow's disease. Probl. gemat. i perel. krovi 9 no.3:55-56 Mr '64. (MIRA 17:10)

1. Khirurgicheskoye otdeleniye (zav. A.F. Petrov) Belgorodskoy oblastnoy bol'nitsy (glavnyy vrach G.M. Okulov).

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

KOVALENKO, V.R. (Belgorod, ul. Bogdana Khmel'nitskogo, 73, kv.27)

Ways to prevent complications in the treatment of thrombophlebitis. Vest. khir. 92 no.3:107-111 Mr '64. (MIRA 17:12)

1. Iz khirurgicheskogo otdeleniya (zav. - A.F.Petrov) Belgorodskoy oblastnoy bol'nitsy (glavnyy vrach - G.M.Okulov).

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

KOVALENKO

137-58-1-1233

Translation from: Referativnyy zhurnal, Metallurgiya, 1958, Nr 1, p 165 (USSR)

AUTHORS: Bobro, Yu. G., Kovalenko, V. S.

TITLE: Nitriding of Iron with Spheroidal Graphite (Azotirovaniye chuguna s sharovidnym grafitom)

PERIODICAL: Tr. Khar'kovsk. politekhn. in-ta, 1957, Vol 9, pp 157-167

ABSTRACT: An investigation in the nitriding (NI) of spheroidal-graphite iron (SGI) and lamellar-graphite iron is made. The microstructure, depth, and microhardness of nitrided iron is studied on the PMT-3 instrument. For purposes of comparison, experiments in the NI of technically pure Fe and also of steels 20, U7 and 60S2 were conducted. In all types of NI the degree of dissociation of NH_3 remained within the 30-45% interval. The temperature was studied in the 650-770° interval. The nitrided layer of SGI was 0.25-0.30 mm thick and consisted of a weakly etching thin layer of ε phase (and γ' phase) and a dark $\varepsilon+\gamma'$ eutectoid. The nitrided layer was distinguished by elevated hardness (891-945 units) and corrosion resistance (in tap water). The duration of the NI process may be reduced by raising the temperature to 720°, by brief (2-3 hours) holding, hardening

Card 1/2

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

137-58-1-1233

Nitriding of Iron with Spheroidal Graphite

after NI in water, and dilution of the NH_3 by technical N_2. Spheroidal graphite proves to be the most desirable form in iron when the latter is subjected to NI, as under these conditions the diffusion of N occurs under the most favorable circumstances owing to the discreteness of the graphite. An increase in the Si content is unfavorable, and a reduction in bound C is desirable for NI.

1. Iron--Nitration 2. Graphite--Applications

L.D.

Card 2/2

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

9,1300

24222
S/142/61/004/001/001/008
E033/E135

AUTHORS: Kovalenko, Ye.S., and Kovalenko, V.S.

TITLE: [A contribution] to the theory of diaphragmal waveguide of rectangular cross-section

PERIODICAL: Izvestiya vysshikh uchebnykh zavedeniy, Radiotekhnika, 1961, Vol.4, No.1, pp. 11-25

TEXT: Only LE and LM waves are possible in a diaphragmal waveguide of rectangular cross-section, such as shown in Fig.1. Analysis of these waves leads to an infinite set of algebraic equations. The object of this article is to investigate these equations, to indicate a method for their solution and to apply the results to numerical calculations of the harmonics and boundary frequencies of the LE and LM waves. The possible fields of the waveguide are described by the X-components of the Hertz vectors which for the inter-action space have the form:

$$\Pi^{c}_{n\,mx} = \sum_{s=-\infty}^{+\infty} \frac{X^{c}_{s\,n}}{k_y^s} \frac{\frac{\sin}{\cos} k_y^s y}{\frac{\cos}{\sin} k_y^s q} \sin \frac{\nu\pi}{a} x \cdot e^{j\beta_s\left(z - \frac{D}{2}\right)}; \quad (1)$$

Card 1/5

(1)

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

$$\Pi^{c}_{n\,ex} = \sum_{s=-\infty}^{+\infty} Y^{c}_{s\,n} \frac{\frac{\cos}{\sin} k_y^s y}{\frac{\cos}{\sin} k_y^s q} \cos\frac{\nu\pi}{a} x \cdot e^{j\beta_s\left(z-\frac{D}{2}\right)}; \quad (2) \qquad (2)$$

where

$$\beta_s = \beta_0 + \frac{2\pi s}{D}; \quad k_y^s = \sqrt{k^2 - \frac{\pi^2\nu^2}{a^2} - \beta_s^2}; \quad k = \frac{\omega}{c}.$$

$$\nu = 0;\ 1;\ 2;\ \ldots$$

The upper row of indices and functions in Eqs. (1) and (2) refer to the synphase waves, and the lower row to the anti-phase waves. The vector $\Pi_{mx}\,\bar{i}$ gives the LE waves and $\Pi_{ex}\,\bar{i}$ the LM waves. From Eqs. (1) and (2) and the analogous Hertz vectors for the resonator spaces an infinite set of algebraic equations is obtainable. In earlier work (Ref.1: Ye.S. Kovalenko, V.I. Shimanskiy, same journal, Vol.3, 1960, No.2, p 153) Walkinshaw's method was used, but here the equations expressing the equality of the E_T components are resolved as particular functions of the inter-action space, and the infinite set of

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

equations thus obtained. The corresponding sets obtained by Walkinshaw's method are derived from these equations, but the reverse is not true unless $d = D$. The method of solving the infinite system is described. The solution x_i of an infinite regular system of algebraic equations with positive coefficients can be determined within an upper limit $\bar{x}_i$ and lower limit $\tilde{x}_i$ obtained from finite equations. The upper limit $\bar{x}_i$ can be made more accurate by using V.M. Koyalovich's theorem on "limitants" and a new limit for the unknown x_i obtained. The process is successively repeated. Two theorems are developed to simplify the procedure. The method is then applied to solve the infinite system for a regime of Π-oscillations of LE waves and to obtain the critical frequencies of the LM and LE waves. The results show that fast LM waves can exist along with the "operational" slow LM waves, and also show how the critical frequencies of the LM waves depend on the waveguide dimensions. This work was undertaken under the guidance of Professor Doctor of Physical and Mathematical Sciences A.A. Vorob'yev.
There are 4 figures, 1 table and 6 references: 5 Soviet-bloc and 1 English.
Card 3/5

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

24222

A contribution to the theory of..... S/142/61/004/001/001/008
E033/E135

The English language reference reads as follows:
Ref.2: W. Walkinshaw. "Notes on Wave Guides for Slow Waves", J. Appl. Phys., 1949, V.20, No.6, 634.

ASSOCIATION: Kafedra teoreticheskikh osnov elektrotekhniki, Tomskogo ordena Trudovogo Krasnogo Znameni politekhnicheskogo instituta im. S.M. Kirova (Department of Theoretical Principles of Electrical Engineering, Tomsk (Red Banner of Labour) Polytechnical Institute imeni S.M. Kirova)

SUBMITTED: Initially April 24 1960, and after revision May 20, 1960

Card 4/5

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

KONEV, F.A.; KRAYNYUKOV, N.I.; ~~KOVALENKO, V.S.~~

Determination of the durability of the capillaries of small ampules. Med. prom. 14 no.5:42-44 My '60. (MIRA 13:9)

1. Khar'kovskiy nauchno-issledovatel'skiy khimiko-farmatsevticheskiy institut.

(DRUG INDUSTRY)

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

KOVALENKO, V.S.

Attachment for examining fractures under the microscope. Zav.lab. 26 no.3:369 '60. (MIRA 13:6)

1. Ukrainskiy nauchno-issledovatel'skiy institut metallov.
(Metallography)

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

39964

S/181/62/004/008/007/041
B125/B104

24,6820

AUTHORS: Bronshteyn, I. M., and Kovalenko, V. S.

TITLE: Energy distribution of inelastically scattered electrons in solids

PERIODICAL: Fizika tverdogo tela, v. 4, no. 8, 1962, 2047-2049

TEXT: The energy distribution of electrons inelastically scattered in Al, Ni, Ag, and Pb was investigated using a quasi-spherical capacitor with a suppressor grid. Layers of these metals were condensed in vacuo on a glass pin. Complete curves for the slowing down and the energy distribution of inelastically scattered electrons of sharply focused beams (~2 mm in diameter) with energies of 0.6, 0.9, 1.5, and 3 kev were plotted for the energy range $50 \leq E \leq E_p$ and with particular accuracy for $E_p \pm 10$ ev. Fig. 6 shows the energy distribution for $E_p = 1.5$ kev. Similar results were obtained for $E_p = 3$ kev. At all these energies there occur also elastically scattered electrons, but their number diminishes with increasing

Card 1/2

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

E_p. The proportion of elastically scattered electrons amounts to 2-4 % of the total number of electrons and up to 14 % of all high-energy electrons (up to 50 ev). The form of the energy distribution shown in Fig. 5 is due to inelastic electron scattering at various depths in the scatterer. The fastest electrons were scattered in the layers near the surface of the scatterer. There are 2 figures.

ASSOCIATION: Leningradskiy gosudarstvennyy pedagogicheskiy institut im. A. I. Gertsena (Leningrad State Pedagogical Institute imeni A. I. Gertsen)

SUBMITTED: February 22, 1962

Fig. 6. Energy distribution of inelastically reflected electrons. The areas behave like the coefficients η of inelastically reflected electrons. For Be and Al the scale on the coordinate axis is three times larger than for Ag, Ni, and Pb. (1) Be; (2) Al; (3) Ni; (4) Ag; (5) Pb.

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

KOVALENKO, V.S.

Fractographic method used for investigating structural characteristics of impact fractures. Zav.lab. 28 no.3:344-347 '62. (MIRA 15:4)

1. Donetskiy filial Ukrainskogo nauchno-issledovatel'skogo instituta metallov.

(Steel--Metallography)

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

KOVALENKO, V.S., mekhanik

Automatic control of pumping stations. Neftianik 6 no.10:15-17 O '61. (MIRA 14:10)

1. Voskresenskaya nefteperekachivayushchaya stantsiya.
(Pumping stations)
(Automatic control)
(Petroleum--Pipolines)

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

TRET'YAKOV, Ye.V., kand. tekhn. nauk; KOVALENKO, V.S., inzh.; CHUMACHENKO, V.S., inzh.; KISELEV, I.M., inzh.

Using compacted addition alloys in the production of low carbon steel with zirconium. Met. i gornorud. prom. no.6:29-30 N-D '62. (MIRA 17:8)

1. Trest "Donlasstsvetmet" (for Tret'yakov, Kovalenko).
2. Donetskiy filial Ukrainskogo nauchno-issledovatel'skogo instituta metallov (for Chumachenko, Kiselev).

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

BRONSHTEYN, I.M.; KOVALENKO, V.S.

Energy distribution of inelastically scattered electrons in solids. Fiz. tver. tela 4 no.8:2047-2049 Ag '62. (MIRA 15:11)

1. Leningradskiy gosudarstvennyy pedagogicheskiy institut imeni A.I. Gertsena.
(Electrons—Scattering)

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

KOVALENKO, V.S., inzh.

Heat treatment of low carbon steel with zirconium additives. Mashinostroenie no.5:36-38 S-O '63. (MIRA 16:12)

1. Donetskiy filial Ukrainskogo nauchno-issledovatel'skogo instituta metallov.

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

L 11251-63 EWA(k)/EWT(1)/EWP(q)/EWT(m)/FED/HDS/T-2/WW2/EEC(b)-2/AS(t)-2
AFFTC/ASD/ESD-3/RADC/APGC/AFWL Pi-4/Pl-4/Po-4 JHB/WH/WG/IJP(C)/K/EH

ACCESSION NR: AP3004371 S/0109/63/008/008/1374/1384

AUTHOR: Kovalenko, Ye. S.; Kovalenko, V. S. 88 87

TITLE: On the theory of a maser delay system 25 25

SOURCE: Radiotekhnika i elektronika, v. 8, no. 8, 1963, 1374-1384

TOPIC TAGS: maser, TW maser, traveling-wave maser, delay element, comb delay element, wave dispersion, population inversion, field harmonics

ABSTRACT: Expressions are derived for several parameters which govern the operation of a TW maser. In particular, attention is given to a comb-type waveguide delay element common to such systems, whose geometry is shown in Fig. 1 of the Enclosure. On the basis of this model, equations are developed for the wave dispersion, field polarization, and population inversion probability, all as functions of comb-structure geometry and ruby placement. For finding wave dispersion a TEM mode is assumed, and the case is analyzed for a wave propagating vertically upward through one tooth element of the comb. A combination of three effects occurs when the wave arrives at the top surface of the tooth: simple reflection, reflection with transformation to a higher TEM mode, and passage of a portion of the wave into the open waveguide volume above the element in a refracted form.

Card 1/N2

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

L 14254-63

ACCESSION NR: AP3004271

The equivalent circuit at the top surface of the element appears as a conductance and shunt capacitance; thus, the dispersion equation is expressed in terms of these parameters. The problem is then reduced to finding useful expressions for the conductance and capacitance; this is done under the simplifying assumption that the generation of the higher wave modes noted above need not be taken into account. With proper alterations, the resultant expressions can also be applied to other variants of comb geometry. Several such arrays are examined, including one with double rows of teeth and another with a partial filling of dielectric material in the guide. In addition, the expressions obtained are applicable for calculating rectangular resonator sections containing one or more rod elements, as are used in some masers. The validity of the equations derived is checked by comparing the results of calculations of wave dispersion with experimental values; they are in good agreement. Field polarization and the probability of population inversion are discussed as functions of rubby location with respect to the comb structure, and it is shown that field harmonics act to reduce the inversion probability and hence should be taken into account in calculating the operation of such systems. The expressions derived are both more accurate and more generally applicable than those advanced to date, owing to the use of the capacitance-conductance analog and to account being taken of the higher harmonics effect. Orig. art. has: 5 figures and 32 formulas.

Card 2/42

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

ACCESSION NR: AP4014253 S/0133/64/000/002/0163/0167

AUTHORS: Kovalenko, V. S.; Murav'yev, V. N.; Filina, L. F.

TITLE: The effect of Zr on the nature and distribution of nonmetallic inclusions in carbon steel

SOURCE: Stal', no. 2, 1964, 163-167

TOPIC TAGS: carbon steel, steel, nonmetallic inclusion, inclusion, zirconium, zirconium dioxide, baddeleyite, alumina, zirconium sulfide, iron sulfide, manganese sulfide

ABSTRACT: The composition and distribution of nonmetallic inclusions in carbon steel were studied by determining the quantity of ferrozirconium and the method of its dispersal in steel. It was established that: 1) Zr was an active deoxidizer and that it formed zirconium dioxide inclusions (baddeleyite), the content of which increased sharply with the addition of Zr up to 0.3%. Simultaneously, the quantity of alumina was lowered; 2) the baddeleyite inclusions were often distributed in bands parallel to the direction of metal rolling (the quantity and length of these bands were decreased when steel contained 0.09-0.11% Zr); 3) the introducing of Zr into the ladle produced better results than its introduction into the oven; 4) Zr

Card 1/2

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

ACCESSION NR: AP4014253

admixtures up to 0.10% transformed plastic sulfides of Fe and Mn into nonplastic ones and replaced some Fe and Mn. Further increase of Zr caused the appearance of stable carbosulfides. Hexagonal sulfide ZrS_2 was formed in steel containing more than 0.30% Zr. "The chemical analyses were made by G. M. Shcherbakova (deceased), A. P. Vazhinskaya, and A. V. Afanas'yeva." Orig. art. has: 1 table and 4 figures.

ASSOCIATION: Donetskiy n.-i. institut chernoy metallurgii (Donetsk Scientific Research Institute of Ferrous Metallurgy)

SUBMITTED: 00 DATE ACQ: 03Mar64 ENCL: 00

SUB CODE: ML NO REF SOV: 005 OTHER: 005

Card 2/2

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

ACCESSION NR: AP4030665 S/0129/64/000/004/0030/0031

AUTHOR: Kovalenko, V. S.; Zats, Ye. L.

TITLE: Effect of zirconium on the corrosion resistance of steel.

SOURCE: Metallovedeniye i termicheskaya obrabotka metallov, no. 4, 1964, 30-31

TOPIC TAGS: corrosion resistance, carbon steel, zirconium, zirconium containing steel, anodic passivation, corrosion, microcathode formation

ABSTRACT: The corrosion resistance in water of carbon steels containing 0.16-0.22% C and 0.03-0.05, 0.07-0.16 and 0.20-0.42% zirconium was examined. Up to 0.05% Zr had essentially no effect, but increasing the Zr content from 0.05 to 0.12% greatly reduced the corrosion. The corrosion rate remained constant with additions of Zr in excess of 0.12%. The absolute value for the corrosion resistance of 0.42% Zr-containing steel was about two times that of the 0.03-0.7% Zr-containing steels; the weight loss was stabilized faster, i.e., the anodic passivation was more rapid in the steel containing higher amount of Zr. The effect of Zr on the cathodic process was expressed in the formation of a greater number of microcathodes which did not affect the corrosion rate. Orig. art. has: 2 figures.

Card 1/2

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

L 57333-65 EWT(m)/EPF(n)/EPF(n)-2/EWA(d)/EWP(t)/EWP(z)/EWP(b) Pu-4 IJP(c)
ACCESSION NR: AP5018877 D/WW/JG/WB UR/0304/64/000/006/0054/0055

AUTHOR: Kovalenko, V. N. (Engineer); Zata, Ye. L. (Engineer)

TITLE: Corrosion resistance of low-carbon zirconium steels in acid and alkaline media

SOURCE: Mashinostroyeniye, no. 6, 1964, 54-55

TOPIC TAGS: zirconium steel, corrosion resistance, corrosion resistant steel, alkali, hydrochloric acid, sulfuric acid, nitric acid, aqueous solution

ABSTRACT: The use of high-alloy steels in cases where cheaper, low-alloy steels could be employed, is a consequence of the fact that the corrosion resistance of low-alloy steels has been little studied.

Zirconium is one of the chemical elements whose addition results in a change in corrosion resistance.

The authors studied a steel of the following composition (%): C = 0.16 - 0.21; Mn = 0.18 - 0.70; Si = 0.10 - 0.30; S = 0.031 - 0.042; P = 0.016 - 0.033; and Zr, up to 0.36.

Card 1/4

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

L 57839-65
ACCESSION NR: AP5018877

For acid media, HCl, H_2SO_4 and HNO_3 were used in various concentrations at various temperatures; the corrosion index was taken as the absolute or the relative loss in weight (average for three samples). The samples for dilute HCl and H_2SO_4 were 55 x 27 x 3 mm in size; for dilute HNO_3 and all the concentrated acids, 2[illegible] x 27 x 3 mm.

It was established that the corrosion resistance of zirconium steels in a 20% aqueous solution of HCl or H_2SO_4 (under average conditions but with increased temperature) is significantly higher than that of carbon steel, and that the difference is apparent even at a content of 0.05% Zr. A steel with 0.3% Zr, tested in boiling 20% HCl, exhibits slightly more than 20% of the weight loss shown by steels without zirconium.

Thus, additions of zirconium raise the corrosion resistance of low-carbon steels in non-oxidizing solutions of dilute HCl and H_2SO_4. Dilute HNO_3 (20, 30 and 40%) causes the greatest corrosion, but corrosion is less than for steels with a higher carbon content.

Reduced weight losses, as compared with low-carbon steels, is characteristic in every instance with only a content of 0.04% Zr; high-zirconium steels tested in 20 and 30% HNO_3 exhibit lower corrosion resistance than low-carbon steels. In dilute HNO_3 of higher concentration (more than 30%),

Card 2/4

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

L 5[illegible]
ACCESSION NR: AP5018877

total weight loss cannot serve as a precise criterion of acid resistance because of the nature of the kinetics of the corrosion process at such concentrations.

The results of the tests in concentrated acids showed that zirconium steels retain their resistance superiority in concentrated HCl, which is non-oxidizing at any concentration, but low-carbon steels are more resistant in this case.

The stability of the tested steels in concentrated H_2SO_4 and HNO_3 is practically identical; here, the presence of Zr is not a factor.

To test alkali resistance, special samples with a zirconium content of 0 - 0.05 - 0.09 - 0.14 - 0.20 - 0.33 - 0.35% were placed in a boiling aqueous solution of 60% calcium nitrate and 4% ammonium nitrate, and examined every 10 hours. After 20 hours cracks were observed in the case of steels with up to 0.14% Zr; in the case of steels with 0.33 and 0.36% Zr, cracks were observed after 40 hours. The cracks, as a rule, were formed in the boundaries of ferrite grains; each main crack had a number of branches along the boundaries of neighboring grains.

Card 3/4

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

L 57139-65
ACCESSION NR: AP5018877

From these results it is concluded that zirconium strongly raises the corrosion resistance of carbon steels to cracking, the influence being exhibited even in the case of relatively small additions and proportional to its total content.

ASSOCIATION: none

SUBMITTED: 00 ENCL: 00 SUB CODE: MM, IC

NR REF SOV: 000 OTHER: 000 JPRS

Card 4/4

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

BRAUN, M.P.; KOVALENKO, V.S.; ZATS, Ye.L.

Effect of zirconium on kinetics of carbide coalescence in prolonged isothermal heating of carbon steel. Izv. vys. ucheb. zav.; chern. met. 7 no.12:123 '64 (MIRA 18:1)

1. Institut fizicheskogo proizvodstva AN USSR i Donetskiy nauchno-issledovatel'skiy institut chernoy metallurgii.

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

KOVALENKO, V.S.; MURAV'YEV, V.N.; FILINA, L.F.

Effect of zirconium on the nature and distribution of nonmetallic inclusions in carbon steel. Stal' 24 no.2:163-167 F '64. (MIRA 17:9)

1. Donetskiy nauchno-issledovatel'skiy institut chernoy metallurgii.

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

L 12822-65 EPA(w)-2/EWT(m)/EWA(m)-2 Pt-7/Pab-10 IJP(c)

ACCESSION NR: AR4049113 S/0275/64/000/009/A059/A059

621.384.6

30

SOURCE: Ref. zh. Elektronika i yeye primeneniye. Svodnyy tom, Abs. 9A400 B

AUTHOR: Kovalenko, I. [illegible]; Kovalenko, V. S.; Ol'shanskiy, A. P.

TITLE: Investigation of rod-type delay systems used in accelerators 19

CITED SOURCE: Sb. Elektron. uskoriteli. M., Vysshi. shkola, 1964, 102-109

TOPIC TAGS: delay system, rod delay system, accelerator

TRANSLATION: The rod-type delay systems are considered whose operating wavelength is practically independent of all cross-sectional dimensions. The dispersion equation of such a system is analyzed, and the delay is determined. The system Q-factor and the coupling resistance are calculated. The dispersion characteristic was investigated experimentally by a resonance method. The coupling resistance was measured by a disturbance method using a calibrated probe. Good agreement between the estimated and measured values proved that the developed formulas can be used for calculating the rod-type delay system.

SUB CODE: EC, NP ENCL: 00

Card 1/1

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

L 13102-66 EWT(m)/EWP(w)/EPF(n)-2/EWA(d)/EWP(v)/T/EWP(t)/EWP(k)/EWP(z)/EWP(b)/EWA(c) IJP(c) JD/WW/JG/HM

ACCESSION NR: AP5022348 UR/0135/65/000/009/0013/0015

621.791.011:546.831:669.15-194

AUTHOR: Savchenkov, V. A. (Candidate of technical sciences); Sotnik, I. S. (Engineer); Kovalenko, V. S. (Engineer)

TITLE: Effect of zirconium on the weldability of low-carbon steel

SOURCE: Svarochnoye proizvodstvo, no. 9, 1965, 13-15

TOPIC TAGS: zirconium, low carbon steel, weldability, brittleness, impact strength, rupture strength, ferrite, pearlite

ABSTRACT: To clarify the conflicting available data on the effect of zirconium on the weldability of low-carbon steel, the author investigated the effect of Zr on the properties of the metal of the near-weld zone, weld metal, and welded-joint metal, as well as on the resistance of the weld metal to the formation of hot cracks. Microstructural examination of specimens taken from 11 experimental melts containing different percentages of Zr (0.05 to 0.35%) revealed that in all cases the structure was ferritic-pearlitic. The properties (impact toughness and the temperature of brittle fracture) of the metal of the near-weld zone were

Card 1/2

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

L 1302-66

ACCESSION NR: AP5022348

investigated by means of impact tests of notched specimens (notched at the fusion line). It was found that in the specimens containing more than 0.1% Zr the impact strength and yield point decrease while the critical temperature of brittle fracture increases, as a result of the decrease in the amount of the pearlitic component, owing to the formation of zirconium carbide and the increase in the brittleness of Zr-alloyed ferrite. The properties of welded joints and weld metal were determined by means of tensile, bending, and impact tests of manually and automatically butt-welded specimens containing from 0.05 to 0.60% Zr and were found to follow the same pattern as in the case of the metal of the near-weld zone: as the percentage of Zr increases, impact toughness decreases and critical temperature of brittle fracture increases and the weld metal's resistance to the formation of hot cracks decreases. Conclusion: zirconium adversely affects the weldability of steel. Orig. art. has: 4 figures, 2 tables.

ASSOCIATION: [Sotnik] Ukrainskiy institut metallov (Ukrainian Institute of Metals); [Kovalenko] Donetskiy institut chernoy metallurgii (Donetsk Institute of Ferrous Metallurgy)

SUBMITTED: 00 ENCL: 00 SUB CODE: MM, IE

NO REF SOV: 004 OTHER: 000

Card 2/2

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

L 35338-66 EWT(m)/EWP(w)/T/EWP(t)/ETI IJP(c) JD/WW/JG

ACC NR: AP6011825 (N) SOURCE CODE: UR/0383/66/000/002/0032/0035

AUTHOR: Kovalenko, V. S.

ORG: none

TITLE: Relationship of the anisotropic properties of zirconium steel to heat treatment

SOURCE: Metallurgicheskaya i gornorudnaya promyshlennost', no. 2, 1966, 32-35

TOPIC TAGS: zirconium steel, anisotropy, low carbon steel, temperature dependence, heat treatment, zirconium addition

ABSTRACT: The paper deals with the relationship of the anisotropic properties of zirconium steels to heat treatment. Up to 0.3% zirconium in low-carbon steel improves the lengthwise notch toughness of hot-rolled steel, which is attributed to the refining effect of zirconium on the near-boundary dimensions of the grains. Optimum additions of zirconium neutralize the effect of impurities, which increase the critical brittleness temperature; zirconium additions promote a decrease in notch toughness with a decrease in test temperature. Zirconium minimizes the nonhomogeneity of properties both in longitudinal and

Card 1/2 UDC: 669.15-194:621.785.004.12

L 35338-66
APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

lateral directions in quench hardened steel, explained by the author as a result of a change in the nature of dendritic crystallization and reduction of the macrostructure. Orig. art. has: 2 figures and 1 table.

[LD]

SUB CODE: 11/ SUBM DATE: none

Card 2/2

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

KOVALENKO, V.S., (Kiyev)

Blood picture in odontogenic osteomyelitis of the jaws. Probl. stom. 3:163-168 '56 (MLRA 10:5)
(JAWS--DISEASES) (OSTEOMYELITIS) (BLOOD--EXAMINATION)

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

KOVALENKO, V.S. (Kirov)

Penicillin therapy in odontogenic osteomyelitis of the jaws. Probl. stom. 3:173-177 '56 (MLRA 10:5)
(PENICILLIN) (OSTEOMYELITIS) (JAWS--DISEASES)

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

KOVALENKO, V.S.

Side effects of penicillin. Stomatologiia 35 no.5:57 S-O '56 (MLRA 10:4)

1. Iz kafedry khirurgicheskoy stomatologii (zav.-dotsent N.V. Fetisov) na baze Kiyevskogo instituta ortopedii i travmatologii (dir.-dotsent K.M. Klimov)
(PENICILLIN)

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

KOVALENKO, V.S., kandidat meditsinskiy nauk

Diagnosis of salivary calculus of the submaxillary gland. Vrach. delo no.4:39[illegible]-393 Ap '57. (MLRA 10:7)

1. Kafedra khirurgicheskoy stomatologii (zav. - prof. N.V.Fetisov) Kiyevskogo meditsinskogo instituta.
(SALIVARY GLANDS--DISEASES)

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

KOVALENKO, V.S., kand.med.nauk (Kiyev)

Hemotherapy in the over-all treatment of paradentosis. Probl.stom. 4:257-261 '58. (MIRA 13:6)
(GUMS--DISEASES) (BLOOD--TRANSFUSION)

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

KOVALENKO, V.S., kand.med.nauk

Phleboliths of the maxillofacial region. Vrach.delo no.10:1089-1091 O '59. (MIRA 13:2)

1. Kafedra khirurgicheskoy stomatologii (zaveduyushchiy - prof. N.V. Fetisov) Kiyevskogo meditsinskogo instituta.
(VEINS--DISEASES) (FACE)

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

KOVALENKO, V.S., kand.med.nauk

Clinical and radiographic picture of salivary calculus of the submaxillary salivary gland. Stomatologiia 38 no.6:42-46 N-D '59. (MIRA 13:4)

1. Iz kafedry khirurgicheskoy stomatologii (zav. - prof. N.V. Fetisov) Kiyevskogo meditsinskogo instituta (direktor - dotsent I.P. Alekseyenko).

(CALCULI, SALIVARY)

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

S/032/62/028/003/012/017
B104/B102

AUTHOR: Kovalenko, V. S.

TITLE: Microphotographic study of the structure of impact fractures

PERIODICAL: Zavodskaya laboratoriya, v. 28, no. 3, 1962, 344-347

TEXT: For estimating the "resolving power" of microphotographs the differences in structure of impact fractures of МСТ.3 (MSt.3) steel were studied. The tests were undertaken below and above the temperature where cold-brittleness occurs. The specimens had been normalized and were prepared from three different charges: 0.16% (0.21%, 0.17%) C; 0.55% (0.48%, 0.50%) Mn; 0.20% (0.17%, 0.05%) Si; 0.029% (0.03%, 0.034%) S; 0.024% (0.016%, 0.010%) P. The specimens had a slightly irregular ferrite perlite structure with average grain sizes of 5 balls. After a visual examination and description of the structure of the fracture, photos were taken of the facets with 500-fold magnification. The fractures of the specimens studied at +20°C had fine facets with complex and irregular contour lines that sometimes joined into druses The

Card 1/2

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2

surface of the facets are curved by the deformation on destruction. The structure is characteristic of mild steels. New structural features were found in the specimens studied at -20°C: The entire fracture is crystalline, the surfaces of the facets are regular, and the contour lines distinct. The facets have a "packet structure". The structure of the specimens studied at -100°C display very bright and regular facets that can readily be seen in the microscope. The boundaries of blocks, straight lines, and cracks are easily observed in the microscope. The relationship with the crystallographic orientation of grains is evident. Although the impact strengths are approximately equal, the structures of fractures in the specimens studied at different temperatures are different. The structure of the fracture is more sensitive to the loss of ductility of the material than is the impact strength. There are 5 figures, 1 table, and 1 Soviet reference.

ASSOCIATION. Donetskiy filial Ukrainskogo nauchno-issledovatel'skogo instituta metallov (Donets Branch of the Ukrainian Scientific Research Institute of Metals)

APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000825520016-2"