"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

L 15168-65 EWT(m)/EWP(t)/EWP(b) IJP(c)/ASD(a)-5/AFETR JD

ACCESSION NR: AP4043585 S/0078/64/009/008/2025/2025

AUTHOR: Shmayevskiy, V. Ye.

TITLE: Physical properties of $ZnCdSb_2$ solid solutions

SOURCE: Zhurnal neorganicheskoy khimii, v. 9, no. 8, 1964, 2025

TOPIC TAGS: $ZnCdSb_2$, solid solution, electric conductivity, differential thermal e. m. f., forbidden zone

ABSTRACT: The electric conductivity (σ) and the differential thermal e. m. f. (α) of $ZnCdSb_2$ samples of the following composition were determined from room temperature to 180-200C.: $ZnCdSb_2$ containing 1--50; 2--49.75; 3--49.50; 4--50.25; 5--50.75 at.% Sb. Sample preparation and measurements were made as before by V. E. Shmayevskiy and T. P. Metil' (Ukr. fiz. zhurn. 7, 294 (1962)). As seen from the enclosed figures, a small change in Sb content significantly affects σ, α and ΔE (forbidden zone). "In conclusion I sincerely thank I. D. Feshchur for participating in conducting the measurements." Orig.

Card 1/4

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

L 15168-65
ACCESSION NR: AP4043585

art. has: 2 figures

ASSOCIATION: L'vovskiy gosudarstvenny*y universitet im. I. Franko (Lvov State University)

SUBMITTED: 30Nov63 ENCL: 02

SUB CODE: SS NO REF SOV: 006 OTHER: 001

Card 2/4

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

L 15168-65
ACCESSION NR: AP4043585

ENCLOSURE: 01



fig. 1

Change in ln and of samples, depending on inverse temperature. I--ln ; II-- (figures indicate sample number)

Card 3/4

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

L 15168-65
ACCESSION NR: AP4043585

ENCLOSURE: 02



fig. 2

Change in , (at 30C) and E with change in Sb content. 1-- ; 2-- ; 3-- E

Card 4/4

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

L 20948-66 EWT(m)/EWP(t) IJP(c) JD

ACC NR: AP6006766 (A) SOURCE CODE: UR/0185/66/011/001/0102/0104

AUTHORS: Shmayevs'kyy, V. Ye.; Babak, O. V.

ORG: L'vov State University im. I. Franko (L'vivs'kyy derzhuniversytet)

TITLE: The effect of low-temperature annealing on certain physical properties of the semiconducting solid solution $ZnCdSb_2$

SOURCE: Ukrayins'kyy fizychnyy zhurnal, v. 11, no. 1, 1966, 102-104

TOPIC TAGS: zinc compound, solid solution, thermal emf, electric conductivity, Hall constant, hole mobility, carrier scattering, annealing, crystal lattice structure

ABSTRACT: Samples prepared by a previously described method (Ukr. Fiz. Zh. v. 7, 294, 1962) were annealed at 670K for 2000 hours. The thermal emf, electric conductivity, and the Hall constant were measured in a temperature range from 480K to room temperature during heating and cooling. Both sets of measurements fitted one curve. The samples were then annealed at 515 -- 545K for 300 hours and the

Card 1/2

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

L 20948-66

ACC NR: AP6006766

measurements repeated. In agreement with other authors, hole conductivity was observed throughout. The temperature dependence of the mobility was obtained from the experimental data. At temperatures above 350K the mobility was proportional to $T^{-3/2}$, which indicates scattering of the carriers by thermal lattice vibrations. The experimental results indicate that even quantities which depend little on the carrier concentration change as a result of low-temperature annealing. This is due to ordering of the crystal lattice. This is also borne out by the fact that in $ZnCdSb_2$, unlike in metal solutions, the conductivity decreases after annealing because of increased chemical bonding which leads to decreased carrier concentration. Orig. art. has: 3 figures.

SUB CODE: 20/ SUBM DATE: 10Jun65/ ORIG REF: 009/ OTH REF: 001

Card 2/2 mjs

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

SYVOROTKIN, G.S.; ZAYTSEVA, K.I.; SHMAYLOVA, Z.V.; STEPANOVA, T.I.; ISAKOVA, Z.N.

Improving the Solonets soils for snow-protection plantations along the railroads of the Volga region, Southern Urals and Kazakhstan. Trudy TSNII MPS no.204:94-102 '60. (MIRA 14:4)

(Solonets soils) (Windbreaks, shelterbelts, etc.)

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

SHMAIN, M.M.; KOSTROMIN, Ye.I.

Dough distributor for swinging tray proofers. Khleb. i kond. prom. 1 no.5:7-9 My '57. (MLRA 10:6)

1. Khlebozavod-avtomat imeni N.S. Khrushcheva Moskovskogo gorodskogo tresta Glavnogo upravleniya khlebopekarnoy promyshlennosti RSFSR.
(Bakers and bakeries--Equipment and supplies)

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

NOVOSELOV, A.V.; SHMAYN, M.M.

N.S.Khrushchev Automatic Bakery of the Moscow City Baking Trust.
Khleb.i kond.prom. 1 no.10:14-18 O '57. (MIRA 10:11)
(Moscow--Bakers and bakeries)

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

USSR/Electricity - Power Plants
Voltage Regulators

Apr 50

"Tests of Various Types of Excitation Regulators," Yu. A. Shmayn, Engr, 3 pp

"Elek Stants" No 4

Describes tests carried out using 1,375 kva generator. Following regulators tested: (1) VEI electronic voltage regulator, (2) KhEMZ SN-91 regulator and (3) Metropolitan-Vickers type VS-4 vibration regulator. States conclusions. (Editors consider further comparative tests should be made.)

[redacted]

158T18

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

SHMAYN, YU. A.

AID P - 3261

Subject : USSR/Electricity

Card 1/2 Pub. 27 - 16/25

Authors : Ettinger, Ye. L., Kand. Tech. Sci., and Yu. A. Shmayn, Eng.

Title : Using current transformers for measurements in networks with rectifiers

Periodical : Elektrichestvo, 9, 71-73, S 1955

Abstract : The authors demonstrate that under certain conditions secondary currents of current transformers may considerably differ from primary ones due to the saturation of the core. They give some examples of tests with transformers with cores made of a permalloy type of material and cores of steel. They found that the permalloy type transformers (the MTT-1 and UTT-5 types) are not suited for measurements in rectifier circuits at 50 cycles, while those with steel cores (of TKF-20/5 type) give relatively small errors. Three diagrams.

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

SHMAYN, Yu.A., inzhener.

Calculation of the ignition circuit for ignitrons. Elektrichestvo no.4: 61-64 Ap '56. (MLRA 9:7)

1.TSentral'naya nauchno-issledovatel'skaya elektrotekhnicheskaya laboratoriya Ministerstva elektrostantsii.
(Electric current rectifiers)

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

SHMAYN, Yu.A., inzh.

Testing and using an electronic exciter of a 3,000 kv turbogenerator. Elektrichestvo no.12:32-34 D '56. (MIRA 11:3)

1. TSentral'naya nauchno-issledovatel'skaya elektrotekhnicheskaya laboratoriya Ministerstva elektrostantsiy.
(Electron tubes) (Turbogenerators)

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

8(

SOV/143-59-12-3/21

AUTHORS: Okolovich, M.N., Docent and Candidate of Technical Sciences, Shmayn, Yu. A., Engineer

TITLE: On the Computation of Series Transformers for Ion Exciters

PERIODICAL: Izvestiya vysshikh uchebnykh zavedeniy: Energetika, 1959, Nr 12, pp 15-24 (USSR)

ABSTRACT: The article describes the results of research on series transformers in an ion self-excitation system of a 3400 kva turbogenerator, installed at the TETs MEI. Work was carried out by the Kafedra elektricheskikh stantsiy (Chair of Electric Stations) of MEI and the Laboratoriya elektricheskikh mashin (Electrical Machines Laboratory) of VNIIE. The equivalent circuit of the series transformer is shown in Figure 2a; Figure 2b shows the equivalent for the secondary circuit. The next part of the article deals with the peculiarities of the construction

Card 1/6

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

SOV/143-59-12-3/21

On the Computation of Series Transformers for Ion Exciters

of the series transformers. The core must remain unsaturated all the time, so that the resistance to mutual induction should be invariable. The air gap in the core may be inside or outside the windings; Figure 3 shows the magnetic field in both cases. The swelling of the magnetic current at the air gap complicates matters, but in the course of research, the authors found that the radial diffusion current is less, the resistance under no-load conditions less and the regulating effect greater when the air gaps are in the core inside the windings. The air gap takes the form of a row of air interstices, the total length of which equals the calculated length. If the latter is unchanged while the length of separate interstices is reduced, the magnetic current does not swell so much at the gaps. The authors found that the length of the single gap should not exceed 10-12 mm . As for the shape of the section of the magnetic

Card 2/6

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

On the Computation of Series Transformers for Ion Exciters

circuit, the thickness of the pack b [Figure 3a] should be increased and the width of the leaf a reduced as far as possible, in order to minimize the risk of over-heating of the core. Tests carried out at the Moskovskiy transformatornyy zavod (Moscow Transformer Plant) showed that the losses of energy (which lead to over-heating) when the magnetic force lines enter the cross section of a steel sheet are about 30 times less than losses occurring when the lines enter the plane of the sheet. The authors found that if the core had a rectangular cross section of sides b : a = 2-2.5 made of 0.35 mm sheet steel, the temperature of the steel at its hottest point would not exceed 50-75° when B_{op} = = 3000-4000 gauss. The lengths of the primary and secondary windings should be similar during operation on any branch. The distance between the core and the secondary winding should not be too small. The windings should be

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

SOV/143-59-12-3/21

On the Computation of Series Transformers for Ion Exciters

placed on two rods, the primary winding being above the secondary. The last part of the article is an approximate calculation of the basic parameters of series transformers when the rated transient short circuit current passes through the primary winding and the rated voltage is obtained in the open secondary winding. The magnetic induction of the coil, made of E4 steel, may be rated at 12,000-14,000 gauss; the coefficient for displacement of the magnetic current is taken as 1.2-1.4; the size of the air gap at the same time should be from 32 to 48 mm. The author asserts that the graphs showing the relationship $\alpha = f(B_{ct}, \delta)$ (where α is the coefficient for displacement of the magnetic current, B_{ct} - magnetic induction in the core, δ - length of the air gap) could be used for calculating construction details of other series transformers. Formulae are given for determining the cross section of the magnetic circuit,

Card 4/6

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

SOV/143-59-12-3/21

On the Computation of Series Transformers for Ion Exciters

the number of turns in the primary and secondary windings and the size of the total air gap. The series transformer calculations were then made for the DA-68/4 3400 kva 6300 v stator voltage and 312 a stator current turbogenerator Nr 2 TETs MEI. The parameters calculated are given in the first line of table 1, which also gives the results of research on three other single-phase series transformers built on this calculation's basis. The greatest difference between the experimental and calculated results does not exceed 8-9%. A test calculation made of the resistance to mutual induction in OSV-1800 series transformers made by the "Uralelektroapparat" plant for the 55 megawatt generators of the Rybinskaya GES showed not more than 4% variance from the experimental data. There are 4 graphs, 1 set of graphs, 1 circuit diagram, 1 set of circuit diagrams, 1 set of diagrams, 1 table and 3 Soviet references.

Card 5/6

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

SOV/143-59-12-3/21

On the Computation of Series Transformers for Ion Exciters

ASSOCIATION: Moskovskiy ordena Lenina energeticheskiy institut (Moscow Order of Lenin Power Engineering Institute)

SUBMITTED: June 10, 1959, by the Kafedra elektricheskikh stantsiy (Chair of Electric Stations)

Card 6/6

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

SHMAYN, Yu.A., inzh.; Prinimali uchastiye: KHARLAMOV, S.Kh., inzh.; BIRYULEV, V.G., inzh.; TAMANTSEVA, I.S., inzh.; IGLITSYN, I.L., red.; LARIONOV, G.Ye., tekhn.red.

[Study of ignitron characteristics and design of firing circuits] Issledovanie kharakteristik zazhigatelei i raschet skhem zazhiganiia ignitronov. Moskva, Gos.energ.izd-vo, 1960. 57 p. (Moscow. Vsesoiuznyi nauchno-issledovatel'skii institut elektroenergetiki. Informatsionnye materialy, no.56). (MIRA 14:12)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut elektroenergetiki (for Kharlamov, Biryulev, Tamantseva).
(Mercury-arc rectifiers)

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

88218

9.2540 (1020, 1159, 1138)

S/110/60/000/010/004/014
E194/E455

AUTHOR: Shmayn, Yu.A., Engineer

TITLE: Requirements Applicable to Ignitron Ignition Circuits

PERIODICAL: Vestnik elektropromyshlennosti, 1960, No.10, pp.27-30

TEXT: Reliability and stability of ignition is one of the most important factors in the normal operation of ignitrons. Unsatisfactory operation is often due to poor choice of ignition circuit parameters. There are two main requirements of such ignition circuits: the circuits should deliver periodic ignition impulses which are sufficient to form a cathode spot at given instants of time: the duration of the ignition impulse should be such that the cathode spot lasts long enough to form an arc on the main anode of the ignitron over the whole range of control. In order to fulfil the first requirement, it is necessary to determine the parameters required of the impulse, which may be done experimentally. Such work was carried out in the All-Union Scientific Research Institute of the Electrical Industry in connection with the development of an ionic excitation circuit for

Card 1/4

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

88218

S/110/60/000/010/004/014
E194/E455

Requirements Applicable to Ignitron Ignition Circuits

an alternator. Several types of ignitron were tested and the ignition current, voltage and power were determined as functions of ignition time for various Soviet and American ignitrons. The ignition voltage and current depend on the steepness of the impulse front. As the front is made steeper the voltage and current increase but the ignition time is reduced and the power falls. Test results on 25 different types of igniter showed that the ratio of the maximum ignition voltage and current to the mean values does not exceed 1.5 to 1.6 with mean times up to 200 microseconds. Reliable ignition can be obtained with impulses of the most varied characteristics. Selection of impulse characteristics depends mainly on the need to maintain firing angle accurately. The less strict this requirement the flatter may be the ignition impulse. If the front is steep and the ignition time is less than 50 to 80 microseconds, the igniter wears very rapidly. There are also undesirable effects in the thyratron itself. It is necessary to form a reliable cathode spot whatever the resistance of the igniter. Volt-ampere characteristics of ignitrons of various types are

Card 2/4

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

88218

S/110/60/000/010/004/014
E194/E455

Requirements Applicable to Ignitron Ignition Circuits

plotted along with data for ignition times in microseconds. To construct the external characteristics of the ignition circuit from this data it is first necessary to find the line which includes all the operating points of the ignitrons corresponding to the mean ignition time, and then to multiply by a factor allowing for scatter of the igniter characteristics. In this way a curve of the minimum necessary external characteristics of the ignition circuit is obtained. Such characteristic curves are constructed for various ignition times and the great influence of the mean ignition time on the ignition circuit parameters is clearly seen. The time for which the cathode spot must be maintained depends both on the construction of the ignitron and on its temperature and also on the value of the anode voltage. Accordingly, in designing an ignition circuit it is, in general, necessary to determine: the mean ignition time, which need not generally be less than 50 microseconds or greater than 800 microseconds; the length of wave front of the impulse; next, the relationship between the mean ignition current and voltage and time of ignition of typical ignitrons; then, the

Card 3/4

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

88218

S/110/60/000/010/004/014
E194/E455

Requirements Applicable to Ignitron Ignition Circuits

necessary external characteristics of the ignition circuit for a given mean ignition time; and finally, the minimum total length of impulse, with a safety factor. Experience shows that ignition circuits designed in this way provide reliable and stable ignition of ignitrons. There are 4 figures and 5 references: 2 Soviet and 3 non-Soviet.

SUBMITTED: December 15, 1959

Card 4/4

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

SHMAYN, Yu. A. Cand Tech Sci -- "Study ~~of the~~ and design of ignitron ignition ~~circuits~~ systems." Mos, 1961 (Min of Railways USSR. All-Union Sci Res Inst of Railroad Transport). (KL, 4-61, 203)

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

SHMAYN, Yu.A., inzh.; BIRYULEV, V.G., inzh.

Problems concerning the design of a circuit for the ignition of ignitrons. Elektrichestvo no.6:61-65 Je '61. (MIRA 14:10)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut elektroenergetiki.
(Mercury-arc rectifiers)

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

GLUKH, Ye.M., kand.tekhn.nauk; ETTINGER, Ye.L., kand.tekhn.nauk; CHALYY, G.V., kand.tekhn.nauk; SHMAYN, Yu.A., inzh.

Testing of the ionic self-excitation system of a large hydrogenerator. Vest. elektroprom. 32 no.11:4-9 N '61. (MIRA 14:11)
(Turbogenerators)

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

SHMAYN, Yu.A., kand.tekhn.nauk; KHARLAMOV, S.Kh., inzh.

Regulation of the ignition interval of an ionic current converter. (MIRA 15:12)
Vest.elektroprom. 33 no.12:44-45 D '62.
(Electric current converters)

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

KOSMACHEVA, L.G.; SHMAYS, I.I.

Bitumen luminescence study of upper Paleozoic sediments in the Aktyubinsk portion of the Ural Mountain region. Trudy Inst.nefti AN Kazakh.SSR 3:158-163 '59. (MIRA 13:1)
(Aktyubinsk Province—Bitumen)

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

MUKASHEV, Z.A.; SHMAYS, I.I.

Spectrophotometry of the fluorescence of petroleums. Uch.zap.-Kazakh.un. 37 no.4:140-144 '58. (MIRA 15:4)
(Petroleum) (Fluorescence)

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

SHMAYS, I.I.; BELOV, Ye.V.

Features of the distribution of scattered bitumens in the sediments of the Volga-Ural interfluve. Geol. nefti i gaza 8 no.4:44-46 Ap '64. (MIRA 17:6)

1. Kazakhskiy politekhnicheskiy institut.

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

SHMCHISHIN, Ye.F.

Our experience in studying progressive work methods. Neft. khoz.33 no.8:83-85 Ag '55. (MIRA 8:10)
(Oil well drilling)

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

BOGUSLAVSKIY, I.Ya., starshiy nauchnyy sotrudnik; BOCHAROV, Yu.G., mladshiy nauchnyy sotrudnik; YENTOV, O.I., mladshiy nauchnyy sotrudnik; BUBLIK, V.I., inzh.; GOLOVANOVA, I.N., inzh.; KHITSUN, V.N., inzh.; SEMENENKO V.I., inzh.; SHMEDRIK, S.S., inzh.; LEVCHENKO, D.V., otv.red.; CHETYRKIN, M.I., red.; PINEGIN, I.I., red.izd-va; ISLENT'YEVA, P.G., tekhn.red.

[Enlarged machining and time norms for planing and slotting; piece and small lot production] Ukrupnennye normy i normativy vremeni na strogal'nye i dolbezhnye raboty; individual'noe i melkoseriinoe proizvodstvo. Moskva, Gos.nauchno-tekhn.izd-vo lit-ry po chernoi i tsvetnoi metallurgii, 1961. 408 p. (MIRA 14:12)

1. Kharkov. Vsesoyuznyy nauchno-issledovatel'skiy institut organizatsii proizvodstva i truda chernoy metallurgii. (Metal cutting)

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

BOGUSLAVSKIY, I.Ya., starshiy nauchnyy sotr.; BOCHAROV, Yu.G., mlad. nauchnyy sotr.; YENTOV, O.I., mlad. naychnyy sotr.; BUBLIK, V.I., inzh.; GOLOVANOVA, I.N., inzh.; KHITSUN, V.N., inzh.; SEMENENKO, V.I., inzh.; SHMEDRIK, S.S., inzh.; LEVCHENKO, D.V., otv. red.; BURSHTEYN, A.I., red. izd-va; ISLENT'YEVA, P.G., tekhn. red.

[Consolidated norms and time norms for boring work; piece and small lot production] Ukrupnennye normy i normativy vremeni na rastochnye raboty; individual'noe i melkoseriinoe proizvodstvo. Moskva, Metallurgizdat, 1962. 407 p. (MIRA 15:3)

1. Kharkov. Vsesoyuznyy nauchno-issledovatel'skiy institut organizatsii proizvodstva i truda chernoy metallurgii.
(Drilling and boring—Production standards)

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

SHMEGEVSKIY, S.A.

Experience in tuberculosis control in Marganets. Probl. tub. 42 no.12:8-10 '64. (MIRA 18:8)

1. Gorodskoy protivotuberkuleznyy dispanser (glavnyy vrach K.T. Kletskina), Marganets.

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

1ST AND 2ND CODES

PROCESSES AND PROPERTIES INDEX

3RD AND 4TH CODES

Ca

18

Di- and tri-sodium phosphates. Ya. M. Slunekker and A. D. Sokolov. Russ. 54,243, Nov. 30, 1938. Superphosphate is treated with Na_2SO_4. The NaH_2PO_4 formed is treated with $Ca(OH)_2$ and filtered. Na_3PO_4 is crystd. from the filtrate. The residue treated with NaH_2PO_4 and filtered yields Na_2HPO_4.

ASM-SLA METALLURGICAL LITERATURE CLASSIFICATION

MATERIALS INDEX

2ND LETTER

AUTHOR INDEX

1ST AND 3RD LETTER

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

Measures for purifying the air in the region of the Krasnyi Khimik factory. Ya. M. Shnekker and I. Ya. Kabachnik. *J. Chem. Ind.* (U.S.S.R.) 17, No. 7, 39-40 (1940).

W. M. Leicester.

ASM-SLA METALLURGICAL LITERATURE CLASSIFICATION

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

Physical and Chemical Studies of Austenitic Alloys 269

Entin, S.D. Formation of the Alpha-Phase in Plastic Deformation of Austenitic Alloys 116

An investigation is made of the effect of the original structure on the stability of austenite during deformation, formation of the alpha-phase as affected by the degree of deformation, effect of deformation at elevated temperatures on the dissociation of austenite, and the formation of the alpha-phase immediately upon deformation. There are 5 Soviet references.

Lashko, N.F. Effect of Manganese and Nickel on the Phase Composition of Certain Austenitic Steels 126

Yeremin, N.I.; Lashko, N.F. Concerning the Distribution of Nitrogen Between Solid Solutions and Second Phases in Austenitic Steels 131

There are 3 Soviet references

Card 6/10

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

Physical and Chemical Studies of Austenitic Alloys 269

Temperature Oxidation 172

There are 7 references, of which 3 are Soviet, 3 English, and 1 German.

Komarovskiy, A.G., Candidate of Technical Sciences. Local Spectral Analysis 184

The potentialities of spectral analysis as a means of determining local chemical composition of metal, particularly of welded seams, are investigated. There are 3 Soviet references.

Komarovskiy, A.G. A Rapid Method of Spectral Analysis of Austenitic Steels 199

The author outlines his method for the rapid quantitative analysis of high-alloy steels and heat-stable alloys for silicon, manganese, chromium, nickel, molybdenum, tungsten, titanium, vanadium, cobalt, aluminum, boron, and niobium. There are 26 references, of which 20 are Soviet, 2 English, 2 German, 1 Italian, and 1 Scandanavian.

Card 8/10

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

Physical and Chemical Studies of Austenitic Alloys 269

It is stated that this device enables the investigator to study, on the basis of magnetic properties, changes in phase composition in heat-stable austenitic alloys of various composition.

Entin, S.D.; Kozlov, Engineer. Electromagnetic Instrument for Determining Ferrite in Welded Seams of Austenitic Steels 255

The authors state that with this instrument it is possible to determine the quantity of ferrite to within 0.2% if the total content in the specimen does not exceed 5%, and to within 0.5-o.7% if the total quantity does not exceed 15%.

AVAILABLE: Library of Congress GO/ksv

Card 10/10

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

SHMELEV B.A.

137-58-3-6191

Translation from: Referativnyy zhurnal, Metallurgiya, 1958, Nr 3, p 250 (USSR)

AUTHOR: Shmelev, B.A.

TITLE: A Universal Device for the Determination of Gases in Steel (Universal'naya ustanovka dlya opredeleniya gazov v stali)

PERIODICAL: V sb.: Fiz.-khim. issled. austenitn. splavov. Moscow, Mashgiz, 1957, pp 226-240

ABSTRACT: The author describes a device developed by TsNIITMASh for the purpose of determining the quantity of O_2, N_2, and H_2, present in the steel, by means of vacuum smelting at a temperature of approximately 1600°. The layout of the device is examined in detail together with its individual components: a model VP-5 vacuum furnace (of TsNIITMASh design) equipped with a tubular graphite heating element, a pumping system for producing vacuum, and a device for the measurement of the vacuum. Brief instructions on the operation of the equipment are given, together with instructions for the determination of the composition of the extracted gases. It is pointed out that that by means of stepwise extraction of the gases at various temperatures it is possible to determine what fraction of the total O_2 or N_2

Card 1/2

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

SOV/137-58-7-16165

Translation from: Referativnyy zhurnal, Metallurgiya, 1958, Nr 7, p 320 (USSR)

AUTHORS: Shmelev, B. A., Danilova, Ye. N.

TITLE: Amperometric Determination of Magnesium with a Rotating Platinum Electrode (Amperometricheskoye opredeleniye magniya s vrashchayushchimsya platinovym elektrodom)

PERIODICAL: Sb. nauchn. rabot. Mosk. in-t nar. kh-va, 1957, Nr 10, pp 335-342

ABSTRACT: The possibility of amperometric determination of Mg by means of its precipitation with a solution of Na_2HPO_4 at 10.5 pH (established by an ammonia buffer solution) is established. The titration is carried out with a rotating Pt electrode at 1.9 v (saturated electrolyte). In solutions of pure salts in the determination of $4.88 \cdot 10^{-3}$ - $6.08 \cdot 10^{-6}$/g Mg the error is $\leq 3.5\%$. In the presence of Ca it is first precipitated with a concentrated solution of $(NH_4)_2C_2O_4$, and the Mg is titrated without separating the precipitate.

1. Magnesium--Determination 2. Platinum electrodes--Applications

Card 1/1

N. G.

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

SHMELEV, B.A.

Fractional method for determining hydrogen in steel. Zav. lab. 23 no.3: 263-269 '57. (MLRA 10:6)

1. TSentral'nyy nauchno-issledovatel'skiy institut tekhnologii i mashinostroyeniya.
(Distillation, Fractional) (Hydrogen--Analysis)
(Steel--Analysis)

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

SHMELEV, B. A.

Distr: 4E4j/4E2c

27

Hydrogen in steel. B. A. Shmelev. *Tsentral. Nauch.-Issledovatel. Inst. Tekhnol. i Mashinostroen.* 84, 12–40 (1957); cf. *C.A.* 52, 972g.—Different methods of detg. H in steel are discussed. A method of sampling and storing specimens for H analysis is outlined. The molten metal is drawn into quartz tubes, 8–9 mm. inside diam., and sepd. with constrictions every 20–5 mm. After quenching in water the tube is broken at the constrictions and the specimens stored under glycerol. H is detd. by electrolytic satn. in 2 cells in series with the specimen as a cathode in one and a Pt wire in the other. H absorbed is evaluated by the difference in vol. of displaced electrolyte in both cells. After satn. the specimen is stored in glycerol and H evolved in aging is detd. by the vol. of glycerol displaced. The specimen is then analyzed for H *in vacuo*. 35 references.

I. Bencowitz

3

2

1/1

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

SHMELEV, B.A., kand.tekhn.nauk

Universal apparatus for determining gases in steel. [Trudy] TSNIITMASH 84:226-240 '57. (MIRA 10:11)
(Gases--Analysis) (Steel--Analysis)

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

YEREMIN, N.I., kand.fiz.-mat.nauk; YELCHIN, P.M., inzh.; KOMAROVSKIY, A.G., kand.tekhn.nauk; CHEBURKOVA, Ye.Ye., kand.tekhn.nauk; SHMELEV, B.A., kand.tekhn.nauk; ENTIN, S.D., kand.tekhn.nauk

Physical and chemical methods for the investigation in the phase analysis of alloys. [Trudy] TSNIITMASH 100:90-106 '59. (MIRA 13:7)

(Alloys)

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

MAKOLKIN, Ivan Afanas'yevich; SHMELEV, Boris Aleksandrovich;
IZMAYLOV, A.V., doktor khim. nauk, retsenzent;
KARAPET'YANTS, M.Kh., doktor khim. nauk, retsenzent;
MISHCHENKO, K.P., doktor khim. nauk, retsenzent;
FEDOROVA, T.P., red.; BARANOV, Yu.V., tekhn. red.

[Collection of examples and problems in physical and colloid chemistry] Sbornik primerov i zadach po fizicheskoi i kolloidnoi khimii. Moskva, Rosvuzizdat, 1963. 181 p. (MIRA 16:4)
(Chemistry, Physical--Problems, exercises, etc.)

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

ZAYTSEV, A.I.; SIMELEV, B.G., inzh., rotsenzent; BRASLAVSKIY, G.B., inzh., red.

[Economic efficiency of precision casting] Ekonomicheskaia effektivnost' lit'ia po vyplavliaemym modeliam. Moskva, Izd-vo "Mashinostroenie," 1964. 75 p. (MIRA 17:5)

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

VOLKOV, Yu.I., inzh.; GAFANOVICH, A.A., kand.tekhn.nauk; GLADKOV, N.G., kand.sel'skokhoz.nauk; GORKUSHA, A.Ye., agr.; ZHITNEV, N.F., inzh.; ZANIN, A.V., kand.tekhn.nauk; ZAUSHITSYN, V.Ye., kand.tekhn.nauk; ZVOLINSKIY, N.P.; ZEL'TSERMAN, I.M., kand.tekhn.nauk; KAIPOV, A.N., kand.tekhn.nauk; KASPAROVA, S.A., kand.sel'skokhoz.nauk; KOLOTUSHKINA, A.P., kand.ekon.nauk; KRUGLYAKOV, A.M., inzh.; KURNIKOV, I.I., inzh.; LAVRENT'YEV, L.N., inzh.; LEBEDEV, B.M., kand.tekhn.nauk; LEVITIN, Yu.I., inzh.; MAKHLIN, Ye.A., inzh.; NIKOLAYEV, G.S., inzh.; POLESHCHENKO, P.V., kand.tekhn.nauk; POLUNOCHEV, I.M., agr.; P'YANKOV, I.P., kand.sel'skokhoz.nauk; RABINOVICH, I.P., kand.tekhn.nauk; SOKOLOV, A.F., kand.sel'skokhoz.nauk; STISHKOVSKIY, A.A., inzh.; TURBIN, B.G., kand.tekhn.nauk; CHABAN, I.V., inzh.; CHAPKEVICH, A.A., kand.tekhn.nauk; CHERNOV, G.G., kand.tekhn.nauk; SHMELEV, B.M., kand. tekhn.nauk; KRASNICHENKO, A.V., inzh., red.; KLETSKIN, M.I., inzh., red.; MOLYUKOV, G.A., inzh., red.; BLAGOSKLONOVA, N.Yu., inzh., red.; UVAROVA, A.F., tekhn.red.

[Reference book for the designer of agricultural machinery in two volumes] Spravochnik konstruktora sel'skokhoziaistvennykh mashin v dvukh tomakh. Moskva, Gos.nauchno-tekhn.izd-vo mashinostroit. lit-ry. Vol.1. 1960. 655 p. (MIRA 13:11)
(Agricultural machinery--Design and construction)

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

KLENIN, N.I., dots.; POPOV, I.F., dots.; SERGEYEV, A.S., dots.; SOLOV'YEV, V.M., dots.; TIMOFEYEV, A.I., dots.; SHMELEV, B.M., dots.; LETNEV, B.Ya., red.; PEVZNER, V.I., tekhn. red.; DUDAKOV, V.A., tekhn. red.

[Manual on practical exercises with agricultural machines and implements] Praktikum po sel'skokhoziaistvennym mashinam i orudiiam. [By] N.I.Klenin i dr. Moskva, Sel'khozizdat, 1963. 319 p. (MIRA 17:2)

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

[illegible]

[illegible]
621.01
.85

[illegible], Moskva, Gospolitizdat, 1957.
12[illegible] P. Illus., Map.

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

SHMELEV, F.A.

Supply oil fields with high-grade equipment. Bezop. truda v prom. 2 no.2:37 F '58. (MIRA 11:2)

1. Pomoshchnik glavnogo inzhenera po tekhnike bezopasnosti tresta Tatneftegazrazvedka.
(Oil fields--Equipment and supplies)

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

SHMELEV, F.A.

Drilling slim test wells. Neftianik 6 no.8:7-8 Ag '61.
(MIRA 14:10)

1. Starshiy inzh. nefterazvedki strukturnogo bureniya No.2 geologopoiskovoy kontory tresta Tatneftegazrazvedka.
(Oil well drilling)

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

GUSEV, N.I.; SHMELEV, F.N.; FATMAN, V.S.

Effect of first and second group cations on the kinetics of anode dissolving of copper in an acid electrolyte. Izv.vys. uchebzav.; khim.i khim.tekh. 8 no.4:587-591 '65. (MIRA 18:11)

1. Moskovskiy institut narodnogo khozyaystva imeni Plekhanova, kafedra fizicheskoy i kolloidnoy khimii.

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

DRAGUNOV, S.S.; SHMELEV, F.N.

Characteristics of the carbohydrates of peat formers and humic fertilizers. Trudy Kal. torf. inst. no.13:20-42 '63.

(MIRA 17:12)

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

SHMELEV, G.

Seasonal work in agriculture and how to reduce it. Vop. ekon. no.8:77-84 Ag '62. (MIRA 15:8)

(Agriculture)

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

SHMELEY, G. I.

Thermoelement. G. I. Shmeley. U.S.S.R. 109,343, Dec. 25, 1957. The pos. branch of the thermoelement is made of $SbBiTe_3$, while the neg. branch is of Bi telluride to which is added up to 1% of I. The 2 branches are joined with molten $SbBiTe_3$ or Bi_2Te_3. M. Hosch.

2
1

1/1 Distr: 4E4j

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

AYRAPETYANTS, S. V.; SHMELEV, G. I.

Method of growing uniform single crystals of doped semiconducting materials, solid solutions, and intermetallic compounds with a definite composition, determined by the constitution of the melt. Fiz. tver. tela 2 no.4:747-755 Ap. '60. (MIRA 13:10)

1. Institut poluprovodnikov AN SSSR, Leningrad.
(Crystals)

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

SHMELEV, Goliy Ivanovich; BUZDALOV, Ivan Nikolayevich; LEONOVA, T.S., red.; RAKITIN, I.T., tekhn. red.

[Intensification of agriculture] Intensifikatsiia v sel'skom khoziaistve. Moskva, Izd-vo "Znanie," 1962. 29 p. (Novoe v zhizni, nauke, tekhnike. V Seriia: Sel'skoe khoziaistvo, no.14) (MIRA 15:7)

(Agriculture)

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

SHMELEV, Gelly Ivanovich; BAKOVETSKIY, O., red.;KOROLEVA, A., mlad. red.

[Distribution and use of labor on collective farms] Raspol'zovanie truda v kolkhozakh. Moskva, Izd-vo "Mysl'," 1964. 141 p. (MIRA 17:8)

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

KUNTSEVICH, Iosif Porfir'yevich, kand. tekhn. nauk; TER-MKRTICHAN, Ashot Khristoforovich, inzh.; SHMELEV, G.M., red.; SMIRNOVA, R.N., red.izd-va; KHENOKH, E.M., tekhn. red.

[Machines and implements for establishing and maintaining greenbelts and parks; an album]Mashiny i orudiia dlia zelenogo stroitel'stva i khoziaistva; al'bom. Moskva, 1962. 144 p. (MIRA 16:1)

1. Akademiya kommunal'nogo khozyaystva.
(Landscape gardening--Equipment and supplies)

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

PLATONOV, G.F., kand. tekhn. nauk; SHMELEV, G.M., inzh.

Operation of a large electric copper and nickel smelting furnace. Prom. energ. 19 no.12:8-11 D '64.

(MIRA 18:3)

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

GLEBOVA, Antonina Ivanovna; SAVONIN, Yevgeniy Fedorovich; SHMELEV, I.

[Economic accountability at enterprises of the Penza Economic Council] Khozraschet na predpriiatiiakh Penzenskogo sovnarkhoza. Penza, Penzenskoe knizhnoe izd-vo, 1960. 242 p. (MIRA 14:7)

(Penza Province--Accounting)

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

SOKOLOV, I.P.; KAN, Ye.K.; ROZANOV, N.M.; SHMELEV, I.A.

Trends in further oil and gas prospecting in the Fergana Valley. Geol.nefti i gaza 3 no.12:13-16 D '59. (MIRA 13:4)

1. Ferganskiy neftyanoy kombinat Kirgizneft' i Vsesoyuznyy nauchno-issledovatel'skiy geologo-razvedochnyy neftyanoy institut (VNIGNI).
(Fergana--Petroleum geology)
(Fergana--Gas, Natural--Geology)

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

S/009/60/000/008/002/005
B027/B076

AUTHORS: Rozanov, N. M., Shmelev, I. A., Sokolov, I. P.

TITLE: Prospects concerning Jurassic oil and gas deposits of the Fergana depression

PERIODICAL: Geologiya nefti i gaza, no. 8, 1960, 8-13

TEXT: The abundant material concerning Fergana shows that Jurassic deposits are oil and gas-bearing to an industrial extent. Several boring operations, e.g. at Mayli-Su lead to the discovery of gas and oil. In 1959 a gas gusher was discovered in the Jurassic sandstone at Severnyy Sokh at a depth of 2050-2070 m which yielded 210.000 m^3/24 hr; the gas pressure in the layer was 222 at. For the time being there is no uniform stratigraphic diagram of the Jurassic cross section of Fergana. The first trial made in 1958 V. V. Kutuzova, who subdivided these deposits into Liassic, Dogger, and Malm. Explorations showed that the Jurassic deposits are unconformable and located on the washed out Paleozoic and Permo-Triassic strata. In various areas Jurassic deposits are connected

Card 1/3

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

with the occurrence of pit coal. Middle and Upper Jurassic deposits are to be found in almost all cross sections in South, East and North Fergana. Regarding the deepest part of the Fergana depression no data are yet available, however, the general geological and geophysical data give rise to the assumption that these deposits exist there in a thickness of over 1500 m. In many hollows between the mountains of Central Asia Jurassic deposits are oil-bearing under analogous conditions. From the beginning of the Jurassic period throughout almost the whole Mesocenozoic the Fergana depression was a region of sedimentary accumulations surrounded by mountains. At the edge of the depression coarser sediments and coal-bearing facies were deposited and in the central parts finer sediments. This distribution of sediments is particularly favorable for the oil formation and its migration toward the edges of the depression. It can be seen from the above that the Jurassic deposits of the Fergana depression are very interesting with respect to oil and gas, especially where these horizons are situated at attainable depths. The geologists of Ferganneftekombinat and NPU Kirgizneft' should therefore focus their attention on the various groups of folds in the eastern part of Fergana.

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

Prospects concerning Jurassic oil and gas ... S/009/60/000/008/002/005
B027/B076

N. M. Rozanov and I. A. Shmelev are mentioned. There are 1 figure and 2 tables.

ASSOCIATION: VNIGNI (All-Union Petroleum Scientific Research Institute for Geological Exploration)

Card 3/3

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

SHMELEV, I.A.; ZUBOV, F.P.

Outlook for oil and gas in the Mesozoic sediments of the northeastern margin of the Fergana Valley. Geol.nefti i gaza 5 no.9:25-28 S '61. (MIRA 14:10)

1. Vsesoyuznyy nauchno-issledovatel'skiy geologorazvedochnyy neftyanoy institut i Neftepromyslovoye upravleniye Kirgizneft'.
(Fergana--Petroleum geology)
(Fergana--Gas, Natural--Geology)

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

SHMELEV, I.G.; BALAKIREV, B.G.

Letter to the editor. Izv.AN SSSR Otd.tekh.nauk no.5:780-781 My '53. (MLRA 6:8)

(Bearings (Machinery)) (D'iachkov, A.K.)

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

BARSHATOV, A. P. and SHUBLEV, I. I.

"The Focusing of Sound in a Wave-Guide."

paper presented at the 4th All-Union Conf. on Acoustics, Moscow, 26 May - 2 Jun 56.

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

SHMEKKER, Ya.M.; MEGNINOV, A.A.; LEONOV, I.V.; LEONOV, P.P.

Method for manufacturing reagent sulfuric acid from gases of a sulfuric acid system. Prom.energ. 11 no.6:31 Je '56.(MLRA 9:9)
(Sulfuric acid)

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

SHMEKKER, Ya. M.

"New Developments in the Technology of Manufacturing Chemical REagents"

The Kirov District of Leningrad Strives for Technological Progress; Collection of Articles, Leningrad, Sudpromgiz, 1957. 171pp.

This collection of articles describes the progressive experience of the industrial plants of the Kirov district of the city of Leningrad in the fields of shipbuilding, machine building, instrument-making, casting, hydrolytic and other industries. New manufacturing methods are discussed.

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

MUKHLENOV, I.P.; TRABER, D.G.; MIKHALEV, M.F.; SHMEKKER, Ya.M.

Oxidation of sulfur dioxide in an apparatus with a fluidized catalyst bed. Khim.prom. no.1:42-46 Ja '61. (MIRA 14:1)

1. Leningradskiy technologicheskiy institut imeni Lensoveta i zavod "Krasnyy Khimik."

(Sulfur dioxide) (Oxidation) (Fluidization)

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

MUKHLENOV, I.P.; TRABER, D.G.; SARKITS, V.B.; RUMYANTSEVA, Ye.S.; MIKHALEV, M.F.; SHMEKKER, Ya.M.; CHERNYAK, M.A.

Testing an apparatus for the oxidation of concentrated sulfur sioxide in a fluidized catalyst bed. Khim.prom. no.11:770-775 N '61. (MIRA 15:1)

1. Leningradskiy tekhnologicheskiy institut im. Lensoveta, i Leningradskiy zavod "Krasnyy khimik".
(Chemical apparatus) (Sulfur dioxide)
(Catalysis)

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

KATSMAN, F.; SHMELEV, A.; LOGINOV, L., starshiy inzh.

Use of strain gauges for testing marine internal combustion engines. Mor.flot 21 no.5:22-23 My '61. (MIRA 14:5)

1. Nachal'nik otdela TSentral'nogo proyektno-konstruktorskogo byuro No.1 Ministerstva morskogo flota (for Katsman).
(Marine diesel engines—Testing)
(Strain gauges)

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

YEROFEYEV, N.S.; KOZLOV, A.L.; SAVCHENKO, V.P.; YELIN, N.D.; ALEKSIN, A.G.; MAKSIMOV, S.P.; DAKHNOV, V.N.; SHMELEV, A.A.; KOZHUKHOV, V.A.; ANDRIANOV, N.I.; KOPOSOV, I.A.; YENIKEYEV, P.N.; KALANTAROV, A.P., vedushchiy red.; TROFIMOV, A.V., tekhn.red.

[Efficient method of prospecting for gas fields; studies of the temporary commission of the State Scientific and Technical Committee of the U.S.S.R.] Ratsional'naia metodika razvedki gazovykh mestorozhdenii; materialy vremennoi komissii GNTK SSSR. Moskva, Gos.nauchno-tekhn.izd-vo neft. i gorno-toplivnoi lit-ry, 1960. 125 p. (MIRA 13:3)

1. Russia (1923- U.S.S.R.) Gosudarstvennyy nauchno-tekhnicheskiy komitet.
(Gas, Natural) (Prospecting)

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

SHMELEV, A.A.

KRETS, A.Ya; ZDOROV, S.F.; BONDARENKO, S.M.; ADAMOV, A.I.; ZOTKIN, M.M. redaktor; SHMELEV, A.A., redaktor; POLOSINA, A.S., tekhnicheskiy redaktor.

[Oil mining] Shakhtania razrabotka neftianykh mestorozhdenii. Pod red. M.M. Zotkina i A.A. Shmeleva, Moskva, Gos. nauchno-tekhn. izd-vo neftianoi i gornotoplivnoi lit-ry, 1955. 273 p. (MLRA 8:8)
(Petroleum engineering)

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

DVORKIN, V.Ya.; CHETVERIKOV, D.A.; SHMELEV, A.A.

Chromatographic fractionation of the phospholipides of the rat brain on a silica gel column. Biokhimiia 28 no.3:475-481 My-Je '63. (MIRA 17:2)

1. Institute of Physiology, Academy of Sciences of the U.S.S.R., Leningrad.

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

L 1337-66 EWT(1)/ES(v)-3 DD

ACCESSION NR: AP5021236 UR/0300/65/037/004/0529/0537

30

29

B

AUTHOR: Dvorkin, V. Ya.; Chetverikov, D. A.; Shmelev, A. A.

TITLE: Study of the content and renewal rate of various phospholipid fractions of the rat brain in a normal state and during hypoxia

SOURCE: Ukrayins'kyy biokhimichnyy zhurnal, v. 37, no. 4, 1965, 529-537

TOPIC TAGS: animal physiology, biologic metabolism, brain, cerebellum, hypoxia, phospholipid, rat

ABSTRACT: An improved method is presented for fractionating phospholipids of rat brain tissue on a battery of small silica gel columns. Elution in stages with chloroform-methanol mixtures is employed. This method permits study of the content and renewal rate of various phospholipid fractions under normal and hypoxic conditions. Male white rats weighing 180—240 g were subcutaneously injected with radioactive phosphate ($Na_2HP^{32}O_4$) in a dose of 5 μcu per g. Immediately afterwards, the rats were placed in a pressure chamber, where they "ascended to 9000 m" (240 mm Hg). They were decapitated two hours after the beginning of the experiment, and lipids were extracted from their cerebral hemispheres. One ml of concentrated extract was used for fractionation. An index of "relative specific radioactivity"

Card 1/3

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

L 1337-66
ACCESSION NR: AP5021236

was used to determine the renewal rate of phospholipids and phospholipid fractions. Experimental results showed that, under normal conditions, fractions of phosphatide acids and phosphoinositides (phosphatidyl inositols) are renewed significantly faster than the remaining fractions (lecithins, sphingomyelins, and amine-containing phospholipids [phosphatidylethanolamine and lysophosphatidylethanolamine]). This difference is apparently connected with the chemical structure of different phospholipid groups, and with differences in their biosynthesis. It was found that hypoxia does not change the content of the phospholipid fractions studied, but it definitely lowers the metabolic intensity of the phosphate groups in all fractions. A clear difference was established in the degree of lowering of the metabolic intensity of different fractions under hypoxic conditions. It was concluded that different enzyme systems catalyzing different biosynthetic reactions of various phospholipids are depressed to a different degree under hypoxic conditions. The greatest decrease in metabolism was observed in amine-containing phospholipids and in lecithin fractions, and the least in phosphatide acid fractions. Orig. art. has: 3 figures. [JS]

ASSOCIATION: Institut fiziologii im. I. P. Pavlova AN SSSR, Leningrad (Institute of Physiology, AN SSSR)

Card 2/3

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

L 1337-66

ACCESSION NR: AP5021236

SUBMITTED: 08May 64

ENCL: 00

SUB CODE: LS

NO REF SOV: 003

OTHER: 006

ATD PRESS: 4092

Card 3/3

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

L 07571-67 EWT(1) IJP(c)
ACC NR: AP6026938 SOURCE CODE: UR/0141/66/009/004/0786/0793

27
B

AUTHOR: Afanasov, S. G.; Shmelev, A. A.

ORG: Gor'kiy State University (Gor'kovskiy gosudarstvennyy universitet)

TITLE: Possibility of obtaining negative resistance in triodes with a control electrode behind the cathode

SOURCE: IVUZ. Radiofizika, V. 9, no. 4, 1966, 786-793

TOPIC TAGS: triode tube, electron tube grid, electrode negative resistance, volt ampere characteristic, ~~conformal mapping~~

ABSTRACT: The authors discuss tubes in which the control electrode (called "grid" in analogy with an ordinary vacuum tube) in the anode are located on opposite sides of the cathode, and calculate the currents flowing in the grid and in the anode circuits when a cathode of small radius is used. The volt-ampere characteristics of such a tube are calculated for different emissivities of the side of the cathode facing the grid, and it is shown that if this emissivity is small, such a system can have a static decrease in characteristic, wherein an increase in current accompanies a decrease in voltage, thus producing a negative-resistance device. The calculations are carried out by first conformally mapping the section through the tube and determining the potential distribution corresponding to the charge in the system. It is shown that the potential distribution is the same as for an equivalent asymmetrical diode, and the total current in the system is obtained by reducing the equivalent diode to

Card 1/2 UDC: 621.385.399: 537.533.2

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

L 03571-67

ACC NR: AP6026938

6

a symmetrical cylindrical diode with a certain anode potential. The negative resistance can be reduced by introducing a supplementary cathode into the system. Orig. art. has: 3 figures and 21 formulas.

SUB CODE: 20, 09/ SUBM DATE: 13Dec65/ ORIG REF: 002/ OTH REF: 003

Card 2/2

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

PROCESSES AND PROPERTIES INDEX

m

23

Attempt to Use Silicon-Brass for Casting Carburettor and Fuel-System Fittings. A. A. Shmeley (*Avto-traktor. Delo* (*Auto-tractor Practice*), 1938, (11), 40–42).—[In Russian.] Data relative to production and properties are given.
—N. A.

ASM-SLA METALLURGICAL LITERATURE CLASSIFICATION

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

Siberian petroleum. V. M. Senyukov and A. A. Shmelev. *Soviet Geol.* 9, No. 8, 83-4(1939). Petroleum content of the Upper Paleozoic deposits of the Eastern European Platform. M. M. Tolstikhina. *Ibid.* 85-6. Brown coals of the Krivorog District. M. I. Naida. *Ibid.* 86-90. Crystalline shales of the Main Caucasus Divide and their origin. S. P. Solov'ev. *Ibid.* 90-1.

F. H. Rathmann

ASM-SLA METALLURGICAL LITERATURE CLASSIFICATION

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

1. SIMELIN, L. A.

2. USSR (600)

4. Cupola Furnaces

7. Blast heating in cupola furnaces, Lit. prelzv. No. 1, 1953.

9. Monthly List of Russian Accessions, Library of Congress, June 1953. Unclassified.

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

USSR/Engineering - Foundry, Equipment Feb 51

"Pouring Ladle With Electric Preheating," A. A. Shmelev, Plant imeni Sverdlov

"Litey Proiz" No 2, p 20

Nichrome heating unit was installed between 2 layers of ladle lining and double asbestos insulation was used inside and outside of metal body. Ladle was used in particular case when melting facilities could not produce sufficient quantity of aluminum alloy, required for large castings. Rate of decrease in temp of metal at 800° amounted

185T50

USSR/Engineering - Foundry, Equipment (Contd) Feb 51

to 120° per hr and av rate for entire pouring period was 48-52° per hr. Experimentally established possibility of holding 500 kg of alloy in ladle for 2-3 hr before pouring.

185T50

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

SHMELEV, A.A.

Journal of the Iron and Steel Institute
Vol. 176 Part 3
Mar. 1954
Foundry Practice

Iron and Steel Foundry Practice. G. Brown. *Sup.* p. 311.

Heating the Blast for Cupolas. A. A. Shmelev. (*Liteinoe Proizvodstvo*, 1953, 3, (1), 11–13). [In Russian]. Cupola practice with blast heating is described and discussed, results at two plants being compared. Methods used for modifying a 3 ton cupola to work with hot blast are illustrated. Graphs showing the effect on the rate of increase of cast iron temperature of changes in blast pressure are presented. The influence of recuperator design and methods of securing constant burning conditions of the exit gas are considered. Results of heat balances for controlled melts in two different cupolas show that the effect of blast heating increases with duration of operation and improvement in coke quality.—S. K.

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

SHMELEV, A.A.

The use of quick change coordinate plates in machine molding. Lit.proizv. no.5:27-29 My '55. (MLRA 8:6)
(Machine molding)

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

BRABLIK, Ya.; SHMELEV, A.; SHLEPINA, M.M., redaktor; RAKOV, S.I., tekhnicheskiy redaktor

[Trueing metal according to Otokar Vlakh's oxyacetylene method] Pravka metalla atsetileno-kislorodnym plamenem po metodu Otakara Vlakha. [Moskva] Izd-vo VTsSPS Profizdat, 1956. 64 p. (MIRA 10:2)
(Sheet-metal work) (Gas welding and cutting)

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

DVORKIN, V.Ya.; CHETVERIKOV, D.A.; SHMELEV, A.A. [Shmel'ov, A.A.]

Study of the content and regeneration rate of individual phospholipid fractions in the brain of healthy rats and those with hypoxia. Ukr. biokhim. zhur. 37 no.4:529-537 '65. (MIRA 18:9)

1. Institut fiziologii im. I.P.Pavlova AN SSSR, Leningrad.

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

GOUROU, Pierre (1900-); MAKAROVA, N.M. [translator]; SHMELEV, A.B. [translator]

[Asia] Aziia. Predisl. Konstantina Popova. Moskva, Izd-vo inostr.lit-ry, 1956. 446 p. (MIRA 16:4)
(Asia--Description and travel)

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

SHMELEV, A.I.; KAZAK, M.I., inzhener, redaktor; BOGUSLAVSKIY, B.L., professor, retsenzent; POPOVA, S.M., tekhnicheskiy redaktor.

[Vertical multispindle semi-automatic lathes; a turner's manual] Vertikal'nye mnogoshpindel'nye tokarnye poluavtomaty; posobie dlia rabochikh. Moskva, Gos. nauchno-tekhn. izd-vo mashinostroit. lit-ry, 1951. 194 p. (MLRA 8:1)
(Lathes)

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

KROGYUS, Rene Borisovich; SHMELEV, A.I., inzhener, retsenzent; NOSKIN, P.A., kandidat tekhnicheskikh nauk, dotsent, retsenzent; BEYZEL'MAN, R.D., inzhener, redaktor; BOGOMOLOVA, M.F., izdatel'skiy redaktor; ZUDAKIN, I.M., tekhnicheskiy redaktor

[Mechanic engaged in repairing simple equipment] Slesar' po remontu neslozhnogo oborudovaniia. Moskva, Gos. izd-vo obor. promyshl., 1956. 191 p. (MLRA 9:10)

(Machine-shop practice)

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

SHMELEV, A.I., inzhener.

Designing presses with welded parts. Vest.mash.36 no.12:35-43 D '56. (MLRA 10:2)

(Power presses--Welding)

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

PHASE I BOOK EXPLOITATION SOV/3841

Shmelev, A.I.

Vertikal'nyye mnogoshpindel'nyye tokarnyye poluavtomaty (Vertical Multiple-Spindle Semiautomatic Lathes), 2d ed., Moscow, Mashgiz, 1959. 238 p. 7,000 copies printed.

Reviewer: B.L. Boguslavskiy; Ed.: N.R. Izakov, Candidate of Technical Sciences, Docent: Tech. Ed.: T.F. Sokolova; Managing Ed. for Literature on Metalworking and Tool Making: R.D. Beyzel'man, Engineer.

PURPOSE: This book is intended for operators of semiautomatic lathes.

COVERAGE: The principal types of vertical multiple-spindle semiautomatic lathes are described and their operation explained. Instructions are given for the setting up and repair of these machines. The book is designed to fill gaps in the existing literature in this field. No personalities are mentioned. There are no references.

~~Card 1/6~~

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

S/122/61/000/005/007/013
D221/D304

AUTHOR: Shmelev, A.I., Engineer

TITLE: Straightening of shafts with the flame of gas burner

PERIODICAL: Vestnik mashinostroyeniya, no. 5, 1961, 49 - 53

TEXT: This material is taken from the work practice of the avto-zavod Likhacheva (Autoplant imeni Likhachev). During manufacture of new or repair of old machines it is frequently necessary to recti-fy bent and warped components. For diameters exceeding 100 mm, straightening of shafts often needs special and costly devices or much manual work. Recently wide use has been made of local surfaces heating by the flame of gas burner which allows the rectification of parts 600 mm or more thick. Straightening of items in low car-bon steel that require an accuracy of a few fraction of mm per 1 m of length is simple and may be done with high temperatures and re-peated heating. For accurate work this is a complicated matter, re-quires thorough calculation of intensity and duration of heating, as well as the size of heated surface. Application of high tempera-

Card 1/7

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

ized by the number of burners, and between bending and intensity of heating is given graphically. The temperature of heating depends upon the type of steel, character of treatment, amount of deformation and diameter of shaft. The effect of the former on straightening begins at 200°C and increases with the temperature. In the case of alloyed steel structures high temperatures may cause deterioration of their mechanical properties. Deformations and stresses produced by high temperatures are caused by heating part of the fibers above the critical point, Ac_3, with the remainder of metal at lower temperatures, as shown in Fig. 5. When selecting the heat required, it should be noted that temperature above 600°C is not expedient, as a greater mass of metal is then deformed. The greater the deformation and diameter of shaft the larger should be the area of heating. There are 12 figures and 1 table.

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

SHMELEV, A.I.

Assembly of heavy sheet-metal working presses. Kuz.-shtam. proizv. 4 no.1:18-22 Ja 62. (MIRA 17:3)

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7

SHMELEV, Aleksandr Ivanovich; KVASOV, N.V., red.

[Voluntary forms of aid to technological progress; work practices of the voluntary offices of technological information in White Russia] Obshchestvennye formy sodeistviia tekhnicheskomu progressu; opyt raboty obshchestvennykh biuro tekhnicheskoi informatsii v Belorussii. Leningrad, 1963. 36 p. (MIRA 17:7)

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549730005-7"