

| 1ST AND 2ND CODES                                                                                                                                                                                                                                                                 |  |  |  |  |  |  |  |  |  | 3RD AND 4TH CODES |  |  |  |  |  |  |  |  |  |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|--|--|--|--|--|--|-------------------|--|--|--|--|--|--|--|--|--|
| PROCESSING AND PROPERTIES INDEX                                                                                                                                                                                                                                                   |  |  |  |  |  |  |  |  |  |                   |  |  |  |  |  |  |  |  |  |
| <p><i>BC</i> <span style="float: right;"><i>B-I-5</i></span></p> <p><b>Magnetic method of determining suitability of sheet steel for extreme extension. G. I. AKHROY and P. I. KONDRATYEV (Zavod. Lab., 1938, 7, 1271-1278).—Anisotropy is determined magnetically. R. T.</b></p> |  |  |  |  |  |  |  |  |  |                   |  |  |  |  |  |  |  |  |  |
| ASB-ILA METALLURGICAL LITERATURE CLASSIFICATION                                                                                                                                                                                                                                   |  |  |  |  |  |  |  |  |  | EXTENDED INDEX    |  |  |  |  |  |  |  |  |  |
| 1ST AND 2ND CODES                                                                                                                                                                                                                                                                 |  |  |  |  |  |  |  |  |  | 3RD AND 4TH CODES |  |  |  |  |  |  |  |  |  |
| 1ST AND 2ND CODES                                                                                                                                                                                                                                                                 |  |  |  |  |  |  |  |  |  | 3RD AND 4TH CODES |  |  |  |  |  |  |  |  |  |

| 1ST AND 2ND ORDERS                                                                                                                                                                                                                                                                                                                                                                        |  |  |  |  |  |  |  |  |  |  |  |  |                    |  |  |  |  |  |  |  |  |  |  |  |  | 3RD AND 4TH ORDERS |  |  |  |  |  |  |  |  |  |  |  |  |                    |  |  |  |  |  |  |  |  |  |  |  |  |                    |  |  |  |  |  |  |  |  |  |  |  |  |                    |  |  |  |  |  |  |  |  |  |  |  |  |                    |  |  |  |  |  |  |  |  |  |  |  |  |                    |  |  |  |  |  |  |  |  |  |  |  |  |                    |  |  |  |  |  |  |  |  |  |  |  |  |                    |  |  |  |  |  |  |  |  |  |  |  |  |                    |  |  |  |  |  |  |  |  |  |  |  |  |                    |  |  |  |  |  |  |  |  |  |  |  |  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|--|--|--|--|--|--|--|--|--|--------------------|--|--|--|--|--|--|--|--|--|--|--|--|--------------------|--|--|--|--|--|--|--|--|--|--|--|--|--------------------|--|--|--|--|--|--|--|--|--|--|--|--|--------------------|--|--|--|--|--|--|--|--|--|--|--|--|--------------------|--|--|--|--|--|--|--|--|--|--|--|--|--------------------|--|--|--|--|--|--|--|--|--|--|--|--|--------------------|--|--|--|--|--|--|--|--|--|--|--|--|--------------------|--|--|--|--|--|--|--|--|--|--|--|--|--------------------|--|--|--|--|--|--|--|--|--|--|--|--|--------------------|--|--|--|--|--|--|--|--|--|--|--|--|--------------------|--|--|--|--|--|--|--|--|--|--|--|--|
| PROCEDURES AND PROPERTIES INDEX                                                                                                                                                                                                                                                                                                                                                           |  |  |  |  |  |  |  |  |  |  |  |  |                    |  |  |  |  |  |  |  |  |  |  |  |  |                    |  |  |  |  |  |  |  |  |  |  |  |  |                    |  |  |  |  |  |  |  |  |  |  |  |  |                    |  |  |  |  |  |  |  |  |  |  |  |  |                    |  |  |  |  |  |  |  |  |  |  |  |  |                    |  |  |  |  |  |  |  |  |  |  |  |  |                    |  |  |  |  |  |  |  |  |  |  |  |  |                    |  |  |  |  |  |  |  |  |  |  |  |  |                    |  |  |  |  |  |  |  |  |  |  |  |  |                    |  |  |  |  |  |  |  |  |  |  |  |  |                    |  |  |  |  |  |  |  |  |  |  |  |  |
| <p>27</p> <p>2</p> <p>New [X-Ray] Ion Tube (T4). G. I. Akimov and A. I. Gaiko (Zavod. Lab., 1941, 10, (3), 324-326). [In Russian]. An X-ray tube designed by A. and G. for structure analysis is described. N. A.</p>                                                                                                                                                                     |  |  |  |  |  |  |  |  |  |  |  |  |                    |  |  |  |  |  |  |  |  |  |  |  |  |                    |  |  |  |  |  |  |  |  |  |  |  |  |                    |  |  |  |  |  |  |  |  |  |  |  |  |                    |  |  |  |  |  |  |  |  |  |  |  |  |                    |  |  |  |  |  |  |  |  |  |  |  |  |                    |  |  |  |  |  |  |  |  |  |  |  |  |                    |  |  |  |  |  |  |  |  |  |  |  |  |                    |  |  |  |  |  |  |  |  |  |  |  |  |                    |  |  |  |  |  |  |  |  |  |  |  |  |                    |  |  |  |  |  |  |  |  |  |  |  |  |                    |  |  |  |  |  |  |  |  |  |  |  |  |
| ASB-SLA METALLURGICAL LITERATURE CLASSIFICATION                                                                                                                                                                                                                                                                                                                                           |  |  |  |  |  |  |  |  |  |  |  |  |                    |  |  |  |  |  |  |  |  |  |  |  |  |                    |  |  |  |  |  |  |  |  |  |  |  |  |                    |  |  |  |  |  |  |  |  |  |  |  |  |                    |  |  |  |  |  |  |  |  |  |  |  |  |                    |  |  |  |  |  |  |  |  |  |  |  |  |                    |  |  |  |  |  |  |  |  |  |  |  |  |                    |  |  |  |  |  |  |  |  |  |  |  |  |                    |  |  |  |  |  |  |  |  |  |  |  |  |                    |  |  |  |  |  |  |  |  |  |  |  |  |                    |  |  |  |  |  |  |  |  |  |  |  |  |                    |  |  |  |  |  |  |  |  |  |  |  |  |
| <table border="1"> <tr> <td colspan="13">1ST AND 2ND ORDERS</td> <td colspan="13">3RD AND 4TH ORDERS</td> <td colspan="13">5TH AND 6TH ORDERS</td> <td colspan="13">7TH AND 8TH ORDERS</td> </tr> <tr> <td colspan="13">1ST AND 2ND ORDERS</td> <td colspan="13">3RD AND 4TH ORDERS</td> <td colspan="13">5TH AND 6TH ORDERS</td> <td colspan="13">7TH AND 8TH ORDERS</td> </tr> </table> |  |  |  |  |  |  |  |  |  |  |  |  |                    |  |  |  |  |  |  |  |  |  |  |  |  |                    |  |  |  |  |  |  |  |  |  |  |  |  |                    |  |  |  |  |  |  |  |  |  |  |  |  | 1ST AND 2ND ORDERS |  |  |  |  |  |  |  |  |  |  |  |  | 3RD AND 4TH ORDERS |  |  |  |  |  |  |  |  |  |  |  |  | 5TH AND 6TH ORDERS |  |  |  |  |  |  |  |  |  |  |  |  | 7TH AND 8TH ORDERS |  |  |  |  |  |  |  |  |  |  |  |  | 1ST AND 2ND ORDERS |  |  |  |  |  |  |  |  |  |  |  |  | 3RD AND 4TH ORDERS |  |  |  |  |  |  |  |  |  |  |  |  | 5TH AND 6TH ORDERS |  |  |  |  |  |  |  |  |  |  |  |  | 7TH AND 8TH ORDERS |  |  |  |  |  |  |  |  |  |  |  |  |
| 1ST AND 2ND ORDERS                                                                                                                                                                                                                                                                                                                                                                        |  |  |  |  |  |  |  |  |  |  |  |  | 3RD AND 4TH ORDERS |  |  |  |  |  |  |  |  |  |  |  |  | 5TH AND 6TH ORDERS |  |  |  |  |  |  |  |  |  |  |  |  | 7TH AND 8TH ORDERS |  |  |  |  |  |  |  |  |  |  |  |  |                    |  |  |  |  |  |  |  |  |  |  |  |  |                    |  |  |  |  |  |  |  |  |  |  |  |  |                    |  |  |  |  |  |  |  |  |  |  |  |  |                    |  |  |  |  |  |  |  |  |  |  |  |  |                    |  |  |  |  |  |  |  |  |  |  |  |  |                    |  |  |  |  |  |  |  |  |  |  |  |  |                    |  |  |  |  |  |  |  |  |  |  |  |  |                    |  |  |  |  |  |  |  |  |  |  |  |  |
| 1ST AND 2ND ORDERS                                                                                                                                                                                                                                                                                                                                                                        |  |  |  |  |  |  |  |  |  |  |  |  | 3RD AND 4TH ORDERS |  |  |  |  |  |  |  |  |  |  |  |  | 5TH AND 6TH ORDERS |  |  |  |  |  |  |  |  |  |  |  |  | 7TH AND 8TH ORDERS |  |  |  |  |  |  |  |  |  |  |  |  |                    |  |  |  |  |  |  |  |  |  |  |  |  |                    |  |  |  |  |  |  |  |  |  |  |  |  |                    |  |  |  |  |  |  |  |  |  |  |  |  |                    |  |  |  |  |  |  |  |  |  |  |  |  |                    |  |  |  |  |  |  |  |  |  |  |  |  |                    |  |  |  |  |  |  |  |  |  |  |  |  |                    |  |  |  |  |  |  |  |  |  |  |  |  |                    |  |  |  |  |  |  |  |  |  |  |  |  |

AKSENOV, G. I., KRITSKAYA, V. K., GUBCHEVSKIY, P. V., SOKOLOV, N. A., SOBOLEVSKIY, I. A.,  
and TAGUNOVA, T. V.

"Production of Autofrettaged Ingot Molds from Conversion Pig Irons of the  
First Smelting," Stal', No.5, pp. 363-67, 1945

Evaluation B-59660

AKSENOV, G. I. and SOBOLEVSKIY, I. A.

"Improving the Life of Alloy Rolls," Stal', No.6, pp. 493-94, 1946

Evaluation B-61757

AKSENOV, G.I., prof.; KONDRAT'YEV, P.I.

Selecting best conditions for x-ray measurement of strains. Probl.  
metalloved.i fiz. met. no.[1]:333-343 '49. (MIRA 11:4)

1.Laboratoriya napryazheniy TSentral'nogo nauchno-issledovatel'skogo  
instituta chernoy metallurgii.

(Strains and stresses)

(X rays--Industrial applications)

AKSENOV, G.I., prof; KRITSKAYA, V.K., kand.fiz.-mat.nauk; SOBOLEVSKIY, I.A.;  
TAGUNOVA, T.V.

New method of measuring heat stresses on metalwork surfaces. Probl.  
metalloved.i fiz. met. no.[1]:344-345 '49. (MIRA 11:4)

1.Laboratoriy a napryazheniy TSentral'nogo nauchno-issledovatel'skogo  
instituta chernoy metallurgii.  
(Metals, Effect of temperature on)  
(Surfaces)

AKSENOV, G.I., prof.; TAGUNOVA, T.V.

Effect of repeated heating on the mechanical properties of gray  
cast iron. Probl. metalloved. i fiz. met. no. [1]:322-332 '49.  
(MIRA 11:4)

1. Laboratoriya napryazheniy Tsentral'nogo nauchno-issledovatel'skogo  
instituta chernoy metallurgii.  
(Cast iron) (Metals, Effect of temperature on)

AKSENOV, G. I., Professor

"Stresses in Casting Molds." Sub 12 Apr 51, Moscow Order of the Labor Red  
Banner Steet Inst imeni I. V. Stalin.

creases. Increasing the copper content reduces the rate of strengthening, a fact most noticeable at high temperature. Additional pressing of the intered specimens causes a rapid increase in hardness during the first hours of soaking.

*AKSENOV, G.I.*

USSR / Diffusion. Sintering.

E-6

Abs Jour : Ref Zhur - Fizika, No 4, 1957, No 9346

Author : Akse nov, G.I., Sorokin, V.K.

Inst : Gor'kiy Polytechnic Institute, USSR

Title : On the Structure of Metal-Ceramic Alloys of Iron-Carbon-Copper

Orig Pub : Poroshkovaya Metallurgiya, Yaroslavl', 1956, 79-82

Abstract : It is shown that the change in the thermal conditions of the carbonization sintering makes it possible to obtain austenite with varying concentrations of carbon. In carbonization sintering of pressed specimens made of an iron-copper charge there occurs predominantly diffusion of carbon along the boundaries of the metal grains. Addition of copper to the charge prevents the diffusion of carbon from the boundaries inside the grain of the metal.

Card : 1/1

TITLE:

Experimental Test of the Influence of Crystallite Anisotropy on the Shape of the Debye Ring obtained from a Strained Sample (Eksperimental'naya proverka vliyaniya anisotropii kristallitov na formu debayevskogo kol'tsa ot napyazhemogo obraztsa)

(511) face is larger than that for a (310) face; the lines of a (112) face do not shift;

3. Debye line shift increases with the rise in strain.

4. Elastic deformation leads to the smearing of Debye lines; the magnitude of the smearing in all faces is greater than the shifting.

5. The character of smearing is different for different faces.

The theoretical calculations were tested in a specially designed chamber on an ionic X-ray tube. The results obtained are as follows:

1. The fact that the theoretical analysis almost completely coincides with experimental studies shows that crystallite anisotropy affects the behavior

Card 2/4

such as to

**TITLE:**

Experimental Test of the Influence of Crystallite Anisotropy on the Shape of the Debye Ring obtained from a Strained Sample (Eksperimental'naya proverka vliyaniya anisotropii kristallitov no formu debayevskogo kol'tsa ot napryazhennogo obraztsa) result in maximum line shift.

5. The elasticity modulus determined by the X-ray method differs from that determined by a mechanical method. The latter is isotropic, but the X-ray elasticity modulus is anisotropic;

6. Beyond the limits of elasticity, a polycrystalline body behaves as an isotropic substance.

4 figures and 1 table are given. There are 4 references, all Slavic (Russian).

**INSTITUTION:**

Department of Metal Study in the Gor'kiy Polytechnic Institute im. Zhdanov

**PRESENTED BY:**

**SUBMITTED:**

No date

**AVAILABLE:**

At the Library of Congress

Card 4/4

SOV/126-7-6-7/24

AUTHORS: Aksenov, G. I. and Moshchanskiy, V. A.

TITLE: Crystallite Anisotropy and Debye Ring Structure in a Stressed Sample

PERIODICAL: Fizika metallov i metallovedeniye, 1959, Vol 7, Nr 6, pp 847-854 (USSR)

ABSTRACT: In 1929 one of the authors (Aksenov) analysed theoretically the reflection of monochromatic X-rays from atomic planes in a linearly stressed polycrystal. It was found that elastic deformation of the polycrystal should be accompanied by displacement of the Debye lines in X-ray diffraction patterns (Ref 1). In 1934 this theoretical analysis was extended by allowing for the anisotropy of the elastic properties of crystallites. It was then found that the Debye lines should be both displaced and broadened. The present paper is a continuation of the work just described. The authors calculate theoretically the conditions of reflection of monochromatic X-rays on the (112) and (310) faces of iron and the (511) face of aluminium, allowing for the anisotropy of the elastic properties of crystallites. This theoretical analysis led to the following conclusions.

Card 1/4

SOV/126-7-6-7/24

Crystallite Anisotropy and Debye Ring Structure in a Stressed Sample

A) Extension of samples should be accompanied by the Debye line displacement and instead of a circle for an unstressed sample an ellipse should be obtained with semi-axes  $a < b$ . The axis  $b$  should lie along the direction of extension.

B) The Debye line displacement for the same direction of extension is different in the case of different faces. For example, for the (511) face the displacement is greater than for the (310) face and the (112) face lines are not displaced at all.

C) The Debye line displacement increases with increase of applied stress.

D) Broadening of the Debye lines should occur on elastic deformation and the degree of broadening may be greater or smaller than their displacement.

E) The broadening should be different for different faces.

The authors use an ionic X-ray tube with a special chamber to check experimentally their theoretical results. The chamber contained a device for producing pure bending of samples and a cassette which made it possible to record the whole Debye ring. Normalised 60S2 steel and duralumin

Card 2/4

SOV/126-7-6-7/24

# Crystallite Anisotropy and Debye Ring Structure in a Stressed Sample

were used as samples. The elastic limit of steel was 40-45 kg/mm<sup>2</sup> and that of duralumin was 20 kg/mm<sup>2</sup>. The applied stresses were measured by means of resistance strain gauges. For each face the following X-ray patterns were recorded: one for the unstressed state, three for different stresses within the elastic limit (each of these was recorded twice), two outside the elastic limit and one for the unloaded sample after it had been tested. It was found that the Debye lines of an elastically deformed sample fall on an ellipse with semi-axes  $a < b$  (Fig 1). The numerical values of the Debye line displacements are given in Table 1. Broadening of the Debye lines was studied by means of a microphotometer. The results are shown in Figs 2, 3 and 4 for the faces (112), (301) and (511) respectively. The curves marked with 0 denote the unstressed state, all the other curves were obtained on stressed samples. Agreement between theory and experiment shows that anisotropy of individual crystallites is fully retained in a polycrystalline aggregate. Each crystallite behaves as a monocrystal on deformation of the sample. Within the elastic limit

Card 3/4

SOV/126-7-6-7/24

. Crystallite Anisotropy and Debye Ring Structure in a Stressed Sample

the deformation field in a polycrystal is discontinuous on transition from one crystallite to another if these crystallites are orientated differently. This produces broadening of the Debye rings in a stressed sample. The experimental results do not agree completely with the theoretical predictions. This is because the authors assume in their theoretical calculations that free anisotropic deformations of crystallites are possible without interaction of the neighbouring crystallites; the effect of the substance filling the inter-crystallite space was not allowed for either. Outside the elastic limit the interaction between individual crystallites becomes so great and the crystallite deformation is such that the anisotropic properties of crystallites are averaged out and the polycrystal behaves as an isotropic body, both from the macroscopic and microscopic points of view. There are 4 figures, 2 tables and 7 references, 5 of which are Soviet, 1 English and 1 German.

Card 4/4

ASSOCIATION: Gor'kovskiy politekhnicheskii institut imeni A.A.Zhdanova (Gor'kiy Polytechnical Institute imeni A.A.Zhdanov)

SUBMITTED: October 31, 1957

AKSENOV, G. I.

PHASE I BOOK EXCERPTION 80V/4508

Abstracts book USSR. Institute metallurgii  
Titan 1 press spray, 77-5. Metallurgical titanium (titanium and its alloys, 80, 5) Metal Science of Titanium Moscow, 10-10 M. SSSR, 1960.  
161 p. 1960. 2,700 copies printed.  
Sponsoring Agency: Abstracts book USSR. Institute metallurgii metal  
A.S. Moscow.

Resp. Ed.: N.V. Agayev, Corresponding Member, Academy of Sciences USSR; Ed. of Publishing House: N.L. Podgorniy; Trans. Ed.: V. Mamedov.

REMARKS: This collection of articles is intended for scientific research workers and metallurgical engineers.

CONTENTS: The articles summarize results of experimental studies of titanium-base alloys. The structure and mechanical properties of titanium-base alloys containing aluminum, zirconium and other metals are analyzed along with the effect of oxygen, hydrogen and heat treatment on alloy structure and properties. The tendency of titanium alloys to embrittlement as a result of straining is emphasized, and the methods of titanium, carried out to increase the surface strength and wear resistance of titanium alloys, is described. Fracture mechanisms occurring in commercial titanium under conditions of electric heating are examined. Attempts to develop titanium-base alloys capable of withstanding temperatures over 1000°C are discussed as well as problems of titanium-powder metallurgy and variability of certain titanium-base alloys to porosity. Personalities are mentioned. Most of the articles have bibliographic references, the majority of which are in Russian.

TABLE OF CONTENTS:

|                                                                                                                                                                         |     |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Podgorniy, V.N. Search for Titanium-base Alloys to be Used at Temperatures Above 1000°C                                                                                 | 74  |
| Sokolov, G.G. and G.M. Edeyev. The VTZ and VTZ-1 Heat-Resistant Titanium Alloys                                                                                         | 79  |
| Shcherbakov, N.P. and L.S. Golitsyn. Powder Metal Alloys of High Yield-Strength for Heat Engines                                                                        | 84  |
| Glazov, S.O. and Ye. A. Solov'ev. Titanium-base Alloys Used for Welded Sheets                                                                                           | 90  |
| Belikov, Ye.A., S.O. Glazov, and G.M. Tsvetkov. High-Strength Titanium Alloys Used for Welded Sheets                                                                    | 94  |
| Tsvetkov, S.S. and Ye.Y. Pavlov. Development and Investigation of Titanium-base Powder Metal Alloys                                                                     | 99  |
| Belikov, Ye.A., S.O. Glazov, and S.P. Pavlov. Phase Analysis of Complex Titanium Alloys                                                                                 | 107 |
| Klyachko, N.A. Crystal Endurance of Titanium and Its Welded Joints                                                                                                      | 115 |
| Ostrovskiy, S.M. Metallurgical Problems in Titanium Welding                                                                                                             | 124 |
| Shcherbakov, N.P., and G.Y. Shcherbakov. Weldability of the VTZ Titanium and of the VTZ Alloy                                                                           | 135 |
| Podgorniy, N.L., N.F. Mamonov, and L.A. Gerasimov. Welding Titanium-base Alloys                                                                                         | 141 |
| Podgorniy, D.A. Argon-Arc Welding of Titanium Products                                                                                                                  | 147 |
| Agayev, G.I., Ye. Agayev, A.F. Shchegolev, and Ye. S. Semenov. Roll-Forming Titanium Powder into a Thin Band by Using the Method of the Over-By Polymetallic Inclusions | 152 |
| Kozlovskiy, A.S. Results of Using Titanium in a Plant                                                                                                                   | 159 |

(20)

S/126/60/009/01/030/031  
E021/E191

AUTHORS: Aksenov, G.I., and Sidnikhin, A.I.

TITLE: The Problem of the State of Intercrystalline Transition Zones in Metallic Polycrystals. Letter to the Editor.

PERIODICAL: Fizika metallov i metallovedeniye, 1960, Vol 9, Nr 1, pp 156-158 (USSR)

ABSTRACT: The alloy EI437B<sup>1</sup> was investigated by two methods. The first method was dissolving the alloy in a reagent of composition  $\text{CuSO}_4 \cdot 5\text{H}_2\text{O}$  - 150 g,  $\text{H}_2\text{SO}_4$  - 35 cm<sup>3</sup>,  $\text{HCl}$  - 500 cm<sup>3</sup>. After quenching the alloy from 1050-1280 °C, the maximum rate of solution occurred in the region of the grain boundaries. The smallest amount of cold work removed the preferential solution of the material in the intercrystalline zone. Further cold work led to slower solution at the grain boundaries<sup>2</sup> than the grains themselves, leaving the grain boundaries as ridges. This is explained by the hypothesis that the grain boundaries of undeformed material contain excess dislocations which have "atmospheres" around them easily dissolved. Plastic deformation will remove the excess dislocations, leaving behind them the former

Card  
1/2

AKSENOV, G.I.; MOSHCHANSKIY, V.A.

Response to O.N. Shvrin concerning his article on the "anisotropy of crystallites." Fiz. met. i metalloved. 10 no. 4:639-640 0 '60.  
(MIRA 13:11)

(Metal crystals) (Anisotropy)  
(Shvrin, O.N.)

PHASE I BOOK EXPLOITATION

SOV/5511

Nauchno-tekhnicheskoye obshchestvo mashinostroitel'noy promyshlennosti.  
Kiyevskoye oblastnoye pravleniye.

Metallovedeniye i termicheskaya obrabotka (Physical Metallurgy and Heat  
Treatment of Metals) Moscow, Mashgiz, 1961. 336 p. Errata slip  
inserted. 5,000 copies printed.

Sponsoring Agency: Gosudarstvennyy nauchno-tekhnicheskii komitet  
Soveta Ministrov UkrSSR. Nauchno-tekhnicheskoye obshchestvo  
mashinostroitel'noy promyshlennosti. Kiyevskoye oblastnoye  
pravleniye.

Editorial Board: M. P. Braun, Doctor of Technical Sciences, I. Ya.  
Dekhtyar, Doctor of Technical Sciences, D. A. Draygor, Doctor of  
Technical Sciences, I. S. Kamenichnyye, Engineer, Ye. A. Markov-  
skiy, Candidate of Technical Sciences, V. G. Permyakov, Doctor  
of Technical Sciences, and A. V. Chernovol, Candidate of Tech-  
nical Sciences; Ed.: M. S. Soroka; Tech. Ed.: M. S.  
Gornostaypol'skaya; Chief Ed., Mashgiz (Southern Dept.): V. K.  
Serdyuk, Engineer.

Card 1/10

Card 2/10

**Physical Metallurgy. (Cont.)**

SOV/5511

Aksenov, G. I., Doctor of Technical Sciences, Professor,  
A. M. Yuf'ero, Assistant (Kuybyshev), V. N. Sakharova,  
Engineer, and B. N. Yakovlev (Gor'kiy). Transformations  
in the 9Kh-Type Quenched Steel Under External Loading

5

Stregulin, A. I., Engineer, and L. A. Mel'nikov (Sverdlovsk).  
Transformation of Austenite Into Martensite Under High  
Pressure

12

Brusilovskiy, B. A., Engineer, and F. I. Ivanov (Kramatorsk).  
X-Ray Investigation of the Decomposition Kinetics of Martensite  
in Tempering at Low Temperature

19

Kocherzhinskiy, Yu. A., Candidate of Technical Sciences  
(Kiyev). Conditions of Formation of Metastable Austenite  
in Iron-Carbon Alloys

22

Mirovskiy, E. I., Engineer (Kiyev). The Nature of the  
Phase Transformation of Carbon Steels

34

Card 3/10

Physical Metallurgy (Cont.)

SOV/5511

|                                                                                                                                                     |    |
|-----------------------------------------------------------------------------------------------------------------------------------------------------|----|
| Rauzin, Ya. R., Engineer (Moscow). On the Nature of the Critical Degree of Strain                                                                   | 44 |
| Sadovskiy, V. D., Engineer, and G. N. Bogacheva (Sverdlovsk). On the Problem of the Phase Recrystallization of the G13L Cast Steel                  | 54 |
| Permyakov, V. G., Engineer, and M. V. Belous (Kiyev). The Changes in the Carbide Phase During the Tempering of Carbon, Silicon, and Aluminum Steels | 62 |
| Cherepin, V. T., Candidate of Technical Sciences (Kiyev). Tempering of Carbon Steel by Using Electric Heating                                       | 75 |
| Golovan', N. A., Engineer (Kiyev). Concentration of Carbides in a Martensite Needle                                                                 | 85 |
| Baranov, S. M., Doctor of Technical Sciences, Professor (Leningrad). Effect of Silicon Monoxide on the Properties of Steel                          | 92 |

Card 4/10

Physical Metallurgy. (Cont.)

SOV/5511

- Sazonov, B. G., Candidate of Technical Sciences (Sverdlovsk). Investigating the Influence of the Heating Rate and the Initial Structure on the Phase Recrystallization of Steel and Recrystallization of Austenite as Stipulated by the Phase-Hardening Effect 97
- L'vov, G. K., Engineer (Kiyev). Basic Principles of Rapid Recrystallization of Low-Carbon Steel 106
- Larikov, L. N., Engineer (Kiyev). Investigating the Effect of Aluminum and Chromium Additions on the Recrystallization Kinetics of  $\alpha$ -Iron 114
- Sokol, A. N., Candidate of Technical Sciences, O. S. Kostyrko, Engineer, E. I. Mirovskiy, B. B. Vinokur, and M. P. Braun, Doctor of Technical Sciences, Professor (Kiyev). Plasticity of Steels Within the Pressworking Temperature Range 121
- Vinokur, B. B., Engineer, E. I. Mirovskiy (Kiyev) and A. L. Geller (Kramatorsk). Effect of the Increase of Forging

Card 5/10

Physical Metallurgy (Cont.)

SOV/5511

- |                                                                                                                                                                                                                                                 |     |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Temperature on the Mechanical Properties of Large Forgings                                                                                                                                                                                      | 127 |
| Braynin, I. Ye., Doctor of Technical Sciences, Professor (Stalino), V. A. Kharchenko, Engineer and A. I. Kondrashev (Kramatorsk). Experimental Investigation of Stress Distribution in the Cross Section of a Bent Billet as Related to Flaking |     |
|                                                                                                                                                                                                                                                 | 132 |
| Baranov, S. M. (Leningrad). Hydrogen as a Surface-Active Admixture in Alloys                                                                                                                                                                    | 138 |
| Kostyrko, O. S., Engineer (Kiyev). Flakes in Steel                                                                                                                                                                                              | 146 |
| Mirovskiy, E. I., Engineer, A. L. Geller (Kramatorsk), B. B. Vinokur, and M. P. Braun (Kiyev). The Effect of the Duration of Heating Before Forging on the Ductility of Steel                                                                   | 152 |
| Gavranek, V. V., Engineer, and D. N. Bol'shutkin (Khar'kov). Mechanism of the Cavitation Erosion of Metals                                                                                                                                      | 157 |

Card 6/10

Physical Metallurgy (Cont.)

SOV/5511

Blanter, M. Ye., Doctor of Technical Sciences, Professor,  
N. A. Kulakov, Engineer, and I. M. Sergeychev (Moscow).  
Quench-Hardening of Massive Steel Parts in Water-Air  
Mixtures 167

Braun, M. P., and B. B. Vinokur (Kiyev). Character of  
Rupture of Chromium-Nickel-Niobium Steel 182

Assonov, A. D., Candidate of Technical Sciences (Moscow).  
Effect of High-Temperature Heating on the Strength Proper-  
ties of Steel 189

Kondrashev, A. I., Engineer, K. F. Gurzhiyenko, and N. M.  
Kolesnik (Kramatorsk). Accelerated Heating and Cooling  
Regimes in the Heat Treatment of Large Forgings 196

Kostyrko, O. S., Engineer, Ye. P. Dobryanskaya  
(Magnitogorsk), and M. P. Braun. Development of a Rational  
Heat-Treatment Regime for Large Forgings 205

Card 7/10

Physical Metallurgy (Cont.)

SOV/5511

|                                                                                                                                                                                                  |     |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Vinokur, B. B. (Kiyev). Heat Resistance of Various Alloyed Steels                                                                                                                                | 215 |
| Vanin, V. S., Engineer, and V. K. Titov (Nikolayev). Cementation of Steel in Liquid Organic Media                                                                                                | 225 |
| Bunin, K. P., Corresponding Member of the Academy of Sciences, Ukrainian SSR (Dnepropetrovsk), and A. V. Chernovol, Candidate of Technical Sciences (Kiyev). On the Graphite Growth in Cast Iron | 229 |
| Zubarev, V. F., Doctor of Technical Sciences, Professor, and F. K. Tkachenko, Engineer (Zhdanov). On the Mechanism of the Silicon Influence on Graphitizing                                      | 234 |
| Popova, N. N., Engineer (Khar'kov). Investigation of the Growth of Gray Cast Iron                                                                                                                | 242 |
| Yatsenko, A. I., Engineer (Dnepropetrovsk). Structural Changes in Austenitizing Ferritic Magnesium Iron                                                                                          | 249 |

Card 8/10

**Physical Metallurgy (Cont.)**

SOV/5511

- |                                                                                                                                                                                                                                                      |     |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Zubarev, V. F., Doctor of Technical Sciences, Professor,<br>F. K. Tkachenko, and L. N. Kudryavtsev (Zhdanov). For-<br>mation of Graphitization Centers and Special Features of<br>Their Distribution in the Annealing of Quenched White<br>Cast Iron | 258 |
| Titov, V. K., Engineer, and V. S. Vanin (Nikolayev).<br>The Quenching of White Cast Iron and Its Effect on the<br>Graphitization of Segregated Cementite                                                                                             | 266 |
| Dubrov, V. V., Engineer (Kiyev). Investigating the<br>Isothermic Decomposition of Cementite in Manganese Cast<br>Iron                                                                                                                                | 270 |
| Bobro, Yu. G., Candidate of Technical Sciences, Docent<br>(Khar'kov). Effect of Certain Elements on the Properties<br>of Manganese Cast Irons                                                                                                        | 281 |
| Kvashnina, Ye. I., Engineer (Moscow). Optimum Heating<br>and Cooling Rates in Annealing of High-Strength Spheroidal-<br>Graphite Iron Castings<br>Card 9/10                                                                                          | 292 |

Physical Metallurgy. (Cont.)

SOV/5511

Kononova, T. A., Engineer (Moscow). Investigating the  
Properties of Quenched Manganese Cast Iron

302

Bykhovskiy, A. I., Engineer (Kiyev). Effect of Heat  
Treatment on the Transformation of White Tin Into Gray  
Tin

317

AVAILABLE: Library of Congress

Card 10/10

VK/wrc/os  
8/26/61

181141 1045, 1496, 1497, 1498, 1499, 1500, 1501, 1502, 1503

S/126/61/012/002/002/019  
E073/E335

AUTHORS: Aksenov, G.I. and Orekhov, Yu.P.

TITLE: Investigation of Magnetically Soft Sintered Alloys  
of the System Fe-Si

PERIODICAL: Fizika metallov i metallovedeniye, 1961, Vol. 12,  
No. 2, pp. 183 - 187

TEXT: The influence was investigated of the Si content  
(0 - 10%), the specific pressing pressure (5, 10 and 15  
t/cm<sup>2</sup>) and of the sintering temperature (1 000, 1 100, 1 200  
and 1 300 °C) on the magnetic properties of Fe-Si alloys  
sintered in a reducing atmosphere for 20 hours. During the  
sintering, the temperature gradient did not exceed  $\pm 20$  °C.  
The investigations have shown that the best combination of  
properties can be obtained by using Si additions in the range  
of 5-8%. The optimum magnetic properties in the case of an  
alloy containing 6.5% Si was obtained for a pressing pressure  
of 15 t/cm<sup>2</sup> and a sintering temperature of 1 300 °C. These were:

Card 1/2

AKSENOV, Gennadiy Ivanovich, doktor tekhn. nauk; MIKHEYEV, N.I.,  
red.; DURASOVA, V.M., tekhn. red.

[Principles of powder metallurgy] Osnovy poroshkovoi metal-  
lurgii. Kuibyshev, Kuibyshevskoe knizhnoe izd-vo, 1962. 188 p.  
(Powder metallurgy) (MIRA 15:10)

11600

49926

S/226/62/000/003/004/014  
1003/1203

AUTHOR: Aksenov, G. I., Minayev, Ye. M. and Strizhikova, Z. I.

TITLE: Microstructural investigation of metal powder particles

PERIODICAL: Poroshkovaya metallurgiya, no. 3, 1962, 24-30

TEXT: A new method of preparation of samples for a microstructure study of single grains of powders, permits the investigation of their dimensions, shape and structure, in a condition unaltered by the process of preparation of the cross-section, using epoxide resins with hardeners of the polyethylene-polyamine type which can be hardened at room temperature. The structure of the powders is affected by the methods of their preparation and subsequent treatment. Microstructures of iron and stainless steel powders, after various processes are shown. There are 5 figures.

ASSOCIATION Kuibyshevskiy aviatsionnyy institut (Kuibyshev Aviation Institute)

SUBMITTED: November 9, 1961

X

Card 1/1

S/032/62/028/012/009/023  
B108/B186

AUTHORS: Aksenov, G. I., Bykhovskiy, Yu. S., and Minayev, Ye. M.

TITLE: A method of non-contact measurement of the electrical conductivity of nonmagnetic materials

PERIODICAL: Zavodskaya laboratoriya, v. 28, no. 12, 1962, 1467 - 1469

TEXT: A method to measure the electrical resistance of pressed metal powder rings without the specimens being in electrical contact was developed. The ring to be examined is placed on a transformer yoke as the secondary winding. By adjusting equal magnetic fluxes through the specimen 0 and through the standard coil  $w_2$  (indicated at the zero bridge with windings  $w_3$ ,  $w_4$  and rectifiers  $B_1$  and  $B_2$ ) one can calculate the resistance of the specimen from the equation  $R_{sp} = R/w_2^2$ , since the specimen constitutes only one turn.  $R$  is the resistance of the resistor and capacitor sets. The error in determining the resistivity of copper specimens does not exceed 0.3%, that for stainless steel is 1% at most. There are 3 figures.

Card 1/2

A method of non-contact...

S/032/62/028/012/009/023  
B108/B186

ASSOCIATION: Kuybyshevskiy aviatsionnyy institut (Kuybyshev Aviation  
Institute)

Card 2/2

PHASE I BOOK EXPLOITATION

SOV/6269

Aksenov, Gennadiy Ivanovich, Doctor of Technical Sciences

Osnovy poroshkovoy metallurgii (Fundamentals of Powder Metallurgy).  
[Kuybyshev] Kuybyshevskoye knizhnoye izd-vo, 1962. 188 p.  
Errata slip inserted. 2000 copies printed.

Ed.: N. I. Mikheyev; Tech. Ed.: V. M. Dumasova.

PURPOSE: This book is intended for the personnel of machine-building and metalworking plants and of scientific research institutes.

COVERAGE: The book reviews present methods of producing metal powders, their properties, methods of application, and preparation for compacting. Equipment used in powder metallurgy, die designs and their elements, and die-parameter calculations are described. Methods of manufacturing metal-powder parts and the inspection of finished products are discussed. No personalities are mentioned. There are 65 references: 56 Soviet, 6 English, and 3 German.

Card 1/2,

AKSENOV, G.I.

AID Nr. 983-3 5 June

SINTERING OF COMPACTED OXIDIZED COPPER POWDERS (USSR)

Aksenov, G. I., and I. A. Drozdov. Poroshkovaya metallurgiya, no. 2,  
Mar-Apr 1963, 14-21. S/226/63/000/002/002/014

The Kuybyshev Aviation Institute has compared the sintering behavior of copper powders reduced from scale at 250°C (powder A) and at 600°C (powder B), compacted under a pressure of 1-3, 5, 7, 9, 11, or 13 ton/cm<sup>2</sup> from 75-90-μ fractions of powders, and sintered in a current of H<sub>2</sub> for 30 min at a temperature of 980°C reached at a rate of 20 deg/min. It was found that the final density of sintered compacts generally increased with increased sintering temperature. However, A compacts grew in the 400-550°C range and B compacts in the 800-1000°C range. When compacted at a pressure below 7 ton/cm<sup>2</sup>, sintered compacts of powder A were denser than compacts of powder B. The maximum density in both compacts was achieved with a compacting pressure of 5 ton/cm<sup>2</sup>.

Card 1/2

AID Nr. 983-3 5 June

SINTERING OF COMPACTED OXIDIZED [Cont'd]

S/226/63/000/002/002/014

An important factor affecting final density of sintered oxidized-powder compacts is the heating rate in sintering, since increasing pressure of gases with rapidly increasing temperature strongly counteracts sintering. Thus, slower or step-wise heating with a holding at the temperature of gas liberation from the surface of powder particles, i. e., at 400-500°C, would be more effective. [MS]

Card 2/2

ACC NR: AT6003102 EWA(h)/ETC(m)-6 LJP(c) UR/3181/63/000/015/0309/0314  
JD/WW/EM

AUTHOR: Aksenov, G.I.; Morozov, N.P.

ORG: None

66  
64  
B+1

TITLE: A graphic method for calculating the temperature field in the heat treatment of cylinders

SOURCE: Kuybyshev, Aviat's onnyy institut. Trudy, no.15, pt.2, 1963. Doklady kustovoy nauchno-tekhnicheskoy konferentsii po voprosam mekhaniki zhidkosti i gaza (Reports of the Joint scientific-technical conference on problems of the mechanics of liquid and gas), 309-314

TOPIC TAGS: heat conduction, metal heat treatment

ABSTRACT: The article constitutes an attempt to develop a graphic method of taking into account the dependence of the heat conductivity coefficient,  $\lambda$ , and the specific heat capacity,  $C$ , on temperature in calculation of the temperature field. For constant  $\lambda$  and  $C$ , the differential heat conduction equation for a cylinder is written:

$$\frac{\partial t}{\partial \tau} = a \left( \frac{\partial^2 t}{\partial r^2} + \frac{1}{r} \frac{\partial t}{\partial r} \right), \quad (1)$$

Card 1/2

L 15713-66

ACC NR: AT6003102

where  $a = \frac{\lambda}{\sigma}$  is the thermal diffusivity coefficient. The article proceeds to a mathematical solution based on the above premises. The method was used for calculation of the temperature fields in surface hardening of the rollers of a rolling mill. Results of the calculation are said to agree satisfactorily with experimental data from the plant in question. The greatest deviation of the calculated values of the temperature from those found experimentally was 400. A figure shows the temperature distribution, calculated and experimental, in a hardened roller 310 mm in diameter after different cooling periods. Orig. art. has: 13 formulas and 2 figures.

SUB CODE: 11,20/ SUBM DATE: 00/ ORIG REF: 003/ SOV REF: 000/ OTH REF: 000

Card 2/2

L 15711-66 EMT(d)/EMT(l)/EMT(m)/EMP(x)/EMP(y)/T/EMP(t)/EMP(l)/EMP(l)/EMP(l)/EMP(l)/ETC(m)-6  
 ACC NR: A16003103 LJP(c) SOURCE CODE: UR/3181/63/000/015/0315/0325  
 JD/WW/EM  
 AUTHOR: Aksenov, G.I.; Morozov, N.P.; Shafeyev, M.N.

772  
 B+1

ORG: None

TITLE: Numerical method for calculating the temperature field in heat treatment of cylinders, taking into account the evolution of the latent heat of transformation and the dependence of thermophysical properties on temperature

SOURCE: Kuybyshev. Aviatsionnyy institut. Trudy, no. 15, pt. 2, 1963. Doklady kustovoy nauchno-tekhnicheskoy konferentsii po voprosam mekhaniki zhidkosti i gaza (Reports of the Joint scientific-technical conference on problems of the mechanics of liquid and gas), 315-323

TOPIC TAGS: metal heat treatment, heat of reaction, heat conductivity

ABSTRACT: In the symmetrical heating and cooling of a hollow cylinder of infinite length, the determination of the temperature field, taking into account the dependence of the heat conductivity coefficient,  $\lambda$ , and the specific heat capacity,  $C$ , on the temperature,  $t$ , is based on the solution of the following limiting problem:

Card 1/2

L 15724-66

ACC NR: AT6003103

$$\begin{cases} C(t) \gamma \frac{\partial t}{\partial \tau} = \frac{1}{r} \frac{\partial}{\partial r} \left[ r \lambda(t) \frac{\partial t}{\partial r} \right]; 0 < R_1 \leq r \leq R_2, t_0 \leq t \leq t_n & (1) \\ t(r, 0) = f(r); 0 < R_1 < r < R_2, & \\ \frac{\partial t}{\partial r} \Big|_{r=R_1} + \frac{\alpha(t)}{\lambda(t)} \Delta R_1 t = 0, & (2) \end{cases}$$

where  $R_1$  and  $R_2$  are, respectively, the inside and outside radii of the hollow cylinder;  $\gamma$  is the specific weight;  $\alpha$  is the heat transfer coefficient,

$$\Delta R_i t = t_{R_i} - t_{C_p}^{(R_i)} \quad (i = 1, 2);$$

$t_{R_1}$  and  $t_{R_2}$  are the temperatures of the inner and outer surfaces of the cylinder; and,  $t_{C_p}^{(R_1)}$  and  $t_{C_p}^{(R_2)}$  are the temperatures of the medium surrounding the cylinder on the inside and on the outside. The solution, developed on the basis of the above assumptions, is said to be suitable for heat calculations of processes for the heat treatment of steel cylinders. Orig. art. has: 18 formulas and 2 figures.

SUB CODE:11,20/ SUBM DATE:00/ ORIG REF:003/ SOV REF:000/ OTH REF:001

Card 2/2

At Inokh Aksenov, G. I., Kryukov, V. I.

A series of experiments of all types of

1. The authors determined the strength of the

SUB CODE: MM

ENCL. 00

Card 1/1

AKSENOV, G.I.; BOROK, B.A.; MALIN, A.P.; KHROMOV, V.G.

Experience in the industrial rolling of metal powders. Trudy LPI  
no.222:40-44 '63. (MIRA 16:7)  
(Rolling (Metalwork)) (Powder metallurgy)

AKSENOV, G.I., doktor tekhn.nauk, prof.; MOROZOV, N.P., inzh.; SHAFEYEV, M.N.,  
kand. fiziko-matem. nauk

Numerical integration of the equation of heat conductivity of a  
cylinder with physical characteristics dependent on temperature.  
Izv. vys. ucheb. zav.; energ. 6 no.5:85-91 My '63. (MIRA 16:7)

1. Kuybyshevskiy aviatsionnyy institut. Predstavlena kafedroy  
metallovedeniya Kuybyshevskogo aviatsionnogo instituta.  
(Heat--Transmission)

L 14305-63

EWT(1)/EWP(q)/EWT(m)/BDS

AFFTC/ASD

JD

ACCESSION NR: AP3000094

8/0126/63/015/004/0518/0522

AUTHORS: Aksenov, G. I.; Moshchanskiy, V. A.

TITLE: Debye ring structure of a plane-stressed sample

SOURCE: Fizika metallov i metallovedeniye, v. 15, no. 4, 1963, 518-522

TOPIC TAGS: Debye ring structure, plane-stressed sample, linearly stressed sample

ABSTRACT: The present work is a continuation of an earlier investigation by the authors with the difference that in this case the X-ray crystal structures of plane-stressed instead of linearly stressed samples were analyzed. A general formula for the angular displacement magnitude of the Debye line (in radians) has been derived for a plane-stressed sample. The theoretical results have been verified experimentally. A comparison between the Debye line displacements in plane- and linearly stressed samples has been made and the results are tabulated. The authors conclude that the Debye line displacement of linearly stressed samples in the direction of XX and YY axes is such that the Debye ring acquires an elliptical form. The Debye ring of a plane-stressed sample is a circle the radius of which decreases gradually with an increase in stress, providing the principal normal stresses which create a plane-stressed state are equal. The Debye ring has a

Card 1/2

L 14305-63

ACCESSION NR: AP3000094

circular form when the stress exceeds the limit of elasticity and when the stress is removed. Orig. art. has: 5 formulas and 1 table. 6 3

ASSOCIATION: Kuyby'shevskiy aviatsionnyy institut (Kuyby'shev Institute of Aviation) Gor'kovskiy politekhnicheskii institut im. A. A. Zhdanova (Gorkiy Polytechnic Institute)

SUBMITTED: 17Jul62

DATE ACQ: 12Jun63

ENCL: 00

SUB CODE: PH

NO REF SOV: 005

OTHER: 000

Card 2/2

AKSENOV, G.I.; DROZDOV, I.A.

Microstructural investigation of copper reduced from scale.  
Fiz.met.1 metalloid. 15 no.4:597-604 Ap '63. (MIRA 16:6)  
(Copper—Metallography)

ACCESSION NR: AR4036256

S/0137/64/000/003/0025/0025

SOURCE: Referativnyy zhurnal. Metallurgiya, Abs. 30163

AUTHOR: Aksenov, G. I.; Minayev, Ye. M.

TITLE: Preparation of powders by atomizing liquid melts

CITED SOURCE: Tr. Kuybyshsk. aviats. in-t, vy\*p. 16, 1963, 11-21

TOPIC TAGS: Liquid metal atomization, liquid alloy atomization, metal powder preparation, alloy powder preparation

TRANSLATION: Of great importance in the spraying of liquid metals and alloys with compressed air is the design of the atomizer. The authors constructed an adjustable atomizer with a continuous annular conical Laval nozzle and compensation of the injected air. The velocity of the gas stream at the nozzle exit was supersonic ( $\approx 500$  m/sec). The atomization of liquid Cu, Fe, Ni, the alloys EI-437, EI-652, ZhS-6, and 1Kh18N9T steel was investigated. The effect of air pressure and air consumption on the power of the jet at the atomization focus was determined. The

Card 1/2

ACCESSION NR: AR4036256

fineness ratio of the powders was studied as a function of the stream power and consumption of compressed air. As the latter increases, the quantity of fine powder fractions ( $\sim 0.14$ - $0.04$  mm) increases. As the amount of metal supplied increases, the quantity of fine fractions decreases. Powders of oxidation-resistant alloys (EI-652 and ZhS-6) are slightly oxidized during atomization. Such powders can be pressed without preliminary reductive annealing. The shape of the particles of an atomized powder depends on their size. Coarse powders ( $\sim 0.25$ - $0.14$  mm) have the irregular shape of particles with a developed rough surface. Particles of fine powders have a rounded shape with a smoother surface. An exception is the alloy ZhS-6, whose particles have sharp edges (which are attributed to the low surface tension of the alloy). I. Brokhin.

DATE ACQ: 17Apr64

SUB CODE: ML |

ENCL: 00

Card 2/2

ACCESSION NR: AR4036255

S/0137/64/000/003/0025/0025

SOURCE: Referativnyy zhurnal. Metallurgiya, Abs. 30162

AUTHOR: Aksentov, G. I.

TITLE: Prospects for obtaining metal powders and their mixtures

CITED SOURCE: Sb. Poroshk. metallurgiya i metalloobrabotka. Yerevan, 1963, 12-18

TOPIC TAGS: Metal powder preparation, crystal defect, lattice defect

TRANSLATION: The conditions of formation of crystal lattices of powder metals are studied as a function of the methods by which the powders were prepared, and the role of distortions and defects due to the degree of supercooling is examined. The reactivity of the metal powders during sintering is determined by the stored potential energy, which depends on the imperfection of the lattice, dispersity of the particles, and magnitude of their specific surface. The reactivity of the powders depends mainly on the degree of supercooling. Powders obtained by spraying liquid metals and by the intercrystalline corrosion method have a low reactivity. In con-

Card 1/2

ACCESSION NR: AR4036255

clusion, attention is drawn to the importance of using secondary ferrous metals in the form of shavings, filings, etc. in powder metallurgy. I. Brokhin.

DATE ACQ: 17Apr64

SUB CODE: ML

ENCL: 00

Cardd 2/2

8/0137/84/000/001/0037/0037

ACCESSION NR: AR4018316

SOURCE: RZh. Metallurgiya, Abs. 1G256

AUTHOR: Aksenov, G. I.; Pyryalov, L. A.

TITLE: Study of the properties of a porous strip

CITED SOURCE: Tr. Kuybyshevsk. aviats. in-t, vy\*p. 16, 1963, 71-84

TOPIC TAGS: porous iron powder strip, iron powder strip permeability, iron powder strip porosity

TRANSLATION: A detailed study was made of the dependence of the permeability factor of a porous strip on the type of filtering liquid, porosity, thickness, and filtration pressure. The investigation was carried out on specimens produced by rolling Fe powder of the Sulin plant. Porosity of the specimens was 15-62%. It was found that there is no direct functional dependence between porosity and permeability. The latter is independent of the nature of the filtered liquid while for the same particle size, the permeability depends on the porosity, increasing exponentially with it. As the thickness of the specimen decreases, the permeability coefficient increases and is independent of pressure in the region of laminar

Card 1/2

BR

ACCESSION NR: AR4018310

8/0187/84/000/001/0035/0035

SOURCE: RZh. Metallurgiya, Abs. 16244

AUTHOR: Aksenov, G. I.

TITLE: On the theory of sintering

CITED SOURCE: Tr. Kuybyshchensk. aviats. in-t, vy\*p. 16, 1963, 125-130

TOPIC TAGS: metal powder sintering, powder sintering theory

ABSTRACT: Processes of sintering of metal powders are discussed. The principal factor determining the nature and degree of crystal lattice defectiveness of the particle material is the degree of supercooling at which the formation of the powder particles occurs. From this standpoint, the lattice of metal powders obtained by the method of intercrystalline corrosion has the least amount of defects, since it forms from a liquid melt when supercooled approximately  $10^{\circ}$ . Electrolytic powders are characterized by the highest level of lattice distortion, since their formation takes place by supercooling  $1000-1600^{\circ}$  (for Fe, Ni, Cu). During compacting there occurs plastic deformation of particles and the formation of metallic contacts between them. Sintering is treated as a complex process

Card 1/2

ACCESSION NR: AR4018310

consisting of independent processes: (a) release of excess energy during the heating of specimens; (b) surface migration of atoms; (c) reparation of crystal lattice defects; (d) volume and surface diffusion and self-diffusion; and (e) recrystallization. Three stages of the sintering process are considered at which certain elementary processes play a decisive part. The driving forces of sintering are surface energy, energy of the crystal lattice distortions, energy of residual stresses of the second degree caused by plastic deformation during compacting, and the additional thermal energy of atoms, associated with high temperature sintering. O. Padalko

SUB CODE: MM

ENCL: 00

Card 2/2

ACCESSION NR: AR4018313

8/0137/64/000/001/0038/0038

SOURCE: RZh. Metallurgiya, Abs. 10249

AUTHOR: Aksenov, G. I.; Drozdov, I. A.

TITLE: Study of the sintering of copper compacts by means of high-temperature metallography

CITED SOURCE: Tr. Kuyby'shevsk. aviats. in-t, vy\*p. 16, 1963, 149-155

TOPIC TAGS: copper powder sintering, pressed copper powder sintering

TRANSLATION: A study was made of the processes of sintering two Cu powders, a reduced and an atomized powder. The atomized powder was first annealed in  $H_2$  at  $300^\circ$ . Specimens 20 mm in diameter and 0.7 - 1.2 mm high were pressed with polished-surface punches under a pressure of 5 t/cm<sup>2</sup>. To make it possible to study specific sections of the specimens, a grid was drawn on them with a diamond indenter. The specimens were placed in the chamber of a type MVY high-temperature microscope. The study was carried out either under vacuum ( $10^{-4}$  mm Hg) or in  $H_2$  (1-10 mm Hg). Heating rate was 5-10 deg/min. The surface was photographed every 50-100°. When sintering briquettes from reduced powder at  $970-980^\circ$ , the surface under observation

Cord 1/2

ACCESSION NR: AR4018313

became rough, pores became rounded, and the grid lines almost disappeared. When sintering briquettes from the atomized powder, the same changes occurred at 930-980° and were particularly pronounced at 1035-1070°. V. Miroshnikov

SUB CODE: MM

ENCL: 00

Card 2/2

8/0137/84/000/001/0037/0037

ACCESSION NR: AR4018317

SOURCE: RZh. Metallurgiya, Abs. 1G267

AUTHOR: Aksenov, G. I.; Kryukov, V. I.

TITLE: Study of certain properties of the iron--copper system

CITED SOURCE: Tr. Kuybyshevsk. aviats. in-t, vy\*p. 16, 1963, 165-171

TOPIC TAGS: iron copper alloy, iron copper alloy sintering

TRANSLATION: A study was made of Fe-Cu alloys containing 1 to 20% Cu. As the Cu content increases to 8%, shrinkage of the specimens decreases during sintering. Maximum growth (~1%) occurs at 8% Cu while at 5-6% Cu growth offsets shrinkage and the change in size is minimal ( $\pm 0.1\%$ ). After sintering at  $1150^\circ$  for 2 hr,  $\delta_b$  is 38 kg/mm<sup>2</sup> in specimens with 5-6% Cu, drops to 28 kg/mm<sup>2</sup> at 8% Cu, and rises to 42-45 kg/mm<sup>2</sup> when the Cu content increases to 16-20%. As the Cu content increases to 5-6%,  $\delta_b$  rises as a result of alloying the Cu base by Fe. The drop in strength at 8% Cu (i.e., at the maximum solubility of Cu in  $\gamma$ -Fe) is explained by manifestation of diffusion porosity; as the Cu content rises from 8 to 20%,  $\delta_b$  increases because of the appearance of liquid Cu and the  $\epsilon$  phase at the sintering temperature.

Card 1/2



"APPROVED FOR RELEASE: 06/05/2000

CIA-RDP86-00513R000100720005-6

APPROVED FOR RELEASE: 06/05/2000

CIA-RDP86-00513R000100720005-6"

1. COMPLET  
SECTION NR. 484039075

AUTHOR: Aksenov, G. I.; Litvinenko, P. P.

Card 1/2

Card 2/2

WRITE BELOW THIS LINE

ACCESSION NR: AP4039602

S/0126/64/017/005/0737/0743

AUTHORS: Aksenov, G. I.; Morozov, N. P.; Chayka, V. A.

TITLE: Investigations of the terminal structural deformations and residual austenite quantity in quenched rolled steel

SOURCE: Fizika metallov i metallovedeniye, v. 17, no. 5, 1964, 737-743

TOPIC TAGS: rolled steel, martensite, structural deformation, residual austenite, annealing, quenching medium, steel 9Kh

ABSTRACT: The effect of heating and cooling (in the martensite temperature range) on the magnitude of relative structural deformation and on the quantity of residual austenite in quenched rolled 9Kh steels was studied. The specimens were 30 mm long, 4 mm in diameter, and contained 0.88% C and 1.52% Cr. Four sets of experiments were performed. In all of them the initial temperature of the specimen was 850-900C, but cooling was carried out at different rates by using an oil bath at various temperatures. Theoretical predictions for relative quenching deformations gave values 3 to 6 times higher than those measured experimentally ( $\epsilon_{\text{max}} = 9$  to  $10 \times 10^{-4}$ ). Analysis indicates that this discrepancy is caused primarily by the

Card 1/2

L 1662-66 EWT(d)/ENP(e)/EWT(m)/ENP(v)/ENP(t)/ENP(k)/ENP(h)/ENP(u)/ENP(b)/  
ENP(l)/ENP(a)(c) JD/HW 3

ACCESSION NR: AT5022888

UR/2776/65/000/043/0033/0039 57

AUTHOR: Borok, B. A.; Malin, A. P.; Markelov, V. V.; Andreyev, F. S.; Kutyryna, V. M.; Leginov, A. A.; Grosval'd, V. G.; Aksenov, G. I.

TITLE: Experience in rolling powders in an industrial-type rolling mill

SOURCE: Moscow, Tsentral'nyy nauchno-issledovatel'skiy institut chernoy metal-  
lurgii, Sbornik trudov, no. 43, 1965. Poroshkovaya metallurgiya (Powder metal-  
lurgy), 53-59

TOPIC TAGS: rolling mill, powder metallurgy, metal powder, powder metal rolling

ABSTRACT: The authors describe an industrial two-high powder-rolling mill with roll diameters 600 and 900 mm, based on a standard rolling mill originally built in 1940, and equipped with special powder-feeding bunkers. The mill consists of an open-top steel housing with variable positioning of rolls -- they can be aligned either horizontally or at angles of 22.5°, 45°, and 60°C (Figs. 1, 2). Its main drive is powered by a DC 257.4 kw (350 HP) 40-800 RPM motor. It has been used for the experimental rolling of strips from the powders of iron, OKh18N9 stainless steel, molybdenum, and titanium. These experiments demonstrated the

Card 1/3

L 1662-66

ACCESSION NR: AT5022888

mill's suitability for organizing the industrial production of poreless strips from the powders of different metals and alloys. Such strips, 0.8-1.0 mm thick, display physical properties that are not inferior to those of strips produced by rolling ingot metal. This strip thickness is in complete agreement with the basic equation of rolling, which implies that strip thickness is a function of roll diameter:

$$\gamma_p = \frac{\gamma_s}{\tau} \left[ 1 + \frac{D}{\delta} + \frac{\alpha^2}{2} \right] \quad (1)$$

where  $\gamma_p$  and  $\gamma_s$  are the densities of powder (bulk weight) and strip, respectively, g/cm<sup>3</sup>;  $D$  is the roll diameter,  $\delta$  is the thickness of rolled strip, mm;  $\alpha$  is the angle of reach, deg; and  $\tau$  is the coefficient of reduction of the powder during rolling. Hence this basic equation applies not only for laboratory rolling mills but also for industrial rolling mills and can be used in designing the latter. Before the rolling of metal powders can be industrially introduced, however, these three problems must be solved: lateral restriction of the zone of deformation of powder in the rolls; continuous, uniform supply of powder to the feeder; and con-

Card

2/13

L 1662-66

ACCESSION NR: AT5022888

tinuous sintering of the strip. Orig. art. has: 2 figures, 3 tables, 5 formulas.

ASSOCIATION: none

SUBMITTED: 00

ENCL: 02

SUB CODE: MM, MT

NO REF SOV: 010

OTHER: 005

Card 3/83

**"APPROVED FOR RELEASE: 06/05/2000**

**CIA-RDP86-00513R000100720005-6**

**APPROVED FOR RELEASE: 06/05/2000**

**CIA-RDP86-00513R000100720005-6"**

L 481, 17-

A-22-13 NR: 11-1-1960

1-1-1960, 1-1-1960, 1-1-1960

ACCESSION NR: AP5008278

ENCLOSURE: 01

"APPROVED FOR RELEASE: 06/05/2000

CIA-RDP86-00513R000100720005-6

APPROVED FOR RELEASE: 06/05/2000

CIA-RDP86-00513R000100720005-6"

L 8561-66 EWT(1)/EWT(m)/EWP(k)/EWP(z)/EWA(c)/EWP(b)/T/EWP(e)/EWP(t) IJP(c)  
ACCESSION NR: AP5021188 JD

UR/0139/65/000/004/0182/0183

AUTHOR: Aksenov, G. I.; Litvinenko, P. P.

TITLE: The effect of defects in the crystal structure on the pressing and sintering of copper powder samples

SOURCE: IVUZ Fizika, no. 4, 1965, 182-183

TOPIC TAGS: copper, powder metal compaction, powder metal sintering, crystal structure, crystal defect, pressure effect, physical diffusion

ABSTRACT: Powdered copper oxide reduced at 250 and 550C with particle sizes of 58--75  $\mu$  was used to prepare the samples. Five grams of powder were used to press an annular sample with diameters of 20 x 13 mm and a height which depended on the applied pressure. The sintering was carried out in an atmosphere of dry, dissociated ammonia at 800, 900, and 1000C for various durations. The electrical resistivity of the samples was measured by a contactless method. The compressibility of the powder obtained at the lower reduction temperature was smaller than that of the powder obtained at the higher reduction temperature, in agreement with the defect density. It was found that the powder reduced at 250C had not only a high density of defects, but also a higher critical stress compared with the powder reduced at

Card 1/2

L 8561-66

ACCESSION NR: AP5021188

550C. The x-ray data indicated that at the chosen sintering temperatures micro-stresses of the second kind are relaxed and the mosaic blocks grow to dimensions which do not affect the physical width of the diffraction lines. The blocks grow as a function of the isothermal heating according to the parabolic law. The production of the blocks takes place therefore by diffusion. It is concluded that the dimensions of the blocks and the coefficients of self-diffusion are larger in the powder reduced at 250C. Orig. art. has: 2 figures, 2 formulas, and 1 table.

ASSOCIATION: Kuybyshevskiy aviatsionnyy institut (Kuybyshev Institute of Aviation)

SUBMITTED: 27Jan65

NR REF SOV: 014

ENCL: 00

OTHER: 000

SUB CODE: SS, MM 4455

-jw

Card 2/2

AKSENOV, G.I.; LITVINENKO, P.P.

Studying the fine structure of a reduced copper powder in  
pressed parts. Porosh.met. 5 no.12:1-7 D '65.

(MIRA 19:1)


1. Kuybyshevskiy aviatsionnyy institut. Submitted February 1,  
1965.

TITLE: USING THE  
files during sintering

... metallurgical ...

... metallurgical ...

... of solid ... with ...



$$\frac{1}{\Gamma(\alpha)} \int_0^t (t-\tau)^{\alpha-1} f(\tau) d\tau = I^\alpha f(t)$$

11-11-68

TOPIC TAGS: bronze, sintering behavior  
examination, sintering behavior

... 100% were studied.

L 675L2-6F

Card 1 of 1

BOROK, B.A.; MALIN, A.P.; MARKELOV, V.V.; ANDREYEV, P.S.; KUTYRINA, V.M.;  
LOGINOV, A.A.; GROSVAL'D, V.G.; AKSENOV, G.I.; KHROMOV, V.G.;  
TIKHONOV, G.F.

Experimental powder rolling on an industrial-type mill. Sbor.  
trud. TSNIIChM no.43:53-59 '65. (MIRA 18:10)

L 07805-67 ENT(1)/ENP(e)/ENT(m)/ENP(u)/ENT(r)  
ACC NR: AR6017486 SOURCE CODE: UR/0137/66/000/001/G039/G039

AUTHOR: Aksenov, G. I.; Litvinenko, P. P.

TITLE: Effect of oxide reduction conditions on the fine intergranular structure of reduced copper powder 4

SOURCE: Ref. Zh. Metallurgiya, Abs. 1G301

REF SOURCE: Tr. Kuybyshevsk. aviats. in-T, vyp. 20, ch. 1, 1965, 179-186

TOPIC TAGS: metal powder, copper, grain structure

ABSTRACT: The change in the fine structure of reduced copper powder was studied as a function of reduction temperature. The research was done on an x-ray ionization installation with automatic recording of the intensity distribution curve using copper K - radiation. The width of interference lines (111) and (222) was measured. An approximation method was used for determining the true width of the interference lines. A graphic method was used for isolating the contributions to line width made by block dimensions and microdistortions. As the reduction temperature is raised, there is an increase in the dimensions of the mosaic blocks and a reduction in microdistortions. The resultant data on block dimensions and microdistortions are used as a basis for calculating the dislocation density and angle of disorientation between adjacent mosaic blocks. The reduction in microdistortions is explained by a reduction in the potential energy of the system while the increase in the size of mosaic blocks is due to recrystallization. Bibliography of 11 titles. V. Yudin. [Translation of abstract]

SUB CODE; 23 11, 13  
Card 1/1 MC

UDC: 621.762.2.001:669.3

SOV/112-59-2-3476

9(6)

Translation from: Referativnyy zhurnal. Elektrotehnika, 1959, Nr 2,  
pp 177-178 (USSR)

AUTHOR: Tarasov, V. S., Aksenov, B. Ye., and Butomo, I. D.

TITLE: Use of Electronic Computers for Solving Various Problems of Engineering  
Physics (Primeneniye elektronnykh matematicheskikh mashin dlya resheniya  
zadach iz razlichnykh oblastey tekhnicheskoy fiziki)

PERIODICAL: Tr. Leningr. politekhn. in-ta, 1958, Nr 194, pp 223-240

ABSTRACT: Four examples of problems are cited that were solved by an analog  
computer (developed in 1953-1954) in the Leningrad Polytechnic Institute:  
1. Investigation of the behavior of a gyrotachometer subjected to sinusoidal  
and dry-friction torques. 2. Investigation of an electromechanical nonlinear  
followup system that has two degrees of freedom. 3. The problem of a  
laminar boundary layer which can be reduced to solving of a nonlinear  
differential equation of the third order with specified boundary conditions.

Card 1/2

SOV/112-59-2-3476

Use of Electronic Computers for Solving Various Problems of Engineering Physics

4. Investigation of an explosion of a dustlike mixture in an enclosed space. For each of the above problems, complete schemes of solution are presented, methods for selecting scale factors are described, and graphical solutions are given. Eighteen illustrations. Bibliography: 1 item.

Ye.G.S.

Card 2/2

GUBIN, V.V.; MAKAROV, Yu.N.; AKSENOV, B.Ye.

Mine testing of coal extraction by means of chain saws. Ugol' 35  
no.11:27-30 N '60. (MIRA 13:12)

1. Pechorskiy nauchno-issledovatel'skiy ugol'nyy institut (for Gubin,  
Makarov). 2. Glavnyy inzhener shakhty No.1-2 "Khal'mer-Yu"  
(for Aksenov).

(Coal mines and mining) (Coal mining machinery)

ISTOSHIN, Yu.V.; ZAKLINSKIY, A.B.; AKSENOV, D.A.

Seasonal temperature and salinity changes in waters of the North  
Atlantic. Trudy MGI 19:75-92 '60. (MIRA 14:7)  
(Atlantic Ocean—Ocean temperature) (Atlantic Ocean—Salinity)

AKSENOV, D.D.

USSR/Physics - Television

FD-1070

Card 1/1 : Pub. 153 - 6/24

Author : Aksenov, D. D.

Title : Operation of television transmission tubes with charge accumulation

Periodical : Zhur. tekhn. fiz., 24, No 10, 1788-1797, Oct 1954

Abstract : The author reviews the available information on the mechanism governing the operation of iconoscope-type transmission tubes with charge storage and development by fast electrons with successive scanning. He describes the processes in a tube with scanning from four sides.

Institution : -

Submitted : January 31, 1953

BULOVSIIY, P.I.; MBS'KIN, V.S., otvetstvennyy redaktor; AKSENOV, D.D., red.;  
BLINOV, V.I., red.; VORONOVSKAYA, Ye.V., red.; GOLOVCHANSKIY, P.M., red.;  
ZAVALISHIN, D.A., red.; EPSHTEYN, M.O., red.; BORKHVARDT, G.K., red.;  
PAVLOV, V.A., red.; POVALYAYEV, A.V., red.; SIVERS, A.P., red.;  
FILIPPOV, P.I., red.; MISHIN, V.I., red.; KL'KIN, Ye.G., tekhn.red.

[Theoretical bases for the technology of assembling aeronautical  
instruments] Teoreticheskie osnovy tekhnologii sborki aviatsionnykh  
priborov. Leningrad, 1956. 122 p. (Leningrad. Institut aviatsionnogo  
priborostroeniya. Trudy no.15) (MIRA 10:11)  
(Aeronautical instruments)

KASPIN, L.A., kand.ekonom.nauk; PAL'M, I.S., starshiy nauchnyy sotrudnik;  
KHORIKOV, A.N., starshiy nauchnyy sotrudnik; SHEVCHUK, Yu.I.,  
starshiy nauchnyy sotrudnik; AKSENOV, D.G., inzh.; EL'GORT, Ye.G.  
Prinimeli uchastiye: KARAKURCHI, M.I., kand.tekhn.nauk;  
KUCHERENKO, K.R., kand.tekhn.nauk; PEDAN, M.P., nauch.sotr.; POPOV, V.Ye.,  
nauchn.sotr.; GINZBURG, S.M., inzh.; SLIN'KO, B., red.; ZELENKOVA, Ye.,  
tekhn.red.

[Economic aspects of the construction of four- and five-story  
apartment buildings of large blocks of brick] Ekonomika vozvede-  
niya 4-5 etazhnykh shilykh zdaniy iz krupnykh kirpichnykh blokov.  
Kiev, Gos.izd-vo lit-ry po stroit. i arkhitekt. USSR, 1960. 112 p.  
(MIRA 14:4)

1. Akademiya stroitel'stva i arkhitektury USSR. Institut organi-  
zatsii i mekhanizatsii stroitel'nogo proizvodstva. 2. Sektor  
ekonomiki stroitel'nogo proizvodstva Nauchno-issledovatel'skogo  
instituta organizatsii i mekhanizatsii stroitel'nogo proizvodstva  
Akademii stroitel'stva i arkhitektury USSR (for Kaspin, Pal'm,  
Khorikov, Shevchuk, Aksenov, El'gort). 3. Nauchno-issledovatel'skiy  
institut konstruktsiy (for Karakurchi, Kucherenko). 4. Glavkiyevstroy  
(for Ginzburg). 5. Nauchno-issledovatel'skiy institut stroitel'nykh  
materialov (for Pedan, Popov).

(Building, Brick)

3(4)

AUTHORS:

Mazov, M. V., Aksenov, D. S., Cherkasov, I. A., Sharikov, Yu. D. SOV/154-59-2-12/22

TITLE:

Device for Taking Synchronized Stereo-photographs From Two Air-planes (Apparatura dlya sinkhronnoy stereofotos"yemki s dvukh samoletov)

PERIODICAL:

Izvestiya vysshikh uchebnykh zavedeniy. Geodeziya i aerofotos"yemka, 1959, Nr 2, pp 77-86 (USSR)

ABSTRACT:

In 1956, devices for taking synchronized aerial photographs were developed at the Laboratoriya aerometodov AN SSSR (Laboratory for Aerial Methods of the AS USSR). The fundamental condition is a high degree of synchronization. This synchronization can only be achieved with the help of a radio device, which the authors call a radio synchronizer. The essence of the functioning of the device lies in the fact that the impulses for the operation of the shutters of both aerial cameras are given at such an interval, that both shutters open at the same time, because even with aerial cameras of the same type the response time varies. The first model of a radio synchronizer was produced in 1956. A second model followed in 1957. Both designs are described here. Both had various deficiencies which were rectified

Card 1/2

SOV/154-59-2-12/22  
Device for Taking Synchronized Stereo-photographs From Two Airplanes

with the third model. The device consists of a transmitting and a receiving set, installed in two airplanes. The principal wiring diagram is shown in figure 7 and the block wiring diagram in figure 6. The functioning of the radio synchronizer is described in detail. The dimensions of the transmitter are  $250 \times 300 \times 150$  mm and those of the receiver  $300 \times 500 \times 250$  mm. The weight of each device including the converter is 12 kg. A test proved that a reliable synchronization of  $1/200$  seconds is secured and that the receiving device is not subject to any interference at all. The device permits the control and adjustment of the synchronization whilst taking stereo-photographs. There are 10 figures.

ASSOCIATION: Laboratoriya aerometodov AN SSSR (Laboratory for Aerial Methods of the AS USSR)

Card 2/2

AKSENOV, D.Ye., dotsent, kand.pedagogicheskikh nauk

Training of engineering and pedagogical personnel for technical  
schools. Uch.zap.Kol.ped.inst. Politekh. ser. 4 no.1:3-8 '59.

(MIRA 14:4)

(Teachers, Training of)

(Technical education)

AKSENOV, E. M.,: E. M. BERMANT, and others

Metallorezhushchie stanki. Spetsial'nyi kurs. Uchebn. posobie dlia mastera.  
Moskva, Mashgiz, 1941. 340 p.

Metal-cutting machines. A special course. Foreman's manual.

SO: Manufacturing and Mechanical Engineering in the Soviet Union, Library of  
Congress, 1953.

AKSENOV, F. (g.Ulan-Ude)

Stereoscopic photography with and ordinary camera. Tekh. mol.24  
no.4:38-39 Ap '56. (MLRA 9:7)  
(Photography, Stereoscopic)



ARSENOV, E. V.

PHASE I BOOK EXPLOITATION SOV/3791

Sveshchaniye po obrabotke zharnoprochnykh splavov, Moscow, 1957.

Obrabotka zharnoprochnykh splavov; [sbornik dokladov...] (Treatment of Heat-Resistant Alloys; Collection of Papers Read at the Conference), Moscow, Izd-vo AN SSSR, 1960. 231 p. 3,500 copies printed.

Sponsoring Agencies: Akademiya nauk SSSR. Institut mashinovedeniya. Komissiya po tekhnologii mashinostroyeniya. Akademiya nauk SSSR. Institut metallurgii im. A.A. Baykova. Nauchnyy sovet po problemam zharnoprochnykh splavov.

Resp. Ed.: V.I. Dzhusin, Academician; Ed. of Publishing House: V.A. Kotov; Tech. Ed.: V.V. Bruzgul.

PURPOSE: This book is intended for metallurgists.

COVERAGE: The book consists of thirty papers read at the Conference on the Treatment of Heat-Resistant Alloys held in Moscow by the Committee on Machine-Building Technology, Institute of the Science of Machines, Academy of Sciences USSR, in 1957. The papers deal with four principal areas of alloy metallurgy: casting, forming, machining, and welding. The papers are grouped into three sections: 1. General problems of heat-resistant alloys; 2. Problems of heat-resistant alloys in connection with their application in the manufacture of turbine blades, heat engines, boilers, reactors, containers for high-temperature media, dies, casting molds, and metal-cutting tools. No personalities are mentioned. Some of the articles are accompanied by references, mainly Soviet.

Arsenov, E.V. Cast Motor Blades for Gas Turbines

Korotkiy, M.I., I.O. Shugary, S.B. Pavlov, and Ye.I. Maslanyan: Thermomechanical Conditions in the Pressworking of Refractory Alloys of Molybdenum and Chromium Base 25

Rudiyartsev, I.B., and B.I. Aleksandrov: Effect of Work Hardening on the Fatigue Strength of Heat-Resistant Steels at High Temperatures 33

Marinov, Y.M.: Deep Drawing of Products from Heat-Resistant Sheet Metals With the Application of Deep Freezing 41

Maslanov, V.Ya., and T.N. Sazonova: Plastic Workability and Mechanical Properties of Titanium Alloys as Determined by the Conditions of Hot Working 53

Deryuzov, Yu.P.: Special Features of the Stamping of Heat-Resistant and Titanium-Alloy Sheet 59

Petrov, I.B.: Unsettling of Heat-Resistant Steel Standard Parts [Petrovskiy Standartnyy Bolts, Rivets, Etc.] 67

Kuleshov, M.Ya.: Precision Drop Forging of Steel [Turbocompressor] Blades 75

Bylin, Ye.M.: Process of Manufacturing Turbine-Blade Blanks from Heat-Resistant Alloys With Minimum Machining Allowances Along the Blade 79

Nikol'skiy, L.A.: Special Features of the Drop Forging of Titanium Alloys 87

Mikhaylov, G.A.: Welding of Turbine Parts Made of Heat-Resistant Alloys 98

Medvedev, B.Y.: Automatic Electric-Arc and Electroslag Welding of Heat-Resistant Alloys 109

113

A.K.SENOV, F.V.

PLATE I BOOK EXTENSION 80V/434

Специальная по теории литовых профессоров, 112  
 Кристаллическая литовская теория кристаллизации (Crystallization of Metals)  
 Proceedings of the Fourth Conference on the Theory of Casting Processes  
 Moscow, 1st-10th April, 1960. 25 p. 3,200 copies printed.

Специальная по теории литовых профессоров, 112  
 Кристаллическая литовская теория кристаллизации (Crystallization of Metals)  
 Proceedings of the Fourth Conference on the Theory of Casting Processes  
 Moscow, 1st-10th April, 1960. 25 p. 3,200 copies printed.

Специальная по теории литовых профессоров, 112  
 Кристаллическая литовская теория кристаллизации (Crystallization of Metals)  
 Proceedings of the Fourth Conference on the Theory of Casting Processes  
 Moscow, 1st-10th April, 1960. 25 p. 3,200 copies printed.

Специальная по теории литовых профессоров, 112  
 Кристаллическая литовская теория кристаллизации (Crystallization of Metals)  
 Proceedings of the Fourth Conference on the Theory of Casting Processes  
 Moscow, 1st-10th April, 1960. 25 p. 3,200 copies printed.

CONTENTS: The book contains the translations of the Fourth Conference (1960) on the Theory of Casting Processes. The previous 3 conferences dealt with hydrodynamics of molten metals (1955), solidification of metals (1956), and thermodynamic processes in casting (1957). General problems in the crystallization of metals, including the crystallization of constructional steels, alloy steels with special properties, cast iron, and of nonferrous alloys, are discussed. Recognition is given to D. K. Chernov and S. T. Ostrovsky and their students, B. B. Ostrovsky and A. O. Spektor, for their contributions to the understanding of the basic problems involved in the theory of crystallization of ferrous and nonferrous metals and alloys. Academician A. V. Shubnikov is also mentioned in connection with his work on the planning of research on crystal formation. References accompany several of the articles.

# III. CRYSTALLIZATION OF SPECIAL-PROPERTY

## STEELS AND ALLOYS

Gorunov, I. I. Influence of Modification on the Structure and Mechanical Properties of High-Alloy Steels 153

Aliev, A. A., E. P. Yashin, and Ye. Ya. Solov'ev. Structure Formation During Solidification of Pure and Alloy Steels by Invariant Casting 156

Aliev, A. A., and A. A. Yashin. Effect of Ultrasonic Vibrations on the Crystallization of Molten Metals 176

## IV. CRYSTALLIZATION OF CAST IRON

Aliev, A. A., and Ye. Ya. Solov'ev. Structure Formation of Cast Iron 180

Aliev, A. A., and Ye. Ya. Solov'ev. Structure Formation of Cast Iron 190

Aliev, A. A., and Ye. Ya. Solov'ev. Structure Formation of Cast Iron 209

Aliev, A. A., and Ye. Ya. Solov'ev. Structure Formation of Cast Iron 220

Aliev, A. A., and Ye. Ya. Solov'ev. Structure Formation of Cast Iron 231

Aliev, A. A., and Ye. Ya. Solov'ev. Structure Formation of Cast Iron 237

Aliev, A. A., and Ye. Ya. Solov'ev. Structure Formation of Cast Iron 251

Aliev, A. A., and Ye. Ya. Solov'ev. Structure Formation of Cast Iron 262

## V. CRYSTALLIZATION OF NONFERROUS ALLOYS

Aliev, A. A., and Ye. Ya. Solov'ev. Structure Formation of Cast Iron 268

Aliev, A. A., and Ye. Ya. Solov'ev. Structure Formation of Cast Iron 272

Aliev, A. A., and Ye. Ya. Solov'ev. Structure Formation of Cast Iron 279

Aliev, A. A., and Ye. Ya. Solov'ev. Structure Formation of Cast Iron 298

Aliev, A. A., and Ye. Ya. Solov'ev. Structure Formation of Cast Iron 308

Aliev, A. A., and Ye. Ya. Solov'ev. Structure Formation of Cast Iron 314

Aliev, A. A., and Ye. Ya. Solov'ev. Structure Formation of Cast Iron 309

Aliev, A. A., and Ye. Ya. Solov'ev. Structure Formation of Cast Iron 314

Aliev, A. A., and Ye. Ya. Solov'ev. Structure Formation of Cast Iron 314

Aliev, A. A., and Ye. Ya. Solov'ev. Structure Formation of Cast Iron 314

YEFIMOV, Grigoriy Vasil'yevich; ~~AKSENOV, G.A.~~, redaktor; SARMATSKAYA, G.I.,  
redaktor izdatel'stva; SHITS, V.P., tekhnicheskiy redaktor

[Drying and thoroughly soaking wood in petrolatum] Sushka i  
glubokaya propitka drevesiny v petrolatume. Moskva, Goslesbumizdat,  
1956. 27 p. (MLRA 9:7)  
(Wood--Preservation) (Petrolatum)

AKSENOV, G.A.

BEYLIN, Sholom Iyerukhimovich; SHAYTOR, Petr Seliverstovich; ~~AKSENOV, G.A.~~,  
redaktor; BEL'CHENKO, N.I., redaktor izdatel'stva; BACHURINA, A.M.,  
tekhnicheskij redaktor

[Manufacture of spools] Katushechnoe proizvodstvo. Moskva, Gosles-  
bumizdat, 1956. 175 p. (MIRA 10:1)  
(Woodworking machinery) (Thread)

AKSENOV, G.A.

Distribution of Bobrinskii's jerboa in the Kyzyl Kum. Uzb.biol.  
zhur. no.1:64 '60. (MIRA 13:6)

1. Nukusskaya protivochernaya stantsiya.  
(KIZYL KUM--JERBOAS)

BAGAYEV, K.I.; AKSENOV, G.A.

For a reorganization and modernization of equipment and techniques  
in the furniture industry. Der.prom. 10 no.10:5-7 0 '61.(MIRA 14:9)

1. Gosudarstvennyy institut po proyektirovaniyu predpriyatiy  
derevoobrabatyvayushchey promyshlennosti.  
(Furniture industry)

AKSENOV, G.I.; MOROZOV, N.P.; CHAYKA, V.A.

Investigating final structural deformations and the amount of  
residual austenite in hardened roll steel. Fiz. met. i metalloved.  
17 no.5:737-743 My '64. (MIRA 17:9)

1. Kuybyshevskiy aviatsionnyy institut.

AKSENOV, I., kapitan-leytenant

Supplying a ship on cruise. Tyl i snab.Sov.Voor.Sil 21 no.1:56-59  
Ja '61. (MIRA 14:6)

(Russia--Navy--Provisioning)

KONDRAT'YEV, I.; ABRAMOV, I.; AKSENOV, I.; KOSTIN, A., inzh.; STADNICHUK, P.,  
mekhanik; DAVYDENKOV, N.; PALEYEV, G.

Supply of spare parts. Avt.transp. 43 no.3:26-29 Mr '65.

(MIRA 18:5)

1. Glavnyy inzh. Novokakhcvskoy avtobazy (for Abramov).
2. Starokonstantinovskiy avtopark (for Stadnichuk).