

18(5), 25(1)

SOV/135-59-8-12/24

AUTHOR:

Khenin, S.G., Engineer

TITLE:

Spot-Welding Tools With Flats of High-Speed Cutting Steel

PERIODICAL:

Svarochnoye proizvodstvo, 1959, Nr 8, pp 37-38 (USSR)

ABSTRACT:

The manufacture of cutting tools with flats of high-speed steel is very common in many factories. In most cases the flats are fastened by soldering. Where the flats are fixed by contact welding, universal electrodes or a bevelled upper electrode are usually taken. This is limiting the nomenclature of the tool with the welded flats. The variety of types and dimensions of the cutting tool makes it necessary to develop a special technological equipment. Such a work was undertaken by the VPTI in the Kolomma Diesel-Locomotive plant imeni Kuybyshev by the engineer A.B. Seregin and the technician V.I. Romanov under the supervision of the author. The flats were welded with the spot welder type MTP-75-9. According to the section of the welded parts the flats are welded with or without chucking the handle or body of the tool in a fixture.

Card 1/3

SOV/135-59-8-12/24

Spot-Welding Tools With Flats of High-Speed
Cutting Steel

This assures the necessary output of work pieces. In all cases a powder layer with a thickness up to 1 mm was distributed between the holder and the flats. This layer consisted of crushed steel wool and 10% of dehydrated borax. The granulation of the powder was between 0.5 and 0.7 mm. The welding elements were preheated by current impulses with a duration of 0.5-1.0 sec until drops of molten powder showed on the joints between the flat and the holder. After the welding the tool was immediately put into a furnace. The subsequent heat treatment of the tool assures a hardness up to 63-65 R_C, which means that it exceeds the hardness of a soldered flat. The tool with the welded flats works more reliable under heavy conditions. The different cutting steels with welded flats passed the laboratory and workshop tests in the Kolonna plant with good results. A ball-shaped fixture is used in welding a non-fixed tool. When the work is very intensive, an additional cooling is installed on the lower electrode in form of a small tank with

Card 2/3

Spot-Welding Tools With Flats of High-Speed
Cutting Steel

SOV/135-59-8-12/24

running water. In the course of the studies the relation between the basic parameters of the welding limit and the area of the welded flat was determined. The equipment which was developed permits to extend considerably the nomenclature of a normal and special tool with welded flats. There are 2 diagrams, 1 photograph and 3 graphs.

ASSOCIATION: VPTI tyazhelogo mashinostroyeniya (VPTI for Heavy
Machine Construction)

Card 3/3

KHENKIN, A., ~~tekhnik-mekhanik~~

Who has to service collective farms and state farms?
Avt.transp. 38 no.8:51 Ag '60. (MIRA 13:8)
(Transportation, Automotive)

AFANAS'YEV, A.N., kand.tekhn.nauk; BASOV, N.I., kand.tekhn.nauk; BELO-
VITSKIY, A.A., insh.; VESELOVSKIY, V.S., doktor tekhn.nauk, prof.;
GORELIK, B.I., kand.tekhn.nauk; DORONENKOV, I.M., insh.; ZAK, D.L.,
insh.; IVONIN, V.I., insh. [deceased]; KLINOV, I.Ya., doktor tekhn.
nauk, prof.; LEVIN, A.N., doktor tekhn.nauk, prof.; LEVIN, S.N.,
kand.tekhn.nauk; LEPETOV, V.A., kand.tekhn.nauk; LEONT'YEV, N.L.,
doktor tekhn.nauk, prof.; LOKHINA, P.I., kand.tekhn.nauk; MATVEYEVA,
L.V., insh.; MIKHAYLOV, A.N., doktor tekhn.nauk, prof.; MUDRIK, Kh.I.,
kand.tekhn.nauk; PERLIN, S.M., insh.; SALAZKIN, K.A., kand.tekhn.nauk;
SIL'VESTROVICH, S.I., kand.tekhn.nauk; SOKOLOVSKAYA, S.I., kand.
tekhn.nauk; KHENKIN, A.A., insh.; KHUKHRYANSKIY, P.N., doktor tekhn.
nauk, prof.; SHYDEMAN, I.Yu., kand.tekhn.nauk; YASHUNSKAYA, F.I.,
kand.tekhn.nauk; POGODIN-ALEKSEYEV, G.I., doktor tekhn.nauk, prof.,
red.; RYBAKOVA, V.I., insh., red.isd-va; SOKOLOVA, T.F., tekhn.red.

[Handbook on materials used in the manufacture of machinery] Spra-
vochnik po mashinostroitel'nykh materialam; v chetyrekh tomakh. Pod
red.G.I.Pogodina-Alekseeva. Moskva, Gos.nauchno-tekhn.isd-vo ma-
shinostroit.lit-ry. Vol.4. [Nonmetallic materials] Nemstalli-
cheskie materialy. Red.toma A.N.Levin. 1960. 723 p.

(MIRA 13:7)

(Machinery industry)

(Nonmetallic materials)

KHENKIN, A.A., stivdor-nastavnik; SHVARTS, S.S., insh.

Loading large-size cargo on ships in the Odessa harbor. Biul.
tekh.-ekon.inform. Tekh. upr. Min. mor. flota 7 no.5:68-75
'62. (MIRA 16:3)

(Odessa--Cargo handling)

KHENKIN, A.L., inzh. (Zaporozh'ye); BORYU, N.V., inzh. (Zaporozh'ye)

Thermometric technique for measuring local power losses in
electric transformers. Elektrichestvo no.5:64-66 My '63.
(MIRA 16:7)

(Electric transformers—Measurement)

KHENKIN, D.Y. [Khenkin, D.I.]

Т.з OGB-10 homogenizer. Khar.prom. no.2:59 Ap-Je '62.
(MIRA 15:9)

(Odessa--Milk plants--Equipment and supplies)
(Homogenization)

KHELEMSKIY, A.Ya.; KHENKIN, G.M.

Imbedding of compacts into ellipsoids. Vest. Mosk. un. Ser. 1:
Mat., mekh. 18 no.2:3-12 Mr-Apr '63. (MIRA 16:6)

1. Kafedra teorii funktsiy i funktsional'nogo analiza Moskovskogo
universiteta.

(Hilbert space) (Topology)

KHENKIN, G.M.

Imbedding a space of s -smooth functions of n variables
into a space of sufficiently smooth functions of fewer
variables. Dokl. AN SSSR 153 no.1:57-60 N '63.

(MIRA 17:1)

1. Predstavleno akademikom A.N. Kolmogorovym.

XHENKIN, G.M.

Stability of absolute bases in a uniformly convex space. Usp.
mat. nauk 18 no.6:219-223 '63: (MIRA 17:3)

I 2090.65 EWT(d) IJP(o)/ESD(dp)/RAEM(t)
ACCESSION NR: AP4048313

8/0027/64/157/002/0288/0290

AUTHOR: Khenkin, G. M.

TITLE: Linear superpositions of continuously differentiable functions.

SOURCE: AN BSSR. Doklady*, v. 157, no. 2, 1964, 288-290

TOPIC TAGS: function, continuously differentiable function, linear superposition, arbitrary continuous function, continuous function

ABSTRACT: This paper is devoted to a demonstration of the following two theorems:

(1) For all functions $p_m(x_1, x_2)$ continuous throughout the plane, all functions $q_m(x_1, x_2)$ ($m = 1, 2, \dots, N$) continuously differentiable throughout the plane, and the entire region D of the plane of variables x_1, x_2 , the set of superpositions of form

$$\sum_{m=1}^N p_m(x_1, x_2) f_m(q_m(x_1, x_2)),$$

where $\{f_m(t)\}$ are arbitrary continuous functions, is nowhere dense in the space of all functions which are continuous in region D with uniform convergence.

Card 1/2

SHENIN, G.M.

Linear superpositions of continuously differentiable functions.
Dokl. AN SSSR 157 no. 2:288-290 J1 '64. (MIRA 17:7)

I. Moskovskiy gosudarstvennyy universitet imeni Lomonosova.
Predstavleno akademikom A.N.Kolmogorovym.

KHENKIN, G.N.

37

PHASE I BOOK EXPLOITATION

SOV/5985

Rokotyan, Ye. S., Doctor of Technical Sciences, ed.

Prokatnoye proizvodstvo; spravochnik (Rolling Industry; Handbook) v. 1. Moscow, Metallurgizdat, 1962. 743 p. Errata slip inserted. 9250 copies printed.

Authors of this volume: B. S. Azarenko, Candidate of Technical Sciences; V. D. Afanas'yev, Candidate of Technical Sciences; M. Ya. Brovman, Engineer; M. P. Vavilov, Engineer; A. B. Vernik, Engineer; K. A. Golubkov, Engineer; S. I. Gubkin, Academician, Academy of Sciences BSSR; A. Ye. Gurevich, Engineer; V. I. Baydov, Candidate of Technical Sciences; V. G. Drozd, Engineer; N. F. Yermolayev, Engineer; Ye. A. Zhukovich-Stopha, Engineer; N. M. Kirilin, Candidate of Technical Sciences; M. V. Kovynov, Engineer; A. M. Kogos, Engineer; A. A. Korolev, Professor; M. Ye. Kugayenko, Engineer; A. V. Laskin, Engineer; B. A. Lovitanskly, Engineer; V. M. Lugovakoy, Engineer; I. M. Meyerovich, Candidate of Technical Sciences; M. S. Orcharov, Engineer; V. I. Pasternak, Engineer; I. L. Perlin, Doctor of Technical Sciences; I. S. Pobedin, Candidate of Technical Sciences; Ye. S. Rokotyan, Doctor of Technical Sciences; M. M. Saf'yan, Candidate of Technical Sciences; V. V. Smirnov, Candidate of Technical Sciences; V. S. Smirnov, Corresponding Member, Academy of Sciences USSR; O. P. Sokolovskly,

Card 1/10

31

Rolling; Industry; Handbook

SOV/5985

Engineer; O. P. Solov'yev, Engineer; M. A. Sidorkevich, Engineer; Ye. M. Trof'yakov, Engineer; I. S. Trishovskiy, Candidate of Technical Sciences; G. N. Khenkin, Engineer; and A. I. Tsolikov, Corresponding Member, Academy of Sciences USSR. Introduction: A. I. Tsolikov, Corresponding Member, Academy of Sciences USSR; Ye. S. Rokotyan, Doctor of Technical Sciences; and L. S. Al'shevskiy, Candidate of Technical Sciences.

Eds. of Publishing Houses: V. M. Gorobinchenko, R. M. Golubchik, and V. A. Rymov; Tech. Ed.: L. V. Dobuzhinskaya.

PURPOSE: This handbook is intended for technical personnel of metallurgical and machine-building plants, scientific research institutes, and planning and design organizations. It may also be useful to students at schools of higher education.

COVERAGE: The fundamentals of plastic deformation of metals are discussed along with the theory of rolling and drawing. Methods of determining the power consumption and the forces in rolling with plane surface or grooved rolls are .

Card 2/10

Rolling Industry; Handbook

SOV/5985

3. Flying shears	270
4. Hot saws	275
5. Straighteners	276
6. Coilers and uncoilers	285
7. Transfer tables	291
8. Manipulators and turning mechanisms	295
9. Ingot buggies, guards, pushers, and fingers	302
10. Coolers and transfers	307
Ch. 14. Assembly of Rolling Equipment (G. N. Khenkin) [Abridged]	[311]
Ch. 15. Lubrication and Lubricating Equipment (M. P. Vavilov)	
1. Liquid lubricants and greases; various methods of their application	333
2. Lubricating materials	348
3. Contamination of lubrication materials in use and methods of reclaiming them	351
4. Lubrication systems with circulation and their equipment	352

Card 11/19

AZARENKO, B.S., kand. tekhn. nauk; AFANAS'YEV, V.D., kand. tekhn. nauk;
 BROVMAN, M.Ya., inzh.; VAVILOV, M.P., inzh.; VERNIK, A.B., inzh.;
 GOLUBKOV, K.A.; GUBKIN, S.I., akademik [deceased]; GUREVICH, A.Ye.,
 inzh.; DAVYDOV, V.I., kand. tekhn. nauk; DROZD, V.G., inzh.;
 YERMOLAYEV, N.F., inzh.; ZHUKEVICH-STOSHA, Ye.A., inzh.; KIRILIN,
 N.M., kand. tekhn. nauk; KOVYNEV, M.V., inzh.; KOGOS, A.M., inzh.;
 KOROLEV, A.A., prof.; KUGAYENKO, M.Ye., inzh.; LASKIN, A.V., inzh.;
 LEVITANSKIY, B.A., inzh.; LUGOVSKIY, V.M., inzh.; MEYEROVICH, I.M.,
 kand. tekhn. nauk; OVCHAROV, M.S., inzh.; PASTERNAK, V.I., inzh.;
 PERLIN, I.L., doktor tekhn. nauk; POBEDIN, I.S., kand. tekhn. nauk;
 ROKOTYAN, Ye.S., doktor tekhn. nauk; SAF'YAN, M.M., kand. tekhn.
 nauk; SMIRNOV, V.V., kand. tekhn. nauk; SMIRNOV, V.S.; SOKOLOVSKIY,
 O.P., inzh.; SOLOV'YEV, O.P., inzh.; SIDORKEVICH, M.A., inzh.;
 TRET'YAKOV, Ye.M., inzh.; TRISHEVSKIY, I.S., kand. tekhn. nauk;
 KHERKIN, G.N., inzh.; TSELIKOV, A.I.; GOROBINCHENKO, V.M., red.
 izd-va; GOLUBCHIK, R.M., red. izd-va; RYMOV, V.A., red. izd-va;
 DOBUZHINSKAYA, L.V., tekhn. red.

[Rolling; a handbook] Prokatnoe proizvodstvo; spravochnik. Pod
 red. E.S.Rokotiana. Moskva, Metallurgizdat. Vol.1. 1962. 743 p.

(MIRA 15:4)
 1. Akademiya nauk BSSR (for Gubkin). 2. Chlen-korrespondent Akademii
 nauk SSSR (for Smirnov, Tselikov).
 (Rolling (Metalwor))—Handbooks, manuals, etc.)

KHENKIN, M. L.

22496

Khenkin, M. L. Magnitnyye Piity S Postoyannymi Magnitami Dlya
Shlifovalnykh Stankov (Srimach Red) Stanki I Instrument, 1949
No 7 S 23-25.

SO:

Letopis' No 30, 1949

USSR .

Experimental Measurement
Technology of Doping by
Kneading

"APPROVED FOR RELEASE: 09/17/2001

CIA-RDP86-00513R000721930010-8

APPROVED FOR RELEASE: 09/17/2001

CIA-RDP86-00513R000721930010-8"

KHENKIN, M. L., ZEMMERING, M. N., and KRESHCHANSKIY, N. S.

"Means of Improving the Mechanical Properties of Steel Castings." From the book, "Heat Treatment and Properties of Cast Steel." edited by N. S. Kreshchenovskiy, Mashgiz, Moscow 1955.

Feeding Steel Castings Produced by the Lead Alloy
M. J. Klenku
Houston, TX

PHASE I BOOK EXPLOITATION 903

Khenkin, Mark L'vovich

Uluchsheniye mekhanicheskikh svoystv i povysheniye plotnosti stal'nykh otlivok (Improving the Mechanical Properties and Increasing the Density of Steel Castings). Leningrad, Sudpromgiz, 1957. 109 p. 3,000 copies printed.

Scientific Ed: Gulyayev, B.B.; Ed.: Isayev, V.A.; Tech. Ed.: Frumkin, P.S.

PURPOSE: This book is intended for engineers and technicians, both in industry and at research institutes, who are working in the field of steel castings.

COVERAGE: The book is concerned with the improvement of the mechanical properties of steel investment castings through the use of alloying elements and more rational methods of feeding the metal into the mold. Results are given of investigations to determine the effect of various factors on the properties of the castings, such as heat-

Card 1/4

Improving the Mechanical Properties of Steel Castings (2001.) CIA-RDP86-00513R000721930010-8

ing the molds, manner of feeding metal to the molds, heat treatment, and alloying with certain elements. Recommendations are made on the basis of experimental and production data. No personalities are mentioned. There are 63 references, of which 45 are Soviet (including 1 translation), 15 English, and 2 German.

TABLE OF CONTENTS:

Introduction	3
Ch. 1. Mechanical Properties of Castings Made by the Investment Process	5
Effect of mold temperature on the properties of the castings	5
Decarburization of castings in hot molds and restoration of lost carbon	14
Effect of the heat-treatment regime on the mechanical properties of cast steel	18
Conclusions	18

Card 2/4

Improving the Mechanical Properties (Cont.) 903

Effect of small additions of magnesium	99
Effect of small additions of calcium	101
Effect of small additions of boron	103
Conclusions	106

Bibliography 108

AVAILABLE: Library of Congress (TS320.K5)

GO/wh1
12-11-58

Card 4/4

KHENKIN, M. L., Cand. Tech. Sci.

"Mechanical Properties of Investment Castings," Metody polucheniya otlivok povyshennoy tochnosti (Methods of Making High-Precision Castings), Moscow, Mashgiz, 1958. 140 p.

PURPOSE: This book is intended for engineers and technicians at plants and institutes, as well as in research and planning organizations in all branches of the machine-building industry.

KHENKIN, M. I.

7

PHASE I BOOK EXPLOITATION

SOV/5976

Shklennik, Yu. I., A. V. Baranov, V. N. Ivanov, S. A. Kazenkov, B. S. Kurchan,
M. N. Lyashchenko, R. A. Marulidi, G. K. Militsin, V. A. Ozerov, A. I.
Sitnichenko, M. Ya. Telis, and M. L. Khenkin

Lit'ye po vyplavlyayemykh modelyam (Investment Casting) [Leningrad] Mashgin
[1961] 455 p. (Series: Inzhenernyye monografii po litaynomu proizvodstvu)
Errata slip inserted. 8000 copies printed.

Eds. (Title page): Ya. I. Shklennik and V. A. Ozerova; Reviewers: N. D. Titov,
Candidate of Technical Sciences, and A. I. Klauzon, Engineer; Ed.: Yu. L. Markis,
Engineer; Tech. Eds.: A. Ya. Tikhonov, Z. I. Chernova and V. D. El'kind; Man-
aging Ed. for Literature on Hot-Working of Metals: S. Ya. Golvin, Engineer.

PURPOSE: This book is intended for engineering and technical personnel in the
metalworking industry and for scientific research workers. It may also be used
by students specializing in foundry work.

COVERAGE: The book reviews the most important problems in investment casting.
Among the topics considered are the following: mechanical properties of castings;

Card 1/49

1

Investment Casting

SOV/5976

the manufacture of castings; precision surface quality; materials and methods of making patterns and molds; the melting of metals and alloys; pouring, cleaning, heat treatment, and inspection of castings; economic aspects in the production of castings; organization of production; and modern concepts relating to processes taking place in the manufacture of investment castings. No personalities are mentioned. There are 180 references, mostly Soviet.

TABLE OF CONTENTS:

Introduction	5
Ch. I. Designing Cast Parts	12
Properties of castings	13
Dimensional precision	13
Surface quality	16
Mechanical properties of cast metal	19
Design elements of castings	21

Card 2/25

KHENKIN, M.L.; BIZIN, A.A.; OBOLENSKIY, V.I.; ABRAMOV, V.I.

Raising the precision of investment castings in small-lot
manufacture. Lit. proizv. no.6:3-6 Je '64.

(MIRA 18:5)

ACCESSION NR: AP4022458

S/0128/64/000/003/0027/0031

AUTHORS: Khenkin, M. L. (Candidate of technical sciences); Levina, N. K. (Engineer); Spektorova, S. I. (Engineer); Abramov, V. I. (Engineer); Grishchenko, V. G. (Engineer)

TITLE: Study of some foundry alloys used in the production of high precision details

SOURCE: Liteynoye proizvodstvo, no. 3, 1964, 27-31

TOPIC TAGS: foundry alloy, high-precision machine detail, machine detail casting, AL2 alloy, AL9 alloy, VL15-1 alloy, ML5 magnesium alloy, steel, 35L steel, IKV vertical optimeter, ML10 magnesium alloy, dimensional stability

ABSTRACT: Measuring high-precision machine details showed that their dimensions changed with the progress of relaxation processes and of structural transformations in metals. In general, such machine details operate in the temperature range of -30C to 120C and under stresses not exceeding several kg/mm². The conditions necessary for the required dimensional stability of alloys AL2, AL9, VL15-1, ML5 and steel 35L were determined. All the samples were treated thermally, and their

Card 1/2

ACCESSION NR: AP4022458

deformation, stress relaxation, and the residual stress level were studied. The deformation was measured by a vertical IKV optimeter. It was established that the alloy VL15-1 had the greatest relaxation stability among the aluminum alloys and that the ML10 was the best in this respect among the magnesium alloys. A repeated heating-cooling process increased the dimensional stability of the samples, and the internal hardening (produced in the course of plastic deformation) increased the relaxation stability of alloys during the cyclic thermal treatment. It is concluded that the process to be used in securing dimensional stability must produce a stable structure and a proper state of relaxation not only in the separate details of an instrument but also in the assemblies of such details. Since additional stresses may be produced in the course of assembling, whole assemblies must undergo an additional repeated thermal treatment. This treatment should involve at least three heating-chilling cycles with a lower temperature range of -40 to -70C and an upper of 80-150C. Orig. art. has: 4 tables and 13 figures.

ASSOCIATION: none

SUBMITTED: 00

DATE ACQ: 10Apr64

ENCL: 00

SUB CODE: ML

NO REF SOV: 005

OTHER: 000

Card 2/2

KHENKIN, M.L., kand. tekhn. nauk; NIKONOROVA, A.I., kand. tekhn. nauk;
GLADYSHEV, S.A., inzh.; BOLOTOVA, Ye.P., inzh.; SOBOLEVA, N.P.,
inzh.

Stainless steel for thin-walled castings. Lit. proizv. no.11:
3-5 N 165. (MIRA 18:12)

ZIT(m)EWA(d)/T/EWP(t) IUP(c) JD/HW

0005

AUTHOR: Rhenkin, M. L. (Candidate of technical sciences); Nikonorova, A. I.

ORC: none

77
70
B

TITLE: Stainless steel for thin-walled castings

SOURCE: Liteynoye proizvodstvo, no. 11, 1965, 3-5

TOPIC TAGS: metal casting, martensite steel, copper, corrosion resistance, tempering, austenitic steel, steel, stainless steel/ ~~Ø~~Kh15N4D3L stainless steel, 35L steel

ABSTRACT: The steel used for thin-walled and intricate castings of parts of precision machinery and devices must display a high resistance to atmospheric corrosion without requiring a protective coating, a satisfactory fluidity, a high dimensional stability, adequate physico-mechanical properties, and a satisfactory machinability. Of the standard stainless steels not one satisfies the entire set of these requirements. Cr-Ni austenitic steels have a high corrosion resistance but a low fluidity, while martensitic-class steels have a low corrosion resistance but an insufficient fluidity. Hence it is normally necessary to employ for these purposes 35L steel despite the highly undesirable necessity of coating it electrochemically with zinc. Of the elements

Card 1/2

UDC: 621.74.045:669.14.018.8

L 26030-66

ACC NR: AP6008863

2

enhancing the fluidity of stainless steels, Cu is the most effective. In this connection, six melts of the newly developed ϕ Kh15N4D3L martensitic stainless steel (up to 0.08% C, 0.8% Si, 0.7% Mn, 14.5-17% Cr, 3-4% Ni and 3-4% Cu) were tested for fluidity, as a function of temperature and shape of metal. Tests of various intricate thin-walled (1.5 mm thick) castings confirmed the definitely satisfactory casting properties of this steel - high fluidity and absence of hot cracking. Since steels used for thin-walled and precision castings also must satisfy high requirements with respect to corrosion resistance in non-coated state, high dimensional stability, and mechanical strength, these properties were also investigated for ϕ Kh15N4D3L steel as compared with 35L steel. Findings: the dimensional stability of ϕ Kh15N4D3L steel is such that after its air quenching from 1020°C, 2-hr treatment with salt at -30°C and 2-hr tempering at 500°C, this steel remains stable in time even in the presence of temperature fluctuations of from +150°C to -40°C. Compared with 35L steel, ϕ Kh15N4D3L steel displays superior strength properties (1.5-2 times higher) as well as superior corrosion resistance and superior machinability (30-40% higher). This ϕ Kh15N4D3L steel may be accepted as a replacement for 35L steel, which previously had to be used for this purpose. Orig. art. has: 6 figures, 4 tables.

... / SUBM DATE: none/ ORIG REF: ...

Card 2/2

ACC NR: AP7002740

SOURCE CODE: UR/0126/66/022/006/0896/0903

AUTHOR: Khenkin, M. L.; Lokshin, I. Kh.; Levina, N. K.; Sidokhin, Ye. P.
Simeonov, S.L.; Minina, L.V.; Pavlikova, Ye.V.

ORG: none

TITLE: Effect of cyclic heat treatment on the properties and structure of alloys containing phases with different expansion coefficients

SOURCE: Fizika metallov i metallovedeniye v. 22, no. 6, 1966, 896-903

TOPIC TAGS: *INTERNAL STRESS, COOLING, ALUMINUM BASE ALLOY,*
SILICON CONTAINING alloy, magnesium containing alloy, alloy
heat treatment, cyclic heat treatment, ~~alloy~~ mechanical property, ~~alloy~~
stress relaxation, cyclic heat treatment effect/AL2 alloy, AL9T2 ~~effect~~
ALLOY

ABSTRACT: An investigation has been made of the effect of cyclic heat treatment (CHT) on the internal stresses and relaxation characteristics of alloys containing phases with different expansion coefficients. Each cycle in CHT consisted of cooling to subzero temperatures (-40 to -190), holding for 10-120 min, followed by heating to relatively low temperatures (up to 150C) and holding at these temperatures for 15-240 min. It was found that CHT reduced internal stresses and increased the relaxation strength in all investigated alloys. The greatest decrease in internal stresses was observed in AL2 (12.1%Si) and AL9T2 (7%Si, 0.3% Mg) aluminum alloys. The CHT had no effect on the tensile and yield

Card 1/2

UDC: 669.017: [548.735+620.187]

ACC NR: AP7002740

APPROVED FOR RELEASE: 09/17/2001

CIA-RDP86-00513R000721930010-

strengths and the ductility of Al-Si alloys, but it increased the elastic limit by 20-50% and the relaxation strength of AL2 alloy by 300% in short-time and prolonged tests. Thus, CHT effectively inhibited the negative effect of the increased silicon content, thereby increasing the strength characteristics, but lowers the relaxation strength of Al-Si alloys. The effect of CHT on the relaxation strength decreases as the upper temperature of the cycle increases above 150C, and approaches zero when this temperature is increased to 280C. The first three cycles of CHT are the most effective regardless of the holding time at the extreme temperatures of the cycle. The same effect of CHT was observed in other alloys consisting of the phases with different expansion coefficients, e.g., Al-Ge, and sintered W-Ni-Fe and W-Ni-Cu alloys. In such alloys, CHT promoted formation of a stable dislocation structure with minimum micro- and macrostresses, which increased the elastic limit and relaxation strength. Orig. art. has: 5 figures and 3 tables.

SUB CODE: 15, 11/ SUBM DATE: 10Sep65/ ORIG REF: 008/ OTH REF: 001

Card 2/2

KHERKIN, M. O.,

"Some Problems of Improving the Mechanical Properties and Feeding of Medium Carbon Steel Castings into Molds Containing Fusible Models." (Dissertation for Degree of Candidate for Technical Sciences) Min Higher Education USSR, Moscow Automechanical Inst, Moscow, 1955

SO: M-1036 28 Mar 56

KHARKIN, N.

Fitting into practice the experience of the participants in the
All-Union Agricultural Exhibition. Nauka i pered. op. v sel'khoz.
18 no.2:23-27 F '58. (MIRA 11:3)

1. Predsedatel' kolkhosa "Krasnyy partizan," Rudnyanskogo rayona,
Smolenskoj oblasti.

(Agriculture)

KHENKIN, V.L., professor

Injuries of the heart. Khirurgiia, no.9:68-69 S '55. (MLBA 9:2)

1. Iz kafedry gospiatal'noy khirurgii (sav. prof. V.L. Khenkin)
meditsinskogo fakul'teta Ushgorodskogo universiteta i Ushgorodskoy
oblastnoy klinicheskoy bol'nitsy (glavnyy vrach G.S. Lutsenko)
(HEART, wounds and injuries
surg.)
(WOUNDS AND INJURIES
heart, surg.)

KHENKIN, V.L., prof.; KLEPKO, M., tekhn. red.

[Essays on lung resections in tuberculosis] Ocherki ob operatsii
legkikh po povodu tuberkuleza. Chernovtsy, Chernovitskii gos.
med. inst., 1959. 192 p. (MIRA 15:6)
(TUBERCULOSIS) (LUNGS—SURGERY)

KHENKIN, V.L., prof.; BORITKESMAN, S.G.

Case of surgical treatment of lymphogranulomatosis of the sternum.
Nov. khir. arkh. no.2:112-113 Mr-Ap '60. (MIRA 14:11)

1. Kafedra gospital'noy khirurgii (zav. - prof. V.L.Khenkin)
Chernovitskogo meditsinskogo instituta i 5-y gorodskaya bol'nitsa.
(HODGKIN'S DISEASE) (STERNUM SURGERY)

KHENKIN, V.L., prof.

Significance of a novocaine block of the aortic-cardiac plexuses in
the treatment of stenocardia. Vrach. delo no.6:39-42 Ja '61.
(MIRA 15:1)

1. Kafedra gospital'noy khirurgii (zaveduyushchiy - prof. V.L.Khenkin)
Chernovitskogo meditsinskogo instituta.
(ANGINA PECTORIS) (NOVOCAINE)

KHENKIN, Ye.M.

Modernization of equipment and apparatus for the production of
lubricating greases. Froizv. smaz. mat. no.6/8:138-143 '61.

(MIRA 14:8)

1. Trest "Neftemaslozavody".

(Lubrication and lubricants) (Chemical apparatus)

KHENKINA, A.M.

Seismic prospecting data on the tectonics of the sediments underlying the producing formation in the Apsheron petroliferous province. Azerb. nef. khoz. 40 no.6:4-7 Ja '61. (MIRA 14:8)
(Apsheron Peninsula--Petroleum geology) (Seismic prospecting)

KHENKINA, A.M.

Seismic prospecting for oil- and gas-bearing structures in
Azerbaijan. Biul.nauch.-tekh.inform.VIMS no.1:35-39 '60.
(MIRA 15:5)

1. Kontora morskoy geofizicheskoy razvedki.
(Azerbaijan--Petroleum geology)
(Azerbaijan--Gas, Natural--Geology)
(Seismic prospecting)

KH. G. KHENKINA

"Development of the Technology of Coating Planar Cathodes and Procedures for their Control with an Accuracy of plus or minus 3 Microns" From Annotations of Works Completed at the State Union Sci. Res. Inst.; Min. of Radio Engineering Ind. in 1955.

So: B-3,080,964

SEMEHNKO, D.K.; KHENKINA, S.A.

Effect of certain factors on losses of input air and gas at the
Moscow Basin "Podzemgas" Station. Podzem. gaz. ugl. no.3:20-23
'58. (MIRA 11:10)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut Podzemgas.
(Moscow Basin--Coal gasification, Underground)

SEMENENKO, D.K.; KHENKINA, S.A.

Effect of hydromechanical factors and structural characteristics
of underground gas producers on the losses of blow and gas.
Podzem.gaz.ugl. no.2:26-29 '59. (MIRA 12:9)

1. Vsesoyuznyy nauchno-issledovatel'skiy i proyektnyy institut
podzemnoy gazifikatsii ugley.
(Coal gasification, Underground)

KASHKIN, A.A.; SEMENENKO, D.K.; KHENKINA, S.A.

Gas losses at the south Abinskiy underground gasification station. Nauch. trudy VNIIPodzemgaza no.8:12-21 '62.

(MIRA 16:6)

1. Yuzhno-Abinskaya stantsiya "Podzemgaz" i laboratoriya gornogeologicheskaya Vsesoyuznogo nauchno-issledovatel'skogo instituta podzemnoy gazifikatsii ugley.

(Abinskiy region--Coal gasification, Underground)

SEMENENKO, D.K., kand.tekhn.nauk; KHENKINA, S.A.; SHUBIN, Ya.V.

Computing the gas losses in the joint operation of several underground gas producers. Trudy VNIIPodzemgaza no.13:17-21 '65. (MIRA 18:8)

1. Laboratoriya gornogeologicheskaya Vsesoyuznogo nauchno-issledovatel'skogo instituta podzemnoy gazifikatsii ugley.

KITENKINA, YE. V.

USSR/Medicine - Infectious Diseases May/Jun 52

"Dysentery in Newborn Children," Ye. V. Khenkina,
L'vov Fifth City Hosp of Contagious Diseases

"Pediatriya" No 3, pp 35-38

PR 228T31

States that observations refute the idea that infants up to one mo of age are not susceptible to dysentery infection. Out of 67 ill infants, one became infected in the 2d wk, 3 in the 3d wk, and 63 in the 4th wk of life. The disease takes a severe course in infants: there is extreme loss of wt, multiplicity of complications and tendency of

228T31

acute forms of the disease to become lingering. In the great majority of cases dysentery commences rapidly, with high temp and early onset of a colitic syndrome. States that anatomical changes in intestines, however, are insignificant and no parallelism exists between severeness of the clinical course and the character of morphological changes in the intestines.

228T31

KHEBKINA, E.V.

Synthomycin therapy of acute dysentery. *Pediatria* no.2:45-47
Mr-Ap '54. (MLRA 7:6)

1. Iz Pervoy detskoj gorodskoj infektsionnoj bol'nitsy L'vova
(Glavnyy vrach Ye.G.Krikunova)

(DYSENTERY, in infant and child,

*ther., chloramphenicol)

(CHLORAMPHENICOL, therapeutic use,

*dysentery in inf. & child.)

KORZHINSKIY, S.I. [Korzhyne'kyi, S.I.], kand.med.nauk; KHENKINA, Ye.V.
[Khenkina, IE.V.], kand.med.nauk; KRIKUNOVA, K.G. [~~Krykunova, K.H.~~]

Clinical and epidemiological analysis of the relapsing course of
dysentery in younger children. Ped., akush. i gin. 19 no.3:30 '57.
(MIRA 13:1)

1. Klinika detskikh bolezney (zav. - prof. S.I. Ignatov) L'vovskogo
meditsinskogo instituta (dir. - prof. L.M. Kuz'menko) I-ya detskaya
infektsionnaya bol'nitsa (glavnyy vrach - K.G. Krikunova).
(DYSENTERY)

DAVIDOVA, I.S.; KHENKINA, Ye.V.

Study of the reaction to and the immunological and epidemiological efficacy of pertussis-diphtheria vaccine. Zhur.mikrobiol.epid.i immun. 31 no.8:61-64 Ag '60. (MIRA 18:6)

1. Iz L'vovskogo instituta epidemiologii, mikrobiologii i gigiyeny i L'vovskogo instituta okhrany materinstva i detstva. (WHOOPIING COUGH) (DIPHTHERIA)

L 04242-67

ACC NR: AR6015953

SOURCE CODE: UR/0299/65/000/023/ROU8/ROU8

AUTHORS: Lebner, Z.; Khonneberger, T.

28
73

TITLE: Modeling of optical organs and of perception

SOURCE: Ref. zh. Biologiya, Abs. 12R313

REF SOURCE: Sb. Probl. bioniki. M., Mir, 1965, 84


TOPIC TAGS: biology, vision, eye, optic model, anatomic model, perception

ABSTRACT: A modernised model of an artificial retina is described. The model contains three layers of active electronic elements working in parallel and two synaptic fields interconnecting these layers. All the conversions in the new model are produced by the cutoff elements. This model represents an effort to approach the process of reproducing actual receptive fields and those temporary relationships which are introduced in the work of Maturan ("J. Gen. Physiol.", 1960, 43, 129). The analog between these conversions and those occurring in the human mind in the course of classifying and generalising in the process of visual perception is analyzed. V. Antonov [Translation of abstract]

SUB CODE: 06

Card 1/1 *led*

UDC: 577.3



PRECISE AND PROPERTY

29

CA

Biochemical processes in the manufacture of gelatin.
 M. A. Khromskaya. *Microbiology* (U. S. S. R.) 6, 245-51 (1967); *Khim. Referat. Zhur.* 1, No. 7, 42 (1968). In the first stage of the manufg. process (leaves) at pH of about 7 a considerable proteolytic activity of the bacteria is observed which does not stop even at pH = 11-12. Expts. with culture media showed that this activity is most pronounced at pH 8.5-9.5. Investigating the action of the enzyme systems of bacteria on the ossein proteins the author concludes that the proteolytic system of bacteria is trypsin activated by erepsin. The action of the bacteria on gelatin (which was under a prolonged heat-treatment) causes a decrease in the amine N, and a sharp increase of the ammonia N accompanied by a corresponding change in pH. Without the heat-treatment, the gelatin showed a greater resistance to the action of bacteria. The activity of the enzymes in the raw material influences the physicochem. qualities of gelatin. The results of the investigations can be utilized for the control of the tech. processes in gelatin manuf.
 W. R. Henn

METALLURGICAL LITERATURE CLASSIFICATION

1100 1110 1120 1130 1140 1150 1160 1170 1180 1190 1200 1210 1220 1230 1240 1250 1260 1270 1280 1290 1300 1310 1320 1330 1340 1350 1360 1370 1380 1390 1400 1410 1420 1430 1440 1450 1460 1470 1480 1490 1500 1510 1520 1530 1540 1550 1560 1570 1580 1590 1600 1610 1620 1630 1640 1650 1660 1670 1680 1690 1700 1710 1720 1730 1740 1750 1760 1770 1780 1790 1800 1810 1820 1830 1840 1850 1860 1870 1880 1890 1900 1910 1920 1930 1940 1950 1960 1970 1980 1990 2000 2010 2020 2030 2040 2050 2060 2070 2080 2090 2100 2110 2120 2130 2140 2150 2160 2170 2180 2190 2200 2210 2220 2230 2240 2250 2260 2270 2280 2290 2300 2310 2320 2330 2340 2350 2360 2370 2380 2390 2400 2410 2420 2430 2440 2450 2460 2470 2480 2490 2500 2510 2520 2530 2540 2550 2560 2570 2580 2590 2600 2610 2620 2630 2640 2650 2660 2670 2680 2690 2700 2710 2720 2730 2740 2750 2760 2770 2780 2790 2800 2810 2820 2830 2840 2850 2860 2870 2880 2890 2900 2910 2920 2930 2940 2950 2960 2970 2980 2990 3000 3010 3020 3030 3040 3050 3060 3070 3080 3090 3100 3110 3120 3130 3140 3150 3160 3170 3180 3190 3200 3210 3220 3230 3240 3250 3260 3270 3280 3290 3300 3310 3320 3330 3340 3350 3360 3370 3380 3390 3400 3410 3420 3430 3440 3450 3460 3470 3480 3490 3500 3510 3520 3530 3540 3550 3560 3570 3580 3590 3600 3610 3620 3630 3640 3650 3660 3670 3680 3690 3700 3710 3720 3730 3740 3750 3760 3770 3780 3790 3800 3810 3820 3830 3840 3850 3860 3870 3880 3890 3900 3910 3920 3930 3940 3950 3960 3970 3980 3990 4000 4010 4020 4030 4040 4050 4060 4070 4080 4090 4100 4110 4120 4130 4140 4150 4160 4170 4180 4190 4200 4210 4220 4230 4240 4250 4260 4270 4280 4290 4300 4310 4320 4330 4340 4350 4360 4370 4380 4390 4400 4410 4420 4430 4440 4450 4460 4470 4480 4490 4500 4510 4520 4530 4540 4550 4560 4570 4580 4590 4600 4610 4620 4630 4640 4650 4660 4670 4680 4690 4700 4710 4720 4730 4740 4750 4760 4770 4780 4790 4800 4810 4820 4830 4840 4850 4860 4870 4880 4890 4900 4910 4920 4930 4940 4950 4960 4970 4980 4990 5000 5010 5020 5030 5040 5050 5060 5070 5080 5090 5100 5110 5120 5130 5140 5150 5160 5170 5180 5190 5200 5210 5220 5230 5240 5250 5260 5270 5280 5290 5300 5310 5320 5330 5340 5350 5360 5370 5380 5390 5400 5410 5420 5430 5440 5450 5460 5470 5480 5490 5500 5510 5520 5530 5540 5550 5560 5570 5580 5590 5600 5610 5620 5630 5640 5650 5660 5670 5680 5690 5700 5710 5720 5730 5740 5750 5760 5770 5780 5790 5800 5810 5820 5830 5840 5850 5860 5870 5880 5890 5900 5910 5920 5930 5940 5950 5960 5970 5980 5990 6000 6010 6020 6030 6040 6050 6060 6070 6080 6090 6100 6110 6120 6130 6140 6150 6160 6170 6180 6190 6200 6210 6220 6230 6240 6250 6260 6270 6280 6290 6300 6310 6320 6330 6340 6350 6360 6370 6380 6390 6400 6410 6420 6430 6440 6450 6460 6470 6480 6490 6500 6510 6520 6530 6540 6550 6560 6570 6580 6590 6600 6610 6620 6630 6640 6650 6660 6670 6680 6690 6700 6710 6720 6730 6740 6750 6760 6770 6780 6790 6800 6810 6820 6830 6840 6850 6860 6870 6880 6890 6900 6910 6920 6930 6940 6950 6960 6970 6980 6990 7000 7010 7020 7030 7040 7050 7060 7070 7080 7090 7100 7110 7120 7130 7140 7150 7160 7170 7180 7190 7200 7210 7220 7230 7240 7250 7260 7270 7280 7290 7300 7310 7320 7330 7340 7350 7360 7370 7380 7390 7400 7410 7420 7430 7440 7450 7460 7470 7480 7490 7500 7510 7520 7530 7540 7550 7560 7570 7580 7590 7600 7610 7620 7630 7640 7650 7660 7670 7680 7690 7700 7710 7720 7730 7740 7750 7760 7770 7780 7790 7800 7810 7820 7830 7840 7850 7860 7870 7880 7890 7900 7910 7920 7930 7940 7950 7960 7970 7980 7990 8000 8010 8020 8030 8040 8050 8060 8070 8080 8090 8100 8110 8120 8130 8140 8150 8160 8170 8180 8190 8200 8210 8220 8230 8240 8250 8260 8270 8280 8290 8300 8310 8320 8330 8340 8350 8360 8370 8380 8390 8400 8410 8420 8430 8440 8450 8460 8470 8480 8490 8500 8510 8520 8530 8540 8550 8560 8570 8580 8590 8600 8610 8620 8630 8640 8650 8660 8670 8680 8690 8700 8710 8720 8730 8740 8750 8760 8770 8780 8790 8800 8810 8820 8830 8840 8850 8860 8870 8880 8890 8900 8910 8920 8930 8940 8950 8960 8970 8980 8990 9000 9010 9020 9030 9040 9050 9060 9070 9080 9090 9100 9110 9120 9130 9140 9150 9160 9170 9180 9190 9200 9210 9220 9230 9240 9250 9260 9270 9280 9290 9300 9310 9320 9330 9340 9350 9360 9370 9380 9390 9400 9410 9420 9430 9440 9450 9460 9470 9480 9490 9500 9510 9520 9530 9540 9550 9560 9570 9580 9590 9600 9610 9620 9630 9640 9650 9660 9670 9680 9690 9700 9710 9720 9730 9740 9750 9760 9770 9780 9790 9800 9810 9820 9830 9840 9850 9860 9870 9880 9890 9900 9910 9920 9930 9940 9950 9960 9970 9980 9990 10000

PROCESSED AND REFERENCE UNIT

111 AND 2ND STREET

21

The effect of alkali treatment of the raw material on the properties of gelatin. 1. The effect of sugar on the color of gelatin. M. A. Khenokh. *J. Applied Chem.* U.S.S.R. 11:396-417 (1938) (1938). The foam of the cow in plates 4-6 mm, thick was treated with 10 cc. of HCl (3.16%) per g. of bone at 12° and 20°. After 24 hrs. the acid was poured out and fresh HCl was added; this process was continued for 60 hrs. The bone was preliminarily freed from flesh, cartilage and fat by boiling in water for 3-3.5 hrs., and extg. with Et₂O for 25 days. The amt. of N-contg. substances removed from the bone during the demineralization process varied between 10 and 20%, depending on the temp. The ossein obtained was cut in small pieces, washed with tap water, placed in glass-stoppered bottles contg. 10 vols. of 0.1 N NaOH, and kept for 3, 6, 9 and 15 days. In the liquid from each bottle was found a substance of mucoid type. Heating 1% gelatin soln. contg. 1 g. of galactose per 100 cc. of soln. in a flask with a reflux condenser at 85-90° at pH 8.5 or 6.5 for 3-4 hrs. did not cause any change in the color of soln.; heating at pH 8.5 for 1-1.5 hrs. produced a brown color as the result of the formation of colored products from the carbohydrate complex. A. A. Polgony.

ADDITIONAL LITERATURE CLASSIFICATION

111 AND 2ND STREET

ca


The colloidal chemical properties of thermolyzed gelatin and the potentiometric titration of the products of its acid decomposition. *... 24-27* Khramov, *J. Gen. Chem. (U. S. S. R.)* 9, 1479-80 (1939). Treatment of 1% gelatin soln. in an autoclave at 120° for 30 hrs. decompd. the gelatin to high-mol. compds. (polypeptides) which resemble in their reactions the initial gelatin. A decrease in viscosity of gelatin solns. was especially pronounced after thermolysis of 5 and 10% gelatin solns.; this is attributed to the destruction of the structural viscosity of gelatin. The hydrolysis of gelatin to polypeptides had no effect on the change in viscosity of the soln. The chem. solvation of gelatin increased in the thermolysis, which was accompanied by a partial destruction of the polypeptide linkage. The potentiometric titration of the products of thermolyzed (at 120°) gelatin soln. in 5% HCl or 2% H₂SO₄ disclosed


the formation of cyclic compds. In this case the potentiometric titration curves were practically the same for 1 and 3 hr. treatment. The hydrolysis of gelatin at 120° for 1 hr. completely destroyed the peptide linkage, whereas that at 120° even for 3 hrs. did not destroy the biuret linkages. An increase in the protective action of thermolyzed gelatin soln. pointed to the preservation of colloidal properties of gelatin even after 30 hrs. of autoclaving at 120°. A. A. Bulgorniy


Lab. Phys. Chem., Natural Sci. Res. Inst. in Leningrad, Leningrad


ASB-51A METALLURGICAL LITERATURE CLASSIFICATION

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----









KHENOKH, M. A.

PA 3/50783

USSR/Physics - Ultrasonics
Chemistry - High-Molecular Com-
pounds
11 Sep 49

"Action of Ultrasonic Oscillations Upon High-Molecular Compounds," I. I. Zhukov, Corr Mem, Acad Sci USSR, M. A. KhenoKh, State Inst of Natural Sci Inent P. P. Lesgart, 4 pp

"Dok Ak Nauk SSSR" Vol LXVIII, No 2

Tested electroconductivity, viscosity, and reducing power of agar (imported brand), starch and galactose (Merck preparations), and photogelatin (Lentigraf Gelatin Factory) before and after exposure to

3/50783

USSR/Physics - Ultrasonics (Contd) 11 Sep 49

ultrasonic oscillations generated by two GQ-200 tubes and a quartz membrane. Submitted 8 Jul 49.

3/50783

377

C.A.

Cleavage of macromolecules of natural high-molecular substances under the action of γ -rays. M. A. Khrenokh (Leningrad Nat. Sci. Inst., Leningrad). *Zh. Obshch. Khim. (J. Gen. Chem.)* 20, 1869-7 (1950).—Irradiations with γ -rays from $KaBr_3$ (filtered through 2 glass walls to eliminate most electronic emission) were performed in the dark under sterile conditions, with starch sols and aq. solns. of monosaccharides as test substances. Irradiation for 32 days led to a 45% drop of viscosity of the starch sol, a large increase of reducing power, change of I test through violet to light brown, and a drop of pH from 6.56 to 3.19. Indications are that org. acids were formed. Glucose soln. irradiated for 100 days showed a slight increase of CHO content, but pH dropped from 5.95 to 2.8, possibly as a result of chain scission and formation of low-mol. acids. Maltose, in 30 days, showed a 20% increase of CHO groups and a pH decline from 6.6 to 3.46. Exposure of 0.5% inulin soln for 30 days gave a sharp rise of CHO groups and of reducing power with simultaneous drop of pH from 5.56 to 2.80; fructose gave similar results. Aq. soln (0.1%) of agar and gum arabic also gave decline of viscosity, increase of reducing power, and decline of pH owing to formation of org. acids. Apparently the O bridges in the polysaccharides are cleaved and the fragments undergo oxidation cleavage to low-mol. acids.

G. M. Kuzolajpuf

CA

3A

Cleavage of macromolecules of natural high-molecular compounds under the influence of γ -rays. M. A. Khenokh (Leningrad Nat. Sci. Inst., Leningrad). *J. Gen. Chem. U.S.S.R.* 20, 1621-8(1950)(Engl. translation).-- See C.A. 45, 181d. D. P. Langlois

KHENOVI, H. and Lozina-Lozinskiy, L.

"The Biological Action of High-Molecular Compounds Irradiated by Radium," *Izv. Vsesoyuzn.-nauchn. in-ta im. P.F. Iosgafta*, 24, pp 23-29, 1951

КНЕНОКН, М. А.

USSR/Biology - Microorganisms

1 Jan 51

"Effect of Ultrasound on Yeast," R. S. Katsnel'son,
M. A. Khenokh, State Nat Sci Inst Inzhen P. P.
Lesgraft

"Dokl Ak Nauk SSSR" Vol LXXVI, No 1, pp 133-135

Action of ultrasound (425 kc at quartz plate) for
1/2, 2, 4, or 5 hr on *Saccharomyces cerevisiae*
in concn of 2, 4, 8, or 20% did not affect morphol-
or viability of yeast, but improved its effective-
ness in fermentation and ability to raise dough by
15% (max improvement). Activity of catalase in
yeast thus treated remains unchanged, while

17873

USSR/Biology - Microorganisms (Contd)

1 Jan 51

proteolytic activity rises. Change of pH produced in
treatment is not responsible for effect. According
to R. A. Branopol'skaya, treatment of yeast with UV
rays produces similar result and improves effective-
ness by 20%.

17873

CA

11A

Reaction of paramoecia to some organic compounds sub-
 jected to action of ultrasound and ultraviolet light. L. K.
 Vash-Losinskii and M. A. Khenokh. *Doklady Akad.
 Nauk S.S.S.R.* 76, 817-21 (1961).
 Ag: solns. of maltose,
 glucose, galactose, fructose, starch, sorbitol, agar, tannin,
 and glycine were subjected either to ultrasound (420 kilo-
 cycles) or ultraviolet light and paramoecia specimens were
 then introduced. The results were lethal, in some cases
 instantaneously, although this could not be attributed solely
 to higher acidity of the solns. The effect produced by the
 carbohydrate solns. was felt even at a distance (discrete
 drops under cover glass in chambered slide). Starch gave
 no such effect until its pre-exposure to ultrasound was 10

hrs.; sorbitol was similar, while agar required 21-hrs. ex-
 posure. Sorbitol, maltose, and fructose develop this faculty
 best in light, and tannin in the dark. The results are caused
 by volatile decompos. products, among which is CH_2O ,
 as well as HCO_2H (in agar and tannin CO is a possible
 product).
 G. M. Kosolapoff

C.A.

11-A

Action of supersonic vibrations on solutions of gelatin and amino acids in the presence of air. M. A. Khepko and R. M. Lapinskaya. *Doklady Akad. Nauk S.S.S.R.* 80, 921-4(1951).—Irradiation of solns. of gelatin with supersonic waves of 425 kilohertz, 350-400 w., resulted in an irreversible fall of the viscosity η and a decrease of the pH; in a 0.5% soln., η decreased from an original 2.44 to 1.47 and 1.31, resp., after 2 and 4 hrs., and to 1.04 after 7-8 hrs. exposure. Chem. changes were investigated in a 0.1% soln. of gelatin. The amt. of free NH_2 increases linearly with the length of exposure, and so do the amts. of NO_2^- and of HCHO (followed up to 10 hrs.); the rates of formation increase in the order NO_2^- , NH_2 , HCHO . The amt. of NO_2^- increases in the initial stage, reaches a max. after about 1 hr., then decreases and finally falls to zero after 6 hrs. The protective action of the gelatin soln. on a dialyzed 0.2% Fe_2O_3 hydrosol increases during the 1st hr. of the irradiation, reaches a max., then decreases and falls to zero after 4 hrs., although presence of macromols. is still detectable by pptn. with tannin and by the biuret reaction. In solns. of amino acids, supersonic irradiation liberates HCHO , at a rate increasing in the order glycine, alanine, leucine. The rate of production of NH_2 increases in the same order. From hippuric acid NH_2 is evolved more slowly than from glycine, and the soln. takes on a brown color. The amt. of NO_2^- formed increases from glycine to alanine to leucine; in all these cases, the amt. of NO_2^- reaches a max., then decreases slowly. The amts. of NO_2^- produced increase with the length of the irradiation, but the rates of production of NO_2^- increase from leucine to alanine to glycine. The above chem. changes are absent when air is excluded; thus, in a 0.02 M soln. of glycine no NH_2 , HCHO , or NO_2^- were detected after 12-hrs. irradiation under 10^{-3} mm. Hg. Consequently, the deamination of NH_2 groups and the splitting of C chains which produces HCHO are initiated by oxidative processes. N. Thon

~~Oxidation of alcohols under the influence of supersonic vibrations~~
 E. M. Ladinskaya and M. A. Khenokh (Leningrad). *Zhur. Obshch. Khim.* 23, 1464-8 (1953).—When 0.1-1.0% aq. MeOH solns. are subjected to 300-kilocycle ultrasound at about 40° the concn. of CH₂O formed gradually increased with duration of exposure, the rate being generally increased by increase of concn. of MeOH in the original soln. In addn., HNO₂ and HNO₃ are formed, owing to oxidation of the dissolved air. The concn. of HNO₂ rises for about 0.5 hr. after which it begins to decline through oxidation to HNO₃, the max. being about 0.2 mg./100 ml. The concn. of HNO₃, however, steadily rises with time of exposure. The max. concn. of CH₂O formed is about 16 mg./100 ml when the initial MeOH concn. is about 10%; at other concns. the amt. of CH₂O formed is very significantly lower. In 3-hr. exposures the following concns. of aldehydes, NO₂, and NO, ions were produced from 0.02M MeOH, EtOH, PrOH, and BuOH solns.: MeOH 5.8 mg./100 ml., trace, 9.86 mg./100 ml.; EtOH, 7.86, trace, 0.4; PrOH 16.6, none, 0.3; BuOH 19.4, none, 0.14. When glycine is added to aq. MeOH (0.1%), the oxidation of MeOH under ultrasound is retarded, the effect being parallel to increase of glycine concn. (to about 0.04 molar). When lactose or glucose is added to aq. MeOH, a similar effect is observed and the amt. of CH₂O formed is reduced. When dil. CH₂O solns. are subjected to prolonged ultrasound exposures, oxidation to HCO₂H occurs, which is progressive with time; glycine retards this oxidation as well.

G. M. Kosolapoff

mem (3)


Lab Phys (three)

MF 7-13-54

Chemical Abst.
Vol. 48 No. 4
Feb. 25, 1954
Electronic Phenomena and Spectra

"APPROVED FOR RELEASE: 09/17/2001

CIA-RDP86-00513R000721930010-8



APPROVED FOR RELEASE: 09/17/2001

CIA-RDP86-00513R000721930010-8"

Authors : [illegible]

Title : Effect of ultra-sound on carbohydrates

Periodical : [illegible]

Abstract : The effect of ultrasonic irradiation on the optical properties of high-amylose starch and amylose solutions was studied by means of spectrophotometry of starch and amylose solutions exposed to the ultrasonic irradiation.

KHENOKH, M. A.

Effect of ultrasound on carbohydrate solutions. Zhur.ob.khim.
25 no.5:928-932 My'55. (MLRA 8:10)

1. Gosudarstvennyy yestestvenno-nauchnyy institut imeni P.F.Les-
gafta

(Carbohydrate) (Ultrasonics)

periodical Dokl. AN SSSR 102/5, 993-996, Jun 11, 1955

Abstract Using a ⁶⁰Co compound in the form of a salt solution (Na₂CoCl₄) as a source

APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000721930010

USSR/General Biology - Physical and Chemical Biology.

B-1

Abs Jour : Ref Zhur - Biol., No 8, 1958, 33282

Author : Khenokh, M.A.

Inst : _____

Title : Effect of γ -Irradiation by Radioactive Cobalt (Co⁶⁰)
on Carbohydrates.
(Deystvie γ -izlucheniya radioaktivnogo kobalta (Co⁶⁰)
na uglevody).

Orig Pub : Dokl. AN SSSR, 1955, 104, No 5, 746-749

Abstract : 0.25% solutions of starch and inulin and 0.14 M solu-
tions of glucose, fructose, maltose, sucrose, and raf-
finose were irradiated. According to spectral analysis
data new compounds are formed from macromolecules by
effects of γ -rays on solutions of starch and inulin;
when the dose is increased these are further decomposed,
evidently, with formation of dioxycetone (absorption
maximum at 265 m μ). As the dose was increased,

COUNTRY : USSR
CATEGORY :


ABS. JOUR. : RZhBiol., No. 1959, No.


AUTHOR :
INST. :
TITLE :

ORIG. PUB. :

ABSTRACT : If ultrasonic sound lasts for 5-30 sec, up to 60 percent of oocysts become destroyed, and when it lasts for 1-30 min, 95-99 percent. Rupture of membranes begins in the micropylar region where their thickness is smallest. Sensitivity of oocysts which are suspended in distilled water is greater than of oocysts which form a suspension with excrements. Carbon particles probably impede the US' mechanical influence upon oocysts. If a 60-sec last sound was used, 50 percent of oocysts whi

Card: 2/4





KHENOKH, M. A. and LAFINSKAYA, Ye. M.

"Action of ^{60}Co γ -Radiation on Proteins and Amino Acids,"

paper presented at the 1st All-Union Conference on Radiation Chemistry,
25 March - 2 April 1957.

P. F. Lesgart State Natural Science Inst, Leningrad

Abst. - E-3,086,921,

AUTHORS:

Khenokh, M. ~~_____~~ Lapinskaya, Ye. M.

79-22-3-31/61

TITLE:

The Effect of the γ -Radiation of Radioactive Cobalt (Co^{60}) on the Aqueous Solutions of Aromatic Hydrocarbons (Deystviye γ -izlucheniya radioaktivnogo kobal' ta (Co^{60}) na vodnyye rastvory aromaticheskikh uglevodorodov)

PERIODICAL:

Zhurnal Obshchey Khimii, 1958, Vol. 28, Nr 3, pp. 698-703 (USSR)

ABSTRACT:

Based on their own works on the investigation of the effect of ionizing radiation (refs, 10, 11) and of ultrasound on organic compounds the authors exposed the saturated aqueous solutions of benzene, toluene and phenol to the action of γ -radiation of Co^{60} (~ 2 C) at $15 \pm 2^\circ C$. The water taken for this had been distilled three times and the experiments were repeated 3-5 times. It was shown that under the action of γ -radiation an hydroxilation of the six-membered nucleus takes place in benzene solutions, the phenol yield being 1,31 of the molecule/100 eV, and at the formed formaldehyde 0,07 of the molecule /100 eV-. After the irradiation an absorption with a maximum at $348 m\mu$ was formed within the

Card 1/3

The Effect of the γ -Radiation of Radioactive Cobalt (Co^{60}) 79-28-3-31/61
on the Aqueous Solutions of Aromatic Hydrocarbons

spectrum of benzene, within the range of from 305-380 $\text{m}\mu$. In the toluene solutions the radiation effect was accompanied by the formation of a phenol compound with a yield of 0,56 of the molecule/100 eV, and of formaldehyde, with a yield of 0,16 of the molecule/100 eV. The effect of the γ -radiation did not show any changes within the spectrum of toluene within 230-280 $\text{m}\mu$; after the exposure, however, an absorption within the interval of waves lengths of from 320-380 $\text{m}\mu$ appeared with a maximum at 353-354 $\text{m}\mu$. An effect of the γ -radiation on the absorption spectrum of the phenol solution could not be found. The absorption spectra of the benzene- and toluene solutions which had been treated with the Fenton activator (Fentona) differ from the spectra of the irradiated solutions. The differences in absorption bands show in the benzene solution within the range of 305-308 $\text{m}\mu$, in the toluene solution, however, within the whole range under investigation (230-380 $\text{m}\mu$). There are 6 figures and 23 references, 11 of which are Soviet

Card 2/3

The Effect of the γ -Radiation of Radioactive Cobalt (Co^{60}) 79-28-3-31/61
on the Aqueous Solutions of Aromatic Hydrocarbons

ASSOCIATION: Gosudarstvennyy yestestvenno-nauchnyy institut imeni
P. F. Lesgafta (State Natural Science
Institute imeni P. F. Lesgaft)

SUBMITTED: December 1, 1956

Card 3/3

The Change of Proteins and Aminoacids Under the Action of 79-28-3-32/61
Ultrasonic Oscillations

violet light within the range of from 230-300 $m\mu$ takes place in the protein solutions without the formation of new absorption bands. In the gelatin solutions the sound effect caused an immediate change of the viscosity, a decrease of pH % and a decomposition of the molecules under the formation of ammonia and formaldehyde. The effect of ultrasound destroys the molecules. It was shown that the longer the chain of the aliphatic aminoacids the greater is the decomposition under the action of sound. The effect of ultrasound brings about the decomposition of the imidazol ring in hystidine, and in hippuric acid it leads to a rupture in the binding $CO-NH_2$ the amino acid becoming free. The oxidation effect of ultrasound causes the destruction of cystein under the formation of cystine which, however, with further sound effect also decomposes. There are 9 figures, 1 table, and 17 references, 14 of which are Soviet.

Card 2/3

The Change of Proteins and Aminoacids Under the Action of 79-28 -3-32/61
Ultrasonic Oscillations

ASSOCIATION: Gosudarstvennyy yestestvenno-nauchnyy institut imeni
P. F. Lesgafta (State Natural Science Institute
imeni P.F. Lesgaft)

SUBMITTED: February 7, 1957

Card 3/3

KHENOKH, M.A.

AUTHORS: Getsova, A. B., Lapinskaya, Ye. M., Khenokh, M. A. 20-1-22/58

TITLE: The Development of Eggs in Antheraea Pernyi Under the Influence of Ultrasonic Treatment (Vliyaniye ul'trazvuka na razvitiye yaits dubovogo shelkopryada).

PERIODICAL: Doklady AN SSSR 1958, Vol. 118, Nr 1, pp. 78-79 (USSR)

ABSTRACT: According to the references in literature ultrasonic oscillations can influence the development of the seeds of various plants as well as stimulate the development of various animals. In this connection the authors tried to determine if ultrasound can be used for the acceleration of the development of the eggs of antheraea pernyi, which would be of practical importance. The sound treatment was carried out at various stages of development of the embryo and the duration of exposure to this treatment was also different. As experimental material served the eggs of antheraea pernyi of the first generation of spring 1956. The eggs were exposed to sound treatment in a test glass with distilled water at temperatures of from 13 - 15°. Also the treatment of the control eggs is described. From the time of hatching as well as from the number of surviving caterpillars the influence of the ultrasonic oscillations on the velocity of development as well as on the rate of surviving

Card 1/3

APPROVED FOR RELEASE: 09/17/2001

CIA-RDP86-00513R000721930010

The Development of Eggs in Antheraea Pernyi Under the Influence of Ultrasonic Treatment. 20-1-22/58

embryos was determined. The ultrasonic oscillations were produced by means of an ultrasound generator (300 - 400 Watt, 125 kc). The influence of the duration of exposure on the velocity of development of embryos is mentioned in a table. Especially in the begin of the development (on the first day) the ultrasonic oscillations have a stimulating effect. Most stimulating is a from 2 - 3 minutes lasting exposure. The exposure at the begin of the development shortens the fortnight-long development of embryos by 3 days, i. e. 21 %. With an exposure of 60 and 90 minutes the stimulating effect of ultrasound decreases to 8,3 %. Also during the development of the embryonal band ultrasound has a stimulating effect. But an exposure carried out during blastokinesis leads to the death of the embryo. An exposure of the eggs of from 1 - 30 minutes has the most stimulating effect. Therefore ultrasonic oscillations can accelerate the development of the eggs of the antheraea pernyi. There are 16 references, 11 of which are Slavic.

Card 2/3

KHENOKH, M. A., Doc. Bio Sci, ^{//} EFFECT OF IONIZING RADIATION
AND ULTRASONIC OSCILLATIONS ^{upon} AQUEOUS SOLUTIONS OF ORGANIC
MATTER. ^{//} MOSCOW-LENINGRAD, 1960. (ACAD SCI INST BIOCHEM IM
A. N. BAKH. INST ^{of} CYTOLO. ^{USSR.} (KL, 2-61, 203). ^{AK}

KHENOKH, M.A.; KUZICHEVA, Ys.A.; AVER'YANOV, S.V.; YEVDOKIMOV, V.F.

Action of ultrasonic waves and γ -rays of Co^{60} on polyvinyl alcohol solutions. Zhur. VKHO 5 no.1:105-106 '60. (MIRA 14:4)

1. Institut evolyutsionnoy fiziologii imeni Sechenova AN SSSR.
(Vinyl alcohol) (Ultrasonic waves)
(Gamma rays)

S/020/60/135/002/035/036
B016/B052

AUTHORS: Khenokh, M. A., Kuzicheva, Ye. A., and Yevdokimov, V. F.

TITLE: The Action of Gamma Rays of Co^{60} on Dry Carbohydrates

PERIODICAL: Doklady Akademii nauk SSSR, 1960, Vol. 135, No. 2,
pp. 471 - 474

TEXT: The authors report on their experiments concerning the action of high gamma doses (Co^{60} , activity of ~1440 g-equ. radium) on dry sugars and polysaccharides. Dry and air-dried glucose, fructose, saccharose, raffinose, mannite, and starch were exposed to radiation in a vacuum. The resulting products were examined by the analytical methods described in Ref.1. The action of γ -rays was revealed by the strong smell of the above carbohydrates, and by the fact that they turned increasingly brown as the dose was increased. The analysis of the products revealed that under the action of γ -rays of Co^{60} , dry carbohydrates undergo chemical transformations which are closely related to those of aqueous radiolysis

Card 1/3

The Action of Gamma Rays of Co⁶⁰ on Dry
Carbohydrates

S/020/60/135/002/035/036
B016/B052

and other compounds when reacting with water. In solid carbohydrates exposed to radiation, these radicals form intermediary stages of the radiolytic decay of molecules. However, it is difficult to detect these radicals during aqueous radiolysis, since the addition of the elements of water takes place rapidly. It is hoped that this work will contribute to a better understanding of the chemical destruction of carbohydrates by ionizing radiation. They thank Professor I. Ya. Poddubnyy who made the experiments possible. V. V. Antuf'yev assisted in this work. There are 3 figures and 6 references: 3 Soviet and 1 US.

ASSOCIATION: Institut tsitologii Akademii nauk SSSR (Institut of Cytology of the Academy of Sciences USSR)

PRESENTED: June 2, 1960, by A. F. Ioffe, Academician

SUBMITTED: May 30, 1960

Card 3/3

VOTINOV, M.P.; LAPINSKAYA, Ye.M.; KHENOKH, M.A.; YEVDOKIMOV, V.F.;
ANTUF'YEV, V.V.; STAFEYEV, A.V.

Electron paramagnetic resonance spectra of hippuric acid irradiated
by gamma rays of Co^{60} . Radiobiologiya 1 no.1:149-150 '61.

(MIRA 14:7)

1. Politekhnikheskiy institut im. M.I.Kalinina i Institut tsitologii
AN SSSR, Leningrad.

(PARAMAGNETIC RESONANCE AND RELAXATION)

(HIPPURIC ACID)

(GAMMA RAYS—PHYSIOLOGICAL EFFECT)

LAPINSKAYA, Ye.M.; KHENOKH, M.A.; YEVDOKIMOV, V.F.

Radiochemical transformation of phenylalanine. Radiobiologia 1
no.5:694-700 '61. (MIRA 14:11)

1. Institut tsitologii AN SSSR, Leningrad.
(ALANINE) (RADIOCHEMISTRY)

43237

S/844/62/000/000/057/129
D204/D307

AUTHORS: Votinov, M. P., Khenokh, M. A., Kuzicheva, Ye.A, Yevdokimov, V. F. and Antuf'yev, V. V.

TITLE: The EPR spectra of γ irradiated solid carbohydrates

SOURCE: Trudy II Vsesoyuznogo soveshchaniya po radiatsionnoy khimii. Ed. by L. S. Poiak. Moscow, Izd-vo AN SSSR, 1962, 335-338

TEXT: The EPR spectra of some dry, crystalline, mono-, di-, and trisaccharides and other high-molecular weight carbohydrates were studied in an effort to determine the radiochemical changes taking place. The spectra of (1) glucose, (2) fructose, (3) saccharose, (4) galactose, (5) raffinose, (6) mannite, (7) cellulose, and (8) cellobiose are illustrated, described and discussed. Thus e.g. (1) two types of radicals were found, one of which corresponded to a fission of a C-H bond; (2) evidence was obtained of interaction between an unpaired electron and 3 equivalent protons - the radical present was a secondary one; (3) the radicals formed by

Card 1/3

The EPR spectra ...

S/844/62/000/000/057/129
D204/D307

the fission of a 1,2-glucoside bond and by the splitting off of a H from a C; (4) the spectrum became symmetrical on storage in air at room temperature; (5) two types of radicals were present, formed by the fission of 1,2- and 6,1-glucoside bonds and by the splitting off of H's bonded directly to C-atoms; (6) an interaction was evident between an unpaired electron with 3 nonequivalent protons; (7) two types of radicals were detected, one of which was formed by a fission of a 1,4-bond; (8) two radicals were present, one being secondary. No EPR signal was detected from γ irradiated starch. The concentrations of radicals and the EPR spectra remained essentially unchanged over more than 6 months, at room temperature; the radicals disappeared when the carbohydrates were melted. The intensity of the EPR signals increased, slower than linearly, with increasing doses of irradiation. It is concluded that information concerning the radiochemical changes may be obtained by the EPR method. There are 2 figures.

ASSOCIATION: Leningradskiy politekhnicheskij institut im. M. I. Kalinina (Leningrad Polytechnical Institute im. M.I.)

Card 2/3

The EPR spectra ...

S/844/62/000/000/057/129
D204/D307

Kalinin); Institut tsitologii AN SSSR (Institute of
Cytology, AS USSR); Institut Vysokomelekulyarnykh
soyedineniy AN SSSR (Institute of High Molecular
Weight Compounds, AS USSR)

Card 3/3

S/844/62/000/000/070/129
D204/D307

AUTHORS: Lapinskaya, Ya. M., Khenokh, M. A., Votinov, M. P., Yevdokimov, V. P. and Antuf'yev, V. V.

TITLE: The action of γ radiation of Co^{60} on solid hippuric acid

SOURCE: Trudy II Vsesoyuznogo soveshchaniya po radiatsionnoy khimii. Ed. by L. S. Polak. Moscow, Izd-vo AN SSSR, 1962, 403-408

TEXT: The effects of γ radiation on hippuric acid, benzoic acid, and glycine were studied in the presence of air. PhCOOH gave rise to $\text{PhCOO}\cdot$ only, and glycine was radiolyzed to NH_3 and CH_2O , the extent of decomposition increasing with increasing dose of irradiation. Hippuric acid itself turned pink on exposure to γ rays, but the color disappeared on recrystallization or on heating to 130°C . The physical properties of hippuric acid remained unchanged after irradiation. The EPR spectrum showed 5 lines which corresponded to a H interacting with the N-nucleus and two other protons. The intensity of the lines rose with increasing dose. On heating the irradiation

Card 1/2

The action of ...

S/844/62/090/000/070/129
D204/D307

ted acid to 128°C one line of the EPR spectrum was seen to disappear; at 180°C only the central doublet remained, and decomposition set in at 210°C. The γ rays ionize and excite the molecules of the acid, which subsequently break up into stable free radicals. Thus the presence of the aromatic ring gives stability to hippuric acid w.r.t. γ radiation. There are 4 figures.

ASSOCIATION: Institut tsitologii AN SSSR; Leningradskiy politekhnicheskii institut im. N. I. Kalinina (Institute of Cytology AS USSR; Leningrad Polytechnic Institute im. N. I. Kalinin)

Card 2/2

43238
S/844/62/000/000/071/129
D204/D307

AUTHORS: Khenokh, M. A., Kuzicheva, Ye. A. and Yevdokimov, V. F.

TITLE: The action of ionizing radiation on solid carbohydrates

SOURCE: Trudy II Vsesoyuznogo soveshchaniya po radiatsionnoy khimii. Ed. by L. S. Polak. Moscow, Izd-vo AN SSSR, 1962, 409-414

TEXT: The influence of γ oxidation on solid glucose, galactose, fructose, sucrose, lactose, raffinose, mannite and starch was investigated. γ rays ionize and excite the carbohydrate molecules, which split into stable free radicals. The monosaccharides decompose to give HCHO and other compounds, but no new reducing sugars are formed. Sucrose forms fructose, HCHO and dihydroxyacetone but lactose gives the monosaccharide only, with high radiation doses. Hence the 4,1-bond is more stable to γ radiation than the 2,1-bond. In raffinose the γ rays break the 1,2-bond, liberate fructose and form HCHO and a compound containing a chromatic group. Mannite decomposes to give HCHO, dihydroxyacetone, an organic acid and fruc-

Card 1/2

S/844/62/000/000/071/129
D204/D307

The action of ...

tose, while starch forms a reducing compound, HCHO , and an organic acid but no glucose or maltose. Conductometric titrations of 1% solutions of the irradiated saccharides showed that the amount of NaOH required for neutralization decreased in the order starch > glucose > sucrose > mannite > raffinose. The acidity of any one solution is greater if the corresponding carbohydrate was irradiated in O_2 rather than in N_2 . The radiochemical changes in solid carbohydrates were similar to those observed in the corresponding aqueous solutions. There are 5 figures.

ASSOCIATION: Institut tsitologii AN SSSR (Institute of Cytology AS USSR)

Card 2/2

KUZICHEVA, Ye. A.; KHENOKH, M. A.

Effect of the gamma rays of Co^{60} on aqueous solutions of
mannitol. Zhur. ob. khim. 32 no.12:4070-4073 D '62.
(MIRA 16:1)

1. Institut tsitologii AN SSSR.

(Mannitol) (Gamma rays) (Cobalt—Isotopes)

ACCESSION NR: AR4028324

S/0299/64/000/005/R016/R017

SOURCE: Referativnyy zhurnal. Biologiya, Abs. 3R102

AUTHOR: Khenokh, M. A.; Pinayev, G. P.; Kovalova, Ye. A.

TITLE: (3P102) The effect of low temperatures (cryolysis) and ultrasound on solutions of actomyosin

CITED SOURCE: Sb. rabot. In-t tsitol. AN SSSR, no. 4, 1963, 6-13

TOPIC TAGS: actomyosin, freezing, ultrasound, cryolysis, actomyosin denaturation

ABSTRACT: Deep freezing of actomyosin solutions (-78C) caused denaturation dependent on the duration of exposure to the frozen state. The intrinsic viscosity (η) increased from 0.6-0.7 to 2.0. On continued cryolysis (45, 70, 94 hours), the viscosity showed no further change. Although deep freezing caused marked fluctuations in the ATPase activity of actomyosin, the activity was still maintained after prolonged freezing, indicating that the active center of actomyosin is stable to low temperatures. Low temperatures failed to increase the number of titratable SH groups significantly. Ultrasonic treatment (300 cps) produced a decrease in the intrinsic viscosity, an irreversible decrease in ATPase activity, and a decrease in the content of SH groups. M. Kalamkarova.

Card 1/1

DATE ACQ: 27Apr64

SUB CODE: LS

ENCL: 00

ACCESSION NR: AP4034568

8/0079/64/034/004/1329/1334

AUTHOR: Kuzicheva, Ye. A.; Khenokh, M. A.

TITLE: Effect of ionizing radiation on solid glycogen

SOURCE: Zhurnal obshchey khimii, v. 34, no. 4, 1964, 1329-1334

TOPIC TAGS: glycogen, ionizing radiation, gamma irradiation, viscosity, molecular weight, IR spectra, oxidation, decomposition product, dihydroxyacetone, formaldehyde, carbonyl compound, carboxyl compound, glucose

ABSTRACT: The effect of ionizing radiation of cobalt-60 on solid glycogen was examined. On irradiation the characteristic viscosity (molecular weight) of the glycogen was reduced: with 106.8×10^6 rads, viscosity was reduced 56%; with 210.4×10^6 rads dosage viscosity did not decrease further. The optical density of the colored iodine complex of glycogen drops rapidly with increasing irradiation. Gamma-irradiation of glycogen in the solid state splits the macromolecule at the α -1,4 and α -1,6 bond. IR spectra indicated carbonyl compounds, H_2CO and carboxyl compounds are formed by radiation chemical transformation of glycogen, with the carbonyl content increasing more and the amount of formaldehyde being less than

Card 1/2

ACCESSION NR: AP4034568

proportional to irradiation dosage, indicating decomposition of H_2CO at higher energies of activation. The radiation chemical transformation is accelerated by oxidation leading to the formation of dihydroxyacetone in addition to the other aforementioned compounds. No glucose was found in the decomposition products of glycogen. Orig. art. has: 5 figures

ASSOCIATION: Institut tsitologii Akademii nauk SSSR (Institute of Cytology Academy of Sciences, SSSR)

SUBMITTED: 16Jan63

ENCL: 00

SUB CODE: 00, NP

NO REF SOV: 009

OTHER: 007

Card 2/2