

TKACHENKO, V., inzh.

Organization of the assembly of large-panel apartment houses.
Stroitel' 8 no. 5 My '62. (MIRA 15:7)
(Apartment houses)

REZNICHENKO, V.A.; TKACHENKO, V.A.; MIKELADZE, G.Sh.; KARYAZIN, I.A.;
KOZLOV, V.M.; NADIRADZE, Ye.M.; SOLOV'YEV, V.I.; GOGORISHVILI,
B.P.; Primali uchastiye: PKHAKADZE, Sh.S.; METREVELI, A.I.;
CHIKASHUA, D.S.; KHROMOVA, N.V.; KAVETSKIY, G.D.; TSKHVEDIANI,
R.N.; ARABIDZE, T.V.

Making titanium slag in an electric closed reduction furnace.
Titan i ego splavy no.8:28-40 '62. (MIRA 16:1)
(Titanium--Electrometallurgy)

ACCESSION NR: AP4022707

8/0020/64/155/002/0289/0291

AUTHOR: Tkachenko, V. A.

TITLE: On the spectral analysis of the one-dimensional Schroedinger operator with periodic complex-valued potential

SOURCE: AN SSSR. Doklady*, v. 155, no. 2, 1964, 289-291

TOPIC TAGS: ordinary differential equation, boundary value problem, spectral theory, Hilbert space, functional analysis, Schroedinger operator, one dimensional spectral analysis

ABSTRACT: The author presents results concerning the geometric structure of the closed differential operator T acting on $L_2(-\infty, +\infty)$, defined by the operation

$$-\frac{d^2}{dx^2} + q(x) \quad (1)$$

where $q(x)$ is a continuous complex-valued periodic function, of period 1. Use is made of the method suggested by I. M. Gel'fand in the case of real $q(x)$. Together with T , consider the family of operators T_t ($-\pi \leq t \leq \pi$) on $L_2(0,1)$,

Card 1/4

ACCESSION NR: AP4022707

defined by (1) and the boundary conditions

$$y(1) = e^{it}y(0), y'(1) = e^{it}y'(0)$$

The spectrum of T is the union Σ of the spectra of all T_t , and consists of a countable family of bounded, simple analytic arcs $\Gamma_1, \Gamma_2, \dots$. Σ is also the union of the roots of the set of equations $A(\lambda) = \cos t$, for $-\pi \leq t \leq \pi$, where $A(\lambda)$ is an entire function. Each Γ_k may be given by an equation of the form

$$\lambda = \omega_k(\cos t) \tag{2}$$

where ω_k is an invertible function. Let Δ be a closed connected subset of one of the Γ_k which does not include either end-point (at which $A'(\lambda) = 0$), and let $\delta \subset [-\pi, \pi]$ be the pre-image of Δ under (2). For each $t \in \delta$, let φ_t, ψ_t be the characteristic functions of T_t and T_t^* corresponding to the characteristic values $\lambda(t) = \omega_k(\cos t)$ and $\bar{\lambda}(t)$, respectively, normalized so that

$$\int_0^1 |\varphi_t|^2 dx = \int_0^1 |\psi_t|^2 dx = 1.$$

Extend φ_t and ψ_t to the whole real axis by setting

$$\varphi_t(x+m) = e^{im} \varphi_t(x), \quad \psi_t(x+m) = e^{im} \psi_t(x) \\ (0 < x < 1, m = 0, \pm 1, \pm 2, \dots).$$

Card

2/4

ACCESSION NR: AP4022707

Finally, for any $f \in \mathcal{L}_2(-\infty, +\infty)$, let $a(t) = \chi_\delta \int_{-\infty}^{\infty} f(x) \overline{\psi_t(x)} dx$, where χ_δ is the characteristic function of δ , and let $E(\Delta)$ be the operator defined by

$$E(\Delta) f(x) = \frac{1}{2\pi} \int_{-\infty}^{\infty} a(t) \varphi_t(x) dt. \quad (4)$$

Then $E(\Delta)$ has some properties of a resolution of the identity: $E(\Delta)$ is bounded, $E(\Delta_1)E(\Delta_2) = E(\Delta_1 \cap \Delta_2)$ hence $E(\Delta)$ is a projection operator. If $f \in \mathcal{L}_2(-\infty, +\infty)$ and $E(\Delta)f = 0$ for all Δ , then $f = 0$. If M denotes the linear closure of the set of functions of form (4), then M is dense in $\mathcal{L}_2(-\infty, +\infty)$, and T coincides with the closure of the operator S induced by T on M . For any Δ , the range of $E(\Delta)$ lies in the domain of T and is invariant under T (and so is the range of $I - E(\Delta)$.) The last result mentioned is that if $A'(\lambda) \neq 0$ for all $\lambda \in \mathbb{R}$, then there is a unitary equivalence between T and the closure of an operator represented by an infinite triangular matrix (operating on a Hilbert space of vector functions). "The author expresses his gratitude to I. M. Glazman for posing the problem, and to Yu. I. Lyubich for a discussion of the results."

ASSOCIATION: Khar'kovskiy Politekhnikheskiy Institut im. V. I. Lenin
(Kharkov Polytechnic Institute)

Card 3/4

ACCESSION NR: AP4022707

SUBMITTED: 22Nov63

DATE ACQ: 08Apr64

ENCL: 00

SUB CODE: MA

NO REF SOV: 004

OTHER: 000

Card 4/4

BLAGOV, V.A., inzh.; TKACHENKO, V.A., inzh.; KUDRETS, V.S., inzh.

Manufacture of plastic ship furniture by the method of
compressed air molding. Sudostroenie 30 no.5:44-46 My '64.
(MIRA 17st6)

SHVARTSER, A.Ya., inzh.; SHAPOVALOV, S.I., kand.tekhn.nauk; LUGOVAYA, G.V.,
inzh.; GLAZUNOV, F.A., inzh.; TRACHENKO, V.A., inzh.; MOZNAIM,
G.I., inzh.

Electric slag hard facing of beaters in impact-action crushing
machines. Svar. proizvod. no.3:22-25 Mr '63. (MIRA 16:3)

1. Donetskii politekhnicheskii institut (for Lugovaya).
2. Yasinovatskiy mashinostroitel'nyy zavod (for Moznaim).
(Hard facing) (Crushing machines)

MITROKHIN, A. K., inzh.; TKACHENKO, V. A., teknik

Machine for winding transformers and relays. Energetik 12 no.
4:18-19 Ap '64. (MIRA 17:7)

TKACHENKO, V. A.

Spectrum analysis of Schrodinger's one-dimensional operator with a periodic complex-valued potential. Dokl. AN SSSR 155 no. 2: 289-291 Mr '64. (MIRA 17:5)

1. Khar'kovskiy politekhnicheskiiy institut im. V. I. Lenina. Predstavleno akademikom S. N. Bernshteynom.

TKACHENKO, Vera (Moskva)

"Class supervisor." Sov. profsoiuzy 18 no.4:37 F '62.
(MIRA 15:3)

(Conduct of life)

TKACHENKO, Vera

Life is in your hands. Sov. profsoiuzy 17 no.16:44-45 Ag '61.

(Stalingrad--Malpractice)

(MIRA 14:7)

TKACHENKO, V., inzh.

Reusable panel holder. Stroitel' no.1:26 Ja '61. (MIRA 14:2)
(Building--Tools and implements)

TKACHENKO, V., inzh.

Using ordinary presses in tensile-testing of steel pieces.
Stroitel' no.1:27 Ja '60. (MIRA 13:5)
(Steel, Structural--Testing)

TKACHENKO, V.

In the mountains and valleys of Rumania. Vokrug sveta no.1:30-32
Ja '54. (MLRA 7:1)

(Rumania--Description and travel)

TKACHENKO, V.

TKACHENKO, V.

"In new Rumania." Vl.P'iankov, P.Mel'nikov. Reviewed by V.Tkachenko.
Vokrug sveta no.6:61-62 Je '54. (MLBA 7:6)
(Rumania--Description and travel) (P'iankov, Vl.) (Mel'nikov, P.)

BLAGOV, V.A.; TKACHENKO, V.A.; TSARINNIKOV, V.V.

Use of plastics in shipbuilding. Mor. sbor. 47 no.3:68-74 Mr '64.
(MIRA 18:7)

KORNEVA, N.K.; ANDREYEV, V.L.; DOROFEYEV, G.A.; GRINEVICH, I.P.; VINOKUROV,
Ye.B.; TKACHENKO, V.A.

Study of the operation of ports in heavy duty open-hearth
furnaces. Stal' 25 no.4:324-325 Ap '65. (MIRA 18:11)

1. Donetskii institut chernoy metallurgii.

LYUBICH, Yu.I.; TKACHENKO, V.A.

Uniqueness and approximation theorems for a local Laplace transformation. Dokl. AN SSSR 164 no.2:273-276 S '65.

(MIRA 18:9)

1. Khar'kovskiy gosudarstvennyy universitet im. A.M. Gor'kogo i Khar'kovskiy politekhnicheskiy institut im. V.I. Lenina.
Submitted February 16, 1965.

BLAGOV, V.A., inzh.; TKACHENKO, V.A., inzh.

Industrial area for manufacturing plastic furniture for ships.

Sudostroenie 27 no.10:64-65 O '81. (MIRA 14-12)

(Furniture)

(Plastics)

(Ship--Equipment and supplies)

KOSTYUK, D.I., kand.tekhn.nauk, dots.; TKACHENKO, V.A., inzh.

Effect of the reference shape of toothed racks according to the All-Union State Standard 3058-54 on the efficiency of flanking. Izv.vys.ucheb.zav.; mashinostr. no.7/8:95-108 '58.
(MIRA 12:8)

1. Khar'kovskiy aviatsionnyy institut.
(Gearing)

TKACHENKO, V.A.; KOZLOV, V.M.; GUSEVA, I.S.

Investigating certain regularities in the reduction of iron-titanium
concentrates in the solid phase. Titan i ego splayv no.9:70-81 '63.
(MIRA 16:9)

(Titanium—Electrometallurgy)

DYURGEROV, N.G.; RYLOV, L.A.; ISHCHEMKO, Yu.L.; TRACHEMKO, V.A.;
BARILOV, O.A.; ZHIDKOV, A.I.; GRIGOR'EV, G.G.

Using GSR-9000 generators for submerged arc welding.
Mashinostroitel' no.9:33 S '62. (MIRA 15:9)

MIKHAYLOV, V.G., doktor tekhn.nauk; KRAPIVIN, M.G., kand.tekhn.nauk;
KARYUK, G.G., kand.tekhn.nauk; KOZHENTSEV, Yu.T., aspirant;
GARASHCHENKO, P.A., aspirant; KALYAROV, G.P., aspirant;
KOGAN, K.B., inzh.; SUKACH, V.D., inzh.; TKACHENKO, V.A., inzh.;
LINENKO, Yu.P., inzh.; MOZNAIM, G.I., inzh.; MARTYNYENKO, I.A., inzh.

Cutting tool for the cutter loader. Ugol' Ukr. 6
no.8:37-39 Ag '62. (MIRA 15:11)
(Coal mining machinery)

TKACHENKO, V. A.

"The Architecture of a Sanatorium Complex." Cand in Architecture, Acad of Architecture Ukrainian SSR, 25 Dec 54. (FU, 15 Dec 54)

Survey of Scientific and Technical Dissertations Defended at USSR Higher Educational Institutions (12)

SO: SUM No. 556, 24 Jun 55

TKACHENKO, V A

884
.T6

Arkhitektura sanatoriya (Architecture of sanatoriums) Kiyev,
Izd-vo Akademii arkhitrektury Ukrainskoy SSR, 1954.

153 p. illus., diags., map, tables.

At head of T.-P.: "Akademiya arkhitrektury Ukrainskoy SSR. Institut
arkhitrektury sooruzheniy".

TKACHENKO, V. A.

NEVRAYEV, G.A., kandidat meditsinskikh nauk; SVIRSKIY, V.L., kandidat arkhitektury.

"Architecture of a sanatorium." V.A. Tkachenko. Reviewed by.
G.A. Nevraev, V.L. Svirskii. Vop.kur.fizioter. i lech. fiz.
kul't. no.2:80-82 Ap-Je '55. (MLRA 8:8)
(Sanatoriums) (Tkachenko, V.A.)

TKACHENKO, v. A.

LYSAYA, L. G. Institut Arkhitektury Sooruzheniy Akademii Arkhitektury USSR. i
TKACHENKO, V. A. Ml. Nauchnyye sotrudniki, SHTEYNERG, YA. A. Ch- Korr. Akademii
Arkhitektury USSR

Seriya 2-etazhnykh shlakoblochnykh zhilykh domov s primeneniym konstruktsiy zaboi
skogo izgotovleniya Page 73

SO: Collections of Annotations of Scientific Research Work on Construction, completed
in 1950. Moscow, 1951

TKACHENKO, V.A.; KCZLOV, V.M.; GUSEVA, N.S.; Prinsipali uchastiye: ~~REPORT~~,
M.B.; MIKHAYLOV, N.S.

Making high-titanium slags of iron-titanium concentrates from coastal placers. Titan i ego splavy no.9:86-95 '63. (MIRA 16:9)
(Titanium—Electrometallurgy)

25 (1)

SOV/145-58-7/8-11/24

AUTHORS: Kostyuk, D.I., Candidate of Technical Sciences, Docent and Tkachenko, V.A., Engineer

TITLE: Influence of Toothed Rack Initial Form According to the GOST 3058-54 on the Efficiency of Flanking

PERIODICAL: Izvestiya vysshikh uchebnykh zavedeniy - Mashinostroyeniye, 1958, Nr 7-8, pp 95-108 (USSR)

ABSTRACT: A theoretical substantiation of flanking angle values is given in the work by M.S. Polotskiy, "Initial and Working Form of Toothed Rack". TsNIITMASH, Book 13. Theory and Estimation of Toothed Gears and Slide Bearings, Mashgiz, 1948 [1]. The above work is based on the GOST 3058-45 which was later superseded by the GOST 3058-54. The new GOST gives for the flanking angles considerably lesser values (sometimes by twice smaller) than is the case with the GOST 3048-45. The purpose of this article is to establish the optimum flanking angles when meshing different pairs of toothed wheels. The authors analyze two cases: 1) Driv-

Card 1/4

SOV/145-58-7/8-11/24

Influence of Toothed Rack Initial Form According to the GOST 3058-54 on the Efficiency of Flanking

ing wheel pitch is greater than that of driven wheel, that is, $t_1 > t_2$; 2) Driving wheel pitch is smaller than that of driven wheel: $t_1 < t_2$. For the first case, the flanking angles are defined by diagrams a, b, c (Fig 1); for the second case - by diagrams a, b, c (Fig 2). In Fig 3, profiles of driving and driven wheel teeth at the beginning of their meshing are shown; Fig 4 illustrates position of the teeth at the initial and final moment of their meshing. The efficiency of flanking is expressed by the function

$$\frac{V_k}{V_f} = \frac{C_1 \sqrt{\frac{\Delta}{d_1}}}{\cos \alpha_d - \cos(\alpha_d + \alpha_f)}, \text{ where } V_k \text{ is impact speed}$$

of non-flanked teeth; V_f - impact speed of flanked teeth; C_1 - coefficient for standard gears determined in Table 4;

Card 2/4

SOV/145-58-7/8-11/24

Influence of Toothed Rack Initial Form According to the GOST 3058-54 on the Efficiency of Flanking

$K = \frac{V_s}{V_k}$, where V_s is central impact speed; $\Delta_0 = t_1 - t_2$; α_f - angle of flanking. The values expressing the efficiency of flanking obtained by the authors exceed by 1.4-1.93 times those received by experimental method; the same values calculated by the method of M.S. Polotskiy are by 2.5-3.3 times greater than the experimental ones. After the research, the authors arrive at the following conclusions: 1) When the difference in gear pitches is slight, the efficiency of flanking is not over 1.15; 2) When this difference approaches its maximum permissible value, the flanking efficiency varies between 1 and 6.9; 3) the maximum efficiency is obtained when the number of teeth on both gears $Z_1 = Z_2$ (the gear ratio is equal to 1); 4) efficiency of flanking is small when the number of

Card 3/4

SOV/145-58-7/8-11/24

Influence of Toothed Rack Initial Form According to the GOST 3058-54 on the Efficiency of Flanking

teeth and the flanking angles are large; in some cases the flanking may even result in a negative effect; 5) increasing the modulus (at equal angles α_f) diminishes the efficiency; 6) efficiency is increased with the increased degree of accuracy in manufacturing toothed gears. There are 6 tables, 7 figures and 3 references, 2 of which are Soviet and 1 German.

ASSOCIATION: Khar'kovskiy aviatsionnyy institut (Khar'kov Aviation Institute)

SUBMITTED: December 17, 1957 ✓

Card 4/4

TKACHENKO, V.A., inzh.

Increasing the efficiency of planetary mechanisms of boring units.
Vest.mashinostr. 42 no.6:10-14 Je '62. (MIRA 15:6)
(Drilling and boring machinery) (Gearing)

RYDCHENKO, V.M., inzh.; TKACHENKO, V.A., inzh.

Determining the coefficient of basic load of a tightened bolt
joint. Vest.mashinostr. 42 no.8:15-18 Ag '62. (MIPA 15:8)
(Bolts and nuts)

REZNICHENKO, V.A.; TKACHENKO, V.A.; SIRYAPOV, G.V.; KOZLOV, V.M.;
SIDORENKO, G.D.

Reduction of ilmenite concentrates in a fluidized bed. Titan
i ego splavy no.5:60-64 '61. (MIRA 15:2)
(Titanium--Metallurgy)
(Fluidization)

POLYAKOV, Ye.M., inzh.; TKACHENKO, V.A., inzh.

Establish contours of old flooded workings exactly.

Bezop.truda v prom. 4 no.7:11 JI '60.

(MIRA 13:8)

(Mining engineering)

SOV/98-59-6-14/20

14(10)

AUTHORS: Konopkin, B.K., Candidate of Technical Sciences and
Tkachenko, V.A., Engineer; Zababurin, I.A., Candi-
date of Technical Sciences

TITLE: On Hydraulic Resistances of the Sub-Surface Flat
Floodgates of Round Cross-Section

PERIODICAL: Gidrotekhnicheskoye stroitel'stvo, 1959, Nr 6,
pp 48-49 (USSR)

ABSTRACT: In the first part of this article the first two
authors criticize the article under the same title
by I.A. Zababurin published in Nr 2 (1956) of this
periodical, and in the second part, Zababurin defends
his viewpoint. His opponents find that the resist-
ance coefficient as given by Zababurin is exaggerat-
ed and, as a result, the real passing capacity of
the floodgate will be different from that indicated
by Zababurin. The latter explains that his oppo-
nents checked his formula with a model of a flood-
gate, different from the one he described, and which

Card 1/2

SOV/98-59-6-14/20

On Hydraulic Resistances of the Sub-Surface Flat Floodgates of
Round Cross-Section

is at present widely used. There are 2 diagrams.

Card 2/2

Translation from: Referativnyy zhurnal. Metallurgiya, 1958, Nr 12, p 56 (USSR) SOV/137-58-12-24328

AUTHORS: Rapoport, M. B., Tkachenko, V. A.

TITLE: Production of Titanium Lacquers (Proizvodstvo titanovykh lakov)

PERIODICAL: V sb.: Legkiye metally. Nr 4. Leningrad, 1957, pp 108-111

ABSTRACT: Studies by VAMI [All-Union Aluminum and Magnesium Institute] on the technology of production of Ti slag from ilmenite concentrate are presented. Experimental melts yield slag containing 1-2% FeO and 80-90% TiO₂.

M. M.

Card 1/1

25 (1)

SOV/145-58-7/8-11/24

AUTHORS: Kostyuk, D.I., Candidate of Technical Sciences, Docent and Tkachenko, V.A., Engineer

TITLE: Influence of Toothed Rack Initial Form According to the GOST 3058-54 on the Efficiency of Flanking

PERIODICAL: Izvestiya vysshikh uchebnykh zavedeniy - Mashinostroyeniye, 1958, Nr 7-8, pp 95-108 (USSR)

ABSTRACT: A theoretical substantiation of flanking angle values is given in the work by M.S. Polotskiy, "Initial and Working Form of Toothed Rack". TsNIITMASH, Book 13. Theory and Estimation of Toothed Gears and Slide Bearings, Mashgiz, 1948 [1]. The above work is based on the GOST 3058-45 which was later superseded by the GOST 3058-54. The new GOST gives for the flanking angles considerably lesser values (sometimes by twice smaller) than is the case with the GOST 3048-45. The purpose of this article is to establish the optimum flanking angles when meshing different pairs of toothed wheels. The authors analyze two cases: 1) Driv-

Card 1/4

SOV/145-58-7/8-11/24

Influence of Toothed Rack Initial Form According to the GOST 3058-54 on the Efficiency of Flanking

ing wheel pitch is greater than that of driven wheel, that is, $t_1 > t_2$; 2) Driving wheel pitch is smaller than that of driven wheel: $t_1 < t_2$. For the first case, the flanking angles are defined by diagrams a, b, c (Fig 1); for the second case - by diagrams a, b, c (Fig 2). In Fig 3, profiles of driving and driven wheel teeth at the beginning of their meshing are shown; Fig 4 illustrates position of the teeth at the initial and final moment of their meshing. The efficiency of flanking is expressed by the function

$$\frac{V_k}{V_f} = \frac{C_1 \sqrt{\frac{\Delta_p}{d_1}}}{\cos \alpha_d - \cos(\alpha_d + \alpha_f)}, \text{ where } V_k \text{ is impact speed}$$

of non-flanked teeth; V_f - impact speed of flanked teeth; C_1 - coefficient for standard gears determined in Table 4;

Card 2/4

SOV/145-58-7/8-11/24

Influence of Toothed Rack Initial Form According to the GOST 3058-54 on the Efficiency of Flanking

$K = \frac{V_s}{V_k}$, where V_s is central impact speed; $\Delta_o = t_1 - t_2$; α_f - angle of flanking. The values expressing the efficiency of flanking obtained by the authors exceed by 1.4-1.93 times those received by experimental method; the same values calculated by the method of M.S. Polotskiy are by 2.5-3.3 times greater than the experimental ones. After the research, the authors arrive at the following conclusions: 1) When the difference in gear pitches is slight, the efficiency of flanking is not over 1.15; 2) When this difference approaches its maximum permissible value, the flanking efficiency varies between 1 and 6.9; 3) the maximum efficiency is obtained when the number of teeth on both gears $Z_1 = Z_2$ (the gear ratio is equal to 1); 4) efficiency of flanking is small when the number of

Card 3/4

BOV/145-58-7/8-11/24

Influence of Toothed Rack Initial Form According to the GOST 3058-54 on the Efficiency of Flanking

teeth and the flanking angles are large; in some cases the flanking may even result in a negative effect; 5) increasing the modulus (at equal angles α_f) diminishes the efficiency; 6) efficiency is increased with the increased degree of accuracy in manufacturing toothed gears. There are 6 tables, 7 figures and 3 references, 2 of which are Soviet and 1 German.

ASSOCIATION: Khar'kovskiy aviatsionnyy institut (Khar'kov Aviation Institute)

SUBMITTED: December 17, 1957 ✓

Card 4/4

TKACHENKO, V. A.

1857

Arkhitektura sanatornogo kompleksa. Analiz praktiki i printsipy
proektirovaniya primenitel'no k usloviyam Ukr. SSR, Kiev, 1954
20 sm. 22 sm. (Akad. Arkhitektury Ukr. SSR. In-t Arkhitektury sooruzheniy).
100 ekz. B. Ts.- (54-55122)

SO: Knizhnaya Letopis', Vol. 1, 1955

2/14/73/000/04/020/030
E031/E013

AUTHOR: Zolotubhin, V.K.
TITLE: The Scientific-Technical Conference at Khar'kov Aviation Institute

PERIODICAL: Investiya vyeshnykh zavedeniy Aviatsoionnaya tekhnika, 1959, Nr 4, pp 161-165 (USSR)
ABSTRACT: In May 1959, the 16th Conference of Professorial and Teaching Staff took place.

Mathematics and Mechanics Section. The following papers were read: "A Spectral Representation of the Theory of Anisymmetric Potentials" by Candidate of Physical and Mathematical Sciences G.N. Taranov; "Some Applications for Functions with Positive Definite Correlation Coefficient" by Candidate of Physical and Mathematical Sciences V.P. Reznikov; "On the Existence of Discrete Systems of Functional Equations" by Docent, Candidate of Physical and Mathematical Sciences M.S. Zhukov; "On the Application of the Method of Variational Calculus to the Solution of Problems of Optimal Control" by Candidate of Physical and Mathematical Sciences Ya.L. Gerontovich; "The Influence of Bar Linkages" by Docent, Candidate of Physical and Mathematical Sciences M.P. Gerasimov; "The Influence of the Structural Properties of Fibers on the Convergence of Most of the Methods of Numerical Solution of Problems of Optimal Control" by Candidate of Physical and Mathematical Sciences Yu.Ya. Kuznetsov; "The Length of de Broglie Wavelength of Neutrons" by Candidate of Physical and Mathematical Sciences L.Ya. Vinnik; "The Problem of Determining the Transfer Function of an Electron-Gate" by Senior Instructor I.Ye. Suravlev; "The Structure of Spatial Method of Mathematical Induction" by Assistant Docent, Candidate of Chemical Sciences of the VIII th All-Union Conference on the Results of the VIII th Electrical and Radio Technology Section" by Assistant Docent, Candidate of Physical and Mathematical Sciences E.I. Krach; "On the Problem of the Optimum Control of an Electric Drive" by Candidate with a Thesis of the Institute of Aviation Instrumentation Technical Sciences "An Experimental Determination of the Influence of Electric Fields on the Determination of the Signal" by Assistant Senior Docent, Candidate of Physical and Mathematical Sciences A.I. Lobanov; "On the Magneto-Electric Comparison Unit" by Assistant Docent, Candidate of Physical and Mathematical Sciences V.I. Zhurav; "On the Application of Infrared Instruments in Aviation" by Senior Instructor E.I. Krach; "On the Adaptation of a Section of the Thermobaric Chamber to the Mechanical Characteristics of a Mine Shaft" by Senior Instructor G.M. Ivanov; "Investigations to Determine the Temperature and Humidity of Sand at Different Abrasion in Ceramics" by Docent, Candidate of Physical and Mathematical Sciences S.V. Dilya; "Friction and the Influence of Friction on the Construction of Multi-Stage Gearboxes" by Assistant Senior Instructor V.A. Trachenko; "Investigation of the Fatigue Resistance of Steel" by Assistant V.A. Trachenko; "Investigation of Ceramics Slides" by Assistant A.S. Erovan.

Card 3/11

Card 3/11

TKACHENKO, Viktor Andreyavich; DOBROVOL'SKIY, V.A., prof., doktor
tekh. nauk, retsenzent; D'YACHENKO, S.K., dots., kand.
tekh. nauk, retsenzent; KOSTYUK, D.I., kand. tekh. nauk,
otv. red.; TRET'YAKOVA, A.N., red.; KOGAN, Ye.M., tekh.
red.

[Designing multisatellite planetary transmissions] Pro-
ektirovanie mnogosatellitnykh planetarnykh peredach.
Khar'kov, Izd-vo Khar'kovskogo gos.univ. im. A.M.Gor'kogo,
1961. 181 p. (Gearing) (MIRA 15:8)

DRUCHENKO, V.A.; TKACHENKO, V.A.; MARCHENKO, N.A., kand. tekhn. nauk,
nauchnyy red.; DONSKOY, Ya.Ye., red.; SHEVCHENKO, M.G.,
tekhn. red.

[Ultrasonics are an asset to industrial production] Ul'tra-
zvuk pomogaet proizvodstvu. Khar'kov, Khar'kovskoe knizhnoe
izd-vo, 1963. 55 p. (MIRA 16:7)

(Ultrasonic waves--Industrial applications)

RYDCHENKO, V.M., assistant; TKACHENKO, V.A., starshiy prepodavatel'

Determining stresses in a tightly bolted joint taking into consideration the changes in the rigidity of intermediate parts. Izv. vys.ucheb.zav.; mashinostr.no.1:44-48 '63.

(MIRA 16:5)

1. Khar'kovskiy aviatsionnyy institut.
(Bolts and nuts) (Strains and stresses)

L 22918-66 EWP(m)/ETC(m)-6/T WW/DJ

ACC NR: AP6007892

SOURCE CODE: UR/0420/65/000/002/0042/0050

AUTHOR: Tkachenko, V. A.

ORG: none

TITLE: Theoretical and experimental determination of the dynamic loads on the teeth of planetary gears

SOURCE: Samoletostroyeniye i tekhnika vozdushnogo flota, no. 2, 1965, 42-50

TOPIC TAGS: dynamic load, transmission gear, impact stress

ABSTRACT: The author investigates the AI gear described earlier by V. A. Tkachenko (Kopredeleniyu dinamicheskikh nagruzok na zub'yakh planetarnykh peredach. Trudy KhAI, vyp. 22, Izd-vo KhGU, 1963). The following conditions are imposed: (1) During the impact, prior to the attainment of the maximum force of the impact, the static load is transmitted by the couple ahead; (2) the specific rigidities of the tooth engagements during impact are constant; (3) the number of teeth of the wheels are multiples of the number of satellites; in this case the impacts appear simultaneously in the engagement of the central wheel with all the satellites. In the first approximation, it is assumed that the appearing impact does not cause variations in the load in the engagement of the other central wheel with the satellites. The results of the tests conducted are analyzed. It is found that the dynamic load increases with an increase in peripheral speed. At a lower static load the increase in the dynamic load is

30
B

Card 1/2

L 22948-66

ACC NR: AP6007892

more appreciable; at a higher load the increase in the dynamic load (at speeds above 8 m/sec) is slower. The dynamic load increases with an increase in the mass of the components. There is a less marked increase in the dynamic load with an increase in the mass of the satellites. At lower static loads the influence of the mass is greater than that at higher loads. A comparison of the curves of the variation of mass effect coefficients obtained theoretically and experimentally lead to the conclusion that the formulas derived are fundamentally correct. A final recommendation requires further work. Orig. art. has: 3 figures and 30 formulas.

SUB CODE: 20,¹³ / SUBM DATE: none / ORIG REF: 004

Card

2/2

ACC NR: AP7005597

(A)

SOURCE CODE: UR/0413/67/000/002/0023/0024

INVENTOR: Verigin, V. N.; Tkachenko, V. A.; Varyushenkov, A. M.

ORG: None

TITLE: A method for producing technically pure silicon. Class 12, No. 190356
[announced by the All-Union Scientific Research and Design Institute of the Aluminum, Magnesium and Electrode Industry (Vsesoyuznyy nauchno-issledovatel'skiy i proyektnyy institut alyuminiyevoy, magniyevoy i elektrodnoy promyshlennosti)]

SOURCE: Izobreteniya, promyshlennyye obraztsy, tovarnyye znaki, no. 2, 1967, 23-24

TOPIC TAGS: silicon, metal purification, quartz

ABSTRACT: This Author's Certificate introduces: 1. A method for producing technically pure silicon by reduction of silicon-containing raw material. To provide a wider range of raw materials and reduce the cost of the product, a silicon-containing material such as quartzite fines or quartz sand is mixed with a reducing agent such as green and partially metamorphosed minerals, coal with poor sintering properties, lignin or products formed by low-temperature carbonization or coking of these materials. The resultant silicon is then pressed and subjected to conventional treatment. 2. A modification of this method with intensification by conducting the reduction process in the presence of organic additives, specifically wastes from the wood processing industry as briquets or in some other form.

SUB CODE: 11, 07/ SUBM DATE: 16Jan65

Card 1/1

UDC: 546.28-121

KOMPAN, Ye.G.; RUTGAYZER, I.D.; TKACHENKO, V.A., *otv. za vypusk*;
LYSENKO, I.F., *red.*; CHERNYSHENKO, Ya.T., *tekh. red.*

[Use of plastic materials in the machinery manufacture; list of literature (for inventors, efficiency promoters, and innovators of the industry)] *Primenenie plastmass v mashinostroenii; katalog literatury (v pomoshch' izobretateliam, ratsionalizatoram i novatoram proizvodstva)*. Khar'kov, *Izd-vo TsBTI Khar'kovskogo SNKh*, 1960. 55 p. (MIRA 16:7)

1. Khar'kov. *Tsentral'naya nauchno-tehnicheskaya biblioteka*. (Plastics) (Machinery industry)

REZNICHENKO, Vladlen Alekseyevich; ROPOPORT, Mikhail Borisovich;
TKACHENKO, Vasily Andreyevich; DMITROVSKIY, Ye. B., kand. tekhn. nauk,
otv. red.; MAKOVSKIY, G. M., red. izd-va; GOLUBEV, S. P., tekhn. red.; LAUT,
tekhn. red.

[Titanium metallurgy; investigating the electric melting
of titanium slags] Metallurgiya titana; issledovanie
elektroplavki titanovykh shlakov. Moskva, Izd-vo AN SSSR,
1963. 198 p. (MIRA 16:9)

(Titanium--Electrometallurgy)

ZYKOV, A.I.; TKACHENKO, V.D.; OSTROVSKIY, Ye.K.

Measurement of the reflection coefficient of a periodic wave
guide in pulsed operation. Radiotekh. i elektron.5 no.12:
1933-1936 D'60. (MIRA 13:11)

1. Fiziko-tekhnicheskii institut AN USSR.
(Wave guides)

ACC NR: AP7005881

SOURCE CODE: UR/0181/66/008/012/3683/3684

AUTHOR: Volod'ko, L. V.; Lappo, M. T.; Lomako, V. M.; Tkachev, V. D.

ORG: Belorussian State University im. V. I. Lenin, Minsk (Belorusskiy gosudarstvennyy universitet)

TITLE: Modulation of light reflected from silicon p-n junctions irradiated with fast neutrons

SOURCE: Fizika tverdogo tela, v. 8, no. 12, 1966, 3683-3684

TOPIC TAGS: pn junction, neutron irradiation, fast neutron, light reflection, light modulation

ABSTRACT: Working on the assumption that the spectra of modulated reflected light can yield information on the energy spectrum of radiation damage in semiconductor crystals, especially directly in the vicinity of p-n junctions, the authors have measured the dependence of the intensity of reflected light on the magnitude of the current through a p-n junction in n-type silicon with specific resistivity 0.5 ohm-cm. The junction was prepared by diffusion, the light was produced by an incandescent lamp, and the reflected light was measured with a monochromator. The nonequilibrium carriers were injected by applying unipolar current pulses at 20 cps frequency in the forward direction. Reflection from nonirradiated control samples was observed over the entire spectral range (0.8 - 2.5 μ) and exhibited no structure. Irradiation with neutrons (integral dose from 10^{15} to 10^{18} neut/cm²) produced a clear-cut structure in the spec-

Card 1/2

UDC: none

ACC NR: AP7005881

tral region from 1 to 2.5 μ . The shape of the spectra depend on the irradiation dose and on the subsequent heat treatment, thus pointing to a direct connection between the observed maxima and the damage produced by the radiation. From a comparison of the data obtained with earlier results (FTT v. 5, 3188, 1963) on the photoconductivity in irradiated silicon crystals, it is concluded that the maxima observed on the structure are correlated with the radiation-damage levels determined in the earlier paper. Orig. art. has: 2 figures. [02] [WA95]

SUB CODE: 20/ SUBM DATE: 01Jul66/ ORIG REF: 001/ OTH REF: 001

Card 2/2

ACC NR: AP7007511

SOURCE CODE: UR/0250/67/011/001/0013/0015

AUTHOR: Sevchenko, A. N. (Academician AN BSSR); Tkachev, V. D.
Lugakov, P. F.

ORG: Belorussian State University im. V. I. Lenin (Belorusskiy gosudarstvennyy universitet)

TITLE: Electric and photoelectric properties of p-type silicon single crystals irradiated with fast neutrons

SOURCE: AN BSSR. Doklady, v. 11, no. 1, 1967, 13-15

TOPIC TAGS: neutron irradiation, silicon single crystal, crystal property, *PHOTOELECTRIC PROPERTY, ELECTRIC PROPERTY*

ABSTRACT: An investigation was made of the electric and photoelectric properties of silicon p-type single crystals irradiated with fast neutrons. The investigated crystals contained about 10^{18} oxygen atoms per cubic centimeter. Initial resistivity was 1 and 30 ohm-cm for lower- and higher-purity crystals respectively. The specimens were irradiated in a reactor with various fast neutron fluxes (1×10^{13} — 5×10^{18} neutrons/cm²). The electrical conductivity was measured before and after irradiation, and the photoconductivity spectra were taken at room and nitrogen temperatures. It is shown that the increase of integral

Card 1/2

UDC: none

ACC NR: AP7007511

flux of fast neutrons leads to an increase in resistivity, i.e., to compensation of the principal chemical impurity. In the higher-purity crystals (30 ohm·cm), a larger change in resistivity at smaller irradiation doses (10^{15} neutrons/cm²) was observed than in the lower-purity crystals (1 ohm·cm), in which the resistivity begins to change only at fluxes exceeding 10^{15} neutrons/cm². The photoconductivity spectra of p-type silicon crystals with a 30 ohm·cm resistivity irradiated with a flux of 1×10^{15} neutrons/cm² show a rise in photoconductivity in the region of wavelengths: 3.1, 2.8, 2.6, 2.2, 1.65, and 1.25 μ m, which correspond to the energy minima necessary to bring electrons from the valence band to free levels: $E_v+0.40$ ev, $E_v+0.45$ ev, $E_v+0.76$ ev ($E_c-0.40$ ev), and $E_v+0.99$ ev ($E_c-0.16$ ev) with the formation of majority carriers (holes). The photoconductivity spectra of a crystal irradiated with a flux of 1×10^{16} neutrons/cm² show that in the range 1.4-1.6 μ m optical quenching of the photoconductivity occurs. The rise in photoconductivity can be associated with centers which introduce into the forbidden band of p-type silicon the following levels: $E_v+0.30$ ev, $E_v+0.35$ ev, $E_v+0.38$ ev, $E_v+0.40$ ev, and $E_v+0.45$ ev. When the crystals are irradiated with a flux of 1×10^{17} neutrons/cm² a series of centers appears on the photoconductivity spectrum which introduce deep levels into the forbidden band. In the range 2.5-3.6 μ m, a longwave optical photoconductivity quenching takes place. Orig. art. has: 2 figures. [WA95] [JA]

SUB CODE: 20/ SUBM DATE: none

Card 2/2

ATAMALYAN, B.G.; SKLOVSKIY, G.O.; TKACHENKO, V.G. [deceased].

Studying strain distribution in members of the VAS-42 A-shaped
derrick. Neft. khoz. 35 no.9:28-31 S '57. (MIRA 11:1)
(Oil well drilling--Equipment and supplies)
(Strains and stresses)

FRACHENKO, V. G.

"On the Kinetics of the Oxidizing-Reducing Potentials. IV." by A. I. Lobinjan, I. G. Appenin, and stud. V. G. Frachenko (p. 1599)

SO: Journal of General Chemistry (Zhurnal Obshchei Khimii) 1946, Volume 16, No. 10

20112

S/109/60/005/012/010/035
E192/E482

911310

AUTHORS: Zykov, A.I., Tkachenko, V.D. and Ostrovskiy, Ye.K.

TITLE: Pulse Measurement of the Reflection Factor of a
Periodic Waveguide

PERIODICAL: Radiotekhnika i elektronika, 1960, Vol.5, No.12,
pp.1933-1936

TEXT: The paper presents a method and experimental results of measuring the reflection factor of a diaphragmed waveguide under pulse conditions. It is found that the distortion of the pulse envelope in such a waveguide 3.5 m long is very severe and the SWR measured under stationary conditions does not reflect the true situation. The envelope settling time is much greater than the pulse duration (2 μ sec). The form of pulse reflected back to the input of the waveguide at various frequencies is shown in Fig.3. Under such conditions, the SWR measured by a pulse method can only have a formal significance; in the present paper the SWR was measured at the centre of the pulse. Under these conditions, differences of up to 35% between the pulse and stationary SWR's were found. There are 3 figures and 1 table.

Card 1/2

Pulse Measurement of ...

20112
S/109/60/005/012/010/035
E192/E482

ASSOCIATION: Fiziko-tekhnicheskiy institut AN UkrSSR
(Physicotechnical Institute AS UkrSSR)

SUBMITTED: February 29, 1960




Fig.3.

Рис. 3. Форма отраженного импульса на входе диафрагмированного волновода при различных частотах

Card 2/2

TKACHENKO, V.F.

Effect of intrusions on the metamorphism of coals in the South
Donets Basin deposit. Geol.zhur. 22 no.4:89-94 '62.

(MIRA 15:9)

1. Trudivs'ka GRP.

(Donets Basin--Coal geology) (Metamorphism)

TKACHENKO, V.F.

Time of the formation of tectonic structures in the southwestern margin
of the Donets Basin. Geol. zhur. 24 no.1:97-101 '64. (MIRA 18:7)

1. Dnepropetrovskaya ekspeditsiya Ukrainского nauchno-issledovatel'skogo
gornorudnogo instituta.

TKACHENKO, V.F.

Tectonics of the southern wing of the Kal'mius-Torots trough in
the Donets Basin. Trudy UkrNIGRI no.5:35-42 '63.

(MIRA 1803)

TRACHENKO, V.F.

Origin of some coal bed "washouts" in the Donets Basin. Geol. zhur.
24 no.2:48-51 '64 (MIRA 18:2)

1. Dnepropetrovskaya ekspeditsiya, Ukrainskiy nauchno-issledovatel'skiy gornorudnyy institut.

MILERYAN, Ye.A.; TKACHENKO, V.G.

Influence of exercise on the value of the spatial threshold of
tactile differentiation. Vop.psikhol. 7 no.3:60-69 My-Je '61.
(MIRA 14:6)

1. Institut psikhologii USSR.
(Exercise) (Senses and sensation) (Skin)

L 05706-67 EWP(k)/EWT(d)/EWT(m)/EWF(h)/T/EWP(l)/EWP(w)/EWT(r)/EWF(o)/EWT(i) TWP(c)

ACC NR: AP6029677

JD/HM/JG (N)

SOURCE CODE: UR/0136/66/000/008/0090/0092

AUTHOR: Kharchenko, G. K.; Tkachenko, V. G.

ORG: none

27
B

TITLE: Titanium cladding of steel with a vanadium insert

SOURCE: Tsvetnyye metally, no. 8, 1966, 90-92

TOPIC TAGS: metal cladding, titanium ~~cladding~~, titanium ~~clad~~ steel, metal property

ABSTRACT: Titanium cladding of steel with a vanadium insert has been tested. The cladding was done by rolling a pack consisting of electrolytically polished steel, vanadium, and titanium sheets in a two-high vacuum mill 170 at 1000C. It was found that the bond strength of clad sheets was over 30 kg/mm². Fracture occurred in the steel-vanadium transition zone, because of the layer containing brittle vanadium carbides with microhardness of over 1150 kg/mm². Alloying the steel with up to 20% carbon-forming elements did not reduce the diffusion of carbon from steel to vanadium. Diffusion of carbon increases with increased reduction. Therefore, rolling should be performed at the lowest possible temperature and reduction. In another experiment, high-purity vanadium (less than 0.02% carbon) was diffusion bonded to titanium, and to titanium and iron, in vacuum at 900C. Two diffusion layers were found in the transition zone between titanium and vanadium. One, on the vanadium side, was β -titanium (microhardness - 200-300 kg/mm²); the other consisted of α -phase and

Card 1/2

UDC: 669.868

L 05706-67

ACC NR: AP6029677

oversaturated α' -phase (microhardness - 400—500 kg/mm²). The microstructure of the transition zone between iron and vanadium showed again the presence of vanadium carbides. Orig. art. has: 3 figures. [TD]

SUB CODE: 11, 13/ SUBM DATE: none/ ORIG REF: 003/ OTH REF: 003/ ATD PRESS: 5069

MW
Card 2/2

KHARCHENKO, G.K.; TEACHENKO, V.G.

Preparation of test pieces for the mechanical testing of
bimetals. 1Svet. met. 38 no.2:89-90 F 165.

(1114 18:1)

TRACHENKO, V.G., assistant

Amylase activity of the saliva in some precancerous diseases of
man. Trudy GMI no.54:71-75 1964. (MIRA 18:9)

1. Iz kafedry biologicheskoy khimii (zav.- dokent L.S.
Stepanenko) Odeskogo meditsinskogo instituta.

TRACHENKO, V.G.,
A. L. ROTMYAM, ZhOKh 16, 1599-1612 (1946)

PETROV, Mikhail Aleksandrovich; TKACHENKO, Vladimir Gerasimovich;
TSYBULEVSKIY, B.L., red.; YERKHOVA, Ye.A., tekhn. red.

[Black guard of the Pentagon] Chernaia gvardiia Pentagona.
Moskva, Izd-vo In-ta mezhdunarodnykh otnoshenii, 1962. 55 p.
(United States--Army) (MIRA 15:6)

19D AND 4TH CODES

1ST AND 2ND ORDERS

PROCESSES AND PROPERTIES INDEX

21

S

Determination of Sulphur in Blast-Furnace Slags. A. M. Kargin and V. I. Tkachenko (Zavolokaya Laboratoriya, 1940, vol. 13, Sept., p. 1131). [In Russian]. The following method is said to be satisfactory for the determination of sulphur in blast-furnace slags: the sample (0.5 g.) in a porcelain boat is covered with exactly 1 g. of a standard sample of steel with the smallest possible known sulphur content, and sulphur is then determined by combustion in a stream of oxygen, the sulphur content of the steel being allowed for in the calculation of results. —s. k.

COMPONENT ELEMENTS

MATERIALS INDEX

ASB-SLA METALLURGICAL LITERATURE CLASSIFICATION

1ST AND 2ND LETTERS

3RD LETTER

4TH LETTER

5TH LETTER

6TH LETTER

7TH LETTER

8TH LETTER

9TH LETTER

10TH LETTER

11TH LETTER

12TH LETTER

13TH LETTER

14TH LETTER

15TH LETTER

16TH LETTER

17TH LETTER

18TH LETTER

19TH LETTER

20TH LETTER

21ST LETTER

22ND LETTER

23RD LETTER

24TH LETTER

25TH LETTER

26TH LETTER

27TH LETTER

28TH LETTER

29TH LETTER

30TH LETTER

31ST LETTER

32ND LETTER

33RD LETTER

34TH LETTER

35TH LETTER

36TH LETTER

37TH LETTER

38TH LETTER

39TH LETTER

40TH LETTER

41ST LETTER

42ND LETTER

43RD LETTER

44TH LETTER

45TH LETTER

46TH LETTER

47TH LETTER

48TH LETTER

49TH LETTER

50TH LETTER

51ST LETTER

52ND LETTER

53RD LETTER

54TH LETTER

55TH LETTER

56TH LETTER

57TH LETTER

58TH LETTER

59TH LETTER

60TH LETTER

61ST LETTER

62ND LETTER

63RD LETTER

64TH LETTER

65TH LETTER

66TH LETTER

67TH LETTER

68TH LETTER

69TH LETTER

70TH LETTER

71ST LETTER

72ND LETTER

73RD LETTER

74TH LETTER

75TH LETTER

76TH LETTER

77TH LETTER

78TH LETTER

79TH LETTER

80TH LETTER

81ST LETTER

82ND LETTER

83RD LETTER

84TH LETTER

85TH LETTER

86TH LETTER

87TH LETTER

88TH LETTER

89TH LETTER

90TH LETTER

91ST LETTER

92ND LETTER

93RD LETTER

94TH LETTER

95TH LETTER

96TH LETTER

97TH LETTER

98TH LETTER

99TH LETTER

100TH LETTER

TKACHENKO, V.I.

A new Calligonum species in Kirghizia (Uzum-Akhmat-Tau). Trudy Inst.
bot. i rast, KirFAN SSSR no.1:25-26 '54. (MLRA 10:1)
(Naryn Valley--Calligonum)

KUNCHENKO, Anna Ivanovna; TRACHENKO, V.I., ed. ed.

[New trees and shrubs in the western Pamyrs region;
introduction, biology, and recommendations] Nove de-
rev'ia i kustarniki v Zapadnom PriIssykkul'e; introduk-
tsiia, biologii, rekomendatsii. Frunze, Izd-vo AN Kirgiz.
SSR, 1964. 139 p. (MIRA 1738)

BOGATYREV, K.P.; VADKOVSKAYA, O.A.; GERASIMOV, I.P.; GERASIMOV, Iv.P.;
YEROKHINA, A.A.; IVANOVA, Ye.N.; LETKOV, L.A.; LIVEROVSKIY, Yu.A.;
LOBOVA, Ye.V.; HOGINA, H.A.; ROZOV, N.N.; HUDHEVA, Ye.N.; TKACHENKO,
V.I.; UFIMTSEVA, K.A.; FRIJLAND, V.M.

Academician L.I. Prasllov; obituary. Izv. AN SSSR Ser. geog. no. 2:
73-78 Mr-Ap '54. (MLRA 7:5)

(Prasllov, Leonid Ivanovich, 1875-1954)

TKACHENKO, V.I.

"Technology of automobile and tractor construction." D.P.Maslov,
V.V.Sasov, P.G.Nizhanskii. Reviewed by V.I.Tkachenko. Avt.trakt.
prom. no.10:32-32 0 '54. (MLRA 7:10)

1. Altayskiy traktornyy zavod.
(Automobiles--Design and construction) (Maslov, D.P.)
(Sasov, V.V.) (Nizhanskii, P.G.)

TKACHENKO, V.I.; KUNCHENKO, A.I.

Trees and shrubs of the Far East in northern Kirghizia. Biol.
Glav.bot. sada no.19:16-21 '54. (MIRA 8:2)

1. Botanicheskiy sad Kirgizskogo filiala Akademii nauk SSSR.
(Kirghizistan--Trees) (Kirghizistan--Shrubs)

NIKITINA, Ye.V.; PROTOPOPOV, G.F.; ROZHEVITS, R.Yu. [deceased]; POPOVA, K.I.,
 KASHCHENKO, L.I.; SMIRNOV, L.A.; TKACHENKO, V.I.; YAKUBOVA, P.A.;
 GOLOVKOVA, A.G.; AYDAROVA, P.A.; SEFOIA, Ye.I.; SHEVCHENKO, D.A.;
 SHISHKIN, Boris Konstantinovich, professor, doktor biologicheskikh
 nauk, nauchnyy redaktor; VVEDENSKIY, A.I., nauchnyy redaktor;
 YEVRUSHENKO, G.A., professor, otvetstvennyy redaktor; KOVALEV, V.N.,
 otvetstvennyy redaktor; SEREBRYAKOV, V.I., tekhnicheskii redaktor

[The flora of Kirghizistan; classification of the plants of
 Kirghizistan] Flora Kirgizskoi SSR; opredelitel' rastenii Kirgizskoi
 SSR. Sost. B.V.Nikitina i dr. Frunze, Izd-vo Akademii nauk Kirgizskoi
 SSR. Vol.1. [Pteridophyta, Gymnosperms and Monocotyledons of the
 Angiosperms] Paporotnikoobraznye, golosemennye i odnodol'nye iz
 pokrytosemennykh. 1952. 103 p. Vol. 2. [Grasses and sedges] Zlaki
 i osokovy. 1950. 315 p. Vol.3. [Aroidae - Orchidaceae] Aroidnye -
 Orkhidnye. 1951. 148 p. Vol.4. [Salicaceae - Polygonaceae] Ivovye -
 Grechishnye. 1953. 153 p. Vol. 5. [Families: Chenopodiaceae,
 Amaranthaceae, Portulacaceae, Caryophyllaceae] Semeistva: Marevye,
 Amarantovy, Portulakovye, Gvozdichnye. 1955. 185 p. Vol. 6.
 [Families: Ceratophyllaceae, Ranunculaceae, Berberidaceae,
 Papaveraceae, Capparidaceae, Cruciferae] Semeistva: Rogolistnikovye,
 Liutikovye, Barbarisovy, Makovy, Kapersovy, Krestotsvetnye. 1955.
 297 p. (MIRA 9:10)

1. Chlen-korrespondent Akademii nauk SSSR (for Shishkin)
 (Kirghizistan--Botany)

FRUNZE, V.
KAREYEV, E.Z., kand.sel'skokhoz.nauk; TKACHENKO, V.I., kand.biolog.nauk;
KUNCHENKO, A.I., mladshiy nauchnyy sotr.; SHPAK, R.L., mladshiy
nauchnyy sotr.; KRIVOSHEYEVA, L.S., mladshiy nauchnyy sotr.;
NIKITINA, Ye.V., kand.biol.nauk, red.; ANOKHINA, M.G., tekhn.red.

[Guide to the botanical garden] Putevoditel' po Botanicheskomu
sadu. Frunze, 1957. 78 p. (MIRA 11:1)

1. Akademiya nauk Kirgizskoy SSR, Frunze. Botanicheskiy sad.
2. Akademiya nauk Kirgizskoy SSR, Botanicheskiy sad, Institut
botaniki (for Kareyev, Tkachenko, Kunchenko, Shpak, Krivosheyeva,
Nikitina).

(Frunze--Botanical gardens)

NIKITINA, Ye.V.; POPOVA, L.I.; AYDAROVA, R.A.; KASHCHENKO, L.I.; PROTOPOPOV,
G.F.; UBUKEYEVA, A.U.; TKACHENKO, V.I.; KORKEVA, I.G.; GBOZOV, A.O.;
GOLOVKOVA, A.G.; VVEDENSKIY, A.I., nauchnyy redaktor; TSYBINA, Ye.V.,
tekhnicheskiiy redaktor

[Flora of the Kirghiz S.S.R.; guide to plants of the Kirghiz S.S.R.]
Flora Kirgizskoi SSR; opredelitel' rastenii Kirgizskoi SSR. Frunze,
Izd-vo AN Kirgizskoi SSR. Vol.7. 1957. 642 p. (MLRA 10:9)
(Kirghizistan--Botany)

TKACHENKO, V.I.; KUNCHENKO, A.I.

Raising birch in the Frunze Botanical Garden. Biul.Glav.bot.sada
no.27:18-20 '57. (MLRA 10:5)

1.Botanicheskiy sad Akademii nauk Kirgizskoy SSR.
(Frunze--Birch)

I. K. H. H. H. H. V. I.

GAN, P.A.; DZHANAYEVA, V.M.; KUNCHENKO, A.I.; LYSOVA, N.V.; NIKITINA,
Ye.V.; PROTOPOPOV, G.F.; PRUTENSKIY, D.I.; TEACHENKO, V.I.;
ANOKHINA, M.G., tekhn.red.

[Trees and shrubs of Kirghizistan] Derev'ia i kustarniki
Kirgizii. Frunze. No.1. [Gymnosperms] Golosemnyye. 1959.
119 p. (MIRA 13:2)

1. Akademiya nauk Kirgizskoi SSR, Frunze. Institut botaniki.
Sektor lesa. (Khirghizistan--Gymnosperms)

NIKITINA, Ye.V.; AYDAROVA, R.A.; KASHCHENKO, L.I.; UBUKEYEVA, A.U.;
POPOVA, L.I.; TKACHENKO, V.I.; GOLOVKOVA, A.G., SHPOTA, Ye.I.;
FILATOVA, N.S.; SHARASHOVA, V.S.; VVEDENSKIY, A.I., nauchnyy red.;
VYKHODTSEV, I.V., red.; ANOKHINA, M.G., tekhn.red.

[Flora of the Kirghiz S.S.R.; key to the plants of the Kirghiz
S.S.R.] Flora Kirgizskoi SSR; opredelitel' rastenii Kirgizskoi
SSR. Sost. M.V.Nikitina i dr. Nauchn.red. A.I.Vvedenskii. Frunze,
Izd-vo Akad.nauk Kirgizskoi SSR. Vol.8. [The carrot, dogwood, winter-
green, heath, primrose, leadwort, olive, gentian, dogbone, milkweed,
and morning-glory families] Semeistva: zontichnye, kizilovye, grushan-
kovye, vereskovye, pervotsvetnye, svinchatkovye, maslinovye, gore-
chavkovye, kutrovye, lastovnevye, v'iunkovye. 1959. 222 p. Vol.9.
[The mint and nightshade families] Semeistva: gubotsvetnye i pasle-
novye. 1960. 213 p. (MIRA 13:7)
(Kirghizistan--Dicotyledons)

TKACHENKO, V.I.

A new honeysuckle from the Kirghiz Range. Izv. AN Kir. SSR.
Ser. biol. nauk 1 no. 3: 147-149 '59. (MIRA 13:7)
(KIRGHIZ RANGE--HONEYSUCKLE)

TKACHENKO, V.I.

Results of tree and shrub introductions at the Botanical Garden
of the Institute of Botany of the Academy of Sciences of the
Kirghiz S.S.R. Trudy Bot.inst.Ser.6 no.7:469-470 '59.
(MIRA 13:4)

1. Botanicheskiy sad Instituta botaniki AN KirgSSR, Frunze.
(Kirghizistan--Trees)
(Kirghizistan--Shrubs)

TKACHENKO, V.I.; GAREYEV, E.Z., otv.red.; BUTENKO, N.P., red.izd-va;
ANOKHIMA, M.G., tekhn.red.

[Trees and shrubs of the North American flora in the botanical
garden of Frunze] Derev'ia i kustarniki severoamerikanskoj
flory v usloviakh Botanicheskogo sada goroda Frunze. Frunze,
Izd-vo Akad.nauk Kirgizskoi SSR, 1960. 129 p. (MIRA 13:7)
(Frunze--Plant introduction) (Trees) (Shrubs)

TKACHENKO, V.I.

Injury of trees and shrubs due to sharp drops in temperature during the vegetative period. *Biul.Glav.bot.sada* no.36:43-46 '60. (MIRA 13:7)

1. Botanicheskiy sad Akademii nauk Kirgizskoy SSR, g. Frunze.
(Kirghizistan--Plants--Frost resistance)
(Trees)
(Shrubs)

DZHANAYEVA, Valentina Mikhaylovna; TKACHENKO, V.I., otv. red.

[Juniper in Kirghizistan; its composition, biology, and growing] Archa v Kirgizii; sostav, biologiya i vyrashchivanie. Frunze, Ilim, 1965. 97 p. (MIRA 18:12)

NIKITINA, Ye.V.; AYDAROVA, R.A.; DZHANAYEVA, V.M.; UBUKEYEVA, A.U.;
ARBAYEVA, Z.S.; SUDNITSYNA, I.G.; SULTANOVA, R.M.; GOREUNOVA,
N.V.; TKACHENKO, V.I.; FILATOVA, N.S.; CHERNEVA, O.V.;
VVEDENSKIY, A.I., nauchn. red.; VYKHODTSEV, I.V., otv. red.

[Flora of the Kirghiz S.S.R.; a guide to the plants of the
Kirghiz S.S.R.] Flora Kirgizskoi SSR; opredelitel' rastenii
Kirgizskoi SSR. Frunze, Ilim. Vol.11. 1965. 606 p.
(MIRA 18:11)

TKACHENKO, V.I.

Raising wild apple trees of Kirghizistan in the Botanical Garden.
Izv. AN Kir,SSR.Ser.biol.nauk 5 no.4:19-33 '63. (MIRA 17:4)

TKACHENKO, V.I.

Results of the introduction of trees and shrubs and their use
in the greenbelts and parks of the Republic. Izv. AN Kir. SSR.
Ser. biol. nauk 5 no.2:13-19 '63. (MIRA 16:9)

SHPAK, Raisa Lukinichna; TKACHENKO, V.I., otv. red.; SORONBAYEVA,
N.V., red. izd-va; PCPOVA, M.G., tekhn. red.

[Annual cycle in the development of some tulips of
Kirghizistan] Godovoí tsikl razvitiia nekotorykh tiul'pa-
nov Kirgizii. Frunze, Izd-vo Akad.nauk Kirgizskoi SSR,
1963. 65 p. (MIRA 16:7)
(Kirghizistan--Tulips)

TKACHENKO, V.I.

New species of plants in the collection of the Frunze Botanical Garden. Biul. Glav. bot. sada no.45:55-59 '62. (MIRA 16:2)

1. Botanicheskiy sad AN Kirgizskoy SSR, Frunze.
(Frunze--Poplar)
(Frunze--Honeysuckle)

TKACHENKO, V.I.

Biology of trees and shrubs in the Frunze Botanical Garden. Izv.
AN Kir.SSR.Ser.biol.nauk 4 no.3:33-42 '62. (MIRA 15:11)
(FRUNZE--WOODY PLANTS)
(FRUNZE--PLANT INTRODUCTION)

TKACHENKO, V.I.

Replenishing tree and shrub species for landscape gardening in
Frunze. Izv.AN Kir.SSR.Ser.biol.nauk 4 no.3:15-20 '62.
(MIRA 15:11)

(FRUNZE--LANDSCAPE GARDENING)
(FRUNZE--WOODY PLANTS)

GAN, P.A.; DZEMANAYEVA, V.M.; KARAFI-KORBUT, I.G.; KRIVOSHEYEVA, L.S.;
KUNCHENKO, A.I.; ORLOVA, N.A.; PROTOPOPOV, G.F.; PRUTENSKIY,
D.I.; TKACHENKO, V.I.; SOROBAYEVA, N.V., red. izd-va; POPOVA,
M.G., tekhn. red.

[Trees and shrubs of Kirghizia]Derev'ia i kustarniki Kirgizii.
Frunze, Izd-vo AN Kirgizskoi SSR. No.2. [Families: Liliaceae-
Moraceae]Semeistva lileinye-tutovye. 1961. 211 p.

(MIRA 15:10)

1. Akaderiya nauk Kirgizskoy SSR, Frunze. Institut botaniki.
Sektor lesa.

(Kirghizistan--Angiosperms)

NIKITINA, Ye.V.; AYDAROVA, R.A.; UBUKEYEVA, A.U.; FILATOVA, N.S.;
SUDNITSYNA, I.G.; TKACHENKO, V.I.; SHARASHOVA, V.S.;
KASHCHENKO, L.I.; SHPOTA, Ye.I.; VVEDENSKIY, A.I., nauchnyy
red.; VYKHODTSEV, I.V., otv. red.; SORONBAYEVA, N.V., red.
izd-va; ANOKHINA, M.G., tekhn. red.

[Flora of the Kirghiz S.S.R.; classification key of the plants
of the Kirghiz S.S.R.] Flora Kirgizskoi SSSR; opredelitel' ra-
stenii Kirgizskoi SSSR. Sost. E.V.Nikitina i dr. Nauchn. red.
A.I.Vvedenskii. Frunze, Izd-vo Akad.nauk Kirgizskoi SSR.
Vol.10. [Families: Cuscutaceae, Polemoniaceae, Boraginaceae,
Verbenaceae, Scrophulariaceae, Bignoniaceae, Orobanchaceae,
Lentibulariaceae, Plantaginaceae, Rubiaceae, Caprifoliaceae,
Adoxaceae, Valerianaceae, Morinaceae, Dipsacaceae, Cucurbitaceae,
Campanulaceae, Lobeliaceae] Semeistva: Povolikovye, Siniukhovye,
Burachnikovye, Verbenovye, Norichnikovye, Bignonievye, Zarazi-
khovye, Fuzyrchatkovye, Podorozhnikovye, Marenovye, Zhimolostnye,
Adoksovye, Valerianovye, Morinovye, Vorsiankovye, Tykvennye,
Kolokol'chikovye, Lobelievye. 1962. 387 p. (MIRA 15:9)
(Kirghizistan--Dicotyledons)