

SECRET

Executive Registry
66-2513/1

2 JUN 1966

MEMORANDUM FOR: Deputy Director for Support

SUBJECT: Utilization of Interim Assignment (Pool) Slots

25X1

REFERENCE: Memo dated 19 May 1966 to the Executive Director-Comptroller from the Acting DD/S, Same Subject (attached) (ER 66-2513)

1. Reference request is returned without approval as I am not persuaded that the Interim Assignment Section should be used to provide ceiling relief for the permanent staffing requirements of the Office of Personnel.

2. I recognize that this unforeseen requirement places an additional burden on the Office of Personnel. However, I note a continuing understrength status in relation to authorized ceiling throughout the DD/S during the past nine months; to cite but two examples, the immediate office of DD/S has averaged seventeen positions understrength and Office of Logistics has averaged twenty-seven positions understrength since August 1965. Therefore I ask that you provide the needed relief for these two positions by internal ceiling adjustments within the DD/S and program the added requirement into the FY 1968 budget.

/s/ L. K. White

L. K. White
Executive Director-Comptroller

Attachment

O/PPB/BD/MCB/ [redacted] lw (27 May 1966)

Distribution:

- Orig. & 1 - Addressee (w/attach)
- 1 - PPB Reading
- ① - ER
- 1 - BD Chrono
- 1 - ExDir
- 1 - SAB
- 1 - PPB Subj (MCB)

SECRET

GROUP 1
Excluded from automatic
downgrading and
declassification

2005

25X1

Approved For Release 2002/07/29 : CIA-RDP80B01676R000500120010-5

Approved For Release 2002/07/29 : CIA-RDP80B01676R000500120010-5

SECRET

SUBJECT: Utilization of Interim Assignment (Pool) Slots for

[Redacted]

25X1

CONCUR: in the provision of the personnel for the task from DD/S ceiling.

[Redacted]

31 MAY 1966

Date

**Director of Planning, Programming
and Budgeting**

The recommendation contained in paragraph 4 above is approved.

See Memo dtd 2 Jun 66 to DD/S for Exhlc-Comp, same subj.

L. K. White

Date

Executive Director-Comptroller

Distribution:

Orig - Adse (ret to DD/S)

1 - ER

1 - D/PPB

1 - D/OP

2 - DD/S (1 w/h)

SECRET

25X1