File: ADP Contract Officer

ODP-81-875
9 July 1981

MEMORANDUM FOR: See Distribution

STAT FROM : [redacted]

SUBJECT : Excess ADP Equipment

1. The Computer Services Division, PSG/NPIC has in its possession two Univac 5039-99 Disc Control Units containing the following features:

a. F2077-01 1100 Read Only Memory (ROM)
b. F2163-00 MSA Adapter
c. 0974-00 MSA III (one per cabinet)
d. F2041-00 SPI (one per cabinet)

This equipment is currently being purchased under a five-year Approved Payment Plan (APP).

2. On or about 1 October 1981 this equipment is scheduled for release by the Computer Services Division, PSG/NPIC for possible use by the Agency. The ADP costs over the next three years will be [redacted] STAT
STAT [redacted]. The Agency has accumulated equity to date of [redacted] STAT
toward full title of this equipment.

3. The Computer Services Division must notify Univac by 1 September 1981 to remove this equipment from the APP if no other requirement is found. Potentially, the Government could
STAT lose the equity of [redacted] it has accumulated on this equipment to date.

4. Also the Computer Services Division, PSG/NPIC has in its possession two cabinets of Univac 7030-00 Primary Memory of 131K storage each. Each cabinet consists of the following features.

a. One F1952-02 Storage Expansion
b. One F1952-03 Storage Expansion
c. One F1953-00 MMA Expansion
d One F1953-01 MMA Expansion
e One 2407-00 Auxiliary Power Supply Cabinet

This equipment is currently being purchased under a five-year Approved Payment Plan (APP).

5. On or about 1 February 1982 this equipment is scheduled for release by the Computer Services Division, PSG/NPIC for possible use by the Agency. The APP costs over the next two fiscal years will be [redacted] STAT after which time title will pass to the Government. The Government has accumulated equity to date of [redacted] STAT toward full title of this equipment.

6. The Computer Services Division must notify Univac by 1 September 1981 to switch the equipment to straight lease.

7. If your component has a requirement for any of the equipment, please forward a Speed Letter to ODP Management Staff. STAT Attn: [redacted]

STAT [redacted]

Distribution:
DDO/ADP Control Officer
NFAC/ADP Control Officer
OC/ADP Control Officer
OCO/ADP Control Officer
OCR/ADP Control Officer
OD&E/ADP Control Officer
ORD/ADP Control Officer
OSO/ADP Control Officer
OTE/ADP Control Officer
OTS/ADP Control Officer
DD/A/ODP
C/CEMB/ODP

STAT

Approved For Release 2005/08/02 : CIA-RDP84-00933R000200180026-5

ODP-81-804
24 June 1981

MEMORANDUM FOR: See Distribution

25X1 FROM : [redacted]
Policy and Plans Group, ODP

SUBJECT : Excess ADP Equipment

1. The attached Property Turn-In Document (Form 1707) lists ADP equipment excess to an office's needs. If your component has a requirement for any of the equipment, please forward a Speed Letter to ODP Management Staff, Attn: 25X1 [redacted] Room 2D0105, Headquarters by 16 July 1981. The Speed Letter should include the following information from the Form 1707:

Turn-In No. (Document Control No.);
Item No.;
Nomenclature; and
A statement of the requirement.

2. Any technical questions about the equipment should be addressed directly to the contact named on the form. If you have any questions concerning the reassignment of this equipment, please feel free to call me on [redacted] 25X1

[redacted] 25X1

Att: Form 1707; No.: 6061-81147-501 (item 1)
Form 1707; No.: 0994-81127-014 (all items)

cc: DDO ADP Control Officer
NFAC ADP Control Officer
OCO ADP Control Officer
OD&E ADP Control Officer
ORD ADP Control Officer
OSO ADP Control Officer
DD/A/ODP
DD/P/ODP
C/CEMB/ODP
C/PDB/ISSG/OS 25X1

[redacted]

This document becomes UNCLASSIFIED when separated from attachment.

25X1

ODP/MS/SS:js:chm/[redacted](28Apr81)(excess-adp)(js'disk)

DISTRIBUTION:
ORIGINAL & 1 - ADDRESSEE
2 - O/D/ODP
1 - MS CHRONO
1 - MS SUBJECT FILE
2 - ODP REGISTRY

ILLEGIB

ILLEGIB

STAT

Approved For Release 2005/08/02 : CIA-RDP84-00933R000200180026-5

25X1

HEADQUARTERS PROPERT URN-IN DOCUMENT

DOCUMENT CONTROL NUMBER 0001-81147-501

RESP [redacted]

DATE	OFFICE	TELEPHONE	COST CENTER
-27-81	NPIC/SS/LB/SB	[redacted]	1155-2500 25X1

NOTE

. Sterility code for each item must be shown.

. Reference the original DCN for items being returned from "on loan".

- Provide necessary information in remarks section below to insure safe handling and economical disposition of all items.

PICK-UP DATA

ROOM NUMBER AND BUILDING [redacted] 25X1

TELEPHONE [redacted] 25X1

ITEM NO.	STOCK NUMBER	NOMENCLATURE	TO BE COMPLETED BY TURN-IN OFFICE		DEPOT/SMB ACTION	
			QUANTITY	UNIT	COND. CODE	QUANTITY
1.	7025-213-0562	Terminal 804 CRT, Mod. # 0804-001-000, Sanders Data Systems, Inc. SN: 0058N2B6 SN: 00027L2D5 117 Volts 60 Cycle 4 Amps	2ea.	1	F	2
			STER. CODE	UNIT PRICE	S.S. CODE	S-A-C
			0	$9,468.00		
			QUANTITY	UNIT	COND. CODE	QUANTITY
			STER. CODE	UNIT PRICE	S.S. CODE	S-A-C
		//////////////Last Item///////////////	QUANTITY	UNIT	COND. CODE	QUANTITY
			STER. CODE	UNIT PRICE	S.S. CODE	S-A-C
			QUANTITY	UNIT	COND. CODE	QUANTITY
			STER. CODE	UNIT PRICE	S.S. CODE	S-A-C
			QUANTITY	UNIT	COND. CODE	QUANTITY
			STER. CODE	UNIT PRICE	S.S. CODE	S-A-C
			QUANTITY	UNIT	COND. CODE	QUANTITY
			STER. CODE	UNIT PRICE	S.S. CODE	S-A-C
			QUANTITY	UNIT	COND. CODE	QUANTITY
			STER. CODE	UNIT PRICE	S.S. CODE	S-A-C

MARKS BY INITIATING OFFICE: *(include information on condition of each item, recommendation for additional use, special security considerations, etc.)*

DEPOT – CLASSIFICATION REPAIR AND DISPOSAL SECTION

E 25X1 -1-81 R [redacted]

EXCEPTIONS AND/OR REMARKS

R5C

TECHNICAL INSPECTION

E INSPECTED BY

REMARKS

SUPPLY MANAGEMENT BRANCH – DISPOSITION INSTRUCTIONS

E DISPOSITION APPROVED – SD/SMB

APPROVED FOR DISPOSAL

ICS ENTRY/TRANSFER DATA

E RECEIVED BY STOREKEEPER

CHIEF, SUPPLY DIVISION, OL

1707 USE PREVIOUS EDITIONS