APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

R.P.M. of the sprocket and speed of chain 621
Calculation of drives 623
Lubrication and operation of chain drives 627

Gearing and Worm Gearing 629

Gearings (Doctor of Technical Sciences Kudryavtsev, V. N.) 629
Symbols and nomenclature 629
Spur gears 631
Information on the geometry of gearing and on gear cutting 631
Correction of tooth height and angular correction 643
Determination of the engagement overlap coefficient Es 651
Determination of tooth thickness on the outside diameter 652
Measurement of tooth thickness 652
Internal gearing 665
Forces acting in gearing 668
Bevel gears 668
Forces acting in gearing 678

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

Design of high-speed flat belt drives 564
Types of belts 565
Drive design 566
Pulleys for high-speed drives 568

V-belt Drives (Candidate of Technical Sciences Pronin, B. A.) 572
V-belts 573
Characteristics of drive operation 575
Selection of drive parameters 576
Drive design 578
Geometrical relations 578
Calculation for horsepower rating 578
Pulleys 584
Special types of V-belt drives 588

Chain Drives (Candidate of Technical Sciences Stolbin, G. B.) 593
Types of chains and their construction 593
Sprockets 607
Selection of parameters and design of chain drives 618
Ratio and number of teeth 619
Center distance and arrangement of a chain drive 619

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

Pre-tensioning of belts 538
Belt tension and its control 538

Selection of Drive Parameters 539
Selection of type of drive 540
Selection of belt type 540
Pulley diameter 542
Center distance 542
Pre-tensioning 544
Shippage and efficiency 545
Design of common flat belt drives 545
Horsepower ratings 545
Basic dimensions of a pulley 554
Forces acting on shafts 555
Methods of drive design 556
Design of a drive with an idler pulley 561
Geometrical correlations in a drive 562
Design peculiarities 562

Card 12/19

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

Sliding Contact Bearings (Niberg, N. Ya.) 516
Design of sliding contact bearings 516
Sample calculation for sliding contact bearings 521
Selection of fits for sliding contact bearings 523
Selection of grades of surface roughness for contact surfaces of bearings 523
Lubrication of sliding contact bearings 524

Belt and Chair Drives 529

Flat Belt Drives (Candidate of Technical Sciences Belyayev, V. N.) 529

General Information 529
Geometrical and kinematic relations 529
Forces acting in drives 533
Unit tension and mean tension of belts 533
Range of application 534

Belts 534
Kinds, design and sizes of belts 534
Mechanical properties of belts 537

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

Shafts and Axles, Their Connections and Bearings 376

Shafts and Axles (Niberg, N. Ya.) 376
Types of shafts and axles 376
Designing shafts and axles 377
Strength calculation of shafts and axes 386
Flexible shafts 405

Couplings and Clutches (Niberg, N. Ya.) 409
Selection of type 409
Selection of design and size 421

Rolling Contact Bearings (Niberg, N. Ya.) 447
Selection of bearing's type 447
Selection of series and size 450
Selection of accuracy class for bearings 458
Selection of fits for shaft and housing 458
Ball bearing table 469
Roller bearing table 489
Supplementary information 510

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

Tolerances for square threads 323
Tolerances for tapered threaded joints 324

Key, Spline and Serration Joints (Candidate of Technical Sciences Martynov, A. D.) 327
Key joints 327
Kinds of keys 327
Material for keys, allowable stresses and design formulas 338
Tolerances and fits for key joints 339
Spline and serration joints 342
Square splines 342
Involute splines 344
Triangular splines 345
Calculation for strength 345
Tolerances and fits for square splines 349
Centering 349

Riveted Joints (Candidate of Technical Sciences Niberg, N. Ya.) 363
Application 363
Standard elements of riveted joints 364
Strength calculation of riveted joints 370

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

Cotter pints 281
Pins 282
Wood screws 283

Tolerances for Threaded Joints (Candidate of Technical Sciences Korotkov, V. P.) 287
Basic concepts 287
Mating threaded parts 288
Tolerances for threaded joints 288
Classes, accuracy grades, and fits of threaded joints 290
Tolerances for outside and inside diameter of metric- and of inch-system threads 298
Clearance fits 306
Interference fits 306
Tolerances for fastening threads 308
Tolerances for electric lamp threads 312
Tolerances for translation threads 312
Tolerances for trapezoidal threads 313
Tolerances for translating screws 317
Tolerances for buttress threads 319

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

Screw Threads (Doctor of Technical Sciences Birger, I. A.) 203
Cylindrical threads 203
Basic concepts 203
Fastening threads 204
Special threads 208
Taper threads 212
Basic concepts 212
Basic taper threads 214

Threaded Joints (Doctor of Technical Sciences Birger, I. A.) 221
Simplified calculation of threaded joints for strength 221
Calculation of flange bolts 224
Simplified calculation of threads for strength 224
Elements of threaded joints 225
Standard elements of threaded joints 234
Bolts 235
Screws 251
Studs 264
Nuts 266
Washers 275

Card 7/19

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

Stability of helical compression springs 172
Stability of plates 174
Stability of thin-walled shells 176

Calculation for Strength Under Variable Stresses 179
Diagrams of limit cycle-stresses 181
Influence of various factors on strength under varying stresses 184
Effect of stress concentration 184
Effect of surface roughness 195
Influence of a part's dimensions 195
Calculation for strength 196
Calculation for strength under uniaxial state of stress and pure shear 196
Calculation for strength under simultaneous bending and torsion 198

Displacements and Stresses in Impact Loading 199

MACHINE PARTS

Detachable and Nondetachable Joints 203

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

Calculation for Strength Under Composite States of Stress 140

Calculation of Plane Curved Beams 144
Beams with small curvature 144
Bending of a plane beam with large curvature 144
Torsion and bending of a plane curved beam in a plane perpendicular to that of its curvature 147
Beam with a circular cross section 147
Beam with a rectangular cross section 147

Calculation of Thick-walled Cylinders (Pipes) Under Pressure 150

Thin-walled Symmetrical Shells. Plates. 154
Calculation of symmetrical thin-walled shells (vessels) 154
Calculation of round plates of uniform thickness 156

Stability 162
Stability of straight compressed colums of constant cross section 162
Stability of columns of variable cross section 168
Stability of latticed columns 170
Stability of thin plates bent in the plane of maximal rigidity 170

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

Bars of noncircular cross section 76
Bars with two boundary thin-walled cross section 89
Calculation for strength 90

Bending of a Straight Beam 91
Classification of various types of bending simple pure bending 91
Simple pure bending 91
Simple lateral bending 93
Calculation for strength in simple bending 95
Strength calculation of beams made of materials resisting tension and compression equally 95
Strength calculation of beams made of materials resisting tension and compression unequally 95
Displacements under simple bending 122
Beams of variable cross section 128
Center of bending 128
Oblique bending 130
Bending and tension or compression of beams having great rigidity 131
Lateral bending with axial forces 133
Continuous beams 136

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

Geometric elements of plane sections 15
Basic relations between geometric elements 17
Principal moments of inertia of a section 18
Methods of calculating the product of inertia 46
Mechanical characteristics of materials under static loads 48
Calculation for strength under static loads 52
Determination of displacements 57
Principle of reciprocity of work and displacements 57
Statically determinate and indeterminate systems 60

Tension (compression) of a Straight Bar 63
Calculation for strength 64
Change of dimensions of a stretched (compressed) bar. Determination of displacements 66
Potential energy of deformation 67
Taking dead weight into account 67
Calculation of flexible cords 68
Statically indeterminate problems in tension and compression 71

Torsion of a Straight Bar 73
Bars of circular cross section 73

Card 3/19

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

COVERAGE: The book covers the following: strength of materials, design of machine parts, connections, transmissions, lubrication, etc. The arrangement of mechanical drawings and symbols used are shown. The book contains GOST (All-Union State Standards) tables for standard machine parts. The book is the second of a five-volume series. There are 79 references, of which 76 are Soviet, 2 are German and 1 English.

TABLE OF CONTENTS:

STRENGTH OF MATERIALS (Candidate of Technical Sciences Demidov, S. P.)

Fundamentals and Definitions 1
External forces 1
Joints and supports 1
Basic hypotheses, definitions and concepts 2
Internal forces and moments 3
Stress. State of stress 5
States of stress 8
Displacements and strains 10
Stress-strain relationship for an elastic body. Potential energy of strain 12

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

PHASE I BOOK EXPLOITATION 871

Belyayev, V. N., Candidate of Technical Sciences; Birger, I. A., Doctor of Technical Sciences; Demidov, S. P., Candidate of Technical Sciences; Korotkov, V. P., Candidate of Technical Sciences; Kudryavtsev, V. N., Doctor of Technical Sciences, Professor; Martynov, A. D., Candidate of Technical Sciences; Niberg, N. Ya., Candidate of Technical Sciences; Ponomarev, S. D., Doctor of Technical Sciences, Professor; Pronin, B. A., Candidate of Technical Sciences; Push, V. E., Candidate of Technical Sciences; Sleznikov, G. I., Engineer; Stolbin, G. B., Candidate of Technical Sciences; Tayts, B. A., Doctor of Technical Sciences

Spravochnik metallista. t. 2 (Metals Engineering Handbook. v. 2) Moscow, Mashgiz, 1958. 974 p. 100,000 copies printed.

Ed.(title page): Chernavskiy, S. A., Candidate of Technical Sciences; Ed. (inside book): Markus, M. Ye., Engineer (deceased); Tech. Ed.: Sokolova, T. F.; Editorial Board of the set: Acherkan, N. S., Doctor of Technical Sciences, Professor, Chairman of the Board and Chief Ed.; Vladislavlev, V. S. (deceased); Malov, A. N.; Pozdnyakov, S. N.; Rostovykh, A. Ya.; Stolbin, G. B.; and Chernavskiy, S. A.

PURPOSE: The book is intended for technicians and engineers working in the field of machine design and in production.

Card 1/19

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

BABKIN, S.I.--- (continued) Card 2.
KHAYT, D.M., kandidat tekhnicheskikh nauk; SYDNOV, V.Ye., kandidat tekhnicheskikh nauk; SHRAYBER, E.N., inzhener, nauchnyy redaktor; SHEDROV, V.S., kandidat tekhnicheskikh nauk, nauchnyy redaktor; TSVETKOV, A.F., dotsent, nauchnyy redaktor; SLESNIKOV, N.I., inzhener, nauchnyy redaktor; MARKUS, M.Ye., inzhener, nauchnyy redaktor; KARGANOV, V.G., inzhener, nauchnyy redaktor; ACHERKAN, N.S., doktor tekhnicheskikh nauk, professor, redaktor; SOKOLOV, T.F., tekhnicheskiy redaktor

[Manual of machinery manufacture] Spravochnik mashinostroitelia; v trekh tomakh. Moskva, Gos.nauchno-tekhn.izd-vo mashinostroit. lit-ry. Vol.3. 1951 1099 p. (MIRA 10:9)

1. Deystvitel'nyy chlen Akademii nauk USSR (for Serensen)
(Machinery)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

BELYAYEV, V.N.

BABKIN, S.I., kandidat tekhnicheskikh nauk; BALAKSHIN, B.S., professor, doktor tekhnicheskikh nauk; BEYZEL'MAN, R.D., inzhener; BELYAYEV, V.N., kandidat tekhnicheskikh nauk; BIRGER, I.A., kandidat tekhnicheskikh nauk; BOGUSLAVSKIY, P.Ye., kandidat tekhniceskikh nauk; BOROVICH, L.S., kandidat tekhnicheskikh nauk; VOL'MIR, A.S., professor, doktor tekhnicheskikh nauk; GONIKBERG, Yu.M., inzhener; GORODETSKIY, I.Ye., professor, doktor tekhnicheskikh nauk; GORDON, V.O., professor; DIMENTBERG, F.M., kandidat tekhnicheskikh nauk; DOSCHATOV, V.V., inzhener, IVANOV, A.G., kandidat tekhnicheskikh nauk; KIMASOSHVILI, R.S., professor; KODNIR, D.S., kandidat tekhnicheskikh nauk; KOLOMIYTSEV, A.A., kandidat tekhnicheskikh nauk; KRUTIKOV, I.P., kandidat tekhnicheskikh nauk; KUSHUL', M.Ya., kandidat tekhnicheskikh nauk; LEVENSON, Ye.M., inzhener; MAZYRIN, I.V., inzhener; MALININ, N.N., kandidat tekhnicheskikh nauk; MARTYNOV, A.D., kandidat tekhnicheskikh nauk; NIBERG, N.Ya., kandidat tekhnicheskikh nauk; NIKOLAYEV, G.A., professor, doktor tekhnicheskikh nauk; PETRUSEVICH, A.I., doktor tekhnicheskikh nauk; POZDNYAKOV, S.N., dotsent; PONAMOREV, S.D., professor, doktor tekhnicheskikh nauk; PRIGOROVSKIY, N.I., professor, doktor tekhnicheskikh nauk; PRONIN, B.A., kandidat tekhnicheskikh nauk; RESHETOV, D.N., professor, doktor tekhnicheskikh nauk; SATEL', E.A., professor, doktor tekhnicheskikh nauk; SERENSEN, S.V.; SLOBODKIN, M.S., inzhener; SPITSYN, N.A., professor, doktor tekhnicheskikh nauk; STOLBIN, G.B., kandidat tekhnicheskikh nauk; TAYTS, B.A., kandiat tekhnicheskikh nauk; TETEL'BAUM, I.M., kandidat tekhnicheskikh nauk; UMANSKIY, A.A., professor, doktor tekhnicheskikh nauk; FEODOS'YEV, V.I., professor, doktor tekhnicheskikh nauk;

(Continued on next card)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

AL'SHITS, I.Ya., kandidat tekhnicheskikh nauk (and others)..... Card 2.

cheskikh nauk, EYDINOV, V.Ya., kandidat tekhnicheskikh nauk; ERLIKH, L.B., kandidat tekhnicheskikh nauk; ACHERKAN, N.S., doktor tekhnicheskikh nauk, professor, redaktor; MARKUS, M.Ye., inzhener, redaktor; KARGANOV, V.G., inzhener, redaktor; SOKOLOVA, T.F., tekhnicheskiy redaktor.

[Mechanical engineer's manual; in 6 volumes] Spravochnik mashinostroitelia; v shesti tomakh. Izd.2-e, ispr. i dop. Moskva, Gos. nauchno-tekhn.izd-vo mashinostroit. lit-ry, Vol.4, 1955. 851 p.
(Mechanical engineering) (MLRA 8:12)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

BELYAYEV, V.N.

AL'SHITS, I.Ya., kandidat tekhnicheskikh nauk; BABKIN, S.I., kandidat tekhnicheskikh nauk; BALAKSHIN, B.S., doktor tekhnicheskikh nauk, professor; BEYSEL'MAN, R.D., inzhener; BELYAYEV, V.H., kandidat tekhnicheskikh nauk; BEREZINA, N.I., inzhener; BINGER, I.A., doktor tekhnicheskikh nauk; BOGUSLAVSKIY, Yu.M., kandidat tekhnicheskikh nauk; BOROVICH, L.S., kandidat tekhnicheskikh nauk; GONIKBERG, Yu.M., inzhener; GORDON, V.O., professor; GORODETSKIY, I. Ye., doktor tekhnicheskikh nauk, professor; GROMAN, M.B., inzhener; DIKER, Ya.I., kandidat tekhnicheskikh nauk; DOSCHATOV, V.V., inzhener; IVANOV, A.G., kandidat tekhnicheskikh nauk; KINASOSHVILI, R.S., doktor tekhnicheskikh nauk, professor; KRUTIKOV, I.P., kandidat tekhnicheskikh nauk; LEVENSON, Ye.M., inzhener; MAZYRIN, I.V. inzhener; MARTYNOV, A.D., kandidat tekhnicheskikh nauk; NIBERG, N.Ya., kandidat tekhnicheskikh nauk; NIKOLAYEV, G.A., doktor tekhnicheskikh nauk, professor; PETRUSEVICH, A.I., doktor tekhnicheskikh nauk; POZDNYAKOV, S.N., dotsent; PONOMAREV, S.D., doktor tekhnicheskikh nauk, professor; PRONIN, B.A. kandidat tekhnicheskikh nauk; RESHETOV, D.N., doktor tekhnicheskikh nauk, professor; SATEL', E.A., doktor tekhnicheskikh nauk, professor; SIMAKOV, F.F., kandidat tekhnicheskikh nauk; SLOBODKIN, M.S., inzhener; SPITSYN, N.A., doktor tekhnicheskikh nauk, professor; STOLBIN, G.B., kandidat tekhnicheskikh nauk; TAITS, B.A., doktor tekhnicheskikh nauk; CHERNYSHEV, H.A., kandidat tekhnicheskikh nauk; SHNEYDEROVICH, R.M., kandidat tekhni-

(Continued on next card)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

KOPANEVICH, Ye.G.; OSNAS, Ya.V., inzhener, retsenzent; BELYAYEV, V.N., inzhener, retsenzent; KORNYUSHIN, P.M., inzhener, redaktor; TIKHONOV, A.Ya., tekhnicheskiy redaktor.

[Designing machine-tool attachments in the instrument industry] Proektirovanie stanochnykh prisposoblenii v priborostroenii. Moskva, Gos. nauchno-tekhn. izd-vo mashinostroit. lit-ry, 1954. 231 p. (MLRA 8:2)

(Machine tools)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

ACHERKAN, N.S., doktor tekhnicheskikh nauk, professor, redaktor; BELYAYEV, V.N., kandidat tekhnicheskikh nauk, dotsent; BIDERMAN, V.L., kandidat tekhnicheskikh nauk; BOROVICH, L.S., kandidat tekhnicheskikh nauk; GASHINSKIY, A.G., inzhener; GORODETSKIY, I.Ye., doktor tekhnicheskikh nauk, professor; IVANOV, B.A., doktor tekhnicheskikh nauk, professor; KOLOMIYTSEV, A.A., kandidat tekhnicheskikh nauk, dotsent; KRAGEL'SKIY, I.V., doktor tekhnicheskikh nauk, professor; MAZYRIN, I.V., inzhener; NIKOLAYEV, G.A., doktor tekhnicheskikh nauk, professor; PETRUSEVICH, A.I., doktor tekhnicheskikh nauk; POZDNYAKOV, S.N., dotsent; PONOMAREV, S.D., doktor tekhnicheskikh nauk, professor; PORTUGALOVA, A.A., kandidat tekhnicheskikh nauk; PRONIN, B.A., kandidat tekhnicheskikh nauk; RESHETOV, D.I., doktor tekhnicheskikh nauk, professor; RESHETOV, L.N., doktor tekhnicheskikh nauk, professor; SAVERIN, M.A., doktor tekhnicheskikh nauk, professor; SAVERIN, M.M., kandidat tekhnicheskikh nauk; SLOBODKIN, M.S., inzhener; SPITSYN, N.A., doktor tekhnicheskikh nauk, professor; STOLBIN, G.B., kandidat tekhnicheskikh nauk, dotsent; UMNOV, V.A., inzhener; CHERNYAK, B.Z., kandidat tekhnicheskikh nauk; SHCHEDROV, V.S., kandidat tekhnicheskikh nauk, dotsent.

[Machine parts; collection of materials on calculation and design in two volumes] Detali mashin; sbornik materialov po raschetu i konstruirovaniiu v dvukh knigakh. Izd.2. Moskva, Gos. nauchno-tekhn. izd-vo mashinostroit.i sudostroit.lit-ry. Vol. 2. 1953. 560 p. (MLRA 6:12)

(Machinery--Design)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

ACHERKAN, Naum Samuilovich, 1872- , doktor tekhnicheskikh nauk, professor, redaktor; BELYAYEV, V.N., dotsent, kandidat tekhnicheskikh nauk; BIDERMAN, V.L., kandidat tekhnicheskikh nauk; BOROVICH, L.S., kandidat tekhnicheskikh nauk; GASHINSKIY, A.G., inzhener; GORODETSKIY, N.Ye., professor, doktor tekhnicheskikh nauk; IVANOV, B.A., professor, doktor tekhnicheskikh nauk; KOLMIYTSEV, A.A., dotsent, kandidat tekhnicheskikh nauk; KRAGEL'SKIY, I.V., professor, doktor tekhnicheskikh nauk; PETRUSEVICH, A.I., doktor tekhnicheskikh nauk; POZDNYAKOV, S.N., dotsent; PONOMAREV, S.D., professor, doktor tekhnicheskikh nauk; PORTUGALOVA, A.A., kandidat tekhnicheskikh nauk; PRONIN, B.A., kandidat tekhnicheskikh nauk; RESHETOV, D.N., professor, doktor tekhnicheskikh nauk; RESHETOV, L.N., professor, doktor tekhnicheskikh nauk; SAVERIN, M.A., professor, doktor tekhnicheskikh nauk; SAVERIN, N.A., kandidat tekhnicheskikh nauk; SLOBODKIN, M.S., inzhener; SPITSYN, N.A., professor, doktor tekhnicheskikh nauk; STOLBIN, G.B., dotsent, kandidat tekhnicheskikh nauk; UMNOV, V.A., inzhener; CHERNYAK, B.Z., kandidat tekhnicheskikh nauk; SHCHEDROV, V.S., dotsent, kandidat tekhnicheskikh nauk.

[Machine parts; collection of materials on calculation and design in two volumes; vol.1] Detali mashin; sbornik materialov po raschetu i konstruirovaniiu. Izd.2., ispr.i dop. Moskva, Gos. nauchno-tekhn. izd-vo mashinostroit. i sudostroit. lit-ry, 1953- . (MLRA 6:11)

(Machinery--Design)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

~~BIELAIEW~~, W.N. BELYAYEV

Index Aeronauticus
Oct. 1953
Vol. 9

177/910 629.13.012.311

Wing Design Problems in High-Speed Aircraft.

Tech.Lotn. 7(6),157-167 Nov./Dec., 1952 Poland

W.N. Bielajew, W. I. Jucharin

Paper translated from the Russian periodical "Technika Vozdushnogo Flota", No. 12, 1946. The authors discuss modern requirements of wing design, problems of strength and deformation, typical solutions and optimum conditions of design.

3
2
0 Struc
1 - Na

EH
6-30-54

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

BELYAYEV, L.M.

Teaching the general theory of equations
Mat. v Shkole, no. 1, 195[illegible]

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

BELYAYEV, V. N.

BELYAEV, V. N.

Novoe v issledovanii i raschete ploskoremennykh peredach. (Vestn. Mash., 1948, no. 8, p. 5-18)

Includes bibliography.

Innovation in the study and calculations of flat belt drives.

DLC: TN4.V4

SO: Manufacturing and Mechanical Engineering in the Soviet Union, Library of Congress, 1953.

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

BELYAYEV, V.N.

BELIAEV, V.N., and V.I. IUKHARIN

K voprosu o konstruktsii skorostnykh kryl'ev. (Tekhnika vozdushnogo flota, 1946, no.12, -p.5-17, illus., diagrs.)

Title tr.: On the problem of high-speed wing construction.

TL504.T4 1946

SO: Aeronautical Sciences and Aviation in the Soviet Union, Library of Congress, 1955.

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

BELYAYEV, V.N. (Podol'sk, Mikologicheskiy punkt)

Clinical forms of superficial trichophytosis in children and adults. Vest.derm. i ven. 33 no.3:23-27 My-Je '59. (MIRA 12:9)

(RINGWORM
classif. of superficial forms (Rus))

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

BELYAYEV, V.N.

Sensitivity of dysentery germs to antibiotics. Zhur.mikrobiol.epid. i immun. 30 no.5:144 My '59. (MIRA 12:9)

1. Iz Vologodskoy oblasti sanitarno-epidemiologicheskoy stantsii.
(SHIGELLA) (ANTIBIOTICS) (BACTERIA, EFFECT OF DRUGS ON)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

BELYAYEV, V. N. Cand Med Sci -- (diss) "Superficial family trichophytosis in rural communities, cities, and workers' settlements and the experience of controlling it." Len, 1959. 18 pp (State Order of Lenin Inst for the Advanced Training of Physicians im S. M. Kirov), 100 copies (KL, 45-59, 149)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

BELYAYEV, V.N.

Significance of familial trichophytosis under urban and rural conditions in Podolsk District [with summary in English]. Vest. derm. i ven. 31 no.3:15-20 My-Je '57. (MIRA 10:11)

1. Iz mikologicheskogo kabineta Podol'skogo rayona (glavnyy vrach detskoy polikliniki No.3 L.L.Sharnina)
(RINGWORM, epidemiology,
familial, in Russia (Rus))

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

BELYAYEV, Vladimir Nikolayevich; MELENT'YEV, V.A., redaktor; FEDOSOVA, N.I., redaktor; GOLUBKOVA, L.A., tekhnicheskiy redaktor

[Balkhash Muskrat farm] Balkhashskoe ondatrovoe promyslovoe khoziaistvo. Pod red. V.A.Melent'eva. Moskva, Izd-vo tekhn. i ekon. lit-ry po voprosam zagotovok, 1956. 19 p. (MLRA 9:10)
(Balkhash Province--Muskrats)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

BELYAYEV, V.N.

New discovery of the Chinese goose (Gygnopsis cygnoides L.) in Kazakhstan. Izv.AN Kazakh.SSR.Ser.zool. no.6:139-140 '47. (Kazakhstan--Geese) (MLRA 9:6)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

BELYAYEV, V.M.

Drilling deep directional holes when prospecting for iron ores similar to the type found in the Kursk Magnetic Anomaly. Razved. i okh. nedr 30 no.10:28-32 O '64. (MIRA 18:11)

1. Geologicheskoye upravleniye tsentral'nykh rayonov.

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

ACC NR: AP7000677

of the external and internal layers, pH, condition of the broth after boiling, shrinkage, amount of separated juices, and bacterial content of the external and internal layers. It was established that the most suitable of the investigated materials is polyethylene film because it retains the desirable appearance, freshness and food qualities of the meat. Orig. art. has: 5 tables.

SUB CODE: 06,13/SUBM DATE: none

Card 2/2

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

ACC NR: AP7000677 (A) SOURCE CODE: UR/0066/66/000/011/0037/0040

AUTHORS: Smol'skiy, N. T.; Pugachev, P. I.; Belyayev, V. M.

ORG: [Smol'skiy] Moscow Institute of National Economy im. G. V. Plekhanov (Moskovskiy institut narodnogo khozyaystva); [Pugachev] All Union Scientific Research Institute of Poultry Processing Industry (Vsesoyuznyy nauchno-issledovatel'skiy institut ptitsepererabatyvayushchey promyshlennosti); [Belyayev] Moscow Technological Institute of Meat and Dairy Industry (Moskovskiy tekhnologicheskiy institut myasnoy i molochnoy promyshlennosti)

TITLE: Packing and storage of beef in film-type materials

SOURCE: Kholodil'naya tekhnika, no. 11, 1966, 37-40

TOPIC TAGS: food preservation, packing material, polyethylene, cellophane, cellulose plastic / PE-500 VD polyethylene, TsP-1 cellophane-polyethylene

ABSTRACT: The following films have been tested as packing and storing materials preventing the loss of color, moisture, and freshness of beef: 0.05-mm VD polyethylene PE-500; 0.07-mm cellophane-polyethylene TsP-1; and 0.04--mm cellophane. The meat specimens from three- and four-year old animals (weighing 325--350 kg) were held (at 2--3C) for 3 days after slaughter. The specimens were stored at 4--6C and at 65--70% relative humidity for 3, 5, 7, and 9 days. At this time the following parameters were measured: freshness (according to GOST 7269-54), moisture content

Card 1/2 UDC: 637.5.004.4:678.742.2

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

BELYAYEV, V. M.

"Peridskiye tesnify (k voprosu o persidskom kvantitativnom stikhoslozhenii)."

report submitted for 7th Intl Cong, Anthropological & ethnological Sciences, Moscow, 3-10 Aug 64.

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

KOMAROV, A.G.; MOSKALEVA, S.V.; BELYAYEV, V.M.; IL'INA, V.I.

Interpretation of magnetic fields over ultrabasic complexes; serpentinization and magnetic properties. Dokl. AN SSSR 143 no.5:1166-1169 Ap '62. (MIRA 15:4)

1. Vsesoyuznyy nauchno-issledovatel'skiy geologicheskiy institut. Predstavleno akademikom D.I.Shcherbakovym.
(Ural Mountains--Geology, Stratigraphic)
(Magnetism, Terrestrial)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

KUZIN, M.I.; BELYAYEV, V.L.

Use of trimecaine in local anesthesia. Trudy 1-go MMI 33: 268-273 '64. (MIRA 18:3)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

BELYAYEV, V.K.

Using the spectral method in laboratory investigations of titanium-zirconium placers. Razved. i okh. nedr. 30 no.5:46-48 My '64. (MIRA 17:10)

1. Rostovskaya kompleksnaya geologicheskaya ekspeditsiya.

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

BELYAYEV, V.K. [Bieliaiev, V.K.]

Characteristics of the composition of the titanium-zircon placers in the Tertiary sediments of the southeastern margin of the Voronezh crystalline massif. Dop. AN URSR no.1:112-115 '64. (MIRA 17:4)

1. Institut mineral'nykh resursov AN UkrSSR. Predstavleno akademikom AN UkrSSR N.P. Semenenko [Semenenko, M.P.].

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

between the equalizer rings. An oscillograph was fitted inside the high-voltage conductor and operated by selsyns from the control panel. The electrostatic generator voltage at the instant of breakdown of gas insulation between conductor and casing was checked by the oscillograph and a voltmeter. Overvoltage factors obtained from oscillograph readings at the instant of breakdown are tabulated; they range from about 6 in the absence of capacitors to about 1.3 with them. The results show the advantages of using a fairly high voltage-gradient along the supporting column. The oscillograph was then connected near to the earthed end of the generator and further measurements were made; again conditions were improved by the use of capacitors. With a conductor voltage of 3.1 MV and 20 breakdowns of the gas insulation during the course of two hours, the capacitors saved the generator insulation from damage, whereas previously breakdown at only 1.3 MV damaged the wood laminate supporting column of the generator. There are 6 figures and 3 tables.

ASSOCIATION: Fiziko-tekhnicheskiy institut AN UkrSSR
(Physicotechnical Institute AS UkrSSR)

SUBMITTED: June 1, 1961

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

of the rings. It pays to replace the usual metal base plate under the column by an equalizer ring. The relatively high longitudinal capacitance between the high-voltage conductor and the nearest equalizer ring is a favourable factor. This capacitance may be increased by employing large masses of glass in the supporting structure of the horizontal generator. The stray capacitance of the equalizer rings may be diminished by using a casing of large diameter, particularly one that becomes wider near to the conductor, and by reducing as much as possible the diameter of the horizontal columns - the accelerator tubes. Moreover the series capacitance of some of the equalizer rings may be artificially increased. Expressions are derived for the values of capacitance that give the best voltage distribution between the equalizer rings, and the short-circuit characteristics of the generator may be constructed from these equations. The difficulty in using this method is that suitable small sized high-voltage capacitors are not available to give the optimum results. However, in a particular 5 MeV generator, capacitors type КОВ-2 (KOB-2) of 20 kV, 500 pF were connected

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

S/120/62/000/003/002/048
E194/E455

AUTHOR: Belyayev, V.Kh.

TITLE: Capacitative protection of the accelerator tube and supporting column of an electrostatic generator during breakdown

PERIODICAL: Pribory i tekhnika eksperimenta, no.3, 1962, 22-26

TEXT: In electrostatic generators, breakdown of gaseous insulation between the high-voltage conductor and the earthed casing gives rise to overvoltages between equalizer rings near to the high-voltage conductor. In recent years, generator conductor potentials have risen to 6.5 to 7 MV or more, without intermediate screens; these trends tend to raise the overvoltage factor and the resulting overvoltages may damage the accelerator tube or the supporting column insulators. Calculation of overvoltages is simplified by the method of determining the equivalent earth capacitance at various points in the circuit. An expression can then be derived for the voltage between the high-voltage conductor and the nearest equalizer rings. The expression shows that one way to reduce the overvoltage is to reduce the stray capacitance

Card 1/3

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

20674

S/120/61/000/001/005/062
E032/E114

Overvoltages in an Electrostatic Generator



Fig. 1



Fig. 2

Card 4/4

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

20674

S/120/61/000/001/005/062

Overvoltages in an Electrostatic... E032/E114

There are 2 figures and 8 references: 3 Soviet and 5 English.

ASSOCIATION: Fiziko-tekhnicheskiy institut AN USSR (Physico-technical Institute, AS Ukr.SSR)

SUBMITTED: February 4, 1960

X

Card 3/4

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

20674

S/120/61/000/001/005/062
E032/E114

Overvoltages in an Electrostatic Generator

a) C_1 = 200 μμf, C_3 = 7 μμf,
б) C_1 = 200 μμf, C_3 = 4 μμf,
в) C_1 = 250 μμf, C_3 = 4 μμf.

The straight line marked I represents the steady state conditions. The short circuit characteristics lead to the following conclusions: 1) The maximum overvoltage depends on the ratio C_3/C_1 and the voltage on the screen; 2) A reduction in the capacitance between the rings C_1 leads to a small reduction in the maximum overvoltage; 3) The resulting overvoltage is of a local character and tends to fall off rapidly on rings nearest to the screen. A further reduction in the maximum voltage may be achieved by an additional increase in the capacitance C_1 between the rings in the upper part of the column and screen. Curve 2 in Fig.2 was computed for C_3 = 4 μμf and C_1 for the five upper rings equal to 400 μμf, the capacitance of the remaining (lower) rings being 200 μμf. Finally, curve 3 was calculated for C_3 = 4 μμf, C_1 for the five upper rings being equal to 500 μμf and the remaining rings having C_1 = 200 μμf.

Card 2/4

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

20674

S/120/61/000/001/005/062
E032/E114

26.2351

AUTHOR: Belyayev, V.Kh.

TITLE: Overvoltages in an Electrostatic Generator

PERIODICAL: Pribory i tekhnika eksperimenta, 1961, No.1, pp.23-24

TEXT: An electrostatic generator can be represented as a set of charged equivalent capacitances as shown in Fig.1 (Miller, Ref.4). During the breakdown of the gas insulation, for example, between the screen and the outer (earthed) envelope of the generator, the capacitance of the screen C_5 discharges, and if one neglects the resistance of the spark gap, the screen becomes earthed. The capacitances C_1 discharge through the spark gap while the capacitances C_3 charge C_1 with opposite polarity. In Fig.1, C_1, C_2 is the total axial capacitance of an equipotential ring of the column and the electrode of the accelerator tube, C_3, C_4 is the radial capacitance of the equipotential ring, C_5 is the capacitance of the screen and C_6 is the capacitance of the high voltage conductor. Fig.2 shows the calculated voltage distributions (short-circuit characteristics) along the column for the following parameters:

Card 1/4

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

BELYAYEV, V.Kh.

9(514) PHASE I BOOK EXPLOITATION SOV/2746

Akademiya nauk USSR. Fiziko-tekhnicheskiy institut

Elektrostaticheskiye generatory; sbornik statey (Electrostatic Generators; Collection of Articles) Moscow, Atomizdat, 1959. 255 p. 4,100 copies printed.

Ed. (Title page): A. K. Val'ter, Member, Academy of Sciences, USSR; Ed. (Inside book): Z. D. Andreyenko; Tech. Ed.: N. A. Vlasova.

PURPOSE: This collection of articles may be useful to scientists and engineers working with high-voltage electrostatic generators.

COVERAGE: The authors discuss the construction and operation of a number of electrostatic generators developed in the USSR and describe methods of generating negative hydrogen ions. They discuss the operation of accelerating tubes and present methods of stabilizing accelerator voltages. No personalities are mentioned. References appear at the end of some articles.

Koval', A. G., L. I. Krupnik, A. D. Timofeyev and Ya. M. Fogel'. Problem of Producing a Beam of Negative Hydrogen Ions by Overcharging Positive Ions in a Cathode Channel of a High-frequency Source 15

The authors discuss a negative hydrogen-ion source based on the production of a negative ion beam by overcharging positive ions in a gas flowing through a cathode channel of a high-frequency source. They also derive expressions for determining amount of negative hydrogen ions in that beam. There are 11 references: 6 Soviet, 4 English and 1 German.

Val'ter, A. K., A. Ya. Taranov, L. I. Pivovar, Ya. M. Fogel', V. Kh. Belyayev and S. P. Tsytko. 5-Mev Horizontal Overcharging Electrostatic Generator 195

The authors discuss the principle of operation and construction of a FG-5 type electrostatic generator and describe methods of ion acceleration and overcharging. They also explain the operation of an ion-beam focusing system and briefly discuss the stabilization and measurement of generator voltages. There are 4 references: 3 Soviet and 1 English.

Val'ter, A. K., and A. A. Tsygikalo. Experience Acquired in the Design, Testing and Operation of a 4-Mev Vertical Electrostatic Accelerator Developed by FTI AN UkrSSR 200

The authors discuss the construction and requirements of a 4-Mev vertical electrostatic accelerator developed by FTI AN UkrSSR and present the results of a study of insulating materials for the accelerator and the accelerating tube. They also discuss the results of testing of the accelerator and its components and present current and voltage characteristics. There are 12 references: 8 Soviet, 3 English and 1 French.

Malyshev, I. F., F. G. Zheleznikov and G. Ya. Roshal'. Experience Acquired in the Development of Industrial Types of Electrostatic Generators 204

The authors discuss the construction and operation of a EG-2.5 million-volt electrostatic generator and its components and present the results of testing. They also briefly describe the operation of a EG-5-1 type 4-5 million volt electrostatic generator developed by OKB in 1956. There are 9 references: 4 Soviet (including 1 translation) and 5 English.

AVAILABLE: Library of Congress

Card 1/2

JP/ms
1-6-60

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

Akademiya nauk USSR. Fiziko-tekhnicheskiy institut

Elektrostaticheskiye generatory; sbornik statey (Electrostatic Generators; Collection of Articles) Moscow, Atomizdat, 1959. 255 p. 4,100 copies printed.

Ed. (Title page): A. K. Val'ter, Member, Academy of Sciences, USSR; Ed. (Inside book): Z. D. Andreyenko; Tech. Ed.: N. A. Vlasova.

PURPOSE: This collection of articles may be useful to scientists and engineers working with high-voltage electrostatic generators.

COVERAGE: The authors discuss the construction and operation of a number of electrostatic generators developed in the USSR and describe methods of generating negative hydrogen ions. They discuss the operation of accelerating tubes and present methods of stabilizing accelerator voltages. No personalities are mentioned. References appear at the end of some articles.

Serbinov, A. N. High-frequency Sources for Electrostatic Generators 77
The author presents the results of study, conducted by FTI AN UkrSSR in 1954-1955, of factors affecting the ring discharge in hydrogen in a transverse magnetic field and those affecting the percentage of ions in a 10-50-mc frequency range and initial pressure in the discharge chamber of 1 through 4x10⁻⁴ mmHg. He also discusses the construction and operation of a high-frequency ion source. There are 3 references: 2 English and 1 German.

Belyayev, I. Kh., A. K. Val'ter, K. K. Cherryavskiy and S. P. Tsyrko. High-voltage Vertical-Horizontal Electrostatic Generator 90
The authors discuss the construction and operation of an electrostatic generator with a cross-shaped steel boiler and two horizontal tubes and describe the advantages of such a design over horizontal and vertical types of generators. There are 23 references: 8 Soviet, 13 English, 1 French and 1 Danish.

Ostinskiy, G. N. Magnetic Analyzer as an Instrument for Measuring Voltages of an Electrostatic Generator 99
The author discusses the use of a magnetic analyzer for measuring voltages of an electrostatic generator. He briefly explains the construction of the analyzer and describes the procedure used in measurement. There are 3 references, all English.

Ostinskiy, G. N., and I. A. Chepurchenko. Voltage Stabilization of an Electrostatic Generator. 106
The authors discuss the construction and operation of a voltage stabilization circuit and its elements such as a differential amplifier and a corona triode and describe the method of experimentally determining the degree of stabilization. There are no references.

Fogel', Ya. M., A. M. Markus, V. T. Tolok and Ya. I. Shvarts. Ion Sources for Electrostatic Generators in a Compressed Gas 113
The authors discuss the requirements of ion sources for electrostatic generators and describe the construction of a magnetic ion source with a cold cathode and a high-frequency source. They also discuss the experimental study of these sources conducted by FTI AN UkrSSR and describe the experimental results. There are 29 references: 9 Soviet, 18 English and 2 German.

Fogel', Ya. M., L. I. Krupnik, A. G. Koval' and A. D. Timofeyev. Source of Negative Hydrogen Ions for an Overcharging Electrostatic Generator 141
The authors describe the construction and operation of three models of negative hydrogen-ion sources developed by FTI AN UkrSSR and present the analysis of their characteristics. The first and the second models were developed in 1955 and 1956 respectively. The third model, built later, is essentially a copy of that developed by Weinman, J. A., and Cameron, J. K., of the University of Wisconsin, U. S. A. In the analysis of characteristics of these models the authors discuss the negative ion spectrum, methods of determining the coefficient of transformation of positive ions into negative, focusing of ion beams and loss of ion energy. There are 9 references: 5 Soviet, 4 English and 2 German.

Pivovar, L. I. Accelerating Tube of an Electrostatic Generator 183
The author briefly discusses factors affecting electric strength of an accelerating tube and describes processes taking place on tube walls and intermediate electrodes. He also explains the effect of residual gases and vapors in a tube on its operation. There are 11 references: 3 Soviet, 7 English and 1 French.

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

BELYAYEV, V.I.

Effect of direct current anode and cathode on the electrical activity of a single Ranvier node in hyposodium medium and under the action of novocaine. Biul.eksp.biol.i med. 57 no.5:3-6 My '64. (MIRA 18:2)

1. Fiziologicheskaya laboratoriya (zav. - prof. L.L.Shik) Instituta khirurgii imeni Vishnevskogo (dir. - deystvitel'nyy chlen AMN SSSR prof. A.A.Vishnevskiy) AMN SSSR, Moskva. Submitted January 29, 1963.

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

KHODOROV, B.I.; BELYAYEV, V.I.

Role of the degree of local response increase in the generation of the action potential of a single Ranvier's node in an isolated frog nerve fiber. Biofizika 8 no.4:461-466 '63.

(MIRA 17:10)

1. Institut khirurgii imeni Vishnevskogo AMN SSSR, Moskva.

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

KHODOROV, B.I.; BELYAYEV, V.I.

Generation of action potentials in single Ranvier's nodes of isolated frog nerve fibers under the influence of nickel and cadmium ions. Biul. eksp. biol. i med. 57 no.4:3-8 Ap '64. (MIRA 18:3)

1. Fiziologicheskaya laboratoriya (zav. - prof. L.L. Shik) Instituta khirurgii imeni Vishnevskogo (dir. - deystvitel'nyy chlen AMN SSSR prof. A.A. Vishnevskiy) AMN SSSR, Moskva. Submitted April 13, 1963.

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

BELYAYEV, V. I. et al

"Determination of intensity of the radioactive contamination in the ocean."

report presented at the 3rd Intl Conf, Peaceful Uses of Atomic Energy, Geneva, 31 Aug-9 Sep 64.

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

ACC NR: AP6010203 SOURCE CODE: UR/0201/66/000/001/0062/0065

AUTHORS: Skokov, P. I.; Belyayev, V. I.

ORG: Belorussian Polytechnic Institute (Belorusskiy politekhnicheskiy institut)

TITLE: The problem of raising deformation resistance by increasing the testing rate

SOURCE: AN BSSR. Vestsi. Seryya fizika-tekhnichnykh navuk, no. 1, 1966, 62-65

TOPIC TAGS: tensile strength, deformation rate, [redacted], probability distribution, stress load

ABSTRACT: The behavior of materials under high loading rates is investigated and, in particular, the increase in their tensile strength is evaluated. The most reliable method of investigating this phenomenon is by referring to the statistical theory of stress-strain behavior. A set of density distribution curves is obtained depicting the probability of stresses of second kind in a material at various loading zones and under various loading rates. These include conditions of no-load, tensile loads at two different rates, and critical loading conditions under two different rates. Equations are obtained for each stress curve, and it is shown that the tensile strength does increase under high loading rates if there is an equilibrium distribution in the stress along the material cross section. Orig. art. has: 8 formulas and 1 figure.

SUB CODE: 11/ SUBM DATE: 15Oct65/ ORIG REF: 007

Card 1/1

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

BELYAYEV, V.I.; ANNENKOVA, V.Z.; IVANOVA, L.T.; UGRYUMOVA, G.S.; KURYAYEV, B.S. [deceased]

Polymerization of α-chloroacrolein. Izv. SO AN SSSR no.1 Ser. khim. nauk no.1:144-145 '65. (MIRA 18:8)

1. Irkutskiy institut organicheskoy khimii Sibirskogo otdeleniya AN SSSR.

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

L 58907-65

ACCESSION NR: AP5017080

1640-1680 cm^{-1}, corresponding to ether groups, aldehyde groups, and C=C bonds, respectively. In addition to solid polymers, 5-20% of low-molecular viscous polymers (MW about 200) were formed. X-ray diffraction analysis showed that the solid polymers consisted of a mixture of amorphous and crystalline structures. Orig. art. has: 2 figures and 2 tables.

ASSOCIATION: Irkutskiy institut organicheskoy khimii Sibirskogo otdeleniya AN SSSR (Irkutsk Institute of Organic Chemistry, Siberian Branch, AN SSSR)

SUBMITTED: 18Nov64 ENCL: 00 SUB CODE: OC

NO REF SOV: 006 OTHER: 010

Card 2/2

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

L 58907-65 EWT(m)/EWP(e)/EWP(j)/T Pe-4/Pr-4 RM

ACCESSION NR: AP5017060 UR/0289/65/000/001/0088/0092
547.381:541.64

AUTHOR: Shostakovskiy, M. F.; Belyayev, V. I.; Oklednikova, Z. A.; Vasiliyeva, L. V.; Serebrennikova, E. V.

TITLE: Polymerization of acrolein under the influence of organomagnesium compounds

SOURCE: AN SSSR. Sibirskoye otdeleniye. Izvestiya. Seriya khimicheskikh nauk, no. 1, 1965, 88-92

TOPIC TAGS: acrolein polymer, organomagnesium compound, polymerization catalyst, Grignard reagent

ABSTRACT: The following polymerization catalysts were considered: ethylmagnesium bromide, isopropylmagnesium bromide, butylmagnesium bromide, isobutylmagnesium bromide, and phenylmagnesium bromide. Isobutylmagnesium bromide produced the highest yield of acrolein polymer (18%), and hence was the only catalyst used in subsequent experiments, which involved the determination of the effect of catalyst concentration, temperature, and duration of the reaction on the polymerization. The acrolein polymers obtained were found to contain 35-41% of unsaturated C=C bonds and 7-8 mole % of free aldehyde groups, which indicates an active participation of these groups in the formation of polymers. Infrared spectra showed the presence of bands at 900-1180, 1690-1720, and

Card 1/2

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

BELYAYEV, Vasiliy Ivanovich; NEKHAY, V.T., red.; DUBOVIK, A.P., tekhn. red.

[Investigation of the metal fatigue process]Issledovanie protsessa ustalosti metallov. Minsk, Izd-vo M-va vysshego, srednego spetsial'nogo i professional'nogo obrazovaniia BSSR, 1962. 109 p. (MIRA 15:8)

(Metals--Fatigue)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

On the Changed Composition of Phases of a Copper Oxide Catalyst During the Oxidation of Propylene to Acroleine

S/153/59/002/06/021/029
B115/B000

their surfaces. The activity of the catalyst may be recovered in a simple way by passage of a mixture with an elevated oxygen content. It was also shown (Figure) that CuO had a stabilizing effect on the activity of the copper catalyst during the oxidation of propylene to acroleine. There are 1 figure, 3 tables, and 8 references, 6 of which are Soviet.

ASSOCIATION: Vostochno-sibirskiy filial SO AN SSSR (East Siberian Branch of the Siberian Department of the AS USSR)

Card 3/3

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

On the Changed Composition of Phases of a Copper Oxide Catalyst During the Oxidation of Propylene to Acroleine

67843
S/153/59/002/06/021/029
B115/B000

assume the composition of a mixture of Cu_2O (about 70%) and CuO (about 30%) a short time after the passage of the propylene-oxygen mixture. With catalysts having a higher (3 to 5%) content of CuO, the composition of the catalyst after the reaction is CuO + Cu_2O + Cu. The yield of carbonyl compounds is considerably reduced by the appearance of metallic copper in the catalyst. The introduction of Ag or Al_2O_3 into the catalyst has an analogous effect. Analogous results were obtained, when silicon carbide was used as carrier (Table 2), with the degree of inactivation depending, however, on the oxygen content in the gas mixture, too. An additional reason for the inactivation of the catalysts is the sintering process of CuO which loses thereby its capacity to reduce itself to Cu_2O. This was established to occur with copper oxide catalysts annealed at different temperatures (see Table 3). Catalysts annealed at higher temperatures are less active, as is evident from the results. A further reason for the inactivation of the catalysts is the polymerization of acroleine on

Card 2/3

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

5.1190
~~5(3)~~

67843
S/153/59/002/06/021/029
B115/B000

AUTHORS: Popova, N.I., Belyayev, V.I., Vermel', Ye.Ye.

TITLE: On the Changed Composition of Phases of a Copper Oxide Catalyst During the Oxidation of Propylene to Acroleine

PERIODICAL: Izvestiya vysshikh uchebnykh zavedeniy. Khimiya i khimicheskaya tekhnologiya, 1959, Vol 2, Nr 6, pp 926-929 (USSR)

ABSTRACT: A brief survey of relevant publications is given by the authors, and S.Z.Roginskiy and others (Ref 3), O.V.Isayev, M.Ya. Kushnerov and L.Ya.Margolis (Ref 7) are mentioned in this connection. In this paper, the relation between the change of phase composition of the catalyst and its activity has been investigated, and a number of catalysts have been analyzed (after oxidation of the propylene at 368 to 370° for one hour) according to Tananayev (Ref 8). The activity of the catalyst was related to the yield of carbonyl compounds in unit of time (related to oxygen). Results are given in table 1. They show that the change of the chemical composition of the catalyst depends chiefly on the CuO concentration in the carrier. With a CuO content of 1.5% in the carrier, the catalyst changes to

Card 1/3

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

POPOVA, N.I.; BELYAYEV, V.I.; STUKOVA, R.N.

Studying catalytic oxidation of propylene. Izv.vost.fil.AN SSSR no.7:40-50 '57. (MIRA 10:10)

1. Ural'skiy filial AN SSSR.
(Propene) (Acrolein) (Copper oxides)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

Investigation of Chemical Conversions of Unsaturated and High Molecular Compounds. Part 7 62-1-10/21

of a certain polymerization chain, which according to experiments has a much higher activity. Vinyltertiarybutyl ether, when heated with benzoyl peroxide, did not form any polymers and remained unchanged. The same result was obtained during heating with dinitrile asoisobutyric acid.

It was established that the vinyltertiarybutyl ether content in the copolymer with methylmethacrylate increases with the increase of its concentration in the initial monomer mixture.

Tables, graph. There are 7 Slavic references.

ASSOCIATION: Academy of Sciences of the USSR, Institute of Organic Chemistry imeni N. D. Zelinskiy

PRESENTED BY:

SUBMITTED: December 30, 1955

AVAILABLE: Library of Congress

Card 2/2

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

BELYAYEV, V. I.

AUTHORS: Shostakovskiy, M. F.; Khomutov, A. M.; Belyayev, V. I. 62-1-10/21

TITLE: Investigation of Chemical Conversions of Unsaturated and High Molecular Compounds. Part 7. Copolymerization of Vinyltertiarybutyl Ether and Methyl Ether of Methacrylic Acid (Issledovaniya v oblasti khimicheskikh prevrashcheniy nepredel'nykh i vysokomolekulyarnykh soyedineniy. Soobshcheniye 7. Sopolimerizatsiya viniltretichnobutilovogo efira i metilovogo efira metakrilovoy kisloty)

PERIODICAL: Izvestiya Akademii Nauk SSSR, Otdeleniye Khimicheskikh Nauk, 1957, No. 1, pp. 70-74 (U.S.S.R.)

ABSTRACT: The laws governing the copolymerization of vinyltertiarybutyl ether and methyl methacrylate are discussed. It was found that the yields of the copolymers obtained depend upon the chemical structure of the initiators. The reduction in the yields of copolymers os methylmethacrylate and vinyltertiary butyl ether is explained by the low activity of the polymerization chain having a butyl ether with free valence. The use of dinitrylazoisobutyric acid leads to the formation

Card 1/2

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

ILLEGIBLE

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

SHOSTAKOVSKIY, M.F.; SHIKHIYEV, I.A.; BELYAYEV, V.I.

Research in the field of oxygen containing organosilicon compounds. Part 5. Preparation of organosilicon acetals. Zhur.ob.khim. 26 no.3:706-709 Mr '56. (MLRA 9:8)

1. Institut organicheskoy khimii Akademii nauk SSSR.
(Silicon organic compounds) (Acetals)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

ILLEGIBLE

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

BELYAYEV, V.I.

USSR

Chemical and physical properties of the hydroxyl group in trimethylsilanol. M. I. Batuev, M. F. Shostakovskii, V. I. Belyaev, A. D. Matveeva, and E. V. Dubova (N. D. Zelinskii Inst. Org. Chem., Acad. Sci. U.S.S.R., Moscow). Doklady Akad. Nauk S.S.S.R. 95, 531-4(1954).—Me_3SiOH, m. −4.5°, b. 98-9.2°, n_D^{20} 1.3880, d^{20} 0.8110, has [illegible] H-bond formation ability in soln., as shown by cryoscopic tests; in C_6H_6 it forms assoc. complexes with a fixed no. of apparent mol. wt. with the concn. (shown cryoscopically) to prove that of a dimeric structure. Hence in the pure liquid more complex structures can be postulated. In the liquid state the Raman spectrum is [illegible] given. Me_3COH also shows a wide HO band caused by H bonding. However, the fine structure in the Si deriv. indicates a greater acidic nature of the HO in the Si deriv. than in the C analog. Me_3SiOH reacts more vigorously with Na and K at 0° than does the carbinol. Me_3SiOK also forms a type of Me_3SiONa with concd. NaOH. With traces of acid catalyst Me_3SiOH adds to vinyl ethers, forming acetals (cf. Shostakovskii, et al., C.A. 49, 10421). However, Me_3SiOH also displays basic properties of the HO group, particularly shown by the Raman lines 3658 and 3702 cm.$^{-1}$. In CCl_4 the characteristic HO band vanishes and only the 3702 line remains. This must be due to the vibration of the unbonded HO group. It is shifted in respect to that of C analog because of the electronegativity difference of Si.

G. M. K.

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

ILLEGIBLE

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

BELYAYEV, V.I.

62

✓ Oxygen-containing organosilicon compounds. III. Preparation of trimethyl- and triethylsilanols and their transformations. M. F. Shostakovskii, I. A. Shikhiev, D. A. Kochkin, and V. I. Belyaev (N. D. Zelinskii Inst. Org. Chem., Acad. Sci. U.S.S.R., Moscow). *Zhur. Obshchei Khim.* 24, 2202-6(1954); cf. *C.A.* 49, 1541*h*, 7510*f*.—Into 109 g. Me_3SiCl in dry Et_2O was passed dry NH_3 9 hrs. at 0-7°, the pptd. NH_4Cl was sepd. and the soln. distd., yielding 64.2% $NH(SiMe_3)_2$, b_{760} 123-6.6°, d_{20} 0.7764, n_D^{20} 1.4090. This (70 g.) was mixed with 50 ml. H_2O, 250 ml. Et_2O, and 10 drops methyl orange indicator soln., and treated with cooling to 0-7° with 250 ml. *N* HCl over 2.5 hrs. when the reaction was complete; distn. of the org. layer gave 38.8% Me_3SiOH, b_{760} 98-8.6°, d_{20} 0.8130, n_D^{20} 1.3892. This (22.5 g.), 21 g. $EtOCH:CH_2$, and 0.004 g. HCl were heated in sealed ampul 8 hrs. at 65°, yielding 15.8% $MeCH(OEt)OSiMe_3$, b_{15-17} 38-9°, n_D^{20} 1.3940, d_{20} 0.8846, as well as 18.4 g. $O(SiMe_3)_2$, b. 99-100°, and 5.4 g. $MeCH(OEt)_2$. Refluxing 151 g. Et_3SiCl with 102.1 g. dry Ac_2O 5-6 hrs. with distn. of AcCl, followed by slow addn. of the residue under the surface of 500 ml. H_2O and 20 ml. 18% NH_4OH below 6°, gave a top layer of Et_3SiOH, 75%, b_{20} 80°, b_{760} 153.5-4.5°, n_D^{20} 1.4341, d_{20} 0.8640; the same was formed in 91% yield when 100 g. Et_3SiCl in 500 ml. dry Et_2O and a few drops of phenolphthalein indicator were treated at −5 to +2° with *N* NaOH until a stable pink color formed; distn. of the org. layer gave the final product. Et_3SiOH has a camphor odor, is sparingly sol. in H_2O, can be stored in a well stoppered flask for long periods; on heating with mineral acids it is transformed to $O(SiEt_3)_2$; it does not react with alkalies, but does react with Na and K on heating. Heating 33 g. Et_3SiOH and 21.5 g. $PrOCH:CH_2$ with 0.02 ml. HCl in ampul 10 hrs. at 65° gave 67.45% $MeCH(OPr)OSiEt_3$, b_{15-16} 89-90°, b_{760} 204-5°, n_D^{20} 1.4250, d_{20} 0.8572.

G. M. Kosolapoff

3

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

Belyayev V.I.

SHOSTAKOVSKIY, M.F.; SHIKHIYEV, I.A.; BELYAYEV, V.I.

Investigation in the field of synthesis of derived tertiary unsaturated alcohols. Dokl.AN Azerb.SSR 10 no.11:759-765 '54. (MIRA 8:10)

1. Predstavleno deystvitel'nym chlenom Akademii nauk Azerbaydzhanskoy SSR Yu.G.Mamedaliyevym.
(Alcohols)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

Belyayev, V.I.

SHOSTAKOVSKIY,M.F.; SHIKHIYEV,I.A.; VLASOV,V.M.; BELYAYEV,V.I.

Synthesis of vinylisopropyl, vinyldibutyl and vinyldiamyl ethers and their conversions. Dokl. AN Azerb. SSR 10 no.7:473-482 '54. (MLRA 8:10)

1. Predstavleno deystvitel'nym chlenom Akademii nauk Azerbaydzhanskoy SSR Yu.G.Mamedaliyevym.
(Vinyl polymers)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

BELYAYEV, V.I.

SHOSTAKOVSKIY, M.F.; SHIKHIYEV, I.A.; BELYAYEV, V.I.

Investigation in the field of derivatives of tertiary unsaturated alcohols. Report no.3. Synthesis of dimethylacetylenyl(vinyl)- and methylethylacetylenyl(vinyl)-tert-butyl acetals. Izv. AN SSSR Otd.khim. nauk no.5:945-948 S-O '54. (MLRA 8:3)

1. Institut organicheskoy khimii Akademii nauk SSSR.
(Acetals)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

SVESHNIKOVA, A.F., kand. veter. nauk; TARKHANEYEV, P.F., nauchnyy sotrudnik; RAKHVALOV, Ye.M. (Omskaya oblast'); ARTYUKHOV, A.G. (Omskaya oblast'); BELYAYEV, V.I. (Omskaya oblast')

Testing trichlorometaphos-3 against warble flies. Veterinariia 42 no.11:49-50 N '65. (MIRA 19:1)

1. Sverdlovskaya nauchno-issledovatel'skaya veterinarnaya stantsiya (for Sveshnikova, Tarkhaneyev).

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

KHODOROV, B.I.; BELYAYEV, V.I.

Modification of the level of critical depolarization and the action potential of electrotonus in a single Ranvier's node under the condition of the ionic effect of cadmium and nickel. Biofizika 8 no.6:707-714 '63. (MIRA 17:7)

1. Institut khirurgii imeni A.V. Vishnevskogo AMN SSSR, Moskva.

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

BELYAYEV, V.I. (Kolomna)

Studying the section "approximate computation" in the arithmetic course of the sixth grade. Mat. v shkole no.4:34-39 Jl-Ag '61. (MIRA 14:8)

(Approximate computation--Study and teaching)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

BEZSONOV, P.A. (Moskva); BELYAYEV, V.I. (Kolomna); BUDANTSEV, P.A. (Orenburg); KARANOV, G.I. (Melekess); MAYOROV, S.V. (Moskva); MURAVIN, K.S. (Moskva); PREDEIN, P.G. (Gubakha, Permskoy oblasti); SIKORSKIY, K.P. (Moskva); TARASYUK, V.Ye. (Kiyev); KHABIB, R.A. (Samarkand).

Discussing plans of programs. Mat.v shkole no.1:4-24 Ja-F '60. (MIRA 13:5)

1. Zaveduyushchiy kafedroy vysshey matematiki Moskovskogo instituta khimicheskogo mashinostroyeniya (for Bezsonov).
(Mathematics--Study and teaching)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

307/44 - 58 - 4- 2659

Translation from: Referativnyy zhurnal, Matematika, 1958, Nr 4, p 9 (USSR)

AUTHOR: Belyayev, V.I.

TITLE: On the Nature of Exercises in Identical Transformations (O kharaktere uprazhneniy v tozhdestvennykh preobrazovaniyakh)

PERIODICAL: Uch. zap. Kolomensk. ped. in-ta, 1956, Nr 1, pp 35 - 52

ABSTRACT: The problems of the place and the role of identity transformations in a secondary school algebra course and the selection of exercises are studied. It is shown that exercises often are abstract and monotonous and that they must be diversified and made more concrete by means of problem solving. Concrete examples of exercises on identity transformations are cited, including those of a practical nature.

Ye. V. Vandysheva

Card 1/1

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

BELYAYEV, V.I. (Kolomna)

Identity transformations of irrational expressions in a course for the eighth class. Mat. v shkole no.2:69-75 Mr-Ap '55. (Transformations (Mathematics)) MLRA 8:6)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

MNATSAKANOV, I.I.; BELYAYEV, V.I.

Fibromatosis of the omentum and mesentery of the small and large intestines. Vest.khir. 77 no.4:108-110 Ap '56. (MLRA 9:8)

1. Iz khirurgicheskogo otdeleniya (nach. I.I.Mnatsakanov) Simferopol'skogo kruzhnogo voyennogo gospitalya. Simferopol', ul. Gor'kogo 18.

(FIBROMA
mesentery & omentum of small intestine & colon)
(MESENTERIES. neoplasms
fibroma)
(OMENTUM, neoplasms
same)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

MAKSIMENKOV, Aleksey Nikolayevich, prof.; BELYAYEV, V.I., kand. med. nauk; VINOGRADOVA, V.G., [redacted] ZAYTSEV, Ye.I., dots.; ZOLOTAREVA, T.V., prof.; MIKHAYLOV, A.G.; MIKHAYLOV, S.S., prof.; YELISEYEV, V.A., red.; KHARASH, G.A., tekhn. red.

[Internal structure of the stems of peripheral nerves] Vnutristvol'noe stroenie periphericheskikh nervov. Leningrad, Medgiz, 1963. 374 p. (MIRA 6:9)

1. Chlen-korrespondent AMN SSSR (for Maksimenkov).
(NERVES, PERIPHERAL)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

KHOLODOV, B.I.; BELYAYEV, V.I.

Study of the mechanism of novocaine effect on the electrical activity of a single Ranvier's node. Biofizika 10 no.4: 625-633 '65. (MIRA 18:8)

1. Institut Khirurgii im. A.V. Vishnevskogo AMN SSSR, Moskva.

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

KHODOROV, B.I.; BELYAYEV, V.I.

Restorative effect of nickel and [illegible] upon the suppressed nodes of Ranvier. [illegible] 6 [illegible] 1964.

(MIRA 18:8)

1. Fiziologi[illegible] Laboratoriya Instituta Khirurgii AMN SSSR, Moskva.

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

BELYAYEV, V.I.

Change of electric activity in a single Ranvier's node of an isolated nerve fiber under the influence of novocaine. Biul. eksp. biol. i med. 56 no.8:24-28 Ag '63. (MIRA 17:7)

1. Iz fiziologicheskoy laboratorii (zav. - prof. L.L. Shik) Instituta khirurgii imeni A.V. Vishnevskogo (direktor - deystvitel'nyy chlen AMN SSSR prof. A.A. Vishnevskiy) AMN SSSR, Moskva. Predstavleno deystvitel'nym chlenom AMN SSSR A.A. Vishnevskim.

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

BELYAYEV, V.I.; OVCHINNIKOV, M., red.

[Public health in Yaroslavl in the past and in the present] Zdravookhranenie IAroslavlia v proshlom i nastoiashchem. IAroslavl', IAroslavskii med. in-t, 1961. 135 p. (MIRA 17:4)

*

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

MATVEYEV, G.A., doktor tekhn. nauk; BELYAYEV, V.I., inzh.

Effect of economic and operational factors on the optimum characteristics of the convective section of boiler units. Teploenergetika 11 no.6:78-81 Je '64. (MIRA 18:7)

1. Energeticheskiy institut AN SSSR.

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

MATVEYEV, G.A., doktor tekhn. nauk; BELYAYEV, V.I., inzh.

Technical and economic basis for choosing gas velocities in transition zones and steam superheaters of boiler systems. Teploenergetika 10 no.7:12-16 Jl '63. (MIRA 16:7)

1. Energeticheskiy institut im. Krzhizhanovskogo.
(Boilers)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

BELYAYEV, V.I., inzh.

Selecting the optimum gas flow rate in regenerative air heaters.
Teploenergetika 9 no.2:30-31 F '62. (MIRA 15:2)

1. Energeticheskiy institut AN SSSR.
(Boilers--Desing and construction)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

KAMENSKIY, S.K., inzh.; BELYAYEV, V.I., inzh.

Basic trends in the development of turbomachine construction in the U.S.A. during the period from 1950-1960, and some of its prospects. Teploenergetika 8 no.12:81-82 D '61. (MIRA 14:12)
(United States--Turbomachines--Design and construction)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

BELYAYEV, V.I., inzh.; KAMENSKIY, S.K., inzh.

Basic trends in the development of boiler design and construction in the U.S.A. from 1950 to 1960, and its immediate prospects. Energomashinostroenie 7 no.12:43-45 D '61. (MIRA 14:12)
(United States--Boilers--Design and construction)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

LYAKHOVICH, L.S.; BELYAYEV, V.I.; ROMAN, O.V., kand.tekhn.nauk, dots., retsenzent; AKALOVICH, N.M., red.; KONCHITS, Ye.P., tekhn. red.

[Nitriding steel by heating with high frequency currents] Azotirovanie stali nagrevom tokami vysokoi chastoty. Minsk, Izd-vo M-va vysshego, srednego spetsial'nogo i professional'nogo obrazovaniia BSSR, 1961. 44 p. (MIRA 15:7)
(Case hardening) (Induction heating)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

MATVEYEV, G.A., doktor tekhn.nauk; BELYAYEV, V.I., inzh.

Choice of optimum gas velocities in feed-water economizers.
Elek. sta. 31 no.9:16-19 S '60. (MIRA 14:10)
(Boilers)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

STYRIKOVICH, M.A.; MATVEYEV, G.A., doktor tekhn.nauk; BELYAYEV, V.I., inzh.

Selecting the optimal temperature for flue gases of power boilers. Teploenergetika 7 no.7:27-32 Jl '60. (MIRA 13:7)

1. Energeticheskiy institut AN SSSR. 2. Chlen-korrespondent AN SSSR (for Styrikovich).
(Boilers)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

MATVEYEV, G.A., doktor tekhn.nauk prof.; BELYAYEV, V.I., inzh.

Choice of optimum gas velocities in tubular air preheaters of boiler systems. Izv.vys.ucheb.zav.;energ. 3 no.10:88-92 O '60.
(MIRA 13:11)

1. Energeticheskiy institut imeni G.M.Krzhizhanovskogo AN SSSR.
(Boilers) (Air preheaters)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

ACC NR: AP6022221

The analysis indicated that fog seeding may cause a considerable increase in temperatures near ground level in southern regions of the Soviet Union. Orig. art. has: 4 formulas, 1 table, and 3 figures.

SUB CODE: 04/ SUBM DATE: 14Jul65/ ORIG REF: 005

Card 2/2

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

ACC NR: AP6022221 SOURCE CODE: UR/0362/66/002/006/0630/0635

AUTHOR: Belyayev, V. I.; Vyal'tsev, V. V.; Pavlova, I. S.

ORG: Marine Hydrophysics Institute (Morskoy gidrofizicheskiy institut)

TITLE: An experiment of weather modification by seeding of fog with dry ice

SOURCE: AN SSSR. Izvestiya. Fizika atmosfery i okeana, v. 2, no. 6, 1966, 630-635

TOPIC TAGS: weather modification, fog, atmospheric temperature gradient

ABSTRACT: The weather modification by fog seeding from an aeroplane on Jan 12 1961 in the district of Nal'chik is described and analyzed. The city, district, and the northern Caucasus were surrounded by uniform meteorologic conditions and the fog was defined as a type lasting usually to the afternoon and sometimes for several days. The wind direction and velocity were defined by circular seeding. Clearing over city and airport were achieved by seeding in and against the wind direction, and the resulting clearing was supported by additional approaches from the wind-exposed direction. Temperatures at ground level increased during the experiment from -4.6 C at 8.35 a.m. to 3 C at 1 p.m. The contribution of the seeding experiment to the atmospheric radiation balance and temperature increase was analyzed. The heat ΔQ, entering the lower atmosphere due to the clearing, was estimated as $5.3 \cdot 10^{13}$ cal.

UDC: 551.509.615

Card 1/2

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

L 31815-65
ACCESSION NR AM4044132

TABLE OF CONTENTS [abridged]:

Foreword -- 3
Ch. I. Introduction -- 5
Ch. II. Basic equations of the kinetics of cloud processes -- 20
Ch. III. Solution of problems of kinetics of cloud processes -- 47
Bibliography -- 115

SUBMITTED: 18Mar64 SUB CODE: ES, MA, ME

NO REF SOV: 061 OTHER: 034

Card 2/2

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

L 31815-65 EWT(1)/FCC GW

ACCESSION NR AM4044432 BOOK EXPLOITATION S/

Belyayev, Valeriy Ivanovich

The Lagrange method in the kinetics of cloud processes (Metod Lagranzha v kinetike oblachnykh protsessov), Leningrad, Gidrometeoizdat, 1964, 117 p. illus., biblio. 800 copies printed.

TOPIC TAGS: Lagrange variable, cloud, precipitation, meteorology, water drop

PURPOSE AND COVERAGE: This monograph presents a mathematical description of water drops based on the use of Lagrange variables. It shows the application of the method to deriving general equations of the kinetics of elementary cloud processes and the solution of a number of problems in the physics of clouds. This method made it possible to derive equations for many cloud processes which had not been studied before and to obtain a quantitative conception of them. These processes play an important role in the theory of precipitation formation. The book can be used by specialists working on problems of cloud physics and by other specialists, for example, physico-chemists studying the kinetics of colloidal systems and hydromechanics specialists studying the behavior of gaseous and liquid mixtures which have phase transitions.

Card 1/2

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

L 17533-63 EWT(1)/EDS AFFTC/ASD/ESD-3/APGC Pi-4 RB

ACCESSION NR: AP3004423 S/0020/63/151/004/0841/0844

AUTHOR: Belyaev, V. I.

62

TITLE: Theory of crystallization propagation in supercooled clouds

SOURCE: AN SSSR. Doklady*, v. 151, no. 4, 1963, 841-844

TOPIC TAGS: geophysics, supercooled cloud

ABSTRACT: Author supplements the existing theories of crystallization in supercooled clouds by considering the precipitation of ice crystals from the cloud. It has been shown in several references that the crystallization occurs in a very narrow frontal zone separating the liquid and crystalline phases. In this work, a system of equations is derived describing the balance of vapor in the frontal zone. From a qualitative analysis of these equations, a lower limit for the concentration of ice nuclei is obtained above which the propagation of crystallization in the supercooled cloud is possible. Orig. art. has: 2 figures and 15 equations.

ASSOCIATION: Morskoy gidrofizicheskiy institut Akademii nauk USSR (Naval Hydrophysics Institute, Academy of Sciences, UkrSSR).

Card 1/2

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6

BELYAYEV, V.I.; PAVLOVA, I.S.; RYABOV, V.M.

Methodology of dispersing clouds over large areas. Izv. AN SSSR. Ser. geofiz. no.9:1410-1416 S '63. (MIRA 16:10)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R000204600025-6