Approved For Release 2000/04/18 : CIA-RDP89B00551R000300430009-2

*BEST COPY*

*AVAILABLE*

Approved For Release 2000/04/18 : CIA-RDP89B00551R000300430009-2

Approved For Release 2000/04/18 : CIA-RDP89B00551R000300430009-2

TOP SECRET

04T 92502

OPERATIONAL IMMEDIATE

25X1A 25X1A

[redacted] CITE [redacted] ONE EIGHT TWO SIX

25X1A 25X1A

[redacted] DASH ONE ZERO ZERO [redacted] TWO ZERO ONE FIVE THREE ONE ZULU

A. 1464

B. 21 AUG 58 25X1A 25X1A

25X1A C. [redacted] 3 (4000 FT ROLL), [redacted] 6B "S", [redacted] 3

D. (1) REQUEST VERTICAL COVERAGE OF THE FOLLOWING FLIGHT LINES AND TARGETS: FLT LINES ARE PT A TO B, F TO G, G TO H, I TO J, K TO L, M TO N, O TO P, U TO V. TARGETS ARE PTS C, D, E, Q, R, S, AND T.

(2) CAMERA OPERATION: TURN ON (MODE 2) AT PT A, OFF 2 MINUTES PAST C, ON 2 MINUTES PRIOR TO D, OFF 2 MINUTES PAST D, ON 2 MINUTES PRIOR TO E, TO MODE ONE AT PT F, OFF AT PT P, ON (MODE 2) TWO MINUTES PRIOR TO Q, R AND S, AND OFF 2 MINUTES PAST EACH OF THESE POINTS, ON (MODE 2) TWO MINUTES PRIOR TO PT T, OFF AT PT V.

E. (1) CONTROL TIME IS 0630Z AT PT A.

(2) CONTRAILS TOPS KWHEAD 6000 AT KWCORK INCREASING TO KWHEAD 6300 AT PT K.

(3) TERRAIN CONDITIONS DRY.

[redacted] 25X6

G
P
Q
R
S
T
U
V
W

[redacted] ILLEGIB

Approved For Release 2000/04/18 : CIA-RDP89B00551R000300430009-2

Approved For Release 2000/04/18 : CIA-RDP89B00551R000300430009-2

A. 1464

B. 25X1A 25X1A 25X1A

C. [redacted] 3 (4000 FT ROLL), [redacted] 6B "S", [redacted]

D. (1) REQUEST VERTICAL COVERAGE OF THE FOLLOWING FLIGHT LINES AND TARGETS: FLT LINES AR PT A TO B, F TO G, G TO H, I TO J, K TO L, M TO N, O TO P, U TO V. TARGETS ARE PTS C, D, E, Q, R, S, AND T.

(2) CAMERA OPERATION: TURN ON (MODE 2) AT PT A, OFF 2 MINUTES PAST C, ON 2 MINUTES PRIOR TO D, OFF 2 MINUTES PAST D, ON 2 MINUTES PRIOR TO E, TO MODE ONE AT PT F, OFF AT PT P, ON (MODE 2) TWO MINUTES PRIOR TO Q, R AND S, AND OFF 2 MINUTES PAST EACH OF THESE POINTS, ON (MODE 2) TWO MINUTES PRIOR TO PT T, OFF AT PT V.

E. (1) CONTROL TIME IS 0630Z AT PT A.

25X1A 25X1A

(2) CONTRAILS TOPS [redacted] 6000 AT [redacted] INCREASING TO

25X1A [redacted] 6300 AT PT K.

(3) TERRAIN CONDITIONS DRY.

[redacted]

25X6

TOP SECRET

Approved For Release 2000/04/18 : CIA-RDP89B00551R000300430009-2