

- 1) Drugs, chemicals (psycho-chemicals)
  - a) New derivatives
  - b) Combinations
  - c) New techniques & or uses
- 2) Plants, shrubs, vines, fungi
- 3) Natural toxins
  - a) Insect
  - b) Snake
  - c) Fish &c.
- 4) Sound, supersonics, vibrations, intense sound
- 5) Radio waves, U.H.F., G.W.
- 6) Electronic fields (medical)
  - a) E.E.G.
  - b) Electric shock
  - c) Electronarcosis
- 7) Diet, dietary deficiencies, vitamin deficiencies, salty diet, calcium removal, &c.
- 8) Gases, aerosols, hypospray, mists, dusts, vapors
- 9) Oxygen deprivation
- 10) Pressure changes, pressurized areas
- 11) Hypnosis, suggestion
  - a) Hypno-analysis
  - b) Narco-analysis
  - c) Narco-hypnosis
- 12) Extra-Sensory Perception
- 13) Psychological harassment
  - a) Sounds
  - b) Solitary confinement
- 14) Nerve gases, cholinesterase study
- 15) Micro-organisms, bacteria, Artificial fevers
- 16) Histamins
- 17) Glandular disturbances (artificial)
- 18) Lobotomies &c.
- 19) Light, blinking light, glare
- 20) Colors (?)
- 21) Special weapons
  - a) Automatic injections
  - b) Gas dischargers
  - c) Hypospray
- 22) Cover, special cover techniques
- 23) Technical aids
  - a) Photography
  - b) Monitoring systems, recorders
  - c) Personal intercom. devices
  - d) False devices
  - e) Equipment, tools - general
- 24) Polygraph, uses in connection with

A/B 1, 44/9 A

Date	Time	Location	Remarks
11/11/44	11:15	Lab. 11	Disinfection of brain's base and base of cerebellum or redent energy, to produce dependent-like action - other cerebellar effects
11/11/44	11:15	Lab. 11	Possible inhibition of amygdaloid isolation (special percept technique) P. 1111 the poly. region, or the for general effect, neural- to given by anti or 10/10.
11/11/44	11:15	Lab. 11	Amygdala or cerebellum secretion, strong in 4 glycerol secretion, strong in 4 glycerol
11/11/44	11:15	Lab. 11	Inhibition of amygdala isolation (special percept technique) P. 1111 the poly. region, or the for general effect, neural- to given by anti or 10/10.
11/11/44	11:15	Lab. 11	Amygdala or cerebellum secretion, strong in 4 glycerol secretion, strong in 4 glycerol
11/11/44	11:15	Lab. 11	Inhibition of amygdala isolation (special percept technique) P. 1111 the poly. region, or the for general effect, neural- to given by anti or 10/10.
11/11/44	11:15	Lab. 11	Amygdala or cerebellum secretion, strong in 4 glycerol secretion, strong in 4 glycerol
11/11/44	11:15	Lab. 11	Inhibition of amygdala isolation (special percept technique) P. 1111 the poly. region, or the for general effect, neural- to given by anti or 10/10.
11/11/44	11:15	Lab. 11	Amygdala or cerebellum secretion, strong in 4 glycerol secretion, strong in 4 glycerol

1. Procedure (Sedation & Surgery)	2. Hypnosis to reduce anxiety, alone or with other more potent drugs	3. Drugs simulating lobotomy effect (Thorazine, etc.)	4. Chlorpromazine; Tetraethylammonium, Hexamethonium, Famine, Lidar, etc. Surgical lobotomies
<p>Prognosis: Improvements in hypnotizability — by drugs, hyperventilation (loss of CO<sub>2</sub>), posture, various rates of interrupted sound (metronome), etc; progress in post-hypnotic suggestions</p>	<p>Deconditioning: probably by some not yet sure or safe brain-shock; possibly by post-hypn. suggestion</p>	<p>Brain-washing techniques</p>	<p>Extra-Sensory Perception</p>

# I.

PROJECT'S INTEREST IN AIDS-to-INTERROGATION (columns in descending order of importance for added study, as seen by researcher)

+++  
NOT INTEREST

++  
CAN BE INTEREST

++  
AVAILABILITY INTEREST

++  
LESS THAN INTEREST

A

Disturbance of brain's temporal lobe by scale current or radiant energy, to produce dependence on other brain center, by radiation of other LSD25-like effects

Scopolamine (Dandelion or Scopolamine) possible inhibition of amygdaloid secretion (recent special technique) possible for the purpose of the study, but not of the study (for general interest) could be, even by, mouth or rectum.

Scopolamine + an anesthetic agent to reduce anxiety, alone drugs stimulating lachrymatory effect

Chlorpromazine (Thorazine) Curare: paralyzing or other effects

Lysergic acid diethylamide (LSD25) sedative-convulsant-like drugs (other than chlorpromazine, meprobamate, etc.)

Chlorpromazine (Thorazine) Curare: paralyzing or other effects

Chlorpromazine (Thorazine) Curare: paralyzing or other effects

Chlorpromazine (Thorazine) Curare: paralyzing or other effects

Chlorpromazine (Thorazine) Curare: paralyzing or other effects

Chlorpromazine (Thorazine) Curare: paralyzing or other effects

Chlorpromazine (Thorazine) Curare: paralyzing or other effects

Chlorpromazine (Thorazine) Curare: paralyzing or other effects

Chlorpromazine (Thorazine) Curare: paralyzing or other effects

Chlorpromazine (Thorazine) Curare: paralyzing or other effects

Chlorpromazine (Thorazine) Curare: paralyzing or other effects

Chlorpromazine (Thorazine) Curare: paralyzing or other effects

Chlorpromazine (Thorazine) Curare: paralyzing or other effects

Chlorpromazine (Thorazine) Curare: paralyzing or other effects

Chlorpromazine (Thorazine) Curare: paralyzing or other effects

Chlorpromazine (Thorazine) Curare: paralyzing or other effects

Chlorpromazine (Thorazine) Curare: paralyzing or other effects

Chlorpromazine (Thorazine) Curare: paralyzing or other effects

Chlorpromazine (Thorazine) Curare: paralyzing or other effects

Chlorpromazine (Thorazine) Curare: paralyzing or other effects

Chlorpromazine (Thorazine) Curare: paralyzing or other effects

Chlorpromazine (Thorazine) Curare: paralyzing or other effects

(A)

A/B, L 44110

USE OF SUGGESTION IN PHYSICAL

APPLIED ON SUBJECT

Reduced Anxiety may make Subject ungranted Stimulation disarms, makes S. overconfident Suggestibility makes compliant & revealing Hypnotiform at times by momentary candor Convulsion is accom- panied by Inconscientious- ness, & followed Confusion induces errors & inconsistencies Sleep   objectionable Inject., Elec-narcosis allows use of indirect Arousal to Suggestibility	Reduce Anxiety	Stimulate & Promote Suggestibility & Sensitize to Convulsion	Attempt to Convulse may Produce Ballapt. Convulsion followed usually by Confusion OR simply Confusion
Chemical Routes	Oral Intra- venous	Oral Inhal- ation Subcu- taneous Intra- venous	Sound Light Elec- tric Field
Physical Means			

HYPNOSIS omitted here, except \*

Tetra-  
ethyl-  
ammonium  
Oellivon

④

Sub-  
ject  
to be  
admitt-  
ing as  
possible

less (as Oblivon)	OR	taste (as Marijuana)	OR	exhila-ration (as Dextro-amphetamine)	OR	drugginess (as Parbiturates)
Drug can be detected by suspect-	OR	sense of	OR			

\* Except Post-hypnotic Suggestion, no instant Sleep-producer is available

Partially aroused Subject would be aware of Electro-narcosis instrumentation, & would recall it after re-covering consciousness

Electric Shock from drugged Sleep, would be experimen-tal; effects uncertain

Yanesin

Isoniazid?	Flicker
methacrin	Flicker
OR Dexadrin	
Sod. Amytal	
+methadrin	Flicker
Scopo-chloralose	
Heroin ?	
+	
CannabinoLOrnesin	
lescalin	

A dark, heavily textured surface, possibly a book cover or endpaper, with a ruler placed horizontally at the bottom for scale. The ruler shows markings from 0 to 10 centimeters.

Sub-  
ject  
to be sitting,

2. does identify the drug

ORAL	INTRA- VENOUS	ORAL	INTRI- ACTION	SPECI- FALOUS Scolerolamin	INTRA- VENOUS	SOUND	LIGHT	REC. FIELD
				+				
Isoniazid						Fluor		
Metrazol								
Pyansin								
Alcohol								
+ Metrazol								

## This block contains a large, dark, and highly textured rectangular area. It appears to be a scan artifact or a very poor quality photograph of a document page. The texture is grainy and noisy, with no discernible text or figures visible. There are two white circular marks at the top edge, likely from punch holes.

[illegible]



⑤

Dormison  
OR Obliyon  
Sod. Seconal  
OR Evipal

Pethedrin  
OR Dexedrin  
OR Elocos  
OR Dexedrin  
OR Elocos  
OR Elocos  
OR Elocos

Dormison

Chock

Succinyl (frac-

an analgesic?  
an analgesic?

[illegible]