

Approved For Release 2000/08/24 : CIA-RDP71B00263R000100270040-6

~~SECRET~~

ROUTING	
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	
13	
14	
15	
16	

DATE

TO :
FROM :
ACTION:
INFO :

IN 93005

OSA 1-20 *D*

16.22

TO ~~SECRET~~ 082100Z ^{INFO} CITE [REDACTED] 4588

CITE 25X1A6c
25X1A6c 25X1A6c

PRIORITY [REDACTED] INFO [REDACTED]

NO NIGHT ACTION

IDEALIST LOGS MAINT SUPPLY

25X1A6c

REF: [REDACTED] 6319

[REDACTED] WIRING IN WING HAS BEEN REMOVED AND REINSTALLED AT 25X1A2g
 [REDACTED] WITHOUT REMOVING ENGINE. IT MAY FACILITATE YOUR FUTURE 25X1A2g
 REMOVALS IF SHIELD GROUNDS ARE CUT NEAR THE SOLDERED JUNCTURE
 PRIOR TO START OF REMOVAL. REMOVING THE LUGS FROM THE WIRES WILL
 RELIEVE THE BUNDLE BUILDUP IN CONFINED AREAS AND AROUND BENDS.

FOR REINSTALLATION, A PULL WIRE (16 GA) SHOULD BE FED THROUGH
 THE CONDUIT AND THE END AT THE WING DISCONNECT AREA SHOULD BE
 STRIPPED. THIS ALLOWS SOLDERING OF THE [REDACTED] WIRES TO THE PULL 25X1A2g
 WIRE IN A STAGGERED FASHION.

A NEW HARNESS MADE FROM NEW "H" FILM WIRE WILL BE SHIPPED ON
 21 AUG 67. THIS WIRE IS SMALLER IN DIAMETER AND HAS BETTER ABRASION
 RESISTANCE. IT WILL BE EASIER TO REMOVE AND REINSTALL.

~~SECRET~~ TOR: 082140Z AUG 67

~~SECRET~~

GROUP 1 EXCLUDED FROM AUTOMATIC DOWNGRADING AND DECLASSIFICATION

Approved For Release 2000/08/24 : CIA-RDP71B00263R000100270040-6