MONTHLY REPORT

INSTALLATION AND MAINTENANCE BRANCH

ENGINEERING STAFF

1 AUGUST - 30 AUGUST 1962

- 1. The program for replacing SIGTOTS with the new HW-19A configuration is now complete in the Langley Signal Center. A total of eight of these units are now in operation.
- 2. During this reporting period, the installation/"marriage" of an Everything went very smoothly, HW-19A was affected at the having fulfilled the requirement in one day.
- 3. A new schedule for the Wire Maintenance Section at Langley has been initiated during this reporting period. Generally, it reflects a senior technician as supervisor on each of the three watches. This change has afforded closer supervision of both personnel and work assignments on all watches, and an increased efficiency has definitely been noticed.
- 4. The Langley/ link has been "cleaned up." The majority of the troubles we have lived with have been due to faulty Bell System equip-This equipment has been replaced and Agency owned equipment has been realigned. Other than routine troubles, no major outages have occurred since this remedial action was taken.

25X1A6b

25X1A6d

25X1A9a

Chief, Installation and Maintenance Branch, OC-E



25X1A

Approved For Release 2001/04/23: CIA-RDP78-02820A000800050030-5

BRANCH SUPPLY SECTION

- A. The total expenditures for Fiscal Year 1963 as of 22 August 1962 are \$43,092.50.
- B. Eliminated all control cards on KL-7 spares on which no action had been taken for the past five years. Eliminated 95% of the cards.
- C. Cryptographic Material Semi-Annual Inventory not completed. We are awaiting the return of hand receipts and confirming physical inventories.
- D. Field Requests As of 22 August 1962 a total of sixty-nine (69) field requests consisting of five hundred and thirty-one (531) line items have been processed.

ELECTRONIC MAINTENANCE SECTION

A. Microwave

The Microwave System and the associated landlines 41GC490 and 41GC491 have caused many intermittent type problems during this reporting period. At some of the problems were isolated to the Telephone Company 43A carrier system. Two filters were changed to provide greater tone separation of the 41GC491 channel. New style arc suppressors were installed in the Northern Keying Relay Circuits to reduce distortion.

B. KY-1

The circuit from OCI Watch Office to the White House and the circuit from ORR (Langley) to 1019 Alcott Hall were tested and activated during this reporting period.

C. KY-5

The KY-5 is in daily operation on a "phone to phone" basis. The Kellogg switchboard is not in use due to the lack of modification instructions from NSA.

D. Very-High-Frequency

Normal coverage was provided during the month of August.

REHAB. SHOP

A. Fabrication of a tape factory was completed and shipped to 25X1A6a the field.



25X1A6d 25X1A6b 25X1A6d

		- 2 -					
25X1		Two HW-19A configurations were fabricated, tested and delivered to the Packing and Crating Section for shipment to the field to fulfill requirements.	25X1A				
25X1A	c.	One half-duplex HW-19A configuration was fabricated for installation at the Messrs. Messrs. Messrs. affected this installation with no problems encountered.	25X1A9a				
	D.	The equipment for one full-duplex HW-19A installation has been prewired and tested to satisfy the requirement. The installation will be made upon receipt of the new style HW-19A rack.	25X1A6a				
	E.	The HW-19A equipment for the Quarters Eye Logistics network installation has been pre-wired for use with the Bell System TWX machines. The installation will be made upon receipt of the new style HW-19A racks.					
	F.	Processed 2 incoming vouchers totaling 103 items. Processed 17 outgoing vouchers totaling 75 items.					
	G.	Mechanical Maintenance Section - Routine					
	MI	WIRE MAINTENANCE SECTION					
	A.	Section Activities					
		1. Two Model-28 ASR's have been rewired in accordance with HW-19A standards for two half-duplex circuits to Logistics, Quarters Eye. The HW-19A rack was wired and will be installed as position six in the Washington-Terminal outgoing section (Langley).					
		2. The Replacement Program for changing Sigtot to HW-19A operation continues this month with the remaining two HW-19 racks completed. The ASR equipment will be rewired and converted to single shaft operation.					
		3. A storel Model-55B was repaired and returned from and installed in the Control Console. One test pattern distortion generator was shipped for repair.	25X1A5a1 25X1A5a1				
		4. Mr. received one week of instructions on the HL-6 at laboratory.	25X1A9a 25X1A6a				
		5. Variable speed kits were installed on two Model-28 KSR's roll-arounds. This equipment is used to set up the KW-26 circuits. This					

CEPORT

KSR unit.

versatility from 60 W.P.M. to 100 W.P.M. allowed the removal of one

- 6. A test panel was installed on the rear of the Control Console to test the circuit selection steppers. A total of twenty (20) test points were installed, ten (10) for Unclassified, and ten (10) for Classified circuits.
- 7. The circuit selection panels, both Classified and Unclassified, were checked out with respect to the Console Model-28 KSR's, the test pattern generator, and the distortion analyzer on all send and receive circuits.
- 8. Seven Series governed motors on Model-28 KSR equipment were replaced with synchronous type This replacement will reduce maintenance considerably.

9. Two Model-28 KTR's were installed to facilitate the maintenance of the microwave system. One unit was installed in the Radio Control room and one in the Microwave Building.

25X1A6d

25X1A6d

B. Emergency Power

1. 200 KW Generator

Both diesels were run under load for a period of thirteen hours. Daily, weekly and monthly routine maintenance was completed totaling one hundred and forty-five (145) man hours.

- 2. 30 KW Generator
- a. This unit ran a total of fifteen hours under load. A total of 80 man hours was expended on routine maintenance and repair.
- b. No major or minor repairs required during this reporting period.

C. Trouble Reports

A total of three hundred and ninety-eight (398) troubles were reported and corrected from the following areas:

Langley Relay	-	234	
Langley SSCB	-	111	05)/// 0 1/
Langley Total	-	20	25X1A2d1
Langley	-	2	
1717 "H" Street	-	7	
Outside Area	-	24	



Approved For Release 2001/04/23 : CIA-RDP78-02820A000800050030-5