

~~CONFIDENTIAL~~

MEMORANDUM FOR: Acting Deputy Director (Administration)

SUBJECT : Lighting Requirements, [REDACTED] 25X1A

1. As you may recall, the inclusion of additional lighting requirements for the [REDACTED] in the previous submission of additional facility requirements for that [REDACTED] was considered inadvisable, and consequently not included. At the same time, the possibility of obtaining additional lighting facilities at a later date was indicated. 25X1A 25X1A

2. A survey of additional lighting facilities has been made by lighting engineers, the details of which are shown in Enclosure One. A survey of bin lighting requirements has also been made, from a health standpoint, by the Medical Staff, the results of which are shown in Enclosure Two. The estimated cost of these additional lighting facilities is estimated at \$ 16,000.00.

3. I feel that these additional lighting facilities are essential to an efficient operation and to the health of employees; therefore, your approval of these requirements is requested. Funds to cover the cost of these facilities are available within this Office.

JAMES A. GARRISON
Chief of Logistics

Enclosures:

- 1 - Memo dtd 31 Mar., 54
from Ch., Real Estate
and Construction Div.
Tab "A" - Listing of
Estimated Cost
- 2 - Memo dtd 11 Feb., 54
from Ch., Program Coord.
Div., Medical Office

Document No.	017
No. Clamps in Case	<input type="checkbox"/>
SEARCHED	<input checked="" type="checkbox"/>
SERIALIZED	<input type="checkbox"/>
INDEXED	<input type="checkbox"/>
FILED	<input type="checkbox"/>
NOV 22 1954	By: 013

APPROVED: [Signature] 1954

151
L. K. WHITE
Acting Deputy Director
(Administration)

T. Subpel