

SECRET**PRIORITY**

OUT52152

P 252124Z
 FM CIA WASHDC
 TO RUCSBR/SAC OFFUTT AFB, OMAHA, NEB
 RUCVAB/4080 STRAT WG, OL 19, BARKSDALE AFB, LA
 RUEAHQ/DIAXX
 RUECYG/NAVY PIC
 RUWBKG/15TH AF, MARCH AFB, RIVERSIDE, CALIF
 RUWGAA/2D RTS, BARKSDALE AFB, LA
 RUWGAA/2AF, BARKSDALE AFB, LA
 DA GRNC
 BT

S E C R E T

CITE CIA-Z-980

15TH AF (FOR DI); SAC (FOR DIM, BRASS KNOB, DOCR, DM 4) 2D AF Grace (File)
 (FOR DI). FROM NATIONAL PHOTOGRAPHIC INTERPRETATION CENTER.

1. CAMERA B 8 WAS USED IN MISSION 3758 FLOWN ON 22 OCT 63;
 PROCESSING WAS ACCOMPLISHED BY BARKSDALE.

2. ORIGINAL NEGATIVE:

A. THE EXPOSURE IS ADEQUATE AND THE RESOLUTION IS GOOD.

B. 9R SIDE: THE ENTIRE SIDE IS SLIGHTLY DEGRADED BY PROCESSING STREAKS. FRAME 2 CONTAINS A TRANSVERSE MINUS DENSITY BAR APPROXIMATELY 2.0" WIDE 1.5" FROM THE TAKE-UP END OF THE FORMAT. FRAMES 1 THROUGH 90 CONTAIN MINUS DENSITY SPOTS 1.6" APART 2.6" FROM THE INBOARD EDGE. THERE IS A REFLECTION ALONG THE OUTBOARD EDGE EXTENDING 0.2" INTO THE FORMAT. FRAME 173 CONTAINS A HEAVY PLUS DENSITY PROCESSING STREAK 6.5" LONG AND 0.5" WIDE. THERE ARE SPOTS OF INK IN THE FORMAT IN FRAMES 302 AND 303. MANUFACT-

SECRET

GROUP 1
 Excluded from automatic
 downgrading and
 declassification

Declassification Review by NGA/DoD

-8-2-

URER'S SPLICES ARE PRESENT IN FRAMES 327 AND 1649. THERE ARE NUMEROUS SMALL TRANSVERSE SCRATCHES ALONG THE INBOARD EDGES OF FRAMES 327 AND 328. SMALL REOCCURRING SCRATCHES 6.4" APART AND 4.3" FROM THE OUTBOARD EDGE ARE PRESENT BETWEEN FRAMES 518 AND 557 AND AGAIN BETWEEN FRAMES 612 AND 635. THERE ARE CRIMPS AND HANDLING MARKS ADJACENT TO A HEAT SPLICE IN FRAME 1199. A CREASE ASSOCIATED WITH A MANUFACTURER'S SPLICE, EXTENDS FROM FRAME 1649 TO FRAME 1652. SMALL MINUS DENSITY SMEARS, APPROXIMATELY 0.5" IN DIAMETER AND 9.0" APART START IN FRAME 1857 AND BECOME PROGRESSIVELY LARGER TO APPROXIMATELY 2.0" IN LENGTH AND 3.0" APART AND END WITH A HOLD THROUGH THE NEGATIVE IN FRAME 1868. BLISTERS ARE NOTED IN FRAMES 1201, 1892, 1922, 1928, 1931, 1942, 1943, 1995, 2044, AND 2058. THERE IS AN EMULSION DEFECT IN FRAME 1635.

C. 9L SIDE: NUMEROUS PROCESSING STREAKS ARE PRESENT HEAD TO TAIL. A PARTICULARLY HEAVY PROCESSING STREAK IS LOCATED 1.25" INSIDE, AND PARALLEL TO, THE OUTBOARD EDGE OF THE FORMAT. MINUS DENSITY STREAKS ARE NOTED INTERMITTENTLY, 0.10" INSIDE AND PARALLEL TO THE INBOARD EDGE. CONTINUOUS FINE SCRATCHES ARE LOCATED IN THE SAME GENERAL AREA THROUGHOUT FRAMES 000-010, INTRUDING 0.50"

3

INTO THE FORMAT. DESENSITIZED ~~SPOTS~~ ARE PRESENT IN FRAMES 000-003 AND 005-009. FOREIGN MATERIAL IS NOTED IN FRAMES 004-006, 012-017, AND 030-031. FRAME 318 CONTAINS IMAGES OF FOAM-INDUCED BUBBLES. SPOT STATIC DISCHARGES ARE NOTED IN FRAME 343. FRAME 431 CONTAINS A PLUS DENSITY AREA AND EDGE-TO-EDGE ROLLER STATIC. PINHOLES ARE PROFUSE IN FRAMES 613, 618, 1124, 1139, 1144, AND 1145. EMULSIONS SKIVING OCCURS IN FRAME 662. A MANUFACTURER'S SPLICE IS PRESENT IN FRAME 1346. THERE ARE 2094 TITLED FRAMES.

3. POSITIVE:

A. THE PI SUITABILITY IS GOOD. THE PRINTING AND PROCESSING OF THE POSITIVES ARE GOOD.

B. CLOUDS COVER 70-75 PER CENT OF THE MISSION. SCP-1.

S E C R E T

-END OF MESSAGE-

(ALSO PASSED TO CIA WATCH (CGS))

1