

SECRET

PRIORITY

OUT52138

1963 OCT 23 21 25Z

P 232049Z

FM CIA WASHDC

TO RUCSBR/SAC OFFUTT AFB, OMAHA, NEB

RUCVAB/4080 STRAT WG, OL 19, BARKSDALE AFB, LA

RUEAHQ/DIAXX

RUECYG/NAVY PIC

RUWBKG/15TH AF, MARCH AFB, RIVERSIDE, CALIF

RUWGAA/2D RTS, BARKSDALE AFB, LA

RUWGAA/2AF, BARKSDALE AFB, LA

DA GRNC

BT

24 OCT 1963

HFS

CJS

CFC

PMS

SECRET

CITE CIA-Z-975

15TH AF (FOR DI); SAC (FOR DIM, BRASS KNOB, DOCR, DM 4) 2D AF (FOR DI). FROM NATIONAL PHOTOGRAPHIC INTERPRETATION CENTER.

1. CAMERA B 7 WAS USED IN MISSION 3757 FLOWN ON 21 OCT 63; Grace (File) PROCESSING WAS ACCOMPLISHED BY NAVY PIC.

2. ORIGINAL NEGATIVE:

A. THE EXPOSURE WAS ADEQUATE AND THE RESOLUTION IS GOOD.

B. 9R SIDE: FINE ABRASIONS AND SCRATCHES ARE NOTED ON THE BASE SIDE FROM FRAME 666 TO 798. THERE IS A SLIGHT REFLECTION INTO THE FORMAT ALONG THE OUTBOARD EDGE. A SMALL TEAR ASSOCIATED WITH A MANUFACTURER'S SPLICE IS NOTED IN FRAME 1091. CRIMPS AND HANDLING MARKS ASSOCIATED WITH A HEAT SPLICE ARE NOTED IN FRAMES 1361 AND 1362. THERE IS AN AREA OF SOFT FOCUS ADJACENT TO THE CLOCK WHICH HAS BEEN THOROUGHLY DESCRIBED IN PREVIOUS

Declassification Review by NGA/DoD

SECRET

GROUP 1
Excluded from automatic
downgrading and
declassification

2

MISSION EVALUATIONS. A FOG PATCH 2.0" LONG AND 0.8 WIDE IS PRESENT IN FRAME 1813.

C. 9L SIDE: FRAME 0000 CONTAINS A PLUS TO MINUS DENSITY GRADIENT AND SEVERAL DESENSITIZED SPOTS. A BAR-TYPE LIGHT LEAK EXTENDS EDGE TO EDGE THROUGH THE FORMAT OF FRAME 0002. FOREIGN MATTER, CONSISTING OF UNIDENTIFIED MATERIAL, IS PRESENT IN FRAME 0129. A SEVERE TEAR AND ASSOCIATED EMULSION LIFTS DEGRADE FRAME 0274. THE TEAR WAS CAUSED BY WATER-FUSING OF THE EMULSION AND WAS REPAIRED AT THE PROCESSING SITE. CRESCENT-SHAPED STATIC DISCHARGES WERE NOTED IN FRAMES 1217 AND 1493. HEAT SPLICES ARE LOCATED IN FRAMES 0627 AND 1317. A MANUFACTURER'S SPLICE IS PRESENT IN FRAME 1624. FRAMES 1473 AND 1483 CONTAIN PROMINENT PINHOLES AND FRAME 1978 CONTAINS AN EMULSION DEFECT. MINUS DENSITY DOTS, SPACED 1.53" APART AND LOCATED 1.35" BELOW THE OUTBOARD EDGE OF THE FORMAT, ARE PRESENT HEAD TO TAIL BUT ARE DIFFICULT TO DETECT EXCEPT WHERE DENSITY PERMITS.

D. THERE WERE NO CAMERA MALFUNCTIONS OR PROCESSING ANOMALIES OTHER THAN THOSE ALREADY NOTED. THERE ARE 2064 EXPOSURES FOR THIS MISSION.

3. POSITIVE

- 5 -

A. THE PI SUITABILITY IS GOOD. THE PRINTING AND PROCESSING
OF THE POSITIVES ARE GOOD.

B. CLOUDS COVERED 15-20 PER CENT OF THE MISSION.

SCP-1.

S E C R E T

-END OF MESSAGE-

(ALSO PASSED TO CIA WATCH (CGS))

1