

SECRET

OUT54087

1964 SEP 14 20 45Z 15 SEP 1964

*Mult*

P 141936Z  
FM NPIC WASHDC  
TO RUCSBR/SAC OFFUTT AFB OMAHA NEB  
RUCVAA/4080 STRAT WG OL 19 BARKSDALE AFB LA  
RUCVAA/2D RTS BARKSDALE AFB LA  
RUEAHQ/DIA WASHDC  
RUECYH/NAVRECONTECHSUPPCEN SUITLAND MD  
RUEPIA/CIA WASHDC  
RUWBKN/15TH AF MARCH AFB RIVERSIDE CALIF  
RUWGAA/2AF BARKSDALE AFB LA  
BT  
S E C R E T CITE NPIC 2919.

15TH AF (FOR DI), SAC (FOR DIM/GOLDEN TREE/DOCR, DM 4) 2D AF (FOR DI).

1. CAMERA B-101 WAS USED IN MISSION 3945 FLOWN ON 12 SEPTEMBER 1964; PROCESSING WAS ACCOMPLISHED BY NAV RECON TECH SUPPCEN.

2. ORIGINAL NEGATIVE:

A. THE EXPOSURE WAS ADEQUATE AND THE RESOLUTION IS GOOD.

B. 9R SIDE: ROLLER CHATTER IS PRESENT AT THE OUTBOARD EDGE FOR THE FIRST 84 FRAMES OF THE MISSION. A PAIR OF MINUS DENSITY DOTS IS LOCATED ABOUT 1.3" FROM THE TAKE-UP END OF THE FORMAT AND 2.35" FROM THE OUTBOARD EDGE OF THE FILM ON EVERY FRAME FROM HEAD TO TAIL. A SECOND PAIR OF MINUS DENSITY DOTS IS LOCATED APPROXIMATELY 0.3" FROM THE SUPPLY-END OF THE FORMAT AND 1.35" FROM THE OUT-BOARD EDGE OF THE MISSION. AN INTERMITTENT PLUS DENSITY STREAK LOCATED 2.53" FROM THE OUTBOARD EDGE OF THE FILM OCCURS THROUGH PART ONE OF THE MISSION. A MANUFACTURING SPLICE EXISTS IN FRAME 1089 AND A HEAT SPLICE WITH ASSOCIATED HANDLING

2-

MARKS IS PRESENT IN FRAME 809.

C. 9L SIDE: FRAMES 0001-1064 CONTAIN SMALL DIAGONAL STATIC DISCHARGES 0.65" INBOARD AND 4.60" APART. EDGE FOG AND MINOR EDGE STATIC DISCHARGES ARE PRESENT INTERMITTENTLY ON BOTH EDGES. A HEAT SPLICE IS PRESENT WITHING THE FORMAT OF FRAME 735.

D. BOTH SIDES: THE TITLED FRAMES ARE NUMBERED 0001-1593.

E. THERE WERE NO MAJOR CAMERA MALFUNCTIONS OR PROCESSING ANOMALIES.

3. DUPLICATE POSITIVE:

A. THE PI SUITABILITY IS GOOD IN CLOUD-FREE AREAS.

B. PRINTING AND PROCESSING ARE GOOD.

C. CLOUDS AND HAZE OBSCURE OR DEGRADE 55 PERCENT OF THE PHOTOGRAPHY.

GP-1

S E C R E T

-END OF MESSAGE-