

25X1

ORIG : Richard M. Bissell, Jr /m
 UNIT : SA/PC/DCI
 EXT :
 DATE : 10 November 1956

CLASSIFIED MESSAGE

SECRET

1
2
3

TIME

4
5
6

25X1
 25X1
 25X1

TO :
 FROM :
 CONF : DIRECTOR
 INFO : SA/PC/DCI (1,2,3,4,5,6,7)
 S/C (8)

OUT57550

RBS

5964 (OUT 57550)

20257 10 NOV 56

PRIORITY-NO NITE AC 25X1

PRECEDENCE

INFO:
 CITE:
 5964

REF: A. 917 (OUT 57469)

B. 1430 (IN 08741)

1. RE PARA 1A REF B
 FACILITY SHOULD BE
 WITHIN PRESENT RESTRICTED AREA IF AT ALL POSSIBLE. SAME
 APPLIES

2. RE PARA 1B REF B
 WILL HAVE COMMAND
 RESPONSIBILITY

WITHIN THIS HQS MAIN RESPONSIBILITY FOR BACKUP THESE TWO
 UNITS WILL REST WITH
 INTENDED THAT RELATION-
 SHIP BETWEEN CHIEF EACH FIELD COMPONENT AND
 SHALL BE PARALLEL TO RELATIONSHIP BETWEEN SUPERVISOR EACH
 CONTRACTOR GROUP AND HOME OFFICE OF THAT CONTRACTOR.

3. RE 1C REF B INITIAL COMPLEMENT
 WILL
 COMPRISE SIX TO EIGHT
 PERSONNEL MOST OF WHOM NOW

SECRET

RELEASING OFFICER

AUTHENTICATING OFFICER

IT IS FORBIDDEN TO MAKE A COPY OF THIS MESSAGE

Crew No.

CLASSIFIED MESSAGE

TO :
 FROM :
 EXT :
 DATE :

SECRET

ROUTING

1		4	
2		5	
3		6	

TO :
 FROM :
 CONF :
 INFO :

5964 (OUT 57550)

25X1

-2-

PRECEDENCE

4. RE PARA 1D REF B. [] MAY REQUIRE

25X1

APPROXIMATELY 480 SQ FT LABORATORY SPACE CONSISTING FOUR
 ROOMS TEN BY TWELVE, THREE ROOMS TO BE LIGHT TIGHT. UNDER-
 STAND [] HAS REQUESTED THREE U-1 PORTABLE DARKROOM
 SHELTERS WHICH ASSUME CAN BE UTILIZED. IN ADDITION ADMIN
 SPACE ALSO REQUIRED. SUFFICIENT ELECTRICAL AND PLUMBING
 FACILITIES TO SUPPORT EQUIPMENT SHOULD BE PROVIDED WHICH
 PROBABLY CAN CONSIST FLEXIBLE HOS AND TEMPORARY ELECTRICAL
 OUTLET BOXES. NO SEPARATION REQUIRED BETWEEN EXISTING
 PROCESSING INTERPRETATION FACILITY OF DETACHMENTS AND
 EXPANSION [] FACILITY. IF QUALIFIED TECHNICIAN NOT
 AVAILABLE [] SET UP FACILITY SUGGEST REQUEST []
 TDY [] FEW DAYS ASSIST PLANNING LAYOUT.

25X1

25X1

25X1

25X1

5. RE PARA 2A REF B. NO [] WILL

25X1

COORDINATING OFFICERS

SECRET

RELEASING OFFICER

AUTHENTICATING OFFICER

IT IS FORBIDDEN TO MAKE A COPY OF THIS MESSAGE

CLASSIFIED MESSAGE

ORIG :
UNIT :
EXT :
DATE :

SECRET

ROUTING

1		4	
2		5	
3		6	

TO :
FROM :
CONF :
INFO :

5964 (OUT 57550)

-3-

PRIORITY

25X1

BE ADDED [] UNTIL AFTER FULL AQUATONE

25X1

[] CLEARANCE GRANTED. THIS WILL POSSIBLY DELAY

25X1

ARRIVAL SUCH PERSONNEL. FYI MAINTENANCE [] RELATIONS

25X1

OTHER ORGANIZATIONS REQUIRES ASSENT THIS ARRANGEMENT SUBJECT
TO PROPER SECURITY CLEARANCES.

6. RE PARA 2 REF B. DESPITE HQS HIGH REGARD []

25X1

CONSIDER IT DESIRABLE USE [] (IDEN) AS

25X1

CHIEF [] REASON IS PRIMARY RESPONSIBILITY PI WORK.

25X1

HERE RESTS [] WHICH IS PROVIDING ALL []

25X1

PERSONNEL TO BE ASSIGNED AS STAFF [] UNDER

25X1

THESE CIRCUMSTANCES BELIEVE DESIRABLE SUPERVISORS THESE

PERSONNEL ALSO BE SELECTED FROM [] AT LEAST

25X1

INITIALLY. AFTER FACILITY ESTABLISHED AND FUNCTIONING

[] MAY WELL DESIRE TO RECALL [] AND

25X1

HIS OPOSITE NUMBER [] IN THIS EVENT MATTER WILL BE

25X1

COORDINATING OFFICERS

SECRET

RELEASING OFFICER

AUTHENTICATING OFFICER

CLASSIFIED MESSAGE

ORIG :
UNIT :
EXT :
DATE :

SECRET

ROUTING			
1		4	
2		5	
3		6	

TO :
FROM :
CONF :
INFO :

5964 (OUT 57550)

25X1

PRIORITY

-4-

RECONSIDERED.

7. DESIRE SLUG ALL TRAFFIC CONCERNING **SUBSTANTIVE**
WORK OF [REDACTED] SINCE DESIRABLE 25X1
ENCOURAGE QUICK FREE INTERCHANGE **SUBSTANTIVE INTELLIGENCE**
BETWEEN [REDACTED] FIELD UNITS AND [REDACTED] SUGGEST 25X1
FIELD CHIEFS UNITS BE **DESIGNATED RELEASING OFFICERS FOR**
TECHNICAL MESSAGES IF SUCH ARRANGEMENT ACCEPTABLE [REDACTED] 25X1

[REDACTED]

END OF MESSAGE

25X1

[REDACTED]

25X1

COORDINATING OFFICERS

**Richard M. Bissell, Jr. /
SA/PC/DCI**

SECRET

RELEASING OFFICER

AUTHENTICATING OFFICER

IT IS FORBIDDEN TO MAKE A COPY OF THIS MESSAGE

Copy No.