

Approved For Release 2007/06/18 : CIA-RDP78T05693A000300010001-8

0711 7000

Approved For Release 2007/06/18 : CIA-RDP78T05693A000300010001-8

Page Denied

COPY NO. 67

OAK 9009 - Part 2
Date of Info. 18 August 1960

Par No. 588/60-KH
29 August 1960
No. Pages 13

CENTRAL INTELLIGENCE AGENCY
PHOTOGRAPHIC INTELLIGENCE CENTER

JOINT PHOTOGRAPHIC INTELLIGENCE OAK REPORT
ARMY - NAVY - CIA - AIR FORCE

PREFACE

THIS IS AN OAK REPORT INSTALLMENT AND REPRESENTS ONE OF MAN'S FIRST ATTEMPTS TO PRODUCE AN INTELLIGENCE REPORT FROM SATELLITE PHOTOGRAPHY. QUALITY OF UNOBSCURED COVERAGE RANGES FROM GOOD TO VERY GOOD AND INCLUDES APPROXIMATELY 1.5 MILLION SQUARE MILES OF THE SINO-SOVIET BLOC. OF THIS COVERAGE AN ESTIMATED 25 PERCENT IS CLOUD FREE, WITH LIGHT SCATTERED TO HEAVY CLOUDS COVERING THE REMAINDER. BECAUSE OF THE SMALL SCALE WHICH ESTIMATEDLY RANGES FROM 1/300,000 TO 1/450,000, THE NATURE OF THE OPERATING CYCLE, AND THE CHARACTERISTICS OF THE PANORAMIC PHOTOGRAPHY ACHIEVED, IT IS EXPECTED THAT A PRELIMINARY REPORT OF THIS MISSION WILL NOT BE COMPLETED FOR SEVERAL WEEKS. AVERAGE GROUND OBJECT RESOLUTION IS ESTIMATED IN THE ORDER OF 20 TO 30 FEET ON THE SIDE.

EVEN IN PRELIMINARY EXPLOITATION CLOSE COLLABORATION IS REQUIRED AMONG THE PHOTO INTERPRETERS, PHOTOGRAMMETRISTS, PHOTO LABORATORY PERSONNEL, SCIENTIFIC INTELLIGENCE AND COLLATERAL DATA SPECIALISTS. BECAUSE OF THE PECULIAR MENSURATION PROBLEMS POSED BY THE MATERIAL, ALL MEASUREMENTS NOTED HEREIN SHOULD BE TREATED AS TENTATIVE UNTIL FULL PHOTOGRAMMETRIC ANALYSIS CAN BE ACCOMPLISHED. THE AMOUNT OF GEOGRAPHIC-ECONOMIC DATA AND THE NUMBER OF INTELLIGENCE TARGETS ARE CONSIDERABLE, AND THE POTENTIAL USE OF THE MATERIAL FOR CHARTING AND POSSIBLE GEODETIC ASSISTANCE APPEARS TO BE GOOD.

THE MOST STRINGENT USE OF THE NEED TO KNOW PRINCIPLE WITHIN THE SECURITY LIMITATIONS OF THE TALENT-KEYHOLE SYSTEM MUST APPLY TO ALL WOULD-BE CONSUMERS OF RAW MATERIALS AS WELL AS FINISHED REPORTS RESULTING FROM THIS MISSION.

TOP SECRET

OAK 9009 - Part 2
Date of Info. 18 August 1960

Par No. 588/60-KH
29 August 1960

INTRODUCTION

THIS IS THE SECOND IN A SERIES OF OAK REPORTS DEALING WITH PRIORITY ITEMS OF INTELLIGENCE SIGNIFICANCE APPEARING ON PHOTOGRAPHY OF MISSION 9009. THIS REPORT COVERS THE OAK-REPORTING PERIOD FROM 1500 HOURS, 26 AUGUST 1960, THROUGH 1500 HOURS, 27 AUGUST 1960.

OAK PHOTOGRAPHIC INTELLIGENCE TEAMS ARE ENGAGED IN A TWO-PHASE EXPLOITATION OF MISSION 9009. THE FIRST PHASE IS CONCERNED WITH AN INITIAL SCAN OF PHOTOGRAPHY AND AN INDEXING OF ALL ITEMS OF INTELLIGENCE SIGNIFICANCE. A COMPLETE INDEX OF INTELLIGENCE ITEMS WILL BE PUBLISHED AFTER COMPLETION OF THE OAK-REPORTING PERIOD. THE SECOND PHASE IS CONCERNED WITH A PRELIMINARY ANALYSIS OF PRIORITY ITEMS UNCOVERED IN THE INITIAL SCAN. THESE ITEMS ARE THE SUBJECT OF THE DAILY OAK REPORTS.

THE DAILY OAK REPORTS WILL CONSIST, BASICALLY, OF A BRIEF INTRODUCTION AND SUMMARY, FOLLOWED BY A LISTING OF PRIORITY ITEMS WHICH HAVE BEEN THE SUBJECT OF PRELIMINARY ANALYSIS. THESE ITEMS WILL BE REPORTED IN THE FOLLOWING PREASSIGNED CATEGORIES.

- A. GUIDED MISSILES AND ELECTRONICS
- B. NUCLEAR ENERGY
- C. AIRFIELDS
- D. MILITARY INSTALLATIONS
- E. PORTS AND HARBORS
- F. MAJOR COMPLEXES
- G. MISCELLANEOUS ITEMS

FOR PURPOSES OF CONSISTENCY, THE ABOVE CATEGORIES WILL APPEAR IN THE OAK REPORT EVERY DAY, EVEN IF NO PRIORITY ITEMS ARE LISTED WITHIN THE CATEGORY. FURTHER INFORMATION RESULTING FROM ADDITIONAL PRELIMINARY ANALYSIS OF PREVIOUSLY REPORTED ITEMS WILL BE INCORPORATED IN SUBSEQUENT OAK REPORTS.

TOP SECRET

Page Denied

OAK 9009 - Part 2
Date of Info. 18 August 1960

Par No. 588/60-KH
29 August 1960

SUMMARY

AS OF 1500 HOURS, 27 AUGUST 1960, APPROXIMATELY 50 PERCENT OF MISSION 9009 HAD BEEN SCANNED. THIS INCLUDES 35 PERCENT OF PASS 4, 75 PERCENT OF PASS 6, 100 PERCENT OF PASS 7, 90 PERCENT OF PASS 8, AND 35 PERCENT OF PASS 9. EXTENSIVE CLOUD COVER WAS PRIMARILY RESPONSIBLE FOR THE LARGE PERCENTAGE INCREASE IN AREA SCANNED DURING THE CURRENT REPORTING PERIOD.

IT SHOULD BE NOTED THAT PRELIMINARY ANALYSIS HAS NOT BEEN COMPLETED ON ALL PRIORITY ITEMS WITHIN THE AREA SCANNED. ITEMS ON WHICH PRELIMINARY ANALYSIS HAS BEEN COMPLETED ARE INCLUDED IN THIS REPORT.

SUMMARIZED BELOW ARE THE MAJOR ITEMS OF INTELLIGENCE INTEREST.

GUIDED MISSILES

MISSILE TEST CENTER, KAPUSTIN YAR/VLADIMIROVKA
PRELIMINARY ANALYSIS OF SURFACE-TO-AIR MISSILE FACILITIES DISCLOSES LITTLE CHANGE SINCE DECEMBER 1959 TALENT PHOTOGRAPHY. ALL SAM FACILITIES EXCEPT THE INITIAL SAM LAUNCH COMPLEX APPEAR ACTIVE.

OF PARTICULAR SIGNIFICANCE IS THE FACT THAT LAUNCH COMPLEX E, UNDER CONSTRUCTION IN DECEMBER 1959, MAY NOT YET BE COMPLETE AND OPERATIONAL. IN ADDITION, THE RAIL-SERVED SUPPORT AREA UNDER CONSTRUCTION AT LAUNCH COMPLEX C IN DECEMBER 1959 IS NOT YET COMPLETE, AND THE RAIL LINE IS BEING EXTENDED TO THE RANGE CONTROL CENTER.

PRELIMINARY ANALYSIS CONTINUES ON ALL AREAS EXCEPT THE SURFACE-TO-AIR MISSILE FACILITIES. RESULTS OF THESE ANALYSES WILL BE REPORTED IN FORTHCOMING OAK REPORTS.

SAM SITES

TWO NEW HEXADIC SA-2 SAM SITES UNDER CONSTRUCTION WERE CONFIRMED. THIS BRINGS THE TOTAL TO DATE TO SEVEN NEW HEXADIC SITES CONFIRMED AND FOUR POSSIBLE SITES UNDER CONSTRUCTION.

AIRFIELDS

EIGHT AIRFIELDS WITH HARD OR PARTIALLY HARD SURFACE RUNWAYS (ONLY ONE IN EXCESS OF 9,000 FEET) WERE OBSERVED DURING THE REPORTING PERIOD. IN ADDITION, SIX DIRT STRIPS OR SOD LANDING AREAS WERE OBSERVED.

TOP SECRET

OAK 9009 - Part 2
Date of Info. 18 August 1960

Par No. 588/60-KH
29 August 1960

STAT

DETAILS

PRELIMINARY ANALYSIS WAS COMPLETED ON THE FOLLOWING ITEMS DURING THE CURRENT OAK-REPORTING PERIOD.

A. GUIDED MISSILES AND ELECTRONICS1. MISSILE TEST CENTER, KAPUSTIN YAR/VLADIMIROVKA

STAT

THE ENTIRE RANGEHEAD OF THE MISSILE TEST CENTER IS COVERED BY MISSION 9009, WHICH SHOWS RELATIVELY FEW CHANGES FROM [REDACTED] IN SPITE OF SCATTERED CLOUDS, IT IS APPARENT THAT THE FUNCTIONAL DESIGNATIONS OF MAJOR FACILITIES GIVEN IN CIA/PIC/JB-8/60 ARE STILL VALID.

STAT

OF PARTICULAR SIGNIFICANCE IS THE FACT THAT LAUNCH COMPLEX E, UNDER CONSTRUCTION IN DECEMBER 1959, MAY NOT YET BE COMPLETE AND OPERATIONAL. IN ADDITION, THE RAIL-SERVED SUPPORT AREA UNDER CONSTRUCTION AT LAUNCH COMPLEX C IN DECEMBER 1959 IS NOT YET COMPLETE, AND THE RAIL LINE IS BEING EXTENDED TO THE RANGE CONTROL CENTER. THE EVIDENCE OF RUNWAY CONSTRUCTION IN DECEMBER 1959 EAST OF VLADIMIROVKA AIRFIELD IS CONFIRMED. THE COMPLETED RUNWAY, WHICH IS STILL UNDER CONSTRUCTION, WILL BE AT LEAST 8,200 FEET LONG.

RESULTS OF THE PRELIMINARY ANALYSIS OF THE SAM LAUNCH FACILITIES ARE INCLUDED IN THIS PART OF THE OAK REPORT. DETAILS ON OTHER FACILITIES IN THE MISSILE TEST CENTER WILL BE COVERED IN SUBSEQUENT PARTS OF THE REPORT.

THE SURFACE-TO-AIR MISSILE FACILITIES, LOCATED NORTH OF KAPUSTIN YAR, ARE VIRTUALLY UNCHANGED SINCE DECEMBER 1959 (SEE CIA/PIC/JR-14/60). THE ONLY NEW CONSTRUCTION EVIDENT IS ONE BUILDING LOCATED IN THE SW CORNER OF THE R & D LAUNCH AREA. THE ONLY OTHER CHANGE NOTED IS A FIREBREAK AND PROBABLE SECURITY FENCE WHICH NOW ENCLOSE INSTRUMENTATION/CONTROL SITE 8, SOUTH OF THE NEW-TYPE SAM LAUNCH AREA.

ALL SAM FACILITIES EXCEPT THE INITIAL SAM LAUNCH COMPLEX

TOP SECRET

OAK 9009 - Part 2

Par No. 588/60-KH

Date of Info. [REDACTED]

29 August 1960

25X1

APPEAR ACTIVE, AND EQUIPMENT IS VISIBLE ON THE FIVE PADS IN THE MARSHALING AREA. HOWEVER, THE FOUR TENT AREAS APPEAR UNOCCUPIED.

2. HEXADIC SA-2 SAM SITES

A TOTAL OF 8 SA-2 SAM SITES AND 1 SAM SUPPORT FACILITY HAVE BEEN IDENTIFIED IN THE VICINITY OF STALINGRAD DURING THE CURRENT REPORTING PERIOD. A TABULATION OF THE SAM SITES FOLLOWS.

SITE NO	COORD	DISTANCE/DIRECTION FROM STALINGRAD	STATUS
1	49 01N - 44 59E	25 NM NE	MID-STAGE CONST
2*	48 59N - 44 40E	17 NM NNE	COMPLETE
3*	48 51N - 44 19E	11.5 NM NW	COMPLETE
4*	48 40N - 44 10E	14.5 NM WSW	COMPLETE
5*	48 27N - 44 19E	18 NM SSW	COMPLETE
6	48 17N - 44 38E	25 NM SSE	MID-STAGE CONST
7*	48 27N - 44 50E	20 NM SE	COMPLETE
8*	48 43N - 44 55E	16 NM E	COMPLETE

* PREVIOUSLY IDENTIFIED ON TALENT PHOTOGRAPHY

THE SAM SUPPORT FACILITY, WHICH IS COMPLETE, IS LOCATED AT 48 52N - 44 38E, 10 NM NE OF STALINGRAD. THIS FACILITY WAS PREVIOUSLY IDENTIFIED ON TALENT PHOTOGRAPHY.

3. LIMITED COVERAGE OF THE URALS AREA COUPLED WITH COMPLETE OVERCAST IN THE AREA COVERED PREVENTED A SEARCH FOR ICBM LAUNCH SITES.

B. NUCLEAR ENERGY

NO ITEMS DURING THE CURRENT REPORTING PERIOD

C. AIRFIELDS

AS ANTICIPATED IN OAK 9009 - PART 1, NEW MATERIALS HAVE PERMITTED A GENERALIZED COUNT OF AIRCRAFT IN SOME INSTANCES. WHERE THIS HAS BEEN POSSIBLE, THE GENERALIZED COUNT HAS BEEN LISTED BELOW UNDER THE APPROPRIATE AIRFIELD.

TOP SECRET

OAK 9009 - Part 2

Par No. 588/60-KH

Date of Info.

29 August 1960

1. ABGANEROVO AIRFIELD

48 09N - 44 07E

4,500 X 3,900 FT SOD LANDING AREA
(MEASUREMENTS FROM ASSOTW)

2. ATBASAR AIRFIELD

51 50N - 68 20E

5,000 X 1,000 FT SOD LANDING AREA
(MEASUREMENTS FROM ASSOTW)

3. KAPUSTIN YAR AIRFIELD

48 40N - 45 44E

3,500 X 300 FT E/W SOD RUNWAY
(MEASUREMENTS FROM TALENT PHOTOGRAPHY OF

1 LARGE AIRCRAFT OF UNDETERMINED TYPE ON S SIDE OF
RUNWAY.

4. KOSTROMA AIRFIELD

57 48N - 41 00E

5,200 X 280 FT RUNWAY ORIENTED NW/SE
(MEASUREMENTS FROM TALENT PHOTOGRAPHY OF

RUNWAY SURFACE ON TALENT PHOTOGRAPHY APPEARED TO BE 3,300
FT CONCRETE AND 1,900 FT DIRT. NO APPARENT CHANGE FROM
TALENT PHOTOGRAPHY.

5. KYZYL-AGACH AIRFIELD

39 00N - 48 48E

6,600 X 200 FT NW/SE CONCRETE RUNWAY
(MEASUREMENTS FROM ASSOTW)

TOP SECRET

TOP SECRET

25X1

OAK 9009 - Part 2

Date of Info.

Par No. 588/60-KH
29 August 1960

25X1

6. MARINOVKA AIRFIELD

48 39N - 43 49E

[Redacted]

25X1

7,500 X 220 FT E/W CONCRETE RUNWAY
(MEASUREMENTS FROM KEYHOLE MISSION 9009)

POSSIBLE PLANNED EXTENSION OF RUNWAY SUGGESTED BY
CLEARING OF 1,800 FT AND 3,000 FT ON EITHER END OF
RUNWAY. NO OTHER APPARENT CHANGES SINCE TALENT
PHOTOGRAPHY OF [Redacted]

25X1

7. SALYANY AIRFIELD

39 39N - 48 59E

[Redacted]

25X1

6,600 X 260 FT E/W CONCRETE RUNWAY
3,300 X 260 FT NE/SW CONCRETE RUNWAY
(MEASUREMENTS FROM ASSOTW)

AIRFIELD IS 80 PERCENT CLOUD-COVERED, WITH ONLY W END OF
MAIN RUNWAY VISIBLE. THE REPORTED SECONDARY RUNWAY IS
COMPLETELY OBSCURED BY CLOUDS.

8. SREDNYAYA AKHTUBA AIRFIELD

48 44N - 44 52E

[Redacted]

25X1

SOD LANDING AREA

3 NATURAL-SURFACE RUNWAYS WERE APPARENT ON TALENT
PHOTOGRAPHY OF [Redacted], BUT THESE ARE NOT
DISCERNIBLE ON THE KEYHOLE PHOTOGRAPHY.

25X1

9. STALINGRAD GUMRAK AIRFIELD

48 47N - 44 21E

[Redacted]

25X1

6,500 X 300 FT ENE/WSW RUNWAY
6,400 X 300 FT SE/NW DIRT RUNWAY
(MEASUREMENTS FROM TALENT PHOTOGRAPHY OF [Redacted])

25X1

SURFACE OF FIRST RUNWAY ON TALENT PHOTOGRAPHY APPEARED
TO BE 3,100 FT CONCRETE AND 3,400 FT DIRT. NO APPARENT
CHANGE FROM TALENT PHOTOGRAPHY.

TOP SECRET

[Redacted]

25X1

25X1

OAK 9009 - Part 2

Par No. 588/60-KH
29 August 1960

Date of Info. [redacted]

25X1

10. TASHKENT AIRFIELD
41 18N - 69 19E

[redacted]

25X1

4,500 X 210 FT NE/SW CONCRETE RUNWAY
(MEASUREMENTS FROM TALENT PHOTOGRAPHY OF AUGUST 1957)

11 LARGE PROBABLE AIRCRAFT OF UNDETERMINED TYPE LOCATED
IN PARKING AREAS. 3 OF THESE ARE SOMEWHAT LARGER THAN
THE OTHERS. ALL ARE AT LEAST OF TWIN-ENGINE SIZE.

11. TASHKENT SOUTH AIRFIELD
41 15N - 69 16E

[redacted]

25X1

9,800 X 200 FT E/W CONCRETE RUNWAY
(MEASUREMENTS FROM TALENT PHOTOGRAPHY OF AUGUST 1957)

7 LARGE PROBABLE AIRCRAFT OF UNDETERMINED TYPE LOCATED
IN PARKING AREA. 3 OF THESE ARE POSSIBLY SWEEP-WING.

12. VOLOGDA AIRFIELD
59 21N - 39 49E

[redacted]

25X1

3,450 X 320 FT NE/SW CONCRETE RUNWAY
(MEASUREMENTS FROM ASSOTW)

A DIRT RUNWAY 3,650 X 270 FT REPORTED IN ASSOTW IS NOT
VISIBLE ON THE PHOTOGRAPHY.

13. VOLOGDA NORTH AIRFIELD
59 18N - 39 51E

[redacted]

25X1

SOD LANDING AREA

14. VOLGODA NORTHEAST AIRFIELD
59 16N - 39 55E

[redacted]

25X1

SOD LANDING AREA

15. AIRFIELDS PREVIOUSLY REPORTED BUT NOT LOCATED OR CLOUD-
COVERED

DZAUDZHIKAU AIRFIELD
43 11N - 44 34E

25X1

25X1

OAK 9009 - Part 2

Date of Info. [redacted]

Par No. 588/60-KH
29 August 1960

25X1

GUDERMES AIRFIELD
42 23N - 46 06E

ORDZHONIKIDZEVSKAYA AIRFIELD
43 19N - 45 01E

D. MILITARY INSTALLATIONS

- 1. DZHAMBUL MILITARY AREA
42 54N - 71 23E

[redacted]

25X1

THE BARRACKS AREA, TRAINING CAMP, AND MOTOR POOL APPEAR
RELATIVELY UNCHANGED SINCE TALENT PHOTOGRAPHY [redacted]

[redacted]

25X1
25X1

- 2. KAMYSHIN OFFICERS TANK TRAINING SCHOOL
50 05N - 45 24E

[redacted]

25X1

NO APPARENT CHANGES FROM TALENT PHOTOGRAPHY [redacted]

[redacted]

25X1
25X1

E. PORTS AND HARBORS

NO ITEMS DURING THE CURRENT REPORTING PERIOD

F. MAJOR COMPLEXES

- 1. ARYS

42 25N - 68 58E

[redacted]

25X1

ARYS IS COMPLETELY COVERED BY CLOUD-FREE PHOTOGRAPHY.
THE ONLY APPARENT CHANGE SINCE TALENT PHOTOGRAPHY OF 1957
IS AN AREA OF CONSTRUCTION OF UNDETERMINED TYPE COVERING
APPROXIMATELY A CITY BLOCK ON THE SE EDGE OF THE CITY.

25X1

TOP SECRET

25X1

OAK 9009 - Part 2

Par No. 588/60-KH
29 August 1960

Date of Info.

25X1

2. CHEREPOVETS

59 07N - 37 55E

25X1

CHEREPVETS IS APPROXIMATELY 65 PERCENT CLOUD-COVERED. COMPARISON WITH TARGET MOSAIC 0154-9985-25MA SHOWS SUBSTANTIAL RESIDENTIAL GROWTH IN CLOUD-FREE AREAS SINCE WORLD WAR II. REPORTED HIGHWAY BRIDGE ACROSS SHEKSNA RIVER DOES NOT EXIST. AREA OF REPORTED ALUMINUM PLANT IS CLOUD-COVERED.

3. CHIMKENT

42 20N - 69 37E

25X1

CHIMKENT IS COMPLETELY COVERED BY CLOUD-FREE PHOTOGRAPHY. THERE HAS BEEN RELATIVELY LITTLE CHANGE SINCE TALENT PHOTOGRAPHY OF [REDACTED] A PROBABLE STORAGE SITE, RAIL-SERVED, HAS BEEN ADDED IN THE W PORTION. NO EXPANSION NOTED IN THE SE INDUSTRIAL COMPLEX AREA. MODERATE RESIDENTIAL EXPANSION TO THE ENE, N, AND NW.

25X1

4. DZHAMBUL

42 54N - 71 23E

25X1

DZHAMBUL IS COMPLETELY COVERED BY CLOUD-FREE PHOTOGRAPHY. THERE HAS BEEN RELATIVELY LITTLE CHANGE SINCE TALENT PHOTOGRAPHY [REDACTED] ONE BUILDING APPROXIMATELY 200 X 100 FT HAS BEEN ADDED TO THE SUPERPHOSPHATE PLANT SINCE 1957.

25X1

5. DZHEZKAZGAN

47 48N - 67 44E

25X1

DZHEZKAZGAN IS COMPLETELY COVERED BY CLOUD-FREE PHOTOGRAPHY. THERE IS NO APPARENT CHANGE SINCE TALENT PHOTOGRAPHY [REDACTED]

25X1

6. KAMYSHIN

50 05N - 45 24E

25X1

KAMYSHIN IS COMPLETELY COVERED, BUT THERE ARE SCATTERED CLOUDS THROUGHOUT THE AREA. THERE HAS BEEN NO APPARENT SIGNIFICANT CHANGE SINCE TALENT PHOTOGRAPHY [REDACTED]

25X1

25X1

TOP SECRET

25X1

TOP SECRET

OAK 9009 - Part 2

Par No. 588/60-KH
29 August 1960

Date of Info. [redacted]

7. YAROSLAVL
57 37N - 39 53E

[redacted]

YAROSLAVL IS COMPLETELY COVERED, BUT SCATTERED CLOUDS
OBSCURE APPROXIMATELY 50 PERCENT OF THE CITY. THERE
APPEARS TO HAVE BEEN CONSIDERABLE EXPANSION OF BOTH
INDUSTRIAL AND RESIDENTIAL AREAS SINCE WORLD WAR II
GERMAN PHOTOGRAPHY. HOWEVER, CLOUD COVER PRECLUDES
DETERMINATION OF THE EXTENT OF EXPANSION.


8. THE FOLLOWING PRIORITY 1 TARGETS WERE CLOUD-COVERED AT
THE TIME OF PHOTOGRAPHY

KIROVABAD
40 41N - 46 22E

PETROZAVODSK
61 49N - 34 20E

GROZNY
43 19N - 45 42E

MAKHACHKALA
42 58N - 47 27E



TOP SECRET

TOP SECRET

25X1

OAK 9009 - Part 2

Par No. 588/60-KH

Date of Info. []

29 August 1960

25X1

MINING ACTIVITY, A PROBABLE PRIMARY CRUSHING MILL, AND ASSOCIATED HOUSING AND SUPPORT FACILITIES ARE IN THE MOUNTAINS NW OF ANGREN. ROAD LEADS FROM AREA, DOWN RIVER VALLEY, TO ANGREN. NO APPARENT CHANGE SINCE TALENT PHOTOGRAPHY OF AUGUST 1957.

ERRATA TO OAK 9009 - PART 1

CATEGORY C, ITEM 10, CHANGE

DZHAMBUL WEST AIRFIELD
42 51N - 71 22E

TO READ

DZHAMBUL EAST AIRFIELD
42 53N - 71 26E

INTA AIRFIELD
3N - 60 03E

TO READ

INTA AIRFIELD
66 03N - 60 03E

TOP SECRET

25X1