

~~SECRET~~

Approved For Release 2000/06/07 : CIA-RDP79-00434A000100070001-2

25X1A9a

~~SECRET~~  
~~SECURITY INFORMATION~~



~~SECRET~~

10

MEMORANDUM FOR: DC/MS

29 September 1952

FROM: Medical Officer [REDACTED]

25X1A6b

SUBJECT: Radiation Equipment [REDACTED]

25X1A6b

25X1A

25X1A6b

1. Over the past year an extensive amount of radiation equipment has been ordered [REDACTED] To date, about three-fourths of this equipment has been received.

2. This equipment was checked in and standardized by a radiation technician who has since resigned. The only other person familiar with the equipment (C/PCD) has also resigned. There is, then, the need for additional personnel trained in use of this equipment.

3. It should be noted that in the plan for use of this equipment, at least 60 to 70 per cent of the total amount of equipment should be stored for use in the Washington area.

4. The following recommendations are therefore made:

a. That a fully qualified person with extensive scientific background and experience in radiation equipment be cleared for use as a consultant.

b. That this person supervise the overall planning and use of equipment and prescribe necessary safety standards. (It is anticipated that after the program is established, he would be consulted once or twice a year to suggest changes or improvements.)

c. That one or two agency medical technicians be sent to a short training course (one to three months) to learn the everyday use and service of equipment. With this training, they could in turn train all other necessary personnel on the mechanical use of radiation measurement equipment. This could be done in five to ten hours of direct instruction.

Stamp area with handwritten '2' at the top, '1989' in the middle, and '26' at the bottom right.

22 JAN 1979

Approved For Release 2000/06/07 : CIA-RDP79-00434A000100070001-2


~~SECRET~~

~~SECRET~~ /

Approved For Release 2000/06/07 : CIA-RDP79-00434A000100070001-2

-2-

5. Action on above recommendations should provide the necessary trained personnel for use of radiation equipment.



CMO/JCR/jad

25X1A9a

Distribution:

Orig and 1 - Addressee

1 - AC/PCD

1 - RI

25X1A

1 - 

25X1A6b

2 - Files

Approved For Release 2000/06/07 : CIA-RDP79-00434A000100070001-2

~~SECRET~~