

CENTRAL INTELLIGENCE AGENCY

INFORMATION REPORT

This Document contains information affecting the National Defense of the United States, within the meaning of Title 18, Sections 793 and 794, of the U.S. Code, as amended. Its transmission or revelation of its contents to or receipt by an unauthorized person is prohibited by law. The reproduction of this form is prohibited.

SECRET

618552

COUNTRY	East Germany	REPORT	<input type="text"/>	25X1
SUBJECT	East German Frequency Filter for Jamming	DATE DISTR.	20 April 1954	
DATE OF INFO.	<input type="text"/>	NO. OF PAGES	1	25X1
PLACE ACQUIRED	<input type="text"/>	REQUIREMENT	<input type="text"/>	
		REFERENCES		25X1

This is UNEVALUATED Information

THE SOURCE EVALUATIONS IN THIS REPORT ARE DEFINITIVE.  
THE APPRAISAL OF CONTENT IS TENTATIVE.  
(FOR KEY SEE REVERSE)

25X1

1. The two-kilowatt frequency filter (Frequenzweiche) for jamming developed by Dr. Erich Schuettloeffel in Department TEA of Funkwerk Koepenick, which was tested at Rheinsberg in early March 1954, operated satisfactorily with an output of between 0.5 and 1.0 kilowatts. However, at a higher output, current amplifications of up to 30 amperes occurred at various points on the circuit. As a result, power losses through increase of temperature prevented the device from reaching its intended output of two kilowatts.
2. Schuettloeffel is now trying to correct the fault by extending the cross-section of the conducting tubes in order to diminish the current density.

SECRET

25 YEAR RE-REVIEW

STATE	X	ARMY	#	NAVY	X	AIR	#	FBI		AEC		ORR	X	OST	X
-------	---	------	---	------	---	-----	---	-----	--	-----	--	-----	---	-----	---

(Note: Washington Distribution Indicated By "X", Field Distribution By "#".)

25X1