Approved For Release 2002/11/20: CIA-RD-00501676R001100040032-3

5 1958

Ligutement Ceneral John A. Semford, USAF Director, National Security Agency Port George G. Meede, Muryland

Dear General Sumford:

Reference is made to your letter, Serial A-0420, dated 27 January 1958, accepting CIA's offer to assign an analyst to part-time duty with the CIA Limison Office at Fort Heade. If it is agreeable with you and members of your staff, will be assigned to this duty on or about the lith of Merch.

This Agency, in order to accomplish its required mission, is in great need of frequency usage and related materials that are available in MSA. Your consideration and cooperation in making it possible to arrange for an effective exchange of the required data as mentioned in your letter are sincerely appreciated.

Sincerely yours.

Allen W. Dullen

Distribution:	ec tor	
Orig & 1 - Addressee 1 - DCI - Louling	CONCUR:	25X1
1 - DDI - Exec Reg. vu/basic 1 - AD/CR		
1 - AD/CR 1 - AD/CI 2 - SR/CR		TYPE B BO THE
- Αρργογ ed For Release 2002/11 /20 : CIA-RDP80B	01676R001100040032-3	ALLEIGHNUE A

oproved For Release 2002/11/20 ÷ CA-RDP80B01676R001100040032-3
NATIONAL SECURITY AGENCY

FT. GEORGE G. MEADE, MD.

Serial: N Ch20

27 JAN 1958

SECRET

The Honorable Allen W. Dulles Director, Central Intelligence Agency 2430 E Street, N. W. Washington 25, D. C.

Dear Mr. Dulles:

Reference is made to CIA memorandum, Serial ER 9-9629, Subject: Frequency Usage, dated 23 December 1957, wherein it is stated it would not be advantageous at this time for you to relocate the frequency usage file at NSA.

This Agency will be most pleased to accept your offer to assign an analyst to part-time duty with the CIA Liaison Office at Fort Meade. It should be possible at that time to arrange for an effective exchange of the required data.

Sincerely,

JOHN A. SAMFORD Lieutenant General, USAF Director pproved For Release 2002/11/20 : CIA-RDP80B01676R001100040032-3

NATIONAL SECURITY AGENCY

FT GEORGE G MEADE, MD.

70-713

Serial:

着学 JAT 1987

5.1

The Honorable Allen W. Dulles Director, Central Intelligence Against 2430 E Street, H. W. Washington 25, D. C.

Dear Mr. Dulles:

Reference is made to CIA memorandum. Serial ER 9-9629,
Subject: Prequency Usage, dated 33 December 1957 wherein it
is stated it would not be advantagents at this time for you
to relocate the frequency usage "Te at NEA.

to assign an analyst to part-time duty with the CIA Masson Office at Port Made. It should be possible at that time to assume for an effective exchange of the required data.

Sirceraly,

JOHN A. SAGORE! Lirutement General, USAF Director

1958 ATH & AM 11:37

MEMORANIAM FOR: Director, Hational Security Agency

SUBJECT:

Frequency Usage

REFERENCES:

- (a) Memorandum from Acting BCI to Director, MSA, dated 31 December 1956
- (b) Memorandum from Chief, Office of Collection Production, ASA, to DCI, dated 28 March 1957

1.	was assigned duty	y with MSA during the	4
period April through June	1957, for purposes	s outlined in paragraph	4
of CIA memorandum dated 31	December 1956.	I wish to express my	
sincere appreciation for t	he courtesy and co	opperation extended	
Forwarded here	with is a copy of	the report on his	
special assignment.			

- 2. Having reviewed the findings and explored the matter with members of my staff, I am forced to conclude that, at least for the present, it would not be advantageous to CIA to relocate its frequency usage unit at Fort Meade.
 - The basis for this conclusion may be summarized as follows:

b. The only advantage that perhaps could not be attained through means short of relocation would appear to be CIA use of NSA Electronic Data Processing Machine (EDFM) equipment. In our opinion total reliance on HSA Machine Processing Section facilities would not satisfy the needs of CIA. To perform its mission with required timeliness and efficiency the CIA unit must have a closely associated machine facility. A centralized facility, even though EDFM equipment is used, would not have the flexibility to perform, immediately on demand, the wide **ILLEGIB** variety of processing and tabulating functions currently required.

Approved For Release 2002/11/20 PM RDP80B01676R001100040032-3

25X1

25X1

-2-

3. As an alternative to collocation, CIA proposes that a closer limison be established between Communications Analysts within the various components of MSA and the Radio Stations Branch, CIA, to ensure a more rapid, complete, and direct exchange of information. We are prepared to assign an analyst to part-time duty with the CIA Limison Officer at Fort Meeds to establish and maintain this relationship.

ALLER W. DULLES Director

Enclosure: Report by Mr.
Distribution:
Orig & 1 - Addressee
1 - DCI
2 - m/(w/o enel.)
1 - DD/I
1 - AD/CI
1 - AD/SI
1 - AD/RR
1 - AD/CR thru DD/I
1 - Chairman, IOTAC
000 /040 may /ma (30 Day 57)

25X1

9-9629

28 OF 057

MEMORANDUM FOR: Director, National Security Agency

SUBJECT:

Frequency Usage

REFERENCES:

- (a) Memorandum from Acting BCI to Director, MSA, dated 31 December 1956
- (b) Memorandum from Chief, Office of Collection Production, NEA, to DCI, dated 28 March 1957

1. was assigned duty with Milk during the
period April through June 1957, for purposes outlined in paragraph 4
of CIA memorandum dated 31 December 1956. I wish to express my
sincere appreciation for the courtesy and cooperation extended
Forwarded herewith is a copy of the report on his
special assignment.

- 2. Having reviewed the findings and explored the matter with members of my staff, I am forced to conclude that, at least for the present, it would not be advantageous to CIA to relocate its frequency usage unit at Fort Meads.
 - 3. The basis for this conclusion may be summarized as follows:

b. The only advantage that perhaps could not be attained through meens short of relocation would appear to be CIA use of MSA Electronic Data Processing Machine (EDFM) equipment. In our opinion total reliance on MSA Machine Processing Section facilities would not satisfy the needs of CIA. To perform its mission with required timeliness and efficiency the CIA unit must have a closely associated machine facility. A centralized facility, even though EDFM equipment is used, would not have the flexibility to perform, immediately on demand, the wide variety of processing and tabulating functions currently required.

25X1

25X1

(454

3. As an alternative to collocation, CIA proposes that a closer liaison be established between Communications Analysts within the various components of NSA and the Radio Stations Branch, CIA, to ensure a more rapid, complete, and direct exchange of information. We are prepared to assign an analyst to part-time duty with the CIA Maison Officer at Fort Meade to establish and maintain this relationship.

ALLEN W. DULLES Director

Enclosure:
Report by Mr.

Distribution:
Orig & 1 - Addressee
1 - DCI
2 - ER /
1 - DD/I
1 - AD/CI
1 - AD/SI
1 - AD/CR thru DD/I
1 - Chairman, IOTAC

OCR/PARcrel/sc (10 Dec 57)

25X1

25X1

of many more by

1928 Production 31

25X1



May

DDC/ copy to become

25X1

TRAI	VSMIT	TAL SLIP 28 Feb. 1958	
TO:		- pr	
ROOM N	0.	BUILDING	
50.	waited	long enough to clear inthe question of lity with NSA. Paul A. Borel	
FRO	oM:		
ROOM	NO.	BUILDING	_
FORM	NO 241	REPLACES FORM 36-8 WHICH MAY BE USED.	(47

25X1

25X1

Approved For Release 2002/11/20 : CIA-RDP80B01676R001100040032-3