



.

U. S. OFFICIALS ONLY

	SECURITY INFORMATION 3) Location of the factory. eastern	
Mar 49	The Central Automotive Shop is located on the edge	CETINJE
	of the town in the margin, on the right side of	TITOGRAD (formerly
	the road going to MASLINE (XT-EZ)	50X1-HUM
	4) <u>Dimensions and characteristics of the occupied</u> .	
	The dimensions are about 100 x 60 meters - natural	
	terrain - surrounded with a wire fence.	
	5) HINISTER or Unit controlling the factory.	_
	The MONTENEGRO CETIGNE Light Industry [25 opposed to "	leavy "]
	6) Personnel in charge	
	Director: Bona PEJOVIC	50X1-HUM
	6-7 specialized workers.	
	7) Number of workers and laborers.	
	About 300.	
	Work shifts 8) Bown of duty .	
	- One tour, from frankerskeinek 0600 to 1200.	
	·	50X1-HUM
	- 3 -	

U. S. OFFICIALS ONLY SECRET

SECURITY INFORMATION

- Tire vulcanizers;

50-60 a day.

-[Connecting] rods for locomotive fireboxes;

an unidentified number per day.

- Repairs:

Complete repairs done on maken trucks belonging to the

armed forces located in MONTENEGRO.

- 10) Work done in the shop.
 - work done sver ha uling - maining by machine; dismanteling; and reassembling;
 - changes in the fine in one;
 - no transformation is equilibrian;
- 11) Destination of materials produced:
 - not known.

12) Source of me materials:

- unidentified.
- 13) <u>Description of the factory</u>:

50X1-HUM

- (1) A 2 story building covering an area of 30 x 10 meters. Second
 - First floor Management and offices.
 - Ground floor kitchen and workers' dining hall.
- (2) Machine shop, L-shaped, divided into 3 sections; and

maximum serrated roof with skylights.

Dimensions:

- north side - about 60 meters; east side - about 25 meters;

width, about 7 meters.

U. S. OFFICIALS ONLY SECRET

U. S. OFFICIALS ONLY

SECURITY INFORMATION

SECTION A

k gute

- fuel - 1 furnace operated on **disast** oil, to produce aluminum - capacity of 50 kilograms;
- 2 furnaces operated on fuel cil, for iron and cast iron - capacity of 120 kilograms each;
- 1 furnace run on fuel oil, to produce bronze capacity of 70 kilograms.

SECTION B

- overhauling - assembly and discounting of validations, engines;
- engine test stands.

SECTION C

Machine shop.

- 2 lathes with a maximum expansion of 2 meters;
- 4 lathes " " " " 1.20 ";
- 3 electric drills;
- 3 pistol-grip drills.

approximately (3) - Masonry warehouse; dimensions are 30 x 10 meters.

14) Availability of Storage Space:

None.

- 15) Information on the manneaxof power.supply.
 - Has own electric generator unit;
 - 2 Diesel angines of unidentified capacity.
- 16) Means of transportation
 - 1 Ford truck, 3 tons;
 - 1 van.

- 5 -

U. S. OFFICIALS ONLY

SECRET

CEUBLE.

Declassified in Part - Sanitized Copy Approved for Release 2012/08/21 : CIA-RDP83-00415R013200040008-2

U. S. OFFICIALS ONLY

SECURITY INFORMATION

17) Plans and Likelihood of improvement, expansion, or changes:

None.

18) Administrative organization.

Run by the Montenegro Light Industry [Company?]

- Funds not known;
- Budget - Belance not known;
- share of the personnel in the profits, not known;
- dismissals: none have been observed by the source

during his work.

Pay: Specialized workers, 4,500 dinars per month; average workers, 4,000 dinars per month; apprentices, 2,500 dinars 19) Syndicate dram Organization. per month.

- (for dependents and family)
- Worker's compensation: none;
- Medical assistance: free medecines and treatments;
- Food cooperatives: none;
- Kindergarten: none;
- Summer camps: none.
- 20) Protective measures.
 - Guarding: nightwatchmen;
 - fire fighting apparatus: 5-6 extinguishers;
 - antiaircraft protection: none;
- 21) Strikes. sabotage:

None has been verified.

TVORNICA KOZNE I GUMME OBUCK "BATA" -BOROVO

Jan 50

BATA" **Show Factory for leather and Family** rubber shoes - in BOROVO).50X1-HUM

1)- Background and reliability of source.

Already indicated.

- 6 -

U. S. OFFICIALS ONLY

SECRET

SFCRET

Declassified in Part - Sanitized Copy Approved for Release 2012/08/21 : CIA-RDP83-00415R013200040008-2

U. S. OFFICIALS ONLY

2)- Neme: TVORNICA KOZNE I GUMME OBUCK "BATA" -BOROVO.

SECURITY INFORMATION

VUKOV AR

BOROVO 3) - Location. Jan 50 The factory is on the eastern end of the town indicated 50X1-HUM in the margin , on the left bank of the Danube River. 50X1-HUM 4) - Dimensions and characteristics of the area occupied. An area of about 6-700 x 300 meters; - natural terrain; the eastern side is marshy; - bounded on the north, south, and west by a wall about 3 meters high, and by on the east by the bank of the Danube, 50 meters distant; - 5 guard posts; - 1 raised sentry box at the southeast corner. in 5) -Department_control of the factory. The Department of Industry of the Croatian Republic of ZAG REB SAGADRIA. 6) - Management and employees. -Director: an unidentified Dalmatian (concurrently the SPLIT director of the cement factory in SPALATO). - Personnel Director: RESO (Gypsy) - Technicians: about 20 7)- Number of laborers and office workers. - about 4,000. 8) - Work shifts. - Three; from 0600 to 1400--from 1400 to 2200--and from 2200 to 0600. 9)- Production - Military and civilian shoes; - Rubber boots; - Rubber slippers; U. S. OFFICIALS ONLY

SECURITY INFORMATION

- automobile canvas (top) and inner tubes.

Daily Production of the various items.

- about 3,000 pairs of civilian shoes, varied;
- about 1,000 pairs of shoes for the armed forces; rubber
- about 2,500 high boots of various designs;
- about 3,500 rubber slippers of varied make;
- automobile canvas (top) and inner tubes.

50X1-HUM

10) - Methods of production.

11)

The products are wanted machine, made .

noted no change in the equipment	
	50X1-HUM
This MAXIMUMPITY is factory was operating before, and the conversion of no knowledge of anyxehangesxeadexinction	50X1-HUM
interiors we at two buildings (marked 6 and 14 in the	
attached diagram) outside of the factory.	
the name "BATA"	50X1-HUM
dates back to before World War I.	
- Destination of production	

The products are sent to the largest cities of the 6 republics of Jugoslavia, where they are stored and distributed in time to the state-operated cooperatives, in for the dependent cooperatives accordance with the allotments made by the Control Office. for information regarding the distribution of the products to the armed forces.

- 8 -

J. S. OFFICIALS ONLY

SECRET

SECURITY INFORMATION

12) - Source of materials.

Unidentified.

13) - Description of the factory.

50X1-HUM

- (1) Control Office, Administrative offices and printing office. A 4 story building on an area of about
 60 x 30 meters.
- (2) A 4 story building, on an area of about 60 x 30 meters,for the manufacture of leather shoes.
- (3) Electric plant for the factory, with an unidentified capacity. Occupies an area of about 15 x 15 meters.
- (4) A 4 story building which covers an area of about
 60 x 30 meters, and is used for vulcanizing and processing the rubber.
- (5) A 4 story building occupying an area of aoubt 60 x30 meters and used to produce rubber boots and slippers.
- (6) A building being constructed, on an area of about
 70 x 30 meters.
- (7) Foundry, on an area of about 25 x 10 meters.

Equipment.

- 1 electric furnace for iron and cast iron.

- 1 electric furnace for aluminum.

<u>NOTE</u> - The foundry is used to turn out the molds and sizes and for for the various kinds of footwear, in iron, cast iron, and aluminum articles needed in the manufacture of the footwear.

- Foremen: MITNJAH and PRASKALO

- Workers used: 22 on each shift.

- 9 -

U. S. OFFICIALS ONLY SECRET

SECURITY INFORMATION

- (8) Wooden barracks covering an area of 25 x 6 metersused as a storehouse for various materials.
- (9) Pavilion on an area of 10 x 5 meters- for making shoestrings.
- (10) Pavilion on an area of 10 x5 meters, for making blacking for footwear.
- (11) Pavilion on an area of 10 x 5 meters, used as a workshop to produce cardboard shoeboxes.
- (12) Pavilion on an area of 30 x 10 meters, used to incoming store **dimension** materials.
- (13) Machine shop of the factory, covering an area of about 100 x 25 meters.
- (14) A building being put up, on an area of about 40 x 30 meters.
- (15) Pavilion on an area of about 20 x7 meters, used first aid as a madigest station and as to store fire extinguishers, shovels, hatchets, ladders, etc.
- (16) Guards' and gatekeeper's shelter--area of 6 x 6 meters.
- (17) Pavilion on an area of aband 15 x 10 meters--used

as a dressing room.

NOTE - no details on the number of workers assigned to the various units, or the machinery installed in them.

The factory is joined by means of a siding to the

railway line south of the town of BOROVO.

14) - Availability of storage space:

not know of any.

50X1-HUM

15) - Information on the power supply

A central electric unit in the factory.

U. S. OFFICIALS'ONLY SECRET

U. S. OFFICIALS UNLY

SECURITY INFORMATION system

16) - <u>Vehicles and mannaxef transportation used by the factory</u>. The materials are brought to the factory and the products

to their destination via the railroad.

Vehicles used.

- 5 trucks weighing 3 tons each.

- 1 car at the disposal of the director.

17) - Plans and likelihood of improvement, extension or

changes in the factory.

There is no plan at present to extend the plant, as far as changes for the production of war products are concerned.

- 18) Administrative organization.
 - Funds derived from production.
 - Budget, not known.
 - It is not known whether the personnel share in the profits.

-		nothing ab	out the	hiring and	
	dismissal of workers	_		However,	50X1-HUM
			labor	rers and office	

workers are currently being dismissed.

100 - <u>Pay</u>

- Specialized workers: 4500 dinars per month.
- Common laborers: from 3 to 4,000 dinars per month.
- Apprentices: 2,000 dinars per month.

Dues for the syndicate.

- 50-60 dinars per month.

19) - Syndical Organization.

Each worker has to sign a year's contract when he is hired.

The contract is subject to renewal for a similar period.

- 11 -

U. S. OFFICIALS ONLY

SECRET

U. S. OFFICIALS ONLY

SECURITY INFORMATION

Medical aid exists for both worker and his family.

This aid is free.

Those workers who eat at the factory dining room pay

1,500 dinars per month.

No details were secured on the following:

workers' cooperatives; kindergartens; summer camps.

20) - Protective measures

The guarding is done by the Industrial Militia (number

of guards not known).

There is a squad of 12 men to combat fires.

Firefighting apparatus

- 1 fire engine.

- an undetermined number of fire extinguishers.

- Antiaircraft protection: none.
- 21) Strikes Sabotage

Neither strikes nor sabotage were observed

NOTE - no further details concerning the factory.

"<u>TVORNICA VAGONA RANKOVICEVO</u>" (RANKOVICEVO railcar factory)

50X1-HUM

to

Jul 51

1) - Background and reliability of source.

Already given.

2) <u>Name of factory</u>

TVORNICA VAGONA RANKOVICEVO

3) Location

The factory lies northeast of the railway station, on

- 12 -

U. S. OFFICIALS ONLY Secret

SECURITY INFORMATION

the left of the rail line going to KRACULJEVAC.

50X1-HUM

50X1-HUM

- 4) -Dimensions and skarasteristics of the area occupied.
 - north and southsides: about 1,200 meters.
 - east side: about 400 meters.
 - -west side: about 200 meters.
 - surrounding area: fr level.
 - nature of the terrain: level.
 - There are possiblities of an extension of the factory to the north and east.

Enclosed by a migh wall, about 2 meters high.

- Guarding done by night watchmen.
- 5) Department or organization controlling the factory.

The factory is under the control of the Department of Heavy Industry of BELGRADE.

6) - Management and workers.

- <u>Director</u>: MAJETROROVIC, Novak,
- Technical engineer: CVETKOVIC, Sara,

- Technicians:

- STICINSKI Sasav, Russian,
- SEKULIC, Serbian (given name unknown);
- LIVANOVIC, " "" "
- DOBROVAC, Croatian " " ;
- MINALJEVIC, Montenegrin " " "

There is no foreign control.

7) - Number of laborers and workers.

- about 2,000.

8) - Work shifts.

- Mostly one, from 0700 to 1115, and from 1300 to 1600.

In the SECRET & U. S. OFFICIALS ONLY

;

SECURITY INFORMATION

In some sections operating on two shifts, the work is

done from 0600 to 1400, from 1400 to 2200.

9) - Production

- fraightxearey boxcars and low-side gondola cars.
- passenger cars are rarely turned out, about 2 or 3 every 5-6 months.

Quantity of production

- 10-15 freight cars a month, of various designs.

<u>NOTE</u> - The factory also handles complete repair work orde \checkmark on cars out of semminutes.

- 10) Methods of production
 - Measurer The work done by machine.
 - Assembly is partially by hand.
 - No changes have been noted in the equipment.
 - It is not known when what year the work began.
- 11) Destination of production

- Used on state-operated raiflroads.

- 12) Source of war materials.
 - The wheels, axles, buffers, chassis, springs come from ZENICA;
 - T-iron, L-iron, and U-iron from JESENICE and ZENICA;
 - Mumber, from the local area.
- 13) Description of the factory.

50X1-HUM

(1) - Director's and administrative offices. This is a

3 story building, on an area of about 50 x 15 meters.

- 14 -

U. S. OFFICIALS ONLY

SECRET

U. S. OFFIGIALS ONLY

SECURITY INFORMATION

- (2) Foundry. On an area of about 40 x im meters.
 - Two cupola furnaces 20 meters high and 0.80 centimeters

15

- in diameter with a 5 ton capacity. $ve \wedge head$
- 1 electric crane, with a carrying power of $2\frac{1}{2}$ tons.
- lymelting furnace, for cast iron, etc., with a A capacity of about 500 kilograms.

Foreman: KOLOVIC

Laborers used: about 40.

- (3) Shop for mounting wheels and various parts of the chassis--covers an area of about 50 x 15 meters.
- (4) smithery, on an area of about 30 x 10 mters.
- (5) storehouse for various materials, of size 30 x 10 meters.
- (6) A3 story building on an area of about 10 x 5 meters, used to store materials received.
- (7) Electric machine shop, used to repair the machines of the factory--on an area of about 70 x 40 meters.
- (8) Machine shop, on an area of about 70 x 40 meters.
- (9) Carpentry shop, on an area of about 70 x 40 meters.
- (10) A 3 story building on an area of 40 x 30 meters, used for wood seasoning by steam.
- (11) sawmill, on an area of about 60 x 15 meters.
 - (12) pavilion of about 40 x15 meters--kitchen and mess hall.
 - (13) car assembly shop, on an area of about 90 x 40 meters.FOREMAN: NITROVIC, Ziga.
 - (14) pavilion on an area of 30 x 15 meters, with 3 sections: SECTION A
 - first aid station
 - has one doctor whose last name is SRETANOVIC.

- 15 -

U. S. OFFICIALS ONLY

SECRET

SECURITY INFORMATION

SECTION B

- automotive shop.

SECTION C

- Planning office.
- (15) wood and coal shed for heating purposes. Area, 15 x10 meters.
- (16) wooden barracks, area of about 50 x 10 meters, used for storing coke.
- (17) has wash basins and troughs. Area, about 10 x 10 meters.
- (18) A 2 story building used as an apprentice school. It
 is L-shaped, has the following dimensions:
 north side, 20 meters; west side 40 meters; width, 15 m.
- (19) pavilion on an area of about 15 x 15 meters, which and serves as the gatekeeper's increase nightwatchman's knows shelter, as well as the telephone center.
- (20) timber pile, uncovered; covers an area of about 70 x 50 meters.
 - (21) athletic field

has leading to The factory inxiginadiaty a siding with the railway station of RANKOVICEVO. traveling

- There is a **sliding** crane on the track, near the timber pile indicated by (20).

14) - <u>Availability of storage space</u>. Unknown

50X1-HUM

15) - Electrical supply

power The electricity is supplied by the main plant in the city.

- 16 -

U. S. OFFICIALS ONLY

SECRET

SECURITY INFORMATION

16) - Vehicles and transportation system used by the factory. Machines used for various types of transportation - 4trucks, 3 tons each. 50X1-HUM - 1-ment car used by the director. 17) - Plans and likelihood of improvement, extension or changes in the factory. 50X1-HUM no details on these. 18) - Administrative organization - Funds (state-owned railreads) - budget: unknown. - It is not known whether the personnel share in the profits. - Dismissals: some workers have been dismissed. - Hiring: none. Pay. - Specialized workers: about 6,000 dinars per month. 4,500 - Common laborers: Ħ - Apprentices: from 2,500 to 3,000 11 11 Dues for the syndicate. - 70-90 dinars per month. 19) - Syndicate organization Each worker has to sign a year's contract when he is hired. The contract is subject to renewal for a similar period. Medical aid is free. Those workers who eat at the factory dining room pay from 1,500 to 1,800 per month. No details on: worker's cooperatives; 50X1-HUM kindergartens; summer camps. - 17 -1. S. OFFICIALS ONLY

SECRET

TIDIAL C ANLY

· .	U. S. UFFICIALS UNIT SECURITY INFORMATION	
	A) - Yugoslav Ground Forces	50X1-HUN
May 1952 -	a) Schools	50X1-HUM 50X1-HUM 50X1-HUM
May 1952 -	the war, the government made the greatest efforts to industrial ize the country, neglecting agriculture. With the attempt to industrialize the country, many peasants have voluntarily left the farms, while others were	L—
	forced to do so. The (farm) work is still done by hand, with animals and	1

elementary equipment.

Recently, an undetermined number of "OLIVER" tractors has have been furnished

50X1-HUM

ZAGREB

18

b) - Industries

April 1952 "FRANCK FACTORY"

Consists of an astablishment for the preparation and of the famous "FRANCK" mixture of chicory and barley.

U. S. OFFICIALS ONLY SECRET

Declassified in Part - Sanitized Copy Approved for Release 2012/08/21 : CIA-RDP83-00415R013200040008-2

-1-

.

May 1952

U. S. OFFICIALS ONLY

SECURITY INFORMATION

Location	
Located on VODOVODNA ulica.	
It is connected with the western railway station (zapadni kolodvar)	50X1-HUM
by a railway siding.	
The establishment is consists of a group of 8 struc -story structur	es,
each having the approximate dimensions, 20 x 8 m.	
Director: one Milenko (surname not known),	50X1-HUM
Technicians:	
- Engineer SIMEK, for the mechanical part of the work.	
- Engineer KOLESARIC, for production.	
Laborers:	
- About 300 of both sexes.	
Work echedule:	
- 3; from 0600 to 1400, I from 1400 to 2200, I and from 2200 to 0600.	
Production: quintals of matching substitute, - 150 - 1	
base.	
The establishment receives 80 tons of chicory daily, coming from the	
and KRIZUCI, where it is well-cultivated.	
C)- POLITICAL NOTICES	
a)University Z	AGREB
Rectorate	
Situated in KAZALISNI THE. Consists of the old rectorate seat. Head Rector Reference magnificer	
- Prof. BARAC, the of fine arts.	
U. S. OFFICIALS ONLY	

Declassified in Part - Sanitized Copy Approved for Release 2012/08/21 : CIA-RDP83-00415R013200040008-2

SECRET

19

U. S. OFFICIALS ONLY

SECURITY INFORMATION

Dependent Institutes and colleges

- XIXXXXXX College of letters, philosophy, and law, karakai located near the Rectorate.

- Institute of medicine and surgery, in the SALATA QUARTER.

Veterinary college.
Located M SAVSKA-cesta with a dependent veterinary polyclinic,
located in SAINISTE Ward.
Polytechnical institute, located on Kaciceva ultoa.
College of mathematics and pure chemistry, located on Maraliceva Ing.
College of economics, on Svonimirova ultea.
College of agronomy and forestry in the Dubrave ward.

College of agronomy and forestry
Set up in 4 buildings, of which three were constructed in 1940, and one

in 1948, located in the Dubrava ward. Decovery Rector of the decapato

- Dr. ANIC, Hostile -Contrary to the government.

Professors known to the source:

- Prof. Ivan PEVALEK, botanist

50X1-HUM

50X1-HUM

- Prof. Marco MOHACEK, professor of biochemistry.

- Prof. VERLIC, professor of pedology.
- Prof. KISPATIC, professor of phylopathology.
- Prof. OGRIZEK, professor of natural sciences.
- Prof. HRVAT, max animal husbandry.
- Prof. MLINAC, microbiology
 - Prof. KVAKAN, sulture razionali. Rational Cultivation
 - Prof. TAVCAR, genetics

- Prof. SPOLJARIC, anatomy of timber U. S. DFFICIALS ONLY

20

Declassified in Part - Sanitized Copy Approved for Release 2012/08/21 : CIA-RDP83-00415R013200040008-2

SECRET



SECURITY INFORMATION

- Prof. SHERMAN, onology and fruit culture.

- Prof. KOVACEVIC, entomology.

Students: about 1,000.

40 are in the senior year. -

Admission

Students are admitted by the regular antrance examination, provided they previously possess a diploman of graduation from a classical course. The number of students admitted to the college is not limited.

Subsidies

The summer subsidies already previsti for the majority students, were abolished in October 1951. At present, they receive a monthly allotment of 3,000 dinars. A few students are registered in the party.

Methods of instruction

Study in agronomy is based upon Russian systems of 50X1-HUM

rational cultivation.

For grains and **Andress** corn, the Yugoslav system of Professor TAVCAR, professor at the college, is followed.

Employment of graduates

Graduates who are party members, who therefore profit from the State state allotments, are employed on the farms and summer cooperatives.

Voluntary labor

During the summer, youth brigades of university students are organized, who are employed in various summer work. State projects.

Married students are not obliged to be registered in these brigades.

U. S. OFFICIALS ONLY

SECRET

- E N D -

24

21

	SECURITY INFORMATION	
		50X1-HU
	Information	
a) <u>Railr</u>	located in the	Susak
Ap r 11, 1952	of the city	Fiume
	of railroad station indicated in margin.	50X1-HUM
	- <u>Superintendent of steam engines</u> : Carevic Velke,	50X1 111
		50X1-HU
	- Superintendent of electric locomotives: Borovec Ivan,	
	- Superindendent of electric incomotives: Borovec ivan,	50X1-HUN
	Tetal dependent persønnel:	3021-1101
	- about 500, including:	
	- 120 line engineers and locomotive operators.	
	- 140 firemen	
	- 15 locomotive machinists	
	The rest of the personnel are attached to control, offices	1.
	warehouses, maintenance, workshops, and to various types of	
	jebs in the aforementioned station.	-
	Electric and steam locomotives	
	- 23 line locomotives of English make; source U.N.R.R.A.,	
	maximum load 300 tons; for service between Fiume and	
	Srpske Møravice.	
	- 6 "Breda" locomotives, for service between Fiume and	
	S. Pietro del Carso.	
	- 12 small locomotives, for service as switch engines.	
	- 10-12 tractors of various types, for towing service.	
	Schedule	
	Time of departure from Fiume for Srpske Moravice (Ogulin-Z	R-BF)
	and points beyond.	
	1) - Time - 0100 - Freight	

- .

Declassified in Part - Sanitized Copy Approved for Release 2012/08/21 : CIA-RDP83-00415R013200040008-2

-

OFODET

Declassified in Part - Sanitized Copy Approved for Release 2012/08/21 : CIA-RDP83-00415R013200040008-2

U. S. OFFICIALS ONLY

SECURITY INFORMATION

3) - Time - 0320 - Freight	t
----------------------------	---

4) - " - 0400 -

5) -- 0830 - Express--second and third class for Zagabria.

6) -- 0900 - Freight 11

7) - " - 1100 -11

8) - " - 1315 - Express (passengers and freight--only third class)

9) - " - 1525 - Through train for Zagabria and Belgrado--first, second, and third class.

10) - " - 1733 - Freight

11) - " - 2100 - Through train for Zagabria--second and third class.

- 2110 - Freight (steps at all stations for loading and 12) - " unloading freight).

13) - " - 2150 - Freight

14) - " - 2342 н

	Time	of arrival at Srpske Moravice
1) -	Time	e - 0420 - Freight
2) -	*1	- 0630 - Express (passengers and freight).
3) -	. н	- 0800 - Freight
4) -	"	- 0900 - "
5) -	11	- 1210 - Express for Zagabria
6) -	11	- 1230 - Freight
7) -	n,	- 1600 - "
8) -	11	- 1750 - Express (passengers and freight).
9) -	t i	Through train for Zagabria-Belgrade. Source does
		not give time of arrival.
10) -	17	- 2130 - Freight
11) -	n	Through train for Zagabria. Source does not give
		time of arrival.
12) -	11	- 0800 - Freight (stops at all stations)
13) -	11	- 0200 - "

14) - " - 0330 -11

- 2 -

U.S. OFFICIALS ONLY SECRET

23

Declassified in Part - Sanitized Copy Approved for Release 2012/08/21 : CIA-RDP83-00415R013200040	008-2

U. S. OFFICIALS UNLT

SECURITY INFORMATION

The departures of trains from Srpske Moravice for Fiume vary a
few minutes from the Fiume departures for Srpske Moravice.
On May 18 the new railroad schedule goes into effect. 50X1-HUM
does not have information regarding the new schedule.

Transport of War materiel 50X1-HUM the following h transported by railroad from Fiume to the interior of Jugoslavia: - about 100 tanks, of a 30-ton type on 50X1-HUM appropriate four-axle type carriages. - about 50 cannon, of unknown type and calibre, mounted on two rubber-tired wheels, barrel length about 5 meters, muzzle brake, equipped with $\hat{\mathbf{s}}$ e and tarpaulin cover. - about 150 jeeps - 70-80 trucks, 3-ton type, G.M.C. and Dedge - a considerable number of caissons of various sizes. notany further details on these. 50X1-HUM s, while in transit, were escerted by The aforementioned soldiers armed with submachine guns. Miscellaneous Shipments From January, 1952 through April of this year, a very large quantity of food and agricultural machinery was transported to the interior 50X1-HUM of Jugoslavia. Part of this food and machinery came from 50X1-HUM - 3 -

U. S. OFFICIALS ONLY

24

SECRET

U. S. OFFICIALS ONLY

SECURITY INFORMATION

		Plan for the Electrification of the Railroad	50X1-HUM
May	1952-	Currently being planned is the electrification of the railroad	Susak
		from the station, whose location is indicated in margin, to	
		a place called Pečine which is located	
		about 4 kilometers to the east.	50X1-HUM
		On the railroad line between Susak and Pecine there is the Brajdi	ca
	-	tunnel, whose length is 1,888 meters. The train has great diffic	ulty
		in passing through this tunnel because the smoke produced by the	
		locomotive and the adverse air current obstruct visibility.	
		In April, 1952 a commission of five or six technicians from Lubia	na
		was brought to this place to make the necessary corrections.	50X1-HUM
	ſ	the plan for the electrification of the above-	
		mentioned stretch of track was approved by the directors of the	
		Zagabria railroad, and the work should begin during the month	50X1-HUM
		of June, 1952.	
		W =	

Miscellaneous

In general, the railroad from Fiume to Srpske Moravice is in good condition, except for approximately 200 meters of track located about 500 meters before arriving at the station of Srpske Moravice.

50X1-HUM

On that stretch of track the train must proceed very slowly, because of the sinking ground occasioned by floods, which were caused by the frequent rains of that area.

For two or three years, work has been under way to prevent the ground from sinking, but this has been unsuccessful up to now. no further details.

50X1-HUM

U. S. OFFICIALS UNLY

- 4 -

SECHEL

25

U. S. OFFICIALS ONLY

SECURITY INFORMATION

Students: 50-60 for each course.

The duration of a course is three months.

in December, 1950 the school was transferred

50X1-HUM

to BEGUNJE (BLED-SP-EQ).

There are no further details worth mentioning.

B) - Economic Information

Industries

May 1952 - A repair shop for locomotives and railroad cars is MARI BOR located near the "KORUSKI KOLODVOR" railroad station west of the place mentioned in margin. - Director: STRUZEL (full name not known), Slovene

- Assistant Director: BELINA (full name not known),

50X1-HUM

50X1-HUM

- Workmen: number not known.

The unit is composed of 10-12 buildings of various dimensions,

having saw-toothed roofs with skylights, and enclosed by a

wall about 3 meters high.

At the this workshop general repairs are made on locomotives

and passenger railroad cars of first, second, and third classes.

being built at this shop at the present time.

There are no further details worth mentioning.

- 3 -

U. S. OFFICIALS ONLY

은 밝힌 강영 수업 - 19일 - 19 - 19일 - 19

26

new railroad cars are

50X1-HU
10 - 10 - 11 - 11
·
50X1-HUM <u>uill</u> , SUSAK <u>FUZINE</u> <u>recete</u> e 2007

Declassified in Part - Sanitized Copy Approved for Rele : CIA-RDP83-00415R013200040008-2 U. S. OFFICIALS ONLY 50X1-HUM SECURITY INFORMATION Dilo: a 5-story Structure, about 70×20 meters. The foundations are made of reinforced concrete and are about 1.20 meters thick; on the ground floor there are supporting concrete pillars; The remainder is made of bricks. Inside there is an electrically operated pelevator. 2) Mill: 5-story concrete building, about 70×14 meters, semilar to U. S. OFFICIALS ONLY

SECRET

28

Declassified in Part - Sanitized Copy Approved for Release 2012/08/21 : CIA-RDP83-00415R013200040008-2

Declassified in Part - Sanitized Copy Approved for Release 2012/08/21 CIA-RDP83-00415R013200040008-2 U. S. UFFICIALS DNIY SECURITY INFORMATION the above-mentioned one. Inside this building are installed out-of-date machines of Hungarian make powered by a steam motor with pulley Transmission; the first transmission belt is about 60 centimeters wide. 3) One-story masonry building, with corrugated sheet metal roof; it is about 8x7 meters. There is a steam motor and a wood of coal boiler, about 2 meters in diameter and 4 meters long; a wall separates U. S. DFFICIALS ONLY SECRET -3-

Declassified in Part - Sanitized Copy Approved for Release 20²

29

U. S. OFFICIALS ONLY

SECURITY INFORMATION

them.

4) building identical with the

above, used to house a machine

shop.

It contains the following equip-

ment:

- / circular saw

- 1 lathe, 3 meters long

- I drill

(All this equipment is powered by an electric motor with pulley transmission /.

- I work bench with 2 vises.

5/ Wooden building which contains

a circular saw.

U. S. OFFICIALS ONLY

Declassified in Part - Sanitized Copy Approved for Rel RDP83-00415R013200040008-2 U. S. OF SECURITY INFORMATION The cut wood is brought directly into the boiler by a special elevator. 6) Dater tanks to supply The boiler. 7) 3-story reinforced concrete, with basement; 10x6 meters; used to store flour. 8) A building, 4×4 meters, 4 meters higher than the mill. Inverted pyramid-shaped syphons [? trombe | have been built inside the building, one on each floor of the mill. The work has not yet been completed, so that the source **U. S. OFFICIALS ONLY** SECRET -5-32

Declassified in Part - Sanitized Copy Approved for Release 2012/08/21 : CIA-RDP83-00415R013200040008-2 U. S. OFFICIALS ONLY SECURITY INFORMATION cannot determine their function. 9/ 2-story buildings, about 15x7 meters, used to house the families of the workers employed at the nill. Railroad cars come up to the silo entrances; moreover, the ground was being leveled to lay down a track that would run between the filo and the mill. Some of the machinery was abrady in operation, since 2-3 milroad cars were loaded with flour daily. U. S. OFFICIALS ONLY SECRET - 6-33

CENBER

Declassified in Part - Sanitized Copy Approved for Release 2012/08/21 : CIA-RDP83-00415R013200040008-2

U. S. OFFICIALS ONLY

SECURITY INFORMATION 50X1-HUM the work was completed in 1951. Workers: - 20 construction workers - between 60 and 100 workers brought there for punishment and, Therefore, under surfeillance. - in addition, labor brigades of 1400 men and women ear were used; they comprised for the most part farmer. Taken away from their families, & Motive power SUSAK Thermoelectric nower plant U. S. OFFICIALS ONLY 50X1-HUM SECRET 34

Declassified in Part - Sanitized Copy Approved for Re 08/21 : CIA-RDP83-00415R013200040008-2 S ONLY U. S. UPPIC SECURITY INFORMATION located about 50 meters from the ritroad station, near the newly built flour mill. The plant building is made of concrete and its dimensions are 6×6×7 meters. It is not known if and what machinery has been installed in the plant; however, 50X1-HUM heard the sound of motors from the interior of the plant. The plant was completed at the end of 1950. **U. S. OFFICIALS ONLY** SECRET

-8-

35

U. S. OFFICIALS ONLY

SECURITY INFORMATION C)- TOPOGRAPHIC INFORMATION Pressure pipe 50X1-HUM Jansi- A dike about 6 meters SUSAK FUZINE high has been built about 200 meters west of the local public square; to the northeast I this dike starts a water riper which, according to press reports, is to be used to bring water to the new electric power ilant under construction KRIKVENICA The last section of the pipe line is said to drop to a level Too meters below its U. S. OFFICIALS ONLY SEGRET 36

Declassified in Part - Sanitized Copy Approved for Release 2012/08/21 : CIA-RDP83-00415R013200040008-2 U. S. OFFICIALS ONLY SECURITY INFORMATION average one (The incline is not known). 50X1-HUM tatus of the project at the time indicated in the margin The pipe line begins with a Tunnel dug 100 meters north of the church, proceeds in the form of reinforced concrete tubing 2.5-3 meters in diameters which runs under the masonry Mailroad bridge 15 meters high (a sentry box manned by U. S. OFFICIALS ONLY SECRET -10-37
U. S. OFFICIALS ONLY SECURITY INFORMATION railroad personnel has been placed on the bridge , runs along (at a distance of about 50 meters) the last side of the road to LIC (SUSAK /VM-AT), and passes about 300 meters east of die etself. The source has no information on the remainder of the pipe line. The project employs an undetermined number of convicts supervised by the People's Militia. D) POLITICAL INFORMATION a) Demonstrations for Trieste U. S. OFFICIALS ONLY SECRET 38

Declassified in Part - Sanitized Copy Approved for Release U. S. OFFICIALS ONLY SECURITY INFORMATION 1 Apr 52. The order was given to close 53B all shops and suspend work FILIME in the factories during the 50X1-HUM afternoon to allow the workers to participate. Four speakers (not known to the source) spoke; there were no ovations or applause. The press reported that 50,000 attended, when the square can hold only about 7,000 persons.

U. S. OFFICIALS ONLY

SECRET

-12 -

39

Declassified in Part - Sanitized Copy Approved for Release 2012/08/21 : CIA-RDP83-00415R013200040008-2 KITH 101V _ SAVRED

a) Food suppressions

Apr52-General Cooperative of Rovieno 'GNO set up in a 3-story building,

25×25 meters, located on

U. S. OFFICIALS ONLY

SECRET

- 2-

40

Declassified in Part - Sanitized Copy Approved for Rel /08/21 : CIA-RDP83-00415R013200040008-2 U. S. UFFICIALS UNLY SECURITY INFORMATION Matteotti Square First floor. is agricultural implements - pertilizers: calcium mitrate, superphosphote, saltpetre. - sulphur, verdigris, seed Second floor: - finance, shipping, other offices Third floor: Records and account Warehouses of the cooperative - a fertilizer warehousens up on the first floor building tot located U. S. OFFICIALS ONLY SECRET -3. 41

U. S. OFFICIALS ONLY

SECURITY INFORMATION on the opposite side of the intersecting street, adjacent to the premises of the management. - a warehouse for midellanlows merchandise set up also on the first floor of the abovementioned building. It occupies an area 15x7 meters and contains the following items: -liquor, edible oil, fuel oil, gasoline, empty sacks, clothing, and various household articles. - & food warehouse, 12×6 meters, located at NO 7 Sen Francesco U. S. OFFICIALS ONLY SECRET

Declassified in Part - Sanitized Copy Approved for Release 2012/08/21 : CIA-RDP83-00415R013200040008-2

-4-

U. S. OFFICIALS DNLY

SECURITY INFORMATION

street. It contains the following

items:

- wheat flour: about 30-40 quintals

- corn meal: about 20-30 quintals

-wheat : about 10 quintals -cheese: about 100 Kilograms

- snoked meat: about 6-7 quintals -rice: 2-3 quintals

- Aweets

- & green vegetable warehouse located at Val di Bora, near

the fountain. It contains

7-8 barrels of about 15

43

hectoliters capacity each for preverving pickled

U. S. OFFICIALS ONLY

SECRET

-5-

U. S. OFFICIALS ONLY

SECURITY INFORMATION turnips, cucumbers, tomatoes, and other items. Director of the cooperative 50X1-HUM FRANINOVIC, about Enployees of the cooperative Sight, including Vincenzo 50X1-HUM U.S. OFFICIALS ONLY SECRET - /- -

Declassified in Part - Sanitized Copy Approved for Release 20 CIA-RDP83-00415R013200040008-2

Declassified in Part - Sanitized Copy Approved for Releas 2012/08/21 : CIA-RDP83-00415R013200040008-2 U. S. OFFICIALS UNL SECURITY INFORMATION 50X1-HUM Manager of the store of the Cooperative Giovanni MARUSSI, Subordinate agricultural cooperatives 1) "Lenin" cooperative located on Via dell'Istria (formerly? [called "Cristo") It comprises: - the management -one machine sh **U. S. OFFICIALS ONLY** SECRET -7-451

Declassified in Part - Sanitized Copy Approved for Rele -RDP83-00415R013200040008-2 II. S. 0 -one carpentry shop - one warehouse containing tractors, ploughs, farm carts, etc. (quantity unknown) 2) "Pino Budicin" agricultural ROVIGNO cooperative located on Son Boses street. (Pino Budicin was an alleged martyr of the Jugoslav liberation, but was seen arriving in Rovigno unde the Station colors; later he was shot by the Germans). 3) "Stella Rossi" (Red Star) agricultural cooperative, not known to the sour D. S. OFFICIALS DRLY SECRET -8-46

Declassified in Part - Sanitized Copy Approved for Release 08/21 : CIA-RDP83-00415R013200040008-2 U. S. UFFICIALS UNLT

SECURITY INFORMATION Source of merchandise: -sulphur and seed in small bags, Staly - saltjetre, Austria - The remainder, Jugoslavia Prices: - Verdigris, 100-120 dinars per Relogram - hardware, about 300 dimars per Kilogram - potatols, 30 dinars per kilogram. For some items (other than foodstuffs) the members of the cooperative are granted U. S. OFFICIALS ONLY SECRET

Declassified in Part - Sanitized Copy Approved for Release 2012/08/21 CIA-RDP83-00415R013200040008-2 U. S. OFFICIALS ONLY SECURITY INFORMATION 10 percent discount. The merchandise is heldovil-. cole to the cooperatives; The surplus is given to the non-members. This is done to induce the other farmers to join the cooperatives. Each year a financial accounting is made to the members, and the profit is to be distributed among all of them, after putting aside a sum for the reserve; however, in 5 years of operation there have been it for distribution 48 classified in Part - Sanitized Copy Approved for Release 2012/08/21: CIA-RDP83-00415R013200040008-2

Declassified in Part - Sanitized Copy Approved for Release 2012/08/21 : CIA-RDP83-00415R013200040008-2 SJECONOM SECRAFORMATION a) Industrie Joials ONLY May 52 - Machine shop POLA It is the shop of the POLA people's city committee (city hall). It is located on Carlo de Franceschi street. It appears that formerly the premises of the shop were used for private storage. It consists of the following structures: U. S. OFFICIALS ONLY SECRET -4-

H. S. OFFICIALS ONLY SECTIONTY INFORMATION - a masonry building, about 20×6 meters, which houses the blacksmiths' and sheet metal workers unit. - a masonry building of recent construction, approximately 25×12 meters, which contains the mechanics' unit. - a maconing building, about 25 X10 meters, used for storage. - other small structures. Director: a former wood cargenter. Workers: 50X1-HUM No engineers are employed there. The work is performed under the direction of technician Bruno U. S. OFFICIALS ONLY SECRET -5-50

Declassified in Part - Sanitized Copy Approved for Rele 08/21 : CIA-RDP83-00415R013200040008-2

U. S. OFFICIALS ONLY

SECURITY INFORMATION BRENKO, a former employee of the leglis Olivi shipyard. Work The shop performs small-scale work on small metal equipment for the municipal government, private citizens, and various organizations. This work includes: -manufacture and repair of carts - small-scale repairs on motor vehicles - manufacture of gutters, iron pences and gates, locks, U.S. OFFICIALS ONLY SECRET -6-

Declassified in Part - Sanitized Copy Approved for Release 2012/08/21 : CIA-RDP83-00415R013200040008-2

U. S. OFFICIALS ONLY

cooking pans, awnings, lift-gates, etc. -nickel and chronium ilating -repairs on locks The shop also employs some electricians who install electrical new houses ing SECKE

Declassified in Part Copy Approved for Release 2012/08/21 : CIA-RDP83-00415R013200040008-2 BLJANA ZMARJE MATERIAL 50X1-HUM ocated in the are bout 500 meters northjulstion, Vizmarje railroad D The railroad he ion, between and the road from a ublyana 50X1-HUM to ME. U. J. UTFICIALS IIN SECRET

Declassified in Part - Sanitized Copy Approved for Release 2012/08/21 : CIA-RDP83-00415R013200040008-2 U. S. UFFICIALS UNLY SECURITY INFORMATION It consists of a building, 30×12 meters and about 10 meters high, with Tile roof. This building was built very recently, at the time in question the finish-ing work was junder way Railroad siding At the time that the above building was under construction, a railroad siding, about 500 meters long, was installed between the depot and the Vizmarje rail-Moad Station. Materials stored U. S. OFFICIALS DNLY SECRET

U. S. OFFICIALS ONLY

SECURITY INFORMATION

All materials necessary for building construction, including

the following:

-cement

- land

-gravel bricks



- plaster

angle iron

- iron pars, from 5 to 25 millimeters in diameter.

zinc-plated sheet metal -hardware for fittings - galvanized irox and black tubing

U. S. OFFICIALS ONLY

SECRET

Declassified in Part - Sanitized Copy Approved for R RDP83-00415R013200040008-2

U. S. OFFICIALS UNLY

SECURITY INFORMATION

- sheet glass - lumber

The depot is enclosed by a

wire fence supported by small concrete stakes.

Lource and destination of materials

Source (of some materials) - iron items, from JESENICE

(Map J-BLED/RO-EZ)

- cement, from TRBOLJE (Map J-CELJE (ZT-DR)

- sheet glass, from PANCEVO (Map J-BEOGRAD/VH-GQ)

estimation



Declassified in Part - Sanitized

Declassified in Part - Sanitized Copy Approved for Release 2012/08/21 CIA-RDP83-00415R013200040008-2

U. S. OFFICIALS ONLY SECURITY INFORMATION To all the state construction enterprises in Slovenia. Versonnel assigned to the depot - In charge: Joan KRIACIC, a native of Novo Mesto Trovince - Office employees: 8 - workers: 40 NOTE - The depot described above was located in Ljubljana in a building at no. 2 Salmalinova street. Its transfer to the new location took place in lipsel and during the first part of May 1952. U. S. OFFICIALS ONLY SECRET

U. S. UFFICIALS UNLY Its former premises have been occupied by the Globinsko Vitne (Petroleum Exploration Institute). May 52- Warehouse containing LJUBLJANA materials for the retroleum industry (Slobinsko Untre) Located at no. 2 Dalmatinova street, in the building formelly occupied by the Gradbeni Material, dealt with in the preceding section. It is a 2-story building, about 12×10 meters, enclosed by a wall 2.50 neters high. U. S. OFFICIALS DNLY SECRET

Declassified in Part - Sanitized Copy Approved for Release 012/08/21 · CIA-RDP83-00415R013200040008-2 U. S. OFFICIALS ONLY SECURITY INFORMATION There are unknown quantities of various material's for the retroleum industry. 2) MISCELLANEOUS May 52 - Texploration and exploitation of petroleum deposits exploratory 50X1-HUM Adrillings are being made in various localities of Jugoslavia under the supervision of the Globinko Untre (whose location is not known) Positive results have been made in the following places: -MURSKA SOBOTA (Map J-Murska Sobota/ U. S. OFFICIALS ONLY

SECRET

U. S. OFFICIALS ONLY

SECURITY INFORMATION

SL-FR - G. RADGONA (Map J-Murska Sobota/ RK-FT/ -DONA LENDAVA (Map J-Dona Lendow) LIH-FNJ C) POLITICAL INFORMATION 1) Concentration camps May 52- A concentration camp for LSLIBLJANA political priconers is located here. 50X1-HUM U. S. OFFICIALS ONLY SFCRET 60

Declassified in Part - Sanitized Copy Approved for Release

Declassified in Part - Sanitized Copy Approved for Release 2012/08/21 IA-RDP83-00415R013200040008-2 U. S. OFFICIALS UNLY - production of tank parts has not yet begun -reduction and , Eater, Termination of state financing At present, the plant couplage 2,500-3,000 workers. LESNO /NDUSTRIJSKO VOJNO PRODUZECE "JELOVICA" (Jelovica military lumber enterprise) docation apr52- about 200 meters west of BLED SKOFIA HONA the "rilroad station of the" 50X1-HUM locality in question, in the triangle formed by the railroad line leading to KRANJ 50X1-HUM **U. S. OFFICIALS ONLY** SECRET 61

Declassified in Part - Sanitized Copy Approved for Relea CIA-RDP83-00415R013200040008-2 U, S. UFFICIALS DNIY SECURITY INFORMATION 50X1-HUM and the road from the railroad station to the residential area Dimensions and characteristics of the area The area now occupied by the plant in question is about 700× 400 meters, It is completely enclosed by a barbed wire fence. There is a possibility of extending the plant area on the other side of the Kranj road and of the road that runs from the Mailroad station to the residential U. S. OFFICIALS ONLY SECRET

-14-

U. S. OFFICIALS ONLY

SECURITY INFORMATION area of Skofja Loka.

Control

The plant is under the Ministry

of People's Defense. Internal hayout:

Frector

- a major (name not known) Political commissar

- aplieutenant (name not

Known.

Other officers:

- 2 captains

- 1 fiest lieutenant mames not - I second lieutenant

Known

63

Workers: about 550

U. S. OFFICIALS ONLY SECRET

Declassified in Part - Sanitized Copy Approved for Relea -RDP83-0041

U. S. OFFICIALS ONLY

SECURITY INFORMATION Office workers: about 20 Work shifts A single shift, from 0600 to 1400 hours. If there is much work to be done, some hours of overtime toosk are put in in the afternoon. The saw-mill operates on two shifts, as follows: from 0600 to 1400 and from 1400 to 2200 hours. Source of raw materials All the rough timber arrives at the plant directly from the nearby Sovenian forests. U. S. OFFICIALS ONLY SECRET -*lh*-64

U, S. OFFICIALS ONLY SECURITY INFORMATION Processing The rough timber is sawn, cut, and worked. Beginning of operations In 1948, with the requisition and nationalization of a private saw-mill, later expanded and brought to its present status. Stemp produced - fittings, doors, windows for new buildings built by state military and civil construction enterprises. - complete wooden barracks Tput U. S. OFFICIALS ONLY SECREL

Declassified in Part - Sanitized Copy Approved for Release 2012/08/21 : CIA-RDP83-00415R013200040008-2

Declassified in Part - Sanitized Copy Approved for Release IA-RDP83-00415R013200040008-2 II. S. OFFICIAI SECURITY INFORMATION Not known to the source. Disposition of output Jawn humber: for exclusive use by the plant in the production of the above-mentioned items. Tillings, doors, windows: for new buildings built by military and civil construction enterprises. Barracks: for the army and the youth brigades for "Voluntary" work. Many barracks are sent to Bosnia Description of the plant 50X1-HUM U. S. OFFICIALS UNLY SECRET

- 12-

U. S. OFFICIALS ONLY SECURITY INFORMATION

50X1-HUM 1) Storage of materials for daily use a masonry building with the following characteristics: - 1-story high - about 70×50 meters -gabled 200f - consugated eternit roofing Materials used daily are stored there, such as locks, various items of hardware for doors and windows, and hand tools. 2) Wood drying installation **U. S. OFFICIALS ONLY** SECRET 61

Declassified in Part - Sanitized Copy Approved for Release CIA-RDP83-00415R013200040008-2 U. S. OFFICIALS UNLY SECURITY INFORMATION & masonry building with the following characteristics: - 1-story high - about 48× 18 meters -gabled roof - congated eternit roofing 3) Butdoor lumber storage area The area is about 80×60 meters. Its capacity is 100,000 cubic meters. 4) Door Reepers quarters and guard house A masonry building (former private home expropriated by the government). Its characteristics are: - about 8×5 meters -gabled roof U. S. OFFICIALS ONLY SECRET 20-

Declassified in Part - Sanitized Copy Approved for Rel A-RDP83-00415R013200040008-2 U. S. OFFICIALS ONLY SECURITY INFORMATION -tile roofing - 2 door Reepers and 4 industrial militiamen 5) Manufacture of wooden barracks Wooden barracks are made in a wooden building with the following characteristics: - about 80x30 meters - gabled roof -tar paper roofing

This building is equipped with the following machinery: - 2 electric circular saws

- 2 electric band saws

- 1 electric planing machine

U. S. OFFICIALS ONLY SECRET - 21-

Declassified in Part - Sanitized Copy Approved for Relea A-RDP83-00415R013200040008-2 **U. S. DFFICIALS ONLY** SECURITY INFORMATION - an undetermined number of work benches and hand tools 6) Saw-nill - masonry building - about 60x35 meters - gabled roof - corrugated eternit roofing, It has the following machines: - 2 "Gatters" (multiple - blade saws/ 10 blades/ - 2 electric circular saws - / electric cutter 6-A/ Small saw-mill - masonry building - about 40 × 40 meters U. S. OFFICIALS ONLY SECRET -22-70

U. S. OFFICIALS ONLY

SECURITY INFORMATION -gabled roof -eternit roofing It is equipped with a horizontal saw for cutting tree trunks which are to large for the multiple blade saws to cut. 7) Manufacture of wooden barracks Wooden building identical with no. 5 above and put to the Same use. I has the following machines: - 2 electric circular saws - 1 electric band saw - relectric planing machine - an undetermined number of U. S. OFFICIALS ONLY SECRET 71

U. S. OFFICIALS ONLY

work benches and hand tools 8) Masonry building, completed in 1951, in three units, U-shaped, with the following characteristics: -gabled roof - corrugated eternit roofing - The center unit is a mit 50×15 meters - the other units aresout 80 × 15 meters This building houses the following departments: - Department for mass production of doors in the southwestern half of the building U.S. OFFICIALS ONLY SECRET 72

U. S. OFFICIALS ONLY SECURITY INFORMATION - Department for producing ammunition boxes in the northeastern half of the building These two departments equipped with machinery for 50X1-HUM mass production, which 9) Private home Masonry building with the following characteristics: - 1-story high - about 12×8 meters -gabled nort - tile roofing U. S. OFFICIALS ONLY SECRET -25-73

U. S. OFFICIALS ONLY Two captains, who manage the enterprise, live there with their families. 10) Basin for the collection of Main water conveyed by canals around the plant. Capacity: 25 cubic meters. 11) administration and offices Masonry building with the following characteristics: - about 12×8 meters -gabled roof - tile roofing - 2-storieshigh This building houses the following: U. S. OFFICIALS ONLY SECRET -26-

Declassified in Part - Sanitized Copy Approved for Release 08/21 : CIA-RDP83-00415R01320004000

U. S. OFFICIALS ONLY

SECURITY INFORMATION -on the ground floor: - a small machine shop -a small garage with one truck of unknown type and make -on the second floor: - management - technical office - administrative office 12) Small barracks of firemen a masonry building with the following characteristics: - about 6×4 meters -gabled roof - corrugated eternit roofing U. S. OFFICIALS ONLY SECRET

Declassified in Part - Sanitized Copy Approved for Release

Declassified in Part - Sanitized Copy Approved for Release 2012/08/21 : CIA-RDP83-00415R013200040008-2

U. S. ÖFFICTALS ONLY

SECURITY INFORMATION Strength 12 Meni Equipment 1 motor pump on 2-wheel Carriage Water drawn from the basin (no 10) and from the under ground reservoir (no/3) 13) Underground reservoir for the collection of rain water Opening of 1×1,5 meters in the ground. Its inner measurements and capacity are not Known. The rain water flows through U. S. OFFICIALS ONLY SECRET 28-76

Declassified in Part - Sanitized Copy Approved for Release 2012/08/21 : CIA-RDP83-00415R013200040008-2 U. S. OFFICIALS UNLY the gutters to the underground conduits and then on to the Alservoir 14 Fittings and window manufacturing department a masonry building with the following characteristics: - 1- story high -about 80×30 meters -gabled roof - corrugated eternit roofing 50×1-HUM 15/ Finished goods storage U. S. OFFICIALS ONLY SECRET

Declassified in Part - Sanitized Copy Approved for Release 2012 /08/21 : CIA-RDP83-00415R013200040008-2 **O. S. DEFICIALS ONLY** Masonry building with the following characteristics: -about 70x 35 meters -gabled roof - corregated eternit roofing Finished goods remain here for a very short time; they are sent immediately to their destination. Many Times the railroad cars arrive to load the goods, but the latter are not ready. 16) Dutdoor tree trunk storage area The area is about 1,500 square meters. U.S. OFFICIALS ONLY SECRET 18

U. S. OFFICIALS ONLY

SECURITY INFORMATION Data on electric power used The electric power used comes from the civic power station of SKOFJA LOKA. Means of transportation Timber comes in by railroad all the way to the plant which is connected to the railroad station by a siding. The finished products are shipped by railroad to relatively distant points, and by a 5-ton truck of unknown type to neighboring localities. Security personnel U. S. OFFICIALS ONLY SECRET 79

Declassified in Part - Sanitized Copy Approved for Relea : CIA-RDP83-00415R013200040008-2 **U.** S. OFFICIALS ONLY SECURITY INFORMATION - 2 door keepers - 4 menubers of the Industrial Militia armed only with pistols. ighting personnel and equipmen. - 12 firemen with a f ine engine (see no. 12 above) - water drums and lookes in the work areas Untigercraft protection None U. S. OFFICIALS ONLY SECRET 80