	Approved For Release 2007/12/04 : CIA-RDP83-00418	R003500090002-1	
paper la	CLASSIFICATION CENTRAL INTELLIGENCE AGENCY INFORMATION REPORT	REPORT CD NO.	
COUNTRY SUBJECT	East Germany Object 6 of SDAG Wismut	DATE DISTR. 21 March 1956 NO. OF PAGES	25X1
PLACE ACQUIRED DATE OF		NO. OF ENCLS. SUPPLEMENT TO	25 X 1
NFO.		REPORT NO.	25X1
OF THE MINITED STAT 9. LC., 21 AND 22. A	THIS HEFORMATION APPECIFIES THE RESTORAGE MET 00 THIS SHEFORMATION APPECIFIES THE RESTORAGE MET 00 THIS SHEFT HAS BEARING OF THE RESPONDED MET 00 THIS SHEFT HAS BEARING OF THE RESPONDED MET 00 THIS SHEFT HAS BEARING OF THE PROBLEMENTS.	S IS UNEVALUATED INFORMATION	· :
	The entire output of grade-II contest ore of piled at the Friesen ore bunker. The materia and shipped out by reil to the Lengsfeld conc. 40 to 45 reilroad ear loads a day.	il was delivered by truck	
	2. In early July 1955, the mine workforce was a 350 to 160 men. The dismissed workers were t Zobas. The plan targets were reduced from 60 per month to 150 meters, and from 2,000 boxes per month to 300 - 400 boxes. These modifications have been made because of the low yield of the	trensferred for work et O meters mins advance s of grade-III contect ore stions were believed to	25X1
	But on advancing working area 109, a small n pockets were struck and it was hoped to strik possibly even pitchblende, by further advancing region. These findings revived the activitie fulfilment of the reduced plan targets for Juwere hired in early August. The target figur ly advance rate of 350 meters, and an output grade-III contact ore. At present, mining a	to nore abundant patches, ing the mine into the slate is at Bergen. After tly 1955, new laborers es were maised to a month- of coo - 200 boxes of	25X1
	being carried out at one lode 7 (working area ore lede 146 (working area 203, 420-meter levend ore lode 151 (working area 158, 306-meter and 4, in search for attachlende) . Working meter level is being advanced in search for a quality ore.	195, 366-metar level) 4, well above vorking area 146) ; level, at stopes 158 a ; area 109 on the 366-	25X1
	C. T. T. S.	ore was as follows:	
	grede-III contact ore 400 boxes grade-III contact ore about 40 tons grade-II contact ore about 40 tons grade-I contact ore about 250. The advance was about 100 moters.	1	
	grade—III contact ore 400 boxes grade—II contact ore about 40 tons grade—I contact ore about 250	1	25X1

mice. The operation is expected to be closed down as an independent

25X1

enterprise shortly.

SECRET

