

V
Succinic Acid and Its Ethyl Esters, by I. Kh.
Pel'dman, E. S. Troyanova, 8 pp.

RUSSIAN, per, Zhurnal Prikladnoi Khimii, Vol
XVI, No 1, 2, 1943, pp 15-19.

Sci Tr Center RT 36 03
36,152

Chemistry

Jun 56 CTS

Preparation of Hydrophobic Cellulose, Part I., by D. N. Kursanov, V. N. Etekina, 2 pp.

RUSSIAN, per. Zhur Prik Khim, Vol XVI, 1943, pp 36-45.

CIA/FDD/X-1325

Scientific - Chemistry

RT DEK

14,087

Kozakov, E. I., Edel'shtein, N. G., and Chegiz, A. F.
CHEMICO-TECHNOLOGICAL INVESTIGATION OF BITUMINOUS SHALES OF THE MANTUROV FIELD
[1961] 5p. 2 refs.

Order from OTS or SLA \$1.10

61-16957

Condensed trans. of Zhurnal Prikladnoi Khimii (USSR)
1943, v. 16, p. 72-77.

DESCRIPTORS: Fuels, *Shales, *Bitumens, Gasoline, Sulfur, Chemical analysis, USSR.

Three samples of shale from the Usol'e section of the Manturov deposit (Gor'kii and Ivanovo regions on the Volga) have been investigated. The first sample contains 44% ash and has a calorific value of over 4,000 cal. The yield and composition of primary tar are advantageous for its use as fuel and make it a suitable material for preparation of motor fuel. Shales from (Materials--Fuels, TT, v. 6, no. 10)

(over)

61-16957

I. Kozakov, E. I.
II. Edel'shtein, N. G.
III. Chegiz, A. F.

Office of Technical Services

Simonova, L. K.
DETERMINATION OF THERMAL CONSTANTS OF
ACTIVATED CARBON AND SILICA GEL. [1961] 5p.
7 refs.
Order from OTS or SLA \$1.10

61-16938

Condensed trans. of Zhurnal Prikladnoi Khimii (USSR)
1943, v. 16, p. 87-94.

DESCRIPTORS: *Gels, *Silicon compounds,
*Activated carbon, Colloids, Conductivity, Tempera-
ture, *Heat transfer, Calorimeters.

The heat capacities, thermal conductivities and tem-
perature conductivities of three samples of activated
fruit pit carbon and of one sample of silica gel were
determined at 0, 20 and 100. The temperature con-
ductivity of powdered samples increases over that of
granulated samples at the average by 11.1%; the corre-
sponding increase in the thermal conductivity is 35.9%.
(Physics--Thermodynamics, TT, v. 6, no. 9) (over)

61-16938

I. Simonova, L. K.

185414

Office of Technical Services

Synthesis of Vitamin B1, by A. I. Gerasim, 21 pp.

RUSSIAN, per, Zhur Prikl Khim, Vol XVI, ¹⁶³⁴~~163~~ 1943,
pp 105-117.

AEC-HP-~~1~~tr-1052

Sci-Chem
Jan 64

N.L. (Lea.) Ref. 58-22.4 1963 (16, 418)

248,347

Pesin, L. M., Belyanina, E. T., and
Pavlovskaya, V. A.

HYDRATION OF CAMPHENE TO ISOBORNEOL.

(1961) Sp. 11 refs.

Order from OTS or SLA \$1.10

61-16985

Condensed trans. of Zhurnal Prikladnoi Khimii (USSR)
1943, v. 16, p. 129-133.

DESCRIPTORS: *Sulfonic acids, *Camphene, Hy-
drates, *Camphanes.

Hydration of camphene in acid medium was investi-
gated in the presence of refined Petrov's kontakt
[mixture of sulfonic acids]. An 80% yield of a crystal-
line product was obtained containing over 60% iso-
borneol and about 40% camphene. (Author)

(Chemistry--Organic, TT, v. 8, no. 10)

61-16985

I. Pesin, L. M.
II. Belyanina, E. T.
III. Pavlovskaya, V. A.

Office of Technical Services

Mamedli, M. G.
SYNTHETIC OILS FROM CRACKED DISTILLATES.
[1961] 8p. 11 refs.
Order from OTS or SLA \$1.10

61-16984

Trans. of Zhurnal Prikladnoi Khimii (USSR) 1943, v. 16,
p. 143-150.

DESCRIPTORS: *Lubrication, *Oils, *Waxes, Decom-
position.

The best lubricating oils, satisfying the requirements
for aviation oils with respect to viscosity index, oxida-
tion stability, low pour point and low specific gravity,
as well as high flash point, are obtained from products
of cracking paraffin wax. Polymerization of cracked
distillates to synthetic lubricating oils in the presence
of aluminum chloride takes place not only at low tem-
peratures 125-130°. The qualitative and quantitative
characteristics are identical in both cases. At the
(Chemistry--Organic, TI, v. 6, no. 8) (over)

61-16984

I. Mamedli, M. G.

375120

Office of Technical Services

Oxidation of Nicotine to Nicotinic Acid,
by H. A. Vagynina et al, UNCLASSIFIED

RUSSIAN, per, Zhur Prik Khim, Vol XVI, No 5-6,
1943, pp 206-210.

Assoc Tech Ser
68712

Price: \$10.00 (\$1.25)

Scientific - Chemistry

18,098

Sumarokov, V. P., Rylkin, S. S., and
Bogoyavlenskaya, V. N.
PREPARATION OF PYROCATECHOL BY DECOMPO-
SITION OF PHENOL ETHERS OF WOOD CREOSOTE
UNDER ATMOSPHERIC PRESSURE, I. [1961] 8p.
9 refs.

Order from OTS or SLA \$1.10

61-18169

Trans. of Zhurnal Prikladnoi Khimii (USSR) 1943,
v. 16, p. 219-226.

DESCRIPTORS: *Pyrocatechol, Ethers, Wood, Creosote
Synthesis.

Experiments of preparation of pyrocatechol from two
samples of creosote with the aid of aniline hydrochlo-
ride are reported, in which it was established that: (1)
practically complete decomposition of the phenol ethers
of creosote may be achieved by this method; (2) the re-
action requires more time than the action of hydro-
(Chemistry--Organic, TT, v. 6, no. 6) (over)

61-18169

I. Sumarokov, V. P.
II. Rylkin, S. S.
III. Bogoyavlenskaya, V. N.

176601

Office of Technical Services

Ferrous Trisulfide, by S. V. Lipin, 22 pp.

RUSSIAN. per, Zhur Prik Khim, N Vol XVI, No 7-8,
1943, pp 258-259.

CIA/FDD X-2794

Sci - Chem
Mar 58

ALL INFORMATION CONTAINED
HEREIN IS UNCLASSIFIED
DATE 06-08-2001 BY 60,686

Esafov, V. I.
QUALITATIVE ANALYSIS OF DIENE HYDROCARBONS
WITH CONJUGATED DOUBLE BONDS, III. [1961] 10p.
8 refs.

Order from OTS or SLA \$1 10

61-16911

Trans. of Zhurnal Prikladnoi Khimii (USSR) 1943,
v. 16, p. 283-294.

DESCRIPTORS: Iodine, *Hydrocarbons, *Molecular
structure, Chemical reactions, *Ethylenes,
Halogenation.

Bromination in carbon tetrachloride was shown by
precise data to be a specific reaction only for those
diene hydrocarbons, the molecules of which possess
one, or still better, two side chains attached to the car-
bon atoms of the conjugated system. In the last men-
tioned case the reaction is accompanied by evolution of
considerable amounts of hydrogen bromide and con-
(Chemistry--Physical, TT, v. 6, no. 8) (over)

61-16911

I. Esafov, V. I.

185124

Office of Technical Services

Vol 16, No 7-8 (1943)

pp 325-327

Department of Research Programmes & Planning
Admiralty

The Use of Cupferron in Qualitative Chemical
Analysis, by P. M. Isakov

ACSIL Trans No. 387 (British)

Encl. U-625/49 in

FDD Lib

61-14012

Kurssanov, D. N. and Solodkov, P. A.
NEW METHOD OF OBTAINING COLORED DERIVA-
TIVES OF CELLULOSE. [1943] 9p. (conclusions
illus. omitted).

Order from OTS or SLA \$1.10 61-14012
•• **ATS** #8.25 (5PP) **ATS-74872A**
Trans. of Zhurnal Prikladnoi Khimii (USSR) 1943, v. 16,
no. 11/12, p. 351-355

DESCRIPTORS: Cellulose chemistry, *Cottoncellulose,
*Synthetic fibers, Test, Colors, *Ammonium radicals,
*Exchange reactions, *Pigments

184013

Office of Technical Services

(U.S. Patent 2,411,000)

Andreev, E. A., Avramenko, V. I. and others.
PREPARATION OF ALDEHYDES BY OXIDATION OF
BY-PRODUCTS OF SYNTHETIC RUBBER MANU-
FACTURE. I. COOL FLAME OXIDATION OF SK
MOTOR FUEL. [1961] 9p. 7 refs.
Order from OTS or SLA \$1.10

61-16894

Trans. of Zhurnal Prikladnoi Khimii (USSR) 1943, v. 16,
p. 356-364.

DESCRIPTORS: *Synthetic rubber, Oxidation, *Alde-
hydes, Hydrocarbons, Flames, Fuels, Fungicides.

Optimal temperature conditions were established for
operation of a semi-plant scale unit for low temperature
oxidation of hydrocarbons obtained as by-products of
the production of 1, 3-butadiene from ethyl alcohol (SK
Motor Fuel). In the vaporizer and air preheater, a tem-
perature of 200° is to be maintained, and in the reac-
tor a temperature of from 400 to 420°. Up to 96% of

(Chemistry--Physical, TT, v. 6, no. 8) (over)

61-16894

- I. Andreev, E. A.
- II. Avramenko, V. I.
- III. Title: Cool...

135119

Office of Technical Services

Stability and Volatility of Tin Oxides, by V. K.
Veselovskiy, 29 pp.

RUSSIAN, per, Zhur Prikl Khim, Vol XVI, 1943,
pp 397-416. 9093512

AEC UCRL Tr-821(L)

Sci - Chem
Jul 62

204, 688

Structure and Germicidal Properties of Organic Compounds. Communication I. Derivatives of Hydroxydiphenyl, by N. M. Mel'nikov, N. S. Rokitskaya, Z. E. Bekker, 12 pp.

RUSSIAN, no par, Zhur Prii Khim, Vol XVI, No 9-10, 1943, pp 126-132.

86,111
Sci Tr Center RT-3602

Scientific - Chemistry

Jun 56/dex

Combined Solubility of Li_2CO_3 with Na or
K Carbonate in Water, by G. G. Urazov and
Z. I. Lifatova, 7 pp.

RUSSIAN, per, Zhur Prik Khim, Vol XVII,
1944, pp 16-21.

SLA R-2434

Sci

Aug 58

72,143

Ushakov, S. N. and Matuzov, N. A.
COPOLYMERIZATION OF CHLOROSTYRENES WITH
STYRENE AND WITH METHYL METHACRYLATE.
[1961] 6p. 3 refs.

Order from OTS or SLA \$1.10

61-16904

Trans. of Zhurnal Prikladnoi Khimii (USSR) 1944,
v. 17 [no. 1/2] p. 52-59.

DESCRIPTORS: *Copolymerization, *Styrenes,
Chlorides, *Acrylic resins, Chemical reactions.

The velocity of copolymerization of chlorostyrenes
with styrene and with methyl methacrylate depends
upon the proportions of the reactants. The higher is
the content of the monomer in the reaction mixture,
which is characterized by a higher velocity of poly-
merization, the greater is the velocity of copolymeri-
zation. In copolymerization of p-chlorostyrene with
styrene the reaction velocity increases in proportion to
(Chemistry--Organic, TT, v. 6, no. 8) (over)

61-16904

I. Ushakov, S. N.
II. Matuzov, N. A.

135122

Office of Technical Services

Lel'chuk, S. L., Balandin, A. A. and others.
DEHYDROGENATION OF ETHYL ALCOHOL OVER
MIXED CATALYSTS. [1961] 5p. 8 refs.
Order from OTS or SLA \$1.10 61-16907

Trans. of Zhurnal Prikladnoi Khimii (USSR) 1944,
v. 17 [no. 1/2] p. 60-64.

DESCRIPTORS: Dehydrogenation, *Catalysts,
*Ethanol, Esters, Esterification, Chemical reactions,
Ethyl radicals, Acetates, Acetic acids, Titanium
compounds, Oxides.

Dehydrogenation of ethanol was studied, leading to for-
mation of substantial amounts of acetic acid and ethyl
acetate. Three-component catalysts were investigated
for this reaction, consisting of copper and alumina pro-
moted with oxides of cadmium or titanium. The cata-
lyst promoted with cadmium oxide has no advantages
over the two-component catalyst, consisting of copper
(Chemistry--Organic, TT, v. 6, no. 8) (over)

61-16907

I. Lel'chuk, S. L.
II. Balandin, A. A.

185123

Office of Technical Services

Microcolorimetric Determination of Vanadium in
Rocks, Minerals, and Ores by Means of Benzidine.
by I. P. Alimerin, 12 pp.

RUSSIAN, per, Zhur Prii Khim, Vol XVII, 1944,
pp 83-93.

SLA R-3099

Sci

Jul 59

91,393

Yakubchik, A. L. Vasil'ev, A. A. and others.
CHEMICAL CHARACTERISTICS OF BUTADIENE
RUBBERS BASED ON DETERMINATION OF FORMIC
ACID AND FORMALDEHYDE IN THE PRODUCTS OF
DECOMPOSITION OF THEIR OZONIDES. [1961] 6p.
33 refs.

Order from OTS or SLA \$1.10

61-16908

Trans. of Zhurnal Prikladnoi Khimii (USSR) 1944, v. 17
(no. 1/2) p. 107-113.

DESCRIPTORS: *Rubber, Decomposition, Ozonides,
Butadienes, Formaldehyde, *Synthetic rubber, Formic
acids.

A rapid method of classification of butadiene polymers
and their copolymers, for instance with styrene, was
developed, based on correlation of the properties of the
rubber with the number of vinyl linkages in the rubber
molecule indicated by ozonization. Data for 14 types of
(Materials--Rubber, TT, v. 6, no. 9)

61-16908

I. Yakubchik, A. I.
II. Vasil'ev, A. A.

165404

Office of Technical Services

Ushakov, S. N., Lavrent'eva, E. M. and others.
POLYVINYL ACETAL COATINGS FOR MAKING
CONCRETE IMPERMEABLE TO GASOLINE. [1962]
9p. 17 refs.
Order from OTS or SLA \$1.10

62-14612

Trans. of Zhurnal Prikladnoi Khimii (USSR) 1944,
v. 17 [no. 1/2] p. 125-136.

DESCRIPTORS: *Gasoline, Permeability, *Concrete,
Coatings, *Acetals, Polymers, *Vinyl radicals,
*Elastic coatings.

The mechanical strength, swelling, permeability to
water and gasoline were determined of films of poly-
vinyl acetate and polyvinyl acetals, free and in the form
of coatings on concrete. The dependence of the proper-
ties of the coatings upon the extent of polymerization
and the nature of the substituent in the acetal of poly-
vinyl alcohol, as well as upon the extent of plastifica-
(Chemistr.--Physical, TT, v. 9, no. 1) (over)

62-14612

I. Ushakov, S. N.
II. Lavrent'eva, E. M.

Office of Technical Services

Suvorovskaya, N. A.
DETERMINATION OF IRON IN ALUMINATE
SOLUTIONS BY A POLAROGRAPHIC METHOD, tr. by
Ingeborg V. Baker and George N. Kraschko. 4 Jun 63,
6p. 6 refs. [AMC] (Redstone) Trans-no. 1-63.
Order from OTS or SLA \$1.10 63-15134

Trans. of Zhurnal Prikladnoi Khimii (USSR) 1944,
v. 17, no. 3, p. 156-158.

DESCRIPTORS: *Aluminates, Solutions, *Iron,
*Polarographic analysis, Iron compounds, Sulfides,
Complex compounds.

This work demonstrates the practicability of using the
polarographic method of analysis for determination of
iron in aluminate solutions. The iron is precipitated in
the form of sulfide, dissolved in hydrochloric acid, and
reduced by sulfur dioxide during boiling of the solution
(Chemistry--Analytical, TT, v. 10, no. 2) (over)

63-15134

- I. Suvorovskaya, N. A.
- II. AMC(Redstone) Trans-1-63
- III. Army Missile Command,
Redstone Arsenal, Ala.

Office of Technical Services

Determination of Phosphorus in Limestones
by Titration of Excess 8-Hydroxyquinoline,
by P. O. Budnikov and S. S. Zhukovskaya,
7 pp. *VR*

RUSSIAN, per, Zhur Prik Khim, Vol XVII, 1944,
pp 165-169.

SLA R-2541

Sci

Aug 58

72, 803

19
Action of Na_2SO_4 on the Decomposition of
Spodumene of Fusion with K_2SO_4 , by G. P.
Aleksandrov, 6 pp.

RUSSIAN, per, Zhur Prik Khim, Vol XVII,
1944, pp 183-187.

SLA R-2435.

Sci

Aug 58

72,118

Pakshver, A. and Zlatoustovskaya, A.
OXIDATION OF AMMONIA IN SOLUTIONS OF COM-
PLEX CUPRAMMONIUM COMPOUNDS. [1961] [9]p.
7 refs. T/L 724: [DSR LLU] M 2066.
Order from LC or SLA mi\$1.80, pi\$1.80 61-13423

Trans. of Zhurnal Prikladnoy Khimii (USSR) 1944,
v. 17, p. 259-265

Sci. Mus. Lib. No. 52/2706

(Chemistry--Inorganic, TT, v. 5, no. 12)

61-13423

1. Ammonia--Oxidation
 2. Complex compounds--
Chemical reactions
 3. Copper compounds--
Chemical reactions
 4. Cellulose--Oxidation
- I. Pakshver, A.
 - II. Zlatoustovskaya, A.
 - III. Trans-T/L-724
 - IV. DSR LLU M.2066

166596

Office of Technical Services

Pakshver, A. and Zlatoustovskaya, A.
THE OXIDATION OF AMMONIA IN SOLUTIONS OF
COMPLEX CUPRAMMONIUM COMPOUNDS. [1964] 12p
8refs
Order from OTS, SLA, or ETC \$1.60 TT-64-10771

Trans. of Zhurnal Prikladnoi Khimii (USSR) 1944, v. 17,
no. 4/5, p. 259-265.
Another trans. is available from LC or SLA mi\$1.80,
ph\$1.80 as TT-61-13423 [1961] [9p].

(Chemistry--Inorganic, TT, v. 11, no. 12)

TT-64-10771

I. Pakshver, A.
II. Zlatoustovskaya, A.

Office of Technical Services

Rapid Method for the Analysis of NH_4NO_2 in
Hydrated Form, by V. G. Vasil'ev, 10 pp.

RUSSIAN, per, Zhur Prik Khim, Vol XVII, 1944,
pp 266-273.

SLA R-2436

Sci

Aug 58

72,116

Amelin, A. G.
SULPHURIC ANHYDRIDE ABSORPTION WITH WATER
SULPHURIC ACID SOLUTIONS (Absorbtsiya Sernogo
Angidrida Vodnyimi Rastvorami Sernoi Kisloty). 17p.
(foreign text included) 7 refs. DTC-1.
Order from OTS, ETC or DTC \$1.30 62-28788

Trans. of Zhurnal Prikladnoi Khimii (USSR) 1944,
v. 17 [no. 6] p. 319-325.

DESCRIPTORS: *Sulfuric acid, *Anhydrides,
*Absorption, Solutions, Experimental data.

(Chemistry--Physical, TT, v. 10, no. 2)

62-28788

- I. Amelin, A. G.
- II. DTC-1
- III. Danish Translations
Centre, Roskilde

Office of Technical Services

Complex Treatment of Apatite¹ with Hydro-
chloric Acid, by S. I. Volkovich and A.
Loginova, 17 pp.

RUSSIAN, per, Zhur Prik Khim, Vol XVII, 1944,
pp 381-393.

SLA R-2149
OTS 63-14640

Sci

Aug 58

72, 134

Improvement in the Manufacture of Sodium
Fluosilicate 11. Solubility of Sodium
Fluosilicate, by K. E. Kleiner, 10 pp.

RUSSIAN, per, Zhur Prik Khim, Vol XVII,
1944, pp 409-416.

SIA R-2152 also 63-44616

Sci

Aug 58

72,428

Polymerization of Chlorostyrenes, ^{com I} by S. E. Ushakov, ~~EX~~
P. A. Matuzov, 16 pp UNCLASSIFIED

RUSSIAN, per, Zhur Prik Khim, Vol XVII, No. ^{7/8} ~~8-80~~,
1944, pp ~~1-10~~ ⁴³⁵⁻⁴⁴⁴

Sci Tr Center
RE-1017

Scientific - Chemistry

15,348

Drinberg, A. Ya. and Krechkov, P. P.
RESINS AND VARNISHES FROM SUBSTITUTED PHENOLS OBTAINABLE FROM PEAT TAR. [1961] 5p.
15 refs.

Order from OTS or SLA \$1.10

61-18218

Trans. of Zhurnal Prikladnoi Khimii (USSR) 1944, v. 17,
p. 458-462.

DESCRIPTORS: *Resins, Varnishes, Phenols, Peat,
Substitution reactions.

The possibility was demonstrated of preparing a resin and a varnish of quality not lower than that prepared from pure alkyl phenols, using widely differing alkylated phenols from peat. Addition of about 30% of a mixture of cresols to tertiary butylphenol lowers the quality of the varnish obtained. (Author)

(Materials--Finishes, TT, v. 6, no. 8)

61-18218

I. Drinberg, A. Ya.
II. Krechkov, P. P.

61-18218

Office of Technical Services

Kmelevskii, V.I. and Postovskii, I. Ya.
METHOD OF INVESTIGATION AND ANALYSIS OF
COMPOUNDS OF CRUDE ANTHRACENE AND
OTHER HIGH-BOILING FRACTIONS OF COAL TAR.
Rept. 10 on Polycyclic Hydrocarbons. [1961] 13p.

(1 fig. omitted) 24 refs.

Order from OTS or SLA \$1.60

61-20929

Trans. of [Zhurnal Prikladnoi Khimii](USSR) 1944,
v. 17, p. 463-470.

DESCRIPTORS: *Hydrocarbons, *Anthracenes, *Coal
tar, Boiling, Fractionation.

(Chemistry--Organic, TT, v. 7, no. 9)

61-20929

I. Kmelevskii, V. I.
II. Postovskii, I. Ya.
III. Title: Polycyclic...

Office of Technical Services

62-14157

JOURNAL OF APPLIED CHEMISTRY, 1944, VOL. 17,
NO. 9/10: [TABLE OF CONTENTS AND SELECTED
ABSTRACTS]. [1961] 6p. 11 refs.
Order from OTS or SLA \$1. 10

62-14157

Abstract trans. of Zhurnal Prikladnoi Khimii (USSR)
1944, v. 17, no. 9/10, p. 487-494, 527-528.
##533-537, ##552-556.

**Complete translations are available separately.

DESCRIPTORS: *Chemistry, Literature, Abstracting,
Carbon, Adsorbents, Organic solvents, Vapors,
Adsorption, *Chlorides, *Allyl radicals, Pressure,
*Explosives, *Combustion, Detonation waves, Pro-
duction, Pyrocatechol, Synthesis, *Creosote,
*Phenols, Ethers, Decomposition, Activated carbon.

(Chemistry, TT, v. 8, no. 4)

(over)

Office of Technical Services

1. Title: Sorption...

Sulfate Nitrophosphate 1. IV. Polytherm of the Ternary System: Ammonium Sulfate, Water, Ammonium Monophosphate, by P. V. Mel'chev, A. G. Burgman, 9 pp.

RUSSIAN, per, Zhur Prikl Khim, Vol XVII, 1944, pp 520-526.

OTS 60-18075
SLA R-3356

Sci

Aug 59

93,578

The Problem of the Mechanism of Transition from
Burning to Detonation of Explosive Materials, by
E. K. Andreyev.

RUSSIAN, no per, Zhur Prikl. Khim. Vol XVII,
No 9/10, 1944, pp 533-537.

T.I.L. T.4681

Sci - Chemistry

36,926

Aug 1956

Polymerization of Chlorostyrenes, ^{ROMIL} by S. N. Ushakov,
P. A. Mathzov, 15 pp UNCLASSIFIED

RUSSIAN, per, Zhur ^{PRIN} Khim, Vol. ^{XVII} ^{No 9/10}
1944 538-545

Sci Tr Center
RT-1018

Scientific - Chemistry

15,349

Conditions of Formation of Manganese Coatings
and Some of Their Properties, by K. Gorbunova.

RUSSIAN, par, Zhur Prikl Khim, Vol XVII,
1944, pp 581-587.

CSIRO

Sci - Chem
1944 Aug 62

207,418

61-18347

Globus, R. L. and Moshchinskaya, N. K.
RESEARCH ON DIPHENYLMETHANE AND ITS DE-
RIVATIVES. III. DESTRUCTIVE HYDROGENATION
OF DIPHENYLMETHANE. [1961] (p. 11 refs.
Order from OTS or SLA \$1.10 61-18347

Trans. of Zhurnal Prikladnoi Khimii (USSR) 1944,
v. 17 [no. 11/12] p. 123-637.

DESCRIPTORS: *Diphenylmethanes, Hydrogenation,
Pressure, Decomposition, *Benzene, *Toluene,
Synthesis, Catalysts, Catalysis, Methanes, Phenyl
radicals

Destructive hydrogenation of diphenylmethane under
atmospheric pressure and under 100 atm. hydrogen
pressure was studied. It was established that diphenyl-
methane can completely decompose to benzene and
toluene: $C_{12}H_{10} + H_2 \rightarrow C_6H_6 + C_6H_5CH_3$.
(Author) (See also 60-13870)

I. Globus, R. L.
II. Moshchinskaya, N. K.
III. Title: Destructive...

(Chemistry--Organic, TT, v. 6,
no. 10)

Office of Technical Services

Semenkov, V. P., Rylkin, S. S., and Kurmileva,
E. E.

PREPARATION OF PYROCATECHOL BY DECOM-
POSITION OF PHENOL ETHERS OF WOOD CREO-
SOTE UNDER ATMOSPHERIC PRESSURE, II. [1964]
5p. 13 refs.

Order from OIS or SLA \$1.10

61-18215

Trans. of Zhurnal Prikladnoi Khimii (USSR) 1944,
v. 17, p. 552-556.

DESCRIPTORS: *Pyrocatechol, Ethers, Wood, Creosote, Synthesis.

Experiments are reported of preparation of pyro-
catechol from creosote by the action of aluminum chlo-
ride under atmospheric pressure. It was found that a
practically complete decomposition of the phenol ethers
is possible, using approximately equimolecular amounts
of ether and aluminum chloride. This reaction is much
(Chemistry--Organic. TT, v. 6, no. 7) (over)

61-18215

I. Semakov, V. P.
II. Rylkin, S. S.
III. Kurmileva, E. E.

18215

Office of Technical Services

Crystallization, Viscosity, Density
and Mutual Solubility of Some Solutions
of the System $\text{LiCl-H}_2\text{O-nC}_3\text{H}_7\text{OH}$, by V. T.
Slavyanskii, 5 pp.

RUSSIAN per, Zhurnal Prikladnoi Khimii,
Vol. 27, 1944, pp 570-575.

TC-399

336,213

Sci
Aug 67

Platé, A. F. and Tarasova, G. A.
PREPARATION OF p-CYMENE FROM SULFATE
TURPENTINE. [1961] Sp. 15 refs.
Order from OTS or SLA \$1.10

61-18232

Trans. of Zhurnal Prikladnoi Khimii (USSR) 1944,
v. 17, p. 576-579.

DESCRIPTORS: *Cymenes, Catalysts, Toluenes,
*Turpentine, *Sulfate pulp, Chemical analysis.

Conversions of sulfate turpentine were investigated at
380-520° in the presence of mixed catalysts contain-
ing chromic oxide of molybdenum oxide carried on
alumina and also in the presence of a synthetic alumi-
nosilicate. In the presence of the first two of these
catalysts a yield of the cymene fraction was obtained
at 400° reaching 60% on the turpentine or 77% when
calculated on α -pinene and Δ^2 -carene contained in the
(Engineering-Chemical, IT, v. 6, no. 12) (over)

61-18232

I. Platé, A. F.
II. Tarasova, G. A.

1960

Office of Technical Services

Dicaine, A local Anesthetic, by I. Kh. Fel'dman,
E. L. Kopeliovich, 12 pp.

RUSSIAN, per, Zhurnal Prikladnoi i Khimii, Vol XVII,
Nos 11, 12, ~~1944~~ 1944, pp 588-593.

Sci Trans Center RT-3406

Scientific - Chemistry, *Medicine*
32,718
Apr 56

Zhur Prik Khim Vol 17, 1944 pp 594-598

Bismuth Electroplating, by A. I. Lewin

AEC Trans

Bismuth Electroplating, by A. Levin, 15 pp.

RUSSIAN, per, Zhur Prikl Khim, Vol XVII, 1944, pp
613-618.

SLA R-2781

Sci

V6

Jul 59

92, 415

GORBUNOV, N. S.

Zhurnal Prikladnoi Khimii, vol. 17, Nos. 9-10, 9
figures, 6 tables, 2500 words; 1944.

Chromized Layers on Iron and Steel.

Butcher Trans, Order No. 1806, \$3.75.

Moshchinskaya, N. K.
RESHAKE ON DIPHENYLMETHANE AND ITS
DERIVATIVES. IV. DESTRUCTIVE HYDROGENA-
TION OF HIGH MOLECULAR PRODUCTS OF CON-
DENSATION OF BENZENE WITH FORMALDEHYDE.
[1961] 4p. 13 refs.
Order from OTS or SLA \$1.10

61-18346

Trans. of Zhurnal Prikladnoi Khimii (USSR) 1944,
v. 17 [no. 11/12] p. 629-633.

DESCRIPTORS: *Diphenylmethanes, Hydrogenation,
Decomposition, Pressure, *Benzenes, *Toluenes,
Synthesis, Catalysts, Catalysis, *Formaldehyde,
Condensation reactions, Methanes, Phenyl radicals

Destructive hydrogenation of mixtures of diphenyl-
methane with p- and o-dibenzylbenzenes and higher
molecular compounds under 100 atm pressure at 500°
Chemistry--Organic, TT, v. 6, no. 11) (over)

61-18346

I. Moshchinskaya, N. K.
II. Title: Destructive...

Office of Technical Services

Bashkirov, A. N. and Karavaev, N. M.
A NEW METHOD OF ISOLATION OF STYRENE
FROM CRUDE BENZOL. [1961] 6p. 24 refs.
Order from OTS or SLA \$1.10 61-18188

Condensed trans. of Akademiya Nauk SSSR. Otdelenie
Khimicheskikh Nauk Izvestiya 1944, p. 763-772.

DESCRIPTORS: *Styrenes, Separation, Chlorination,
Chlorides, Benzene.

A method of isolation of styrene is proposed, which is
said to have passed the laboratory stage of study. It
consists in treating the fraction 135-150° of crude
benzol with a 15 per cent solution of sodium hydroxide
and then with 3 per cent sulfuric acid. The product, free
of phenols and basic compounds, is then chlorinated,
and since dichlorostyrene boils at 233-234°, it can
easily be separated from the xylenes by distillation,
after which dichlorostyrene is dechlorinated at 175°
with bog iron ore, reduced at 500-550° with hydrogen
or other reducing gases. The yield of dichlorostyrene
(Chemistry--Organic, TT, v. 6, no. 6) (over)

61-18188

I. Bashkirov, A. N.
II. Karavaev, N. M.

176606

Office of Technical Services

Sumarokov, V. P. and Bogoyavlenskaya, V. N.
PREPARATION OF PYROCATECHOL FROM WOOD
CREOSOTE BY DECOMPOSITION OF PHENOL
ETHERS UNDER ATMOSPHERIC PRESSURE, III.
[1961] 4p. 3 refs.

Order from OTS or SLA \$1.10

61-18345

Condensed trans. of *Zhurnal Prikladnoi Khimii* (USSR)
1944, v. 17 [no. 11/12] p. 650-655.

DESCRIPTORS: *Pyrocatechol, Preparation, *Creosote,
*Phenols, *Ethers, Decomposition, *Hydrochloric
acids, Chemical reactions, Temperature, Velocity,
*Anilines.

The dependence of the velocity of decomposition of poly-
hydric phenols upon the temperature, the amount of
aniline used and the rate of flow of hydrogen chloride
forming the aniline salt was studied. A rise of the tem-
(Chemistry--Organic, TT, v. 6, no. 10) (over)

61-18345

I. Sumarokov, V. P.
II. Bogoyavlenskaya, V. N.

187255

Office of Technical Services

Purification of Xylose-Containing Solutions with Calcium Oxides, by N. A. Sychev and M. I. Shmatova, 4 pp.

RUSSIAN, per, Zhur Prik Khim, Vol XXII, 1944, pp 381-393.
655-658.

SLA R-216 72

Sci

Aug 58

72,153

Catalytic Oxidation of Phenanthrene. I. Effect of Various Factors on the Catalytic Oxidation of Phenanthrene, by W. N. Vorozhtsov, D. A. Gurevich, 7 pp.

RUSSIAN, no per., Zhur Prik Khim, Vol XVIII, No 1/2, 1945, pp 3-9.

SLA 62-10048
Sci Tr Ctr RT-3438

Scientific - Chemistry

34, 918

May 56 CFB/dmc

61-18223

Vorozhtsev, N. N. and Gurevich, D. A.
CATALYTIC OXIDATION OF PHENANTHRENE.
II. MECHANISM OF ACTION OF VANADIUM PENT-
OXIDE [Zuchenie Kataliticheskogo Oksleniya Penan-
trona, II]. [1961] 4p. 2 refs.
Order from OTS or SLA \$1.10

61-18223

Condensed trans. of Zhurnal Prikladnoi Khimii (USSR)
1945, v. 18 [no. 1/2] p. 10-14.

DESCRIPTORS: Oxidation *Phenanthrenes, Catalysts,
*Vanadium compounds, Oxides, Vapor phase, Crystals,
Naphthalenes.

Observations of the process of oxidation of hydrocarbons
over vanadium pentoxide were correlated with a study
of microphotographs of the surface of samples of the
catalyst. It was established that vanadium pentoxide
interacts with the charge and this results in essential
changes of its surface involving reduction to the tri-

(Chemistry--Physical, TT, v. 6, no. 8) (over)

I. Vorozhtsev, N. N.
II. Gurevich, D. A.
III. Title: Mechanism...

195139

Office of Technical Services

Lozovol, A. V. and Senyavin, S. A.
VELOCITIES OF DECOMPOSITION OF HYDROCAR-
BONS IN DESTRUCTIVE HYDROGENATION. II.
ANTHRACENE, 9,10-DIHYDROANTHRACENE, SYM-
METRICAL OCTAHYDROANTHRACENE, PERHYDRO-
ANTHRACENE, PHENANTHRENE AND 1,2-BENZAN-
THRACENE. [1961] 7p. 30 refs.
Order from OTS or SLA \$1.10

61-18224

Trans. of Zhurnal Prikladnoi Khimii (USSR) 1945,
v. 18 [no. 172] p. 33-42.

DESCRIPTORS: *Hydrocarbons, Decomposition,
*Hydrogenation, *Anthracenes, Catalysts,
*Phenanthrenes.

Hydrogenation of 6 fused ring polynuclear aromatic and
hydroaromatic hydrocarbons was studied under an
initial hydrogen pressure of 80 atm. at 380, 420 and
475° in the presence of 5% molybdenum sulfide, and the
(Chemistry--Organic, TT, v. 6, no. 8) (over)

61-18224

I. Lozovol, A. V.
II. Senyavin, S. A.
III. Title: Anthracene...

115140

Office of Technical Services

Mamedli, M. G.
CATALYTIC DESULFURIZATION OF GASOLINE, I.
[1961] 5p. 22 refs.
Order from OTS or SLA \$1.10 61-18242

Trans. of Zhurnal Prikladnoi Khimii (USSR) 1945, v. 18
[no. 1/2] p. 62-68.

DESCRIPTORS: Catalysts, *Gasoline, Sulfur compounds,
Fuels, Clays, Hydrocarbons, Decomposition, Separation.

A study of the suitability of 12 samples of clays from
four regions on the Apsheron peninsula in USSR for
catalytic desulfurization of gasoline showed that some
natural clays can be used without activation for this
process, effecting removal of up to 88% of the sulfur
from samples with an initial sulfur content of 0.059%
at 400°C. However, at this temperature partial cracking
may occur and the optimal conditions are thought
(Materials--Fuels, TT, v. 6, no. 8) (over)

61-18242

1. Title: Desulfurization
1. Mamedli, M. G.

105143

Office of Technical Services

On Effectiveness of Oxygenated Air Application in
the Contact Nitric Acid Manufacture, by V. I.
Atreshchenko, 9 pp.

RUSSIAN, per, Zhur Prik K. in, Vol XVIII, Nos 1, 2,
1945, pp 61-65.

26, 7/5

Sci Trans Center
RT 8350

Scientific - Chemistry

Sep 55 CTS/DEX

Grinevich, V. M.
A STUDY OF ZINC-CHROMIUM CATALYSTS FOR
SYNTHESIS OF METHANOL. [1961] 5p. 3 refs.
Order from OTS or SLA \$11.10 61-18348

Trans. of Zhurnal Prikladnoi Khimii (USSR) 1945, v. 18,
p. 90-96.

DESCRIPTORS: *Methanols, Synthesis, *Zinc compounds
*Chromium compounds, *Oxides, Catalysts, Catalysis.

The efficiency of the catalyst for synthesis of methanol
of the composition $8\text{ZnO} \cdot \text{Cr}_2\text{O}_3$. CrO_3 is raised by
about 40% by substituting chromium oxide by chromium
trioxide, without affecting the composition of the pro-
duct. The catalysts $8\text{ZnO} \cdot 3\text{CrO}_3$ and $22\text{ZnO} \cdot \text{CrO}_3$ are
identical in activity. An increase of their content of
chromium to a composition of $7\text{ZnO} \cdot \text{CrO}_3$ reduces the
efficiency of the catalyst by 60% when the latter is pre-
(Chemistry--Organic, TI, v. 6, no. 10) (over)

61-18348

I. Grinevich, V. M.

1257

Office of Technical Services

62-14160

JOURNAL OF APPLIED CHEMISTRY, 1945, VOL. 18,
NO. 3: [TABLE OF CONTENTS AND SELECTED
ABSTRACTS, [1961] 3p. 7 refs.
Order from OTS or SLA \$1.10

62-14160

Abstract trans. of Zhurnal Prikladnoi Khimii (USSR)
1945, v. 18, no. 3, p. 101-111, 121-125, 175-176,
184-190

DESCRIPTORS: *Chemistry, Abstracting, Periodicals,
Indexes, Acetones, Chlorides, Synthesis, Plants,
Oils, Coal, Coal tar, Chemical analysis

Contents:

Applied chemistry in the Academy of Sciences, by
O. E. Zvyagintsev and A. E. Porai-Koshits
Continuous method of preparation of chloracetone, by
E. A. Shilov and G. V. Kupinskaya
Chemical composition of oil from Lappula echinata
(Chemistry, TT. v. 7, no. 12)

(over)

Office of Technical Services

Ivanov, K. I., Blagova, T. A. and others.
PREPARATION OF LUBRICATING OILS BY ALKYLATION OF COAL TAR HYDROCARBONS. [1961] 14p.
18 refs.

Order from OTS or SLA \$1.10

61-18239

Trans. of Zhurnal Prikladnoi Khimii (USSR) 1945,
v. 18, p. 1758-1771.

DESCRIPTORS: *Coal tar, Hydrocarbons, Lubrication,
*Oils, Synthesis, Alkyl radicals.

Alkylation of aromatic hydrocarbons of coal tar from coking with olefins of the coke oven gas in the presence of aluminum chloride and hydrogen chloride may form up to 38% lubricating oils calculated on the hydrocarbon charge. The quality of the oil is close to petroleum oil. It requires no treatment with chemicals or dewaxing. Considerable quantities (up to 40%) of gasoline consisting of saturated hydrocarbons are also obtained which (Materials--Lubricants, TT, v. 6, no. 6) (over)

61-18239

I. Ivanov, K. I.
II. Blagova, T. A.

176818

Office of Technical Services

Cobalt Silicates, by N. P. Dlov, V. V. Gribovsky, 4 pp.
UNCLASSIFIED

Full translation.

RUSSIAN, per, Izvestiya Akad. Nauk SSSR, Ser. Khim., Vol XVIII, 1945,
pp 181-183.

AEC Tr 2014

Scientific - Chemistry

May 53 CTS

2080

INVESTIGATION & IN THE FIELD OF VOLATILE
SOLVENTS RECOVERY ON SOLID SORBENTS. 9.
INVESTIGATION OF THE DESORPTION OF
VOLATILE SOLVENTS FROM CARBON LAYERS, BY
E. V. ALEKSEYEVSKIY, Z. S. VANYUSHINA,

RUSSIAN, PER, ZHUR PRIK KHIM, VOL X XVIII, 1945
PP 193-206.

NLL M.3480

SCI - CHEM

JUN 62

199,105

Zhur Prikl Khim XVIII, 221-9, (1945)

Adsorption Properties of Kaolin

Ya. A. Fialkov (Inst of Chem os USSR Acad Sci)

(Wilson Dam 2441)

SLA R-2634

Zh. Prikl. Khim. XVIII (4-5) 251-258 (1945)
Meyerson, L. P.

Investigation of Conditions of Titanium
Carbonization

(NACA Tech memo 1235) 13pp July 49

V
Quantitative Separation of Columbium and Titanium With
Sodium Hypophosphite, by I. P. Alimarin, T. A. Burova.

RUSSIAN, Zhur Prik Khim, Vol XVIII, No 6,
1945, pp 289-293.

Brutcher Tr No 2584

4105

Scientific - Chemistry

\$4.85

Zhur Prii Khim, XVIII, 294-300 (1945)

Electrolysis of Nickel Mat

M. Loshkarev, O. Esin, and G. Lapp (Electrochem Lab of
the Kirov Ural Industrial Inst)

(Wilson Dam 2442)

Khain, S. S., Frost, A. V. and others.
DEHYDRATION OF ISOPROPYL ALCOHOL OVER
SOLID CATALYSTS. [1961] 8p. 13 refs.
Order from OTS or SLA \$1.10 61-18344

Trans. of Zhurnal Prikladnoi Khimii (USSR) 1945,
v. 18, p. 301-308.

DESCRIPTORS: *Propanols, Dehydration, *Propyl
ethers, Synthesis, *Aluminum compounds, *Alums,
Catalysis, Chemical reaction, Temperature, Pres-
sure, Velocity

A catalyst was developed with which 25.9-29.4 mol-%
yields of isopropyl ether can be obtained from iso-
propyl alcohol of 92-95% concentration, when calcu-
lated on the alcohol charged or 66.5-73.8% on the
alcohol converted, for a rate of flow of 1.16-5.70
l/kg catalyst per hour and a reaction temperature of
(Chemistry--Physical, TIT, v. 6, no. 10) (over)

61-18344

I. Khain, S. S.
II. Frost, A. V.

7954

Office of Technical Services

JOURNAL OF APPLIED CHEMISTRY, 1945, VOL. 18,
NO. 6: [TABLE OF CONTENTS AND SELECTED AB-
STRACTS]. [1961] 3p.
Order from OTS or SLA \$1.10

62-14162

1. Title: Zefirol

Abstract trans. of Zhurnal Prikladnoi Khimii (USSR)
1945, v. 18, no. 6, p. ##313 and 372-373.
##A complete trans. of p. 313-321 is available from
SLA as RT-3405.

DESCRIPTORS: *Chemistry, Literature, Abstracting,
Ammonia, Catalysts, Bactericides, Determination.

Contents:

##Selection of new materials for ammonium catalysts,
by V. M. Grinevich
Determination of small amounts of antiseptics of the
type of zefirol, by G. A. Garkusha and T. N. Pater.
(Chemistry, TT, v. 8, no. 4)

Office of Technical Services

Selection of New Kinds of Raw Material for
Ammonia Catalysts, by V. N. Grinevich, 14 pp.

RUSSIAN, per, Zhurnal Prikladnoi Khimii, Vol
XVIII, No 6, 1945, pp 313-321.

Sci Trans. Center RT-3405

Scientific - Chemistry

32, 711

Apr 56

Firsanova, E. N.
INVESTIGATION OF THE CHEMICAL COMPOSITION
OF SYNTHIN. II. ANALYSIS OF WATER FORMED IN
SYNTHESIS OF HYDROCARBONS. [1961] 6p. 5 refs.
Order from OTS or SLA \$1. 10 61-18341

Trans. of Zhurnal Prikladnoi Khimii (USSR) 1945, v. 18,
p. 367-371.

DESCRIPTORS: *Hydrocarbons, Synthesis, Nickel,
Cobalt, Aluminum, Catalysts, Chemical reactions,
*Alcohols, *Acids, *Water, Chemical analysis.

The products of interaction of carbon monoxide with
hydrogen under atmospheric pressure in the presence
of a nickel-cobalt-aluminum catalyst at 180-190°C con-
tain not only hydrocarbons and small amounts of acids,
but also aliphatic alcohols and aldehydes soluble in
water. From the reaction water 0.15-0.37% neutral
(Chemistry--Organic, TI, v. 6, no. 10) (over)

61-18341

I. Firsanova, E. N.
II. Title: Analysis ...

1253

Office of Technical Services

The Theory of Equilibrium Concentrations
and Continuous Flow of a Solution; Counter-
flow Processes, by N. I. Kirillov, 221 pp.

RUSSIAN, par, Zhur Prik Khim, Vol XVIII,
No 7/8, 1945, pp 381-392.

SLA 60-18411
(SLA 63-14742)

Sci
Vol. IV, No 11
Jun 62

199, 251

K-H-1007

Stability and Volatility of Tin Oxides, by
V. K. Veselovskiy, 28 pp.

RUSSIAN, per, Zhur Prikl Khim, Vol XVI, No 9, 10,
1945, pp 397-419.

Sci Mus Lib No 54/3560

Scientific - Chemistry

Apr 55 CTS/DEX

23,308

REF ID: A66111

Decomposition of Dowtherm "A" on Heating to 550° C,
by S. V. Bal'yan, 8 pp.

RUSSIAN, *izv.*, A Zhur Prii Khim, USSR, Vol XVIII,
1965, pp 420-424.

Technical
Assoc Services
New Jersey NJ-54
OTS 62-18535

Scientific + Chemistry

15,026
\$9.20 (\$1.25)

1. Kuznetsov, E. D., Rudakova, M. P., and Titova, Z. M.
DEHYDROGENATION OF TURPENTINE OVER A
CHROMIUM OXIDE CATALYST. [1961] 5p. 17 refs.
Order from OTS or SLA \$1.10 61-20132

Trans. of Zhurnal Prikladnoi Khim., (USSR) 1945, v. 18,
p. 425-429.

DESCRIPTORS: *Turpentine, Dehydrogenation,
*Chromium compounds, *Oxides, Catalysts, Catalysts,
*Cymenes, *Hydrocarbons.

Dehydrogenation of turpentine hydrocarbons was studied
as a part of the research on preparation of high
octane motor fuel components from turpentine. Con-
version of the charging stock in contact with chromia
on alumina at 200-500° was found to involve dehy-
drogenation of α -pinene and carene to p-cymene, how-
(Chemistry--Organic, TT, v. 6, no. 11) (over)

61-20132

I. Kuznetsov, E. D.
II. Rudakova, M. P.
III. Titova, Z. M.

65

Office of Technical Services

Zhur Prikl Khim, XVIII, 439-49 (1945)

Kinetics and Mechanism of Catalytic Conversion of
~~xxxx~~ Carbon Monoxide

V. A. Roiter, S. S. Gaukhman, N. P. Pisarzhevskaya and
T. M. Gvaliya (Pisarzhevskiy Inst of Phys Chem, USSR
Acad Sci)

(Wilson Den 2/18)

X - 128

Roiter, V. A., Rubanik, M. Ya. and others.
REMOVAL OF ACETYLENE FROM THE AIR BY
CATALYTIC OXIDATION. [1961] 16p. 8 refs.
Order from OTS or SLA \$1.10

61-20117

Transl. of Zhurnal Prikladnoi Khimii (USSR) 1945,
v. 18, pp. 450-453.

DESCRIPTORS: *Air, Purification, *Acetylenes, Oxidation, Manganese compounds, Dioxides, Ores, Catalysts, Catalysis.

A method of removal of acetylene from the air is suggested, involving oxidation of acetylene with oxygen. Catalysts were found suitable for this process. They consist of (1) manganese dioxide, which is applicable for a wide interval of concentrations of acetylene, and (2) manganese ore promoted with silver salts. The catalyst can be used for the removal of acetylene. (Chemistry-Physical, T-1, v. 3, no. 11) (over)

61-20117

I. Roiter, V. A.
II. Rubanik, M. Ya.

Office of Technical Services

61-20133

Rolter, Z. A., Gaukhman, S. S., and Tudorovskaya,
M. A.

CATALYTIC OXIDATION OF HYDROGEN SULFIDE
IN THE PRESENCE OF HYDROGEN. [1961] 10p.
27 refs.

Order from OTS or SLA \$1.10

61-20133

Trans. of Zhurnal Prikladnoi Khimii (USSR) 1945,
v. 18, p. 459-466.

DESCRIPTORS: *Hydrogen compounds, Sulfides,
Oxidation, *Nickel catalysts, *Lead catalysts, Cata-
lysts, Catalysis, *Hydrogen, Chemical reactions.

A study was carried out of the efficiency of the cata-
lyst composed of oxides of nickel and lead and sup-
ported on kieselguhr in the oxidation of hydrogen sul-
fide in the mixture $H_2S + O_2 + H_2 + N_2$, as dependent
upon the following factors: temperature, space veloc-
(Chemistry--Physical, T.A. v. 6, no. 11) (over)

I. Rolter, Z. A.
II. Gaukhman, S. S.
III. Tudorovskaya, M. A.

Office of Technical Services

62-14164

JOURNAL OF APPLIED CHEMISTRY, 1945, VOL. 18,
NO. 9/10: [TABLE OF CONTENTS AND SELECTED
ABSTRACTS]. [1961] 7p. 14 refs.
Order from OTS or SLA \$1.10

60-14164

Abstract trans. of Zhurnal Prikladnoi Khimii (USSR)
1945, v. 18, no. 9/10, p. 469-473, 505-507, 518-520,
534-547, 556-570, 572-575.

DESCRIPTORS: *Chemistry, Abstracting, Metallurgy,
Chemical engineering, *Activated carbon, Oxidation,
Inflammable materials, Temperature, *Carborundum,
*Pipettes, Automatic, Adsorption, Gases, Absorption,
*Coal tar, *Peat, Density, *Acetones, Oxidation,
Potassium compounds, Manganates, *Organic com-
pounds, *Alkyl radicals, Sulfur compounds, Chlorides,
Amides, *Bentonite, Clays, Chemical industry.

(Chemistry, TT, v. 8, no. 2)

(over)

1. Title: Suspension ultrafilters
- I. Title: Alkyl...
- II. Balkov, A. A.

Office of Technical Services

Eidus, B. R.

DEPENDENCE OF THE HYDROGEN-CARBON RATIO
IN LIQUID FUEL UPON ITS AVERAGE SPECIFIC
GRAVITY. [1961] 6p. 12 refs.
Order from OTS or SLA \$1.10

61-20140

Trans. of Zhurnal Prikladnoi Khimii (USSR) 1945,
v. 18, p. 548-555.

DESCRIPTORS: Liquids, *Fuels, *Oils, Organic com-
pounds, *Hydrogen, *Carbon, Density, Stability.

On the example of a large number of organic com-
pounds the hydrogen-carbon ratio was correlated with
specific gravity. An equation $(H/C) = 3.86 - 2.3D$
was derived suitable for comparative characterization
of crude oils with tars from coal and peat. Similar
equations were derived for the series of paraffins and
naphthenes. (Author)
(Chemistry--Organic, TT, v. 6, no. 11)

61-20140

I. Eidus, B. R.

Office of Technical Services

Balandin, A. F., Bogdanova, O. K. and others.
CATALYTIC DEHYDROGENATION OF THE TECHNICAL BUTANE-BUTENE FRACTION OF CRACKED GAS. [1961] 4p. 3 refs.
Order from OTS or SLA \$1.10

61-20144

Trans. of Zhurnal Prikladnoi Khimii (USSR) 1945, v. 18, p. 609-611.

DESCRIPTORS: *Butanes, *Butenes, Dehydrogenation, Catalysis, Catalytic, *Butadienes, Synthesis, *Hydrocarbons, Gases.

On the example of catalytic denhydrogenation of a plant-produced butane-butene fraction of cracking gases it was shown that the method of preparation of butadiene (by denhydrogenation of pure butane and 1-butene) previously described by the authors is totally applicable to gases from oil cracking. (Author)
(Chemistry--organic, TT, v. 6, no. 11)

61-20144

I. Balandin, A. A.
II. Bogdanova, O. K.

Office of Technical Services

The Vinylation of Coal From the Moscow Area, by
H. F. Shoslakovskiy.

RUSSIAN, par, Zhur Prik Khim, Vol XXXI, 1945,
pp 463-467.

Dept of Int
US Bur of Mines
Central Exper Sta
Pitts., Pa. Tr 267

Sci - Eng
June 59

89,900

Amelin, A. G.
ABSORPTION OF SULPHUR TRIOXIDE BY AQUEOUS
SOLUTIONS OF SULPHURIC ACID, II. [1961] [10]p.
9 refs. [DSIR LLU] M 2055.
Order from LC or SLA m\$1.80, p\$1.80 61-13415

Trans. of Zhurnal Prikladnoi Khimii (USSR) 1945,
v. 18, p. 509-516.

CIA/FDD/X-133

(Engineering--Chemical, TT, v. 5, no. 12)

61-13415

1. Sulfur oxides--Absorption
2. Sulfuric acid--Absorptive properties

1. Amelin, A. G.
- II. DSIR LLU M.2055

142900

Office of Technical Services

Zhur Prik Khim, XVIII, 518-20, (1945)

Suspension Ultrafilters

S. G. Mokrushin (Ural Industrial Inst)

(Wilson Dam 2443)

Zhur Prikl Khim, XVIII, 521-8, (1945)

Physicochemical Analysis of Sulfuric Acid Treatment
of Phosphates V. The Solubility of Calcium Sulfate in
Aqueous Solutions of Phosphoric Acid at 40° , 60° and
 90° C.

A. A. Taperova and M. N. Shulgina (Lab of Physico chem
analysis of the State Inst of Fertilizers and Insecto-
fungicides, NIUIP)

(Wilson Dam ²⁴²⁶~~3426~~)

62-14165

JOURNAL OF APPLIED CHEMISTRY, 1945, VOL. 18,
NO. 11/12. [TABLE OF CONTENTS AND SELECTED
ABSTRACTS]. [1961] 7p. 4 refs.

Order from CTS or SLA \$1.10

(62-14165)

Abstract trans. of Zhurnal Prikladnoi Khimii (USSR)
1945, v. 18, no. 11/12, p. 581-608, 644-646,
690-698, 718-724.

DESCRIPTORS: *Chemistry, Abstracting, *Absorption,
*Adsorption, Mixtures, *Alkylation, Ammonia,
*Amines, *Aldehydes, Ketones, *Benzyl radicals,
*Vapors, Recovery, *Steam, *Activated carbon, Sol-
vent action, *Gases, *Sodium compounds, *Fluorides,
*Silicate, Colloids, *Zinc compounds, *Sulfates, Solu-
tions, Purification, Copper, Cadmium, *Hydrogen
compounds, *Sulfides, Ethanes, Sulfonates, Organic
compounds, *Gold, Aliphatic compounds, *Tuberculo-
sis, Therapy, Synthesis.

(Chemistry, TT, v. 8, no. 2)

(over)

I. Title: Preparation...
II. Title: Description...
III. Favorskii, A. E.

Office of Technical Services

Investigations on the Field of Recovery of
Volatile Solvents on Solid Sorbents. XI.
Description of Solvents From Solid Sorbents With
Steam. Theory of Desorption, by E. V.
Alexseyevskiy, Z. S. Vanyushina.

RUSSIAN, per, Zhur Prikl Khim, Vol XVIII,
1945, pp 658-665.

MLL M. 3606

Sci - Chem

207, 315

Aug 62

61-20145

Nikol'sev, A. V., Frolova, E. V., and Shternina, E. B.
STORING OIL AND OTHER LIQUIDS IN CHEMICALLY TREATED GROUND. [1961] 4p. 3 refs.
Order from OTS or SLA \$1.10 61-20145

Trans. of Zhurnal Prikladnoi Khimii, (USSR) 1945,
v. 18, p. 686-689.

DESCRIPTORS: *Liquids, *Oils, *Storage, Sand, Iron compounds, Hydroxides, Permeability, Tests.

The impermeability to oil products, alcohol and water of a film of ferric hydroxide on a layer of sand was tested and it was found that neither of these liquids passed through this film during a period of from 6 to 11 months. The passing of oil products through a dough-like moist mass of milk of lime was also investigated. (Author)
(Engineering--Chemical, TT, v. 8, no. 1)

I. Nikolaev, A. V.
II. Frolova, E. V.
III. Shternina, E. B.

Office of Technical Services

61-20160

Rozlovskaya, S. I. and Temkin, M. I.
VAPOR PRESSURE OF MIXTURES OF VINYLIDENE
CHLORIDE AND VINYL CHLORIDE. [1961] 4p. 1 ref.
Order from OTS or SLA \$1.10 61-20160

I. Rozlovskaya, S. I.
II. Temkin, M. I.

Trans. of ~~Zhurnal Prikladnoi Khimii~~ (USSR) 1946,
v. 19, p. 30-34.

DESCRIPTORS: *Vinyl chlorides, Chlorides, Mix-
tures, Vapor pressure, Measurement.

Vapor pressures of vinyl chloride at from 20 to 60°C.
and of vinylidene chloride within 20 and 90°C were
determined and satisfactory agreement was established
of the data for vinyl chloride with those reported in the
literature. Vapor pressures of three mixtures of vinyl
chloride with vinylidene chloride were determined
within the temperature interval of 20 to 80°C and it was
found that the vapor pressure of these mixtures can be
calculated with sufficient approximation on the basis of
the law of Raoult. (Author)

(Chemistry--Organic, TT.
v. 7, no. 1)
Office of Technical Services

Graphite-Fireclay Ladle Refractories and the
Mechanism of Their Water, by P. P. Budnikov,
L. A. Tseimlin.

RUSSIAN, per, Zhur Prikl Khim, Vol XIX, 1946,
pp 40-.

DSIR LLJ M.1229
(loan)

Sci - Engr

128,876

Oct 60

The Reciprocal System $\text{KCl} - \text{NH}_4\text{NO}_3 - \text{H}_2\text{O}$ in
the Presence of Ammonia. 1. Quaternary Ammonical
Systems: K^+/Cl^- , NO_3^- and $\text{HN}^4_4/\text{Cl}^-$, NO_3^- ,
by N. P. Aleksandrov.
RUSSIAN, per, Zhurnal Prikladnoi Khimii, Vol 19,
No 1, 1946, pp 63-70.
SIA TT-66-10247

Sci-Chem
Aug 66

309,191

Rabinovich, I. B. and Osin, B. V.
ELECTROCONDUCTIVITY OF LIME DURING HY-
DRATION AND SETTING. 22 July 63, 9p. (figs. tables
omitted) 8 refs.
Order from OTS, SLA or ETC \$1.10 TT-63-18766

Trans. of [Zhurnal Prikladnoi Khimii] (USSR) 1946,
v. 19 (no. 1) p. 90-96.

DESCRIPTORS: *Cements, *Calcium compounds,
Oxides, Hydroxides, *Hydrates, *Aging (Materials),
*Hardening, *Electrochemistry, *Electrical conduct-
ance, *Electroosmosis,

A method was developed for measuring the electro-
conductivity at constant temperature during the highly
exothermic process of hydration (and setting) of lime.
A number of corresponding curves showing the changes
in electroconductivity during the process was obtained.
(Materials, TT, v. 11, no. 1) (cover)

TT-63-18766

I. Rabinovich, I. B.
II. Osin, B. V.

Office of Technical Services

The Preparation and Properties of Ascorbic acid.
On the lactonisation of Diacetone-2-keto-gulonic
acid, by Y. M. Slobodin, A. K. Basova.

RUSSIAN, per. Zhur. Priklady Khim., Vol XIX, 1946,
pp 172-175.

USNM Ref. T. 1774

Sci

65,924