25X1

The Soviet Helicopter **Industry: Development** and Prospects

25X1

An Intelligence Assessment

NGA Review Complete

Secret

SOV 84-10205X SW 84-10102X December 1984

Copy 4 1 5



Secret	
	25X1
	20/(1

The Soviet Helicopter Industry: Development and Prospects

25X1

An Intelligence Assessment

This paper was written by Office of Soviet Analysis, and Office of Scientific and Weapons Research. Comments and queries are welcome and may be addressed to the Chief, Defense Industries Division, SOVA, on

25X1 25X1

Approved For	Release 2009/06/09 : CIA-RDP85T00313R000300110007-2Secret	
	-	25 X 1
	The Soviet Helicopter Industry: Development and Prospects	25 X 1
Summary Information available as of 27 November 1984 was used in this report.	Since its founding under great pressure from Stalin in the late 1940s, the Soviet helicopter industry has produced approximately 23,000 helicopters and overseen production of roughly 5,000 more in Poland. Nearly all of these helicopters were designed by the Mil or Kamov design bureaus, the latter occupying a small niche in the industry, mostly designing special-purpose helicopters for the Navy. Initially, the Soviets built most of their transport helicopters to move civilian personnel and equipment to remote areas of the USSR. Since the mid-1960s, however, military transport and attack applications have become dominant: the military received only about 25 percent of the helicopters produced in 1965, but by the early 1980s the military received approximately 90 percent. Three of the 17 helicopter models—the MI-2 light transport, the MI-8 medium transport, and the MI-24 attack helicopter—have accounted for roughly 60 percent of all Soviet helicopters produced over the last three decades. The Soviets have several helicopters which are in late stages of development and probably will satisfy their needs through much of the 1990s. These include: The Havoc, a Mil-designed attack helicopter and probably the first Soviet class to have a forward-looking infrared (FLIR) target acquisition system that should allow it to maneuver safely in bad weather and engage targets at night. The Hokum, a Kamov-designed attack helicopter whose configuration and performance suggest it may be used, at least in part, for air-to-air combat. The Sokol, designed jointly by Soviet and Polish engineers, as a light-to-medium replacement for the MI-4 transport helicopter.	25X1
	developing to supplement and eventually replace the 1960s-vintage MI-8. this helicopter uses tilt-rotors, it will undoubtedly be able to fly substantially farther and faster than the MI-8. Even though early Soviet scientists were pioneers of helicopter technology, analysis of these systems suggests that the USSR's helicopter industry now	25 X 1
	lags five to 10 years behind the United States'.	25 X 1

In the 1990s the Soviet helicopter industry will concentrate on assimilating the production of basic helicopter models now in testing and on incorporating product improvements. As these new models are assimilated, we believe overall helicopter production will expand. Mil will probably continue to be the dominant design bureau, even though Kamov is demonstrating it can develop other helicopters, in addition to those for the Navy.

Secret	

Soviet aircraft plants still emphasize labor-intensive methods and conventional materials, suggesting that assimilation of new helicopters incorporating more advanced technology and materials is likely to be a challenge. Therefore, producers are more likely than before to emphasize retooling instead of plant expansion to manufacture new models. If this occurs, construction at helicopter plants is less likely to be as reliable an indicator of new helicopter production as it has been in the past.

Helicopters being designed now for introduction in the 1990s will be based on early-to-mid-1980s technology. We have little information on how far Soviet helicopter technology has advanced since the Havoc and Hokum were conceived, but significant advances have been made in the United States during the past decade. We believe, therefore, that the five- to 10-year Soviet helicopter technology lag has not diminished appreciably.

25X1

25X1

Secret iv

Approved For Release 2009/06/09: CIA-RDP85T00313R000300110007-2

Secret		

25X1

Contents

Page
iii
1
5
8
8
11
13
14
14

Approved For Release 2009/06/09: CIA-F	RDP85T00313R000300110007-2	
	Secret	
		25 X 1
	•	
The Soviet Helicopter		
Industry: Development		
and Prospects		25 X 1
	2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
Development of the Industry	States was mass-producing light reconnaissance and	
Russian scientists and engineers were leaders in the	transport helicopters for the military.	
early development of helicopter technology. Russian	The the seried Western advances Of	/
writings reveal occasional research into the complex-	Possibly impressed by the rapid Western advances, 25	XI
ities of rotary-wing flight as early as the middle of the	the USSR moved quickly and forcefully to spur	į
18th century. Although basic research continued spo-	helicopter development. Near the end of the war,	
radically, Czarist governments frustrated engineering	Stalin ordered a handful of key TsAGI designers to	1
development of helicopters and other aircraft by	set up experimental design bureaus (OKBs). Although	
resorting to Western suppliers of airframe components and engines for assembly in Russian factories.	TsAGI continued to design helicopters through the late 1940s, OKBs headed by Alexander Yakovlev,	
The only exception was Igor Sikorsky's St. Petersburg	Nikolai Kamov, and Mikhail Mil soon eclipsed the	
plant, dedicated to producing Russian-designed air-	institute and formed the nucleus of the modern Soviet	
craft. Sikorsky emigrated to the United States in	helicopter industry. Kamov's and Yakovlev's first	
1919 and subsequently formed the nucleus of the US	known designs—respectively, the KA-8, popularly	
helicopter industry.	dubbed a flying motorcycle, and the YAK-100—were	25X1
nencopier maustry.	not serially produced. According to Soviet literature,	20 / i
After the Russian revolution, increased support for	Mil's first helicopter—the three-seat MI-1—was test-	
aircraft development resulted in what the Soviets	ed only nine months after Stalin ordered it developed	
claim to be the world's first flight of a "true"	in 1948, and it became the first Soviet helicopter to be	
helicopter in 1929. The helicopter prototype was	produced in large numbers.	25X1
assembled by a team that started work in 1925 at the	production and the second	20/1
Central Aerohydrodynamic Institute (TsAGI) in Mos-	Still dissatisfied in 1951, according to published	
cow. By 1940, according to Western literature,	Western sources, Stalin summoned the three helicop-	
TsAGI personnel had built and tested approximately	ter designers to the Kremlin, accused them of ignoring	
15 prototypes, but none of these were ordered into	the potential of the helicopter, and claimed that	
production.	Soviet helicopter development had fallen too far be-	25X1
	hind that of the United States. The next day he	
Stalin's purges and the approach of World War II	ordered Mil to design a 12-passenger helicopter and	
sidetracked helicopter development. In the late 1930s	Yakovlev to design a 24-seat craft—both within one	
Stalin imprisoned many of the USSR's key aircraft	year.	25X1
designers—including several responsible for helicop-	virtually unlimited funds were allocated, personnel	
ter development. TsAGI also cut back helicopter	were increased severalfold, the workday extended	
design work to concentrate on development of fixed-	from eight to 12 hours, and engineers and workers	
wing aircraft, which were believed to afford a more	paid double wages. In touring the OKB's engineering	
immediate military application. After the institute's	spaces, after he was ordered to supervise the project,	
relocation to Novosibirsk, few helicopter prototypes	KGB chief Lavrentiy Beriya would ask what worker	
were tested through the duration of the war. Even at	had distinguished himself and then hand the "innova-	
the close of the war Stalin's efforts to exploit German	tor" a wad of bills on the spot. Under these conditions,	
know-how and equipment allegedly afforded little	the OKB completed the first preproduction prototype	
benefit to Soviet helicopter designers because fighters,	of the MI-4 medium transport helicopter in just seven	251/4
bombers, and rockets received higher priority. By	months.	25 X 1
contrast, Igor Sikorsky built and tested the first US	TI MI OVDI page with the MI A cotablished it	
helicopter in 1939, and by the early 1940s the United	The Mil OKB's success with the MI-4 established it	
According to open literature, Sikorsky built his first helicopter in	as the leading Soviet helicopter design authority, a	
Kiev in 1909, but he abandoned further development when he	position it subsequently strengthened. In the mid- 1950s, Yakovlev ceased helicopter development to	
learned he would not be given additional support.	1930s, Takoviev ceased ilencopies development to	25 X 1
1	Secret	
1	Secret	

Mikhail Mil: Father of the Modern Soviet Helicopter Industry




Mikhail Mil graduated from the Novocherkassk Aviation Institute in 1931 and subsequently was employed in research on helicopter aerodynamics. In 1947, Stalin ordered him to become the chief designer of a newly created experimental design bureau for helicopters. Under his leadership, the bureau developed a greater variety of helicopters than either the Kamov or Yakovlev design bureaus, and Mil helicopters soon accounted for the majority of Soviet helicopter production. Mil was highly effective in mobilizing resources to meet program deadlines.

Mikhail Mil is said to have coined this guidance for subordinates: "Make it simple, make it reliable, make it rugged, and make it work."

concentrate on fixed-wing aircraft. Kamov maintained efforts to offer a range of helicopters, but unsuccessful competition with Mil forced Kamov's retrenchment by the late 1950s into a small niche in the industry—mostly development of special-purpose coaxial helicopters for shipboard use.² Mil's success

Figure 1 Growth of Research and Development Facilities At the Mil and Kamov Design Bureaus, 1963-83



allegedly stemmed in part from his single-minded determination to meet customers' performance re-

quirements and program deadlines, the classic characteristic of the conservative Soviet weapon designer (see inset, "Mikhail Mil: Father of the Modern Soviet Helicopter Industry"). The Mil OKB's dominance has persisted into the 1980s, after Mil's death and replacement by Marat Tischenko in 1970 and Kamov's

since 1963, Mil

facilities have grown at a rate unprecedented for Soviet design bureaus, while the Kamov facilities have stagnated (see figure 1).

death and replacement by Sergey Mikheyev in 1971.

The Mil and Kamov design bureaus rely on a variety of R&D organizations to support helicopter development, most of them located in the Moscow area (see figure 2). Four leading aviation industry research institutes work on basic helicopter technologies: TsAGI on airframe design; the Central Institute for Aviation Motor Building (TsIAM) on small airbreathing engines; the All Union Institute for Aviation Materials (VIAM) on high-strength, lightweight

25X1

25X1

25X1

25X1


25X1


Secret

304168 12-84

² Helicopters based on ships must be compact, to take up minimal flight deck and hangar space. The short tail boom without a tail rotor, a feature characteristic of the coaxial system, allows them to meet the space requirement. All but one of Kamov's helicopters that were serially produced have been used by the Soviet Navy.

Figure 2
Soviet Helicopter Research and Development Facilities and Manufacturing Plants





25X1

25X1

materials; and the Scientific Research Institute of Aviation Technology (NIAT) on manufacturing equipment and new production processes. Numerous design bureaus develop key subsystems, such as the Izotov and Soloviev bureaus for engines. Mil's own facilities are located on Rybinskaya Street (design), in Tomilino (assembly and test of prototypes), in Lyubertsy (tests), and in Bykovo (ground tests of propulsion and fuselage components). Kamov's facilities are located at Lyubertsy (design and assembly of prototypes) and the Primorskiy Heliport on the Black Sea (tests). Although probably more than 100 organizations participate in helicopter development, the Mil and Kamov bureaus—as general designers—are held responsible for ensuring that the final product meets the customers' performance specifications.

Since the early 1950s the Mil and Kamov design bureaus, reflecting longstanding relationships common in the Soviet defense industry, have generally used different helicopter production facilities. Mil helicopters are produced at Ulan Ude Airframe Plant 99, Arsenyev Airframe Plant 116, Kazan Airframe Plant B-387, and Rostov Airframe Plant 168, the largest Soviet helicopter production plant. Kamov helicopters are produced at the Kumertau Airframe Plant, the smallest and newest Soviet helicopter plant. In 1963, helicopter plants accounted for roughly 10 percent of Soviet aircraft assembly floorspace. Since then, floorspace at Soviet helicopter plants has grown at about 4.6 percent per year, compared to about 1.9 percent for fighters and 2.7 percent for bombers and transports combined. As a result, the share of helicopter production floorspace in the Soviet aircraft industry rose to approximately 14 percent in the early 1980s.3

The Transportation Equipment Works in Swidnik, Poland, also produces Mil-designed helicopters and has, in effect, become an adjunct to the Soviet helicopter industry. Manufacture of Soviet helicopters began in Poland during 1955, when some MI-1 light helicopter production was transferred from the USSR to Swidnik. This plant supplies all the light helicopters

	F • •	- F F	8	_
[-

Soviet Control Over the Polish Helicopter Industry: The Swidnik Plant

The Polish Transportation Equipment Works, the only non-Soviet Warsaw Pact facility manufacturing a Soviet-designed helicopter, has been producing the MI-2 light helicopter for almost 20 years.

the Soviets control production scheduling and the terms of sale:

- The USSR buys approximately 280 of the 300 MI-2s produced each year.
- The prices set by the Soviets do not cover Polish production costs.

By relying on the increasingly antiquated Polish plant to supply their requirements for this simple system, the Soviets have been able to forgo MI-2 production and modernize their own plants for newer, more sophisticated helicopters.

Inadequate investment in the Swidnik plant also strengthens the Soviet hand by frustrating Polish desires to earn hard currency by exporting helicopters. During the 1970s, the Poles wanted to export the MI-2, but it used too much fuel to be competitive in international markets.

used by the Warsaw Pact (except Romania). Maintaining the late-1950s-vintage MI-2 in production for

Another East European plant, located in Bravsov, Romania, also builds helicopters. These helicopters—the Alouette III and Puma—were designed by the French firm Aerospatiale and are produced under license. The helicopters are deployed in the Romanian Air Force but are not exported to the USSR or any other Warsaw Pact member.

Secret 4

Approved For Release 2009/06/09: CIA-RDP85T00313R000300110007-2

25X1 25X1 25X1 ,

25**X**1

25X1 25X1

25X1

25X1

so long has impaired modernization of the plant and has afforded the Soviets considerable control over plant operations (see inset, "Soviet Control Over the Polish Helicopter Industry: The Swidnik Plant").


Programs and Production

We have identified 23 major Soviet helicopter development programs since the late 1940s, all but two of them undertaken by the Mil or Kamov design bureaus. Seventeen of these helicopters were serially produced, usually in several variants, accounting for estimated cumulative production of about 23,000 Soviet helicopters. About 5,000 Soviet-designed light helicopters also were produced in Poland. Three of the 23 identified programs were canceled, but the pattern of design bureau activity and helicopter designators suggests that additional programs were commissioned and aborted before production, especially in the 1940s and 1950s. Figure 7 (a foldout) presents the helicopters, their mission, and our estimates of development and production periods and total production (see inset, "The Soviet Helicopter Development Process").

Development efforts in the 1950s concentrated on increasing carrying capacity and improving the operating efficiency of general purpose transport helicopters. The first generation of Mil, Kamov, and Yakovlev helicopters—the MI-1, MI-4, KA-8, KA-10, KA-15, KA-18, YAK-100, and YAK-24—all used piston engines. Total annual production of these piston-engine models rose throughout the decade, reaching an estimated 800 to 1,000 helicopters per year by the late 1950s.

Even as production of these systems grew, designers at Mil were applying turboshaft engine technology to the first of the next generation of helicopters, the heavy-lift MI-6, then the world's largest helicopter. Subsequent adaptation of the turboshaft engine to the light MI-2 and medium MI-8 helicopters afforded substantial improvement over their piston-engine predecessors in range, payload, and operating ceiling. The move to turboshaft engine technology also contributed to the 1950s restructuring of the Soviet helicopter industry. Kamov's first attempt with a turboshaft engine—the heavy-lift KA-22—lost out in a competition with the MI-6.

Figure 3
Soviet Helicopter Production, 1965-83



In the 1960s, helicopters became established in various civilian and military transport missions. Production of Mil's highly successful MI-2 and MI-8 accounted for much of the substantial growth of Soviet helicopter production through the 1960s and into the 1970s (see figure 3). The two helicopters account for roughly 50 percent of Soviet helicopters produced since the early 1950s. Aeroflot used the MI-8 extensively to transport passengers and freight to lightly populated outposts in Siberia and other remote areas. The MI-8 also figured prominently in supporting growing military emphasis on mobility in ground forces operations.

In the 1960s, Mil and Kamov also were expanding the horizon of helicopter applications, pursuing development of systems for military ground attack and naval missions. Development of the MI-24 Hind, the Soviets' first multirole battlefield helicopter, was spurred

25X1

25X1 25X1

ا 25X1

25X1

The Soviet Helicopter Development Process

We estimate Soviet development periods by combining our analyses of fragmentary evidence on individual programs with our understanding of the Soviets' highly standardized development process. The process (see table) begins with the issue of a Tactical Technical Requirement (TTT) by the Ministry of Defense to the Ministry of the Aviation Industry (MAP). MAP in turn issues the TTT to the helicopter design bureau it believes to be most capable of successfully fulfilling the requirement. The TTT specifies the helicopter's intended role and desired performance characteristics.

The helicopter's design is elaborated through several stages:

- The bureau prepares an Advanced Design, which outlines those TTT requirements that the bureau believes it can meet and illustrates the proposed general configuration of the helicopter. Subsequent negotiations culminate in a government decree and Technical Assignment (TZ), documents that officially authorize the development program and provide funding through flight-testing. The Technical Proposal provides additional detail governing agreed technical specifications.
- During Concept Design (Eskizny Proyekt)—translated as concept, preliminary, or draft design, the bureau undertakes or commissions design work on the fuselage, transmission, avionics, weapons,

and engines and fabricates scale mockups of the helicopter and components. Designs and mockups are reviewed by the ministry, the customer, and a research institute.

- After official approval, solutions to any remaining engineering problems are worked out in Technical Design.
- Complete blueprints and material and production technology specifications are completed in Working Design.

Fabrication of helicopter prototypes consumes considerable resources. The first prototypes manufactured at an experimental plant undergo both static and flight-testing. If successful, additional helicopters are manufactured at the intended series production plant. Following state acceptance tests, the helicopter enters trial production.

When the Soviets commit a developmental helicopter to series production, they authorize the capital expansion and tooling necessary to assimilate the design into production. This usually occurs at the end of Technical Design. Expansion of a helicopter production facility therefore normally indicates that a new or substantially modified helicopter is scheduled to enter production. On average, construction of new floorspace at helicopter plants begins five to seven years before the start of series production.

in part by the effectiveness of US attack helicopters in Vietnam. Able to carry up to 28 troops as well as deliver weapons, the Hind set a number of speed records in the early 1970s and has been highly effective in Afghanistan. We estimate that about 2,600 MI-24s have been produced, roughly 10 percent of cumulative Soviet helicopter production. Kamov, in turn, concentrated on developing ship-based helicopters with coaxial-rotor systems. Kamov's major 1960s development—the KA-25 ASW helicopter—was not judged to be highly effective by Western analysts because of its limited range and sensor capabilities.

In the 1970s, Soviet helicopter designers undertook development of an array of new systems that incorporated significant advances in key subsystems. Probably as a result of growing sophistication and complexity, development time has increased from the six to seven years characteristic of the 1950s and 1960s to 10 or more years:

• The Mil bureau developed the MI-26 as a replacement for the MI-6, with considerable assistance

25X1

25X1

25X1

25X1

25X1

Soviet Helicopter Development Stages Impact of Western Technology: The MI-26 Halo When the MI-26 was unveiled for the first time in the West at the June 1981 Paris Air Show, some analysts were intrigued by the main rotor gearbox. Generally, Development Stage Activity Soviet transmissions do not match the performance of Western designs because they are heavier—adversely Tactical Technical Require-Ministry of Defense defines operaaffecting power-to-weight ratios. The new transmisment (TTT) tional requirements for new helicopter sion in the MI-26, however, weighs about the same as Advanced Design Design bureau creates conceptual the one in the MI-6, yet it transmits twice the power. designs and illustrations Tischenko—leader of the Mil OKB—claimed that Technical Assignment (TZ) Government and client authorize 25X1 his bureau developed the gearbox indigenously. development program and funding 25X1 through flight test Technical Proposal develop-Bureau elaborates requirements not shown in TZ ment and production of the gearbox were greatly Bureau documents basic design, Concept Design aided by Western technology. commissions subsystem development, and builds full-scale mock-In 1974. the Soviets bought 25X1 up computer software and capital equipment from a US Technical Design Design is elaborated and finalized firm for designing and building prototypes of the Working Design and Pilot Bureau produces working draw-Model Production ings, fabricates prototypes, and MI-26 transmission. The software sold to the Soviets completes static tests. Flight tests enabled Mil to compute better estimates of gear begin engagements and stresses, as well as geometric sur-Pilot Lot Production Helicopter production plant manufaces and tooth profiles. Software was also provided factures prototypes for test State Acceptance Tests that helped the bureau select and set up production 25X1 Trial Production tooling. In addition, the Soviets purchased one spiral Plant produces batch under serial production conditions bevel gear cutting machine that was installed in the prototype plant in Tomilino. 25X1 25X1 the Western technology was from acquired Western technology (see inset, "Imused to make spiral bevel gears for the main rotor. pact of Western Technology: The MI-26 Halo").5 intermediate, and tail rotor gearboxes. Forward and 25X1 the Mil design aft right-angle reduction gears in the main gearbox bureau is routinely supplied with Western compoare spiral bevels as well as several others in the tail nents and US design information, which benefit all shaft reduction system. The Tomilino plant also Mil development work.) Other Mil helicopters, or fabricated all of the other gears in these transmis-Mil-inspired Polish helicopters, are still in sions using equipment acquired from West German development. and Swiss companies. 25X1 The Kamov bureau developed the KA-27 ASW Without the Western technology. 25X1 Mil would have been unable to meet the minimum helicopter, a substantial improvement over the KA-25, and also has a system in development. payload requirement specified by the Ministries of Defense and Aviation Industry. 25X1 Production trends demonstrated the dominance of the Mil bureau, as it accounted for roughly 90 percent of ⁵ The MI-26, with load-carrying capability one-third greater than that of the largest Western helicopter (the US CH-53E), has set

Secret

25X1

new payload records.

all helicopters produced during 1965 to 1983. The number of military customers also grew, up from nearly 25 percent of the market in the mid-1960s to approximately 90 percent in the early 1980s. Overall, we estimate the Soviets have produced about 16,000	suggest that a follow-on to the 1960s-vintage medium MI-8 may be in the early stages of development, and Polish statements suggest that Swidnik also is developing a new light helicopter, possibly a follow-on to the MI-2.	25X1 25X1
helicopters domestically since 1964, second only to		20/(1
Soviet helicopters now in production are relatively simple to manufacture, and long production runs afford major economies. Analysis of helicopters now deployed indicates that they would be about a third less expensive to manufacture in the United States than are Western designs for comparable missions. This economy is a result of the Soviets' generally conservative design strategy and emphasis on incre-	The Havoc, Hokum, and W-3 incorporate technical advances over their predecessors in most of their major subsystems and should afford significantly improved performance in most respects. Most of the advances are in electronics and the application of advanced materials (including composites). Our analysis of these systems—especially the Havoc, for which we have the most information—suggests that Soviet helicopter technologies and designs lag US designs by five to 10 years. The systems in the mid-1970s incorporate technologies applied in US designs during	25X1
mental modernization and improvement between	the late 1960s (see inset, "The Soviet Lag in Helicop-	
successive generations. We believe the more substan-	ter Technology").	25 X 1
tial advances incorporated in the systems now in development will drive costs up at a more rapid rate	Havoc. The Havoc, carrying the Soviet designator	25X1
than the Soviets experienced with earlier helicopter	MI-28, is a dual-engine attack helicopter, probably	
advances. This would be in line with the major cost increases associated with the newest generation of fixed-wing aircraft.	equipped with a new target acquisition system but using a basically conventional airframe. Two Havoc prototypes with different target acquisition systems were first observed and photographed during	25 X 1
Helicopters in Development	flight tests (figure 4). As a dedicated attack helicopter,	
Three Soviet helicopters are in late stages of development—attack helicopters designated Havoc and Ho-	we believe the Havoc will augment but not totally replace the multirole Hind.	057/4
kum by NATO and the Sokol W-3, a light-to-medium transport helicopter to be built in Poland. All are now undergoing flight tests, and we estimate that each should reach initial operational capability by the late 1980s. These systems, along with the MI-26 heavy-lift transport and KA-27 ASW helicopter that recently entered production, will fulfill all basic helicopter missions except for those of the medium-lift general	The Havoc's design, plus advances in key subsystems, should make it more capable in attack missions than the Hind. The absence of a cargo bay cuts size and weight, but the Soviets do not appear to have sought further reductions with extensive use of components made from composite materials. ⁷ The lighter weight Havoc, designed for agility, will enable crews to use	25X1
purpose transport and light observation helicopter.	low-flying tactics and terrain for cover and thereby	
However, analysis of system trends	improve firing accuracy and reduce detectability and	25X1
	vulnerability.	25X1
		25X1 ,

difficulty in manufacturing hot-section components, such as combustors and turbine blades, vanes, and disks. The Soviets—by their own admission—are nearly a decade behind in applying mass production technologies for some of these components. Thermal-imaging devices used in target acquisition and night-vision systems permit helicopters to fly close to the ground and engage targets at night without artificial illumination. The USSR lacks adequate manufacturing technology to support large-scale production of silicon crystal components and solid-state electronics used in these devices.
variant probably uses magnified direct-view optic equipment—as deployed on the Hind—or a low-light-level TV. On the basis of analysis of hand-held photography, we believe the system on the A2 variant is a FLIR. A FLIR on the Havoc would give it substantially improved night and bad weather capability over that demonstrated by the Hind.




Figure 4. Havoc helicopters during flight-testing, Lyubertsy,

304172 12-84

We believe that other Havoc advances will serve to increase survivability and operating efficiency:

• Vulnerability to enemy fire will be reduced by engine exhausts that appear to be designed to suppress emissions that draw heat-seeking missiles and possibly by the use of composites or higher strength materials in rotor blades. The metal blades of the MI-24 frequently collapse when hit once or twice by bursts from heavy machineguns.

the Moscow Scientific Research Institute of Light Alloys has been developing rotor blades using a range of composite materials since the early 1970s.

· Crew safety and helicopter survivability in a crash will be enhanced by a new trailing-arm landing gear. Conventional Soviet landing gears perform poorly on hard landings.

• Efficiency will be improved by the use of new engines, with a maximum power rating of 1,200 shaft horsepower (shp), 1,400 shp, according to Western performance assessments. In either case, evolutionary advances in engine technology, such as increasing compressor pressure ratios and higher turbine operating temperatures, probably have resulted in an engine that has lower specific fuel consumption and higher power-to-weight ratios than the TV3-117 engines used in the MI-24.

Advances in design and subsystem technology may have contributed to delays in the Havoc program. development proceeded rou-

tinely from about 1975 until about 1980, when two prototypes were fabricated at Mil's Experimental

25X1 25X1

25X1

25X1

25X1 25X1

25X1

Figure 5. Hokum helicopter during flight-testing. Lvubertsy,



25X1 25X1

Plant. The two prototypes encountered unknown difficulties that delayed the start of flight-testing. the Havoc suffered	The Hokum may be capable of several missions, but evidence has mounted that its primary role will be as an attack helicopter: 25X1
from a serious structural weakness that required the bureau to redesign the lower fuselage. The problems	25X1
apparently were resolved when we	25X1
identified a prototype for	25X1
static tests. Two months later, we identified a proba-	
ble flight test prototype on the ground,	25X1
	25X1
Barring further delays, we believe the Havoc should	
reach initial operating capability by 1987.	25X1
	• A camouflage paint scheme observed on a Hokum 25X1
will be produced at Arcanyov Airframa Plant 116	prototype suggests a role as a Ground Forces attack helicopter. 25X1
will be produced at Arsenyev Airframe Plant 116. Production for the Ground and Air Forces is likely to	nencopiei.
continue through much of the 1990s.	• In 1983, Mil-designed helicopters were being tested with tactical air-to-air and air-to-surface missiles at
Hokum. The Hokum, carrying an unknown Soviet designator, is a dual-engine coaxial-rotor helicopter probably intended for an attack role. We first identified a Hokum in ground photography during a flight test in May 1082, and we later sharmed one in	Primorskiy, heretofore associated only with Kamov helicopters. Testing may have been supporting weapons integration for a Kamov design.
test in May 1983, and we later observed one in the Kamov area of the Lyu-	05.74
bertsy test center (see figure 5). The Soviets have built	25X1
at least two prototypes.	25 X 1

25**X**1

A naval version, either in an attack role or as an ASW platform, remains a possibility because of Kamov's longstanding relationship with naval aviation and because of the testing at Primorskiy. The Primorskiy testing with air-to-air missiles, along with a target acquisition system different from the Havoc's, suggests the Hokum may have a primary air engagement role as opposed to the Havoc's ground attack role (see inset, "Tactical Missiles for Soviet Helicopters,"

We believe the Hokum is comparable with the Havoc in technology, although we have almost no evidence on the Hokum's major subsystems. Because both entered development about the same time and because of aircraft industry practices, advances from indigenous research and technologies acquired from the West probably would have been available to both bureaus. Moreover, comparison of the bureaus' earlier helicopters that started development at about the same time demonstrates use of comparable material and manufacturing practices.

the Hokum probably has a more advanced rotor design. Rotor blades swept at the tips reduce blade drag, noise, and vibration, and the probable use in each blade of at least one elastomeric bearing in place of conventional bearings improves

25**X**1

25**X**1

25**X**1

25X1

Secret

12

Tactical Missiles for Soviet Helicopters

The MI-24 Hind—the Soviet's most advanced operational attack helicopter—can engage aircraft using a nose-mounted Gatling gun and can attack ground targets with ATGMs, bombs, and rockets. In a dogfight, the weapon operator must use a Heads-Up-Display that shows an aiming circle for the gun corrected for crosswind, target motion, and bullet drop. In the case of a bomb run, the operator uses the display, determines bombsight settings, and operates a bomb release computer, while the pilot keeps the helicopter on course. Several missiles

may enable Soviet helicopters to carry out attacks with more accurate and probably more easily launched air-to-air missiles (AAMs) and tactical air-to-surface missiles (TASMs).

The missiles, mounted on Hip and Hind helicopters, could be new designs or established models orginally developed for fighter aircraft. Existing Soviet AAMs and TASMs are independently guided by infrared, laser, or radar seekers—allowing the launching aircraft to react more quickly during combat. While the Soviets may use AAMs and TASMs on the Hip or Hind, they may also be used on the KA-27 Helix or the new Havoc or Hokum.

reliability and maintainability. The blades also probably are made of composite materials. Our performance estimates indicate that the Hokum will be faster than the Havoc and will have impressive maneuverability at high speeds.

Like the Havoc, the Hokum program probably has taken longer than previous development efforts. We believe that development probably began in the mid-1970s, based on the likely availability of Kamov resources, freed at that time from work on the KA-27.

we believe the Hokum will reach operational capability about 1987.

The Hokum's attack role, unusual for Kamov, along with its impressive performance, suggests that the bureau may be making a comeback under chief designer Sergey Mikheyev. Mikheyev's first effort, the KA-27 ASW helicopter, was judged by Western analysts to be a substantial improvement over its KA-25 predecessor. The Hokum's attack role indicates that the Kamov bureau may be broadening its customer base, expanding beyond the Navy to also service the numerically greater demands of the Ground or Air Forces. Direct competition between Mil and Kamov would be a departure from Soviet weapon development practices that have prevailed since the mid-1960s.

W-3. The W-3—called the Sokol by the Warsaw Pact—is a light- to medium-weight transport helicopter developed at the Transportation Equipment Works in Swidnik, Poland.

Mil bureau engineers developed specifications for the W-3 in 1974 and oversaw subsequent development according to standard Soviet procedures. We believe the W-3 will replace the MI-4 helicopter, which was phased out of production in 1967.

We think the technology incorporated in the W-3 will be similar to that incorporated in Western helicopters first deployed in the mid-1970s. The W-3's major technical advance is use of fiberglass-epoxy composites in the main rotor, tail rotor, and horizontal stabilizer. The W-3 will carry about the same payload as the MI-4, but weight savings and improved engine efficiency should give it a longer range.

Deficiencies in Soviet support and Polish production technology have delayed W-3 series production. The W-3 has been undergoing flight-testing since 1979, longer than the Havoc or Hokum.

the Poles experienced difficulty in obtaining from the Soviets the parts and design assistance needed to fabricate prototypes. Shortcomings in Swidnik manufacturing facilities caused the

25X1

25X1 25X1

25**X**1

25X1

25**X**1

25X1

25X1

25**X**1

25X1

25**X**1

25X1 25X1

25**X**1

25**X**1

25X1

	composite rotor blades to be poorly constructed. In	The tilt-rotor concept combines the best performance	
	flight-testing, the main rotor blades tended to twist and eventually break off.	features of the helicopter and the fixed-wing airplane: engines and prop-rotors are vertical in the helicopter	05)/4
[the problems with the composite blades were so		25 X 1 25 X 1
		mode of operation and are tilted forward in the	23/1
	serious that the W-3 may be initially certified with	airplane mode. Tilt-rotor craft demonstrate roughly	25 X 1
	metal blades.	twice the speed and ceiling and three times the range	23/1
	If and desting to be also difficulties have been	of a conventional helicopter using the same amount of	
	If production technology difficulties have been re-	fuel.	25 X 1
	solved, the Sokol will probably be the first of the	TT7 1 11 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
	helicopters now in development to be deployed—	We believe these efforts represent either authorized	0.51/4
	probably in 1986. the	development programs or merely a research project to	25 X 1
	maximum production rate will be 300 a year, the	demonstrate the feasibility of the new tilt-rotor tech-	t
	same as for the MI-2. Like the MI-4, the W-3 is likely	nology.	
	to be procured by all major Soviet military services		25 X 1
	and sold to selected arms clients		25 X 1
	Probable Medium Transport. We believe the Soviets		25X1
	probably have a program under way to develop a	Further development would have	
	follow-on to the widely used MI-8 medium transport	required approval by a panel composed of representa-	
_	helicopter.	tives of the Ministry of the Aviation Industry, the	25 X 1
		military client, and other technical experts. We be-	25X1
		lieve that most Soviet programs that are not selected	
	Estimated annual	for series production are terminated at this point.	
	production of the 1960s-vintage MI-8 at Kazan has		25X1
	declined since the mid-1970s, suggesting the Soviets		20/(1
	plan to cut back the size of the MI-8 fleet and free a	If the programs had been approved in the late 1970s,	
	portion of the plant for retooling of a follow-on	our experience of prior helicopter development sug-	
	system.	gests that flight-testing would have begun in the early	
		1980s. US analysts judge that tilt-rotor craft are	25 X 1
		within Soviet capabilities; but because the Soviets	23/1
		frequently use design inheritance, their responses to	
	We have little firm evidence on the probable design or	advanced technical challenges like tilt-rotor craft	
	technical features of the next generation of medium	usually result in prolonged development cycles. Ac-	
	transport helicopters	quisition of mature Western tilt-rotor technology	
Г	\ \	probably has a high priority.	051/4
		producty has a high priority.	25 X 1
			25 X 1
L			
			•
		Prospects	25X1
		We believe the more advanced helicopters recently	20/(1
		deployed or now in late stages of development will	ı
		meet the Soviets' basic helicopter requirements	
L		throughout the mid-1990s, enabling Mil and Kamov	
	• a	amoughout the find 1770s, enabling will and Kalliov	25X1
	second tilt-rotor craft—designated the MI-32—was		20,(1
	being designed and would be able to carry 30 troops.	· · ·	
	g arrigard and a card to carry 50 troops.		

to concentrate on upgrades and modifications. Mil plans to develop a new attack helicopter different from the Havoc, a small piston-engine trainer, and a replacement for the	We believe helicopter production will increase over the next five years as the Havoc, Hokum, and other new or recently introduced systems are assimilated. The Mil and Kamov design bureaus also will continue	25X1 25X1
MI-10—a version of the MI-6 that can accommodate especially wide or long cargoes. The Soviets are also likely to continue evolutionary improvements in other helicopters, such as the MI-8/MI-17 and the MI-24.	to grow, but Mil will not sustain the explosive growth of the 1960s and 1970s. The relative standing of the bureaus is unlikely to change, although Kamov may be experiencing a resurgence and broadening of its customer base. We believe Soviet helicopter assembly	25X1
Soviets may perceive requirements for improved lift capabilities, ranges, and weapon suites in these helicopters. Improvements could include composite blades or more advanced versions of the existing engines and weapons.	capacity also will grow more slowly than in the past; of the new helicopters, only the Hokum is likely to be produced in substantially new facilities. In the industry as a whole, the Soviets will probably place greater emphasis on retooling existing production facilities. If	25 X 1
Any new systems commissioned for development in the early 1980s would have been based on then current Soviet technology and will reach IOC in the	this occurs, construction at helicopter plants is less likely to be as reliable an indicator of new helicopter production as it has been in the past. Series production is likely to be the greatest challenge.	
early-to-mid-1990s. Since the Havoc—probably incorporating mid-1970s technology—the Soviets have continued research on major subsystems. we judge it unlikely that they have appreciably closed the	The Soviets are moving toward components that require close tolerances, need state-of-the-art materials processing and coating techniques, and use advanced testing equipment. Soviet plants—despite the	25X1
five- to 10-year lag in the application of advanced helicopter technology.	Soviets' continued acquisition of Western technology—will remain deficient in precision-controlled machine tools and large quantities of sensitive testing equipment. Such deficiencies probably will make assimilation of future designs disruptive and difficult, continuing the pattern of the early 1980s.	25X1
	· · · · · · · · · · · · · · · · · · ·	25X1
The Soviets' problems in implementing more modest advances in the Havoc—for example, using composite materials—make it unlikely that they have since closed the technology gap. We believe systems reach-		
ing IOC in the 1990s will reflect largely evolutionary advances in technology.		25X1
		25 X 1

