

PETINOV, N.S., doktor biol. nauk, prof., otv. red.; ~~ALEKSEYEV, A.M.~~,  
doktor biol. nauk, prof., red.; GENKEL', P.A., doktor biol.  
nauk, prof., red.; GUSEV, N.A., doktor biol. nauk, red.;  
ZHOLKEVICH, V.N., kand. biol. nauk, red.; KUL'TIASOV, I.M.,  
red.izd-va; UL'YANOVA, O.G., tekhn. red.

[Water balance of plants as related to their metabolism  
and productivity] Vodnyi rezhim rastenii v sviazi s obmenom  
veshchestv i produktivnost'iu. Moskva, Izd-vo AN SSSR,  
1963. 334 p. (MIRA 16:10)

1. Akademiya nauk SSSR. Institut fiziologii rasteniy.  
(Plants--Water requirements)  
(Plants--Metabolism)

SULEYMANOV, Ismagil Gadiyevich; ALEKSEYEV, A.M., prof., nauchn.  
red.; BYK, T.N., red.

[Structural and physical properties of protoplasm and its  
components as related to the problem of frost resistance  
of cultivated plants] Strukturno-fizicheskie svoistva pro-  
toplazmy i ee komponentov v svyazi s problemoi voro-  
ustoiichivosti kul'turnykh rastenii. Kazan', Izd-vo Ka-  
zanskogo univ., 1964. 199 p. (MIRA 18:4)

1. Zaveduyushchiy kafedroy fiziologii rasteniy i mikro-  
biologii Kazanskogo gosudarstvennogo universiteta imeni  
V.I.Ul'yanova-Lenina (for Alekseyev).

ALEKSEYEV, A.M.; PAKHOMOVA, G.I.

Connection between the water economy and the physical and chemical  
properties of the high polymeric components of the protoplasm.  
Fiziol.rast. 12 no.1:52-55 Ja-F '65. (MIRA 18:3)

1. Kafedra fiziologii rasteniy Kazanskogo universiteta imeni  
V.I.Ul'yanova-Lenina.

06168-57 EMT(1)/FCC GN

ACC NR: AP6033490

SOURCE CODE: UR/0413/66/000/018/0111/0111

INVENTOR: Yagorov, Yu. M.; Alekseyev, A. M.; Lantsov, A. Ye. 38  
13

ORG: none

TITLE: Device for measuring variations of the geomagnetic field. <sup>AM</sup> Class 42, No. 186153  
/announced by All-Union Scientific-Research Institute of Geophysical Methods of  
Prospecting (Vsesoyuznyy nauchno-issledovatel'skiy institut geofizicheskikh metodov  
razvedki)/

SOURCE: Izobret prom obraz tov zn, no. 18, 1966; 111

TOPIC TAGS: geomagnetic field, magnetostatic transmitter, transmission  
ability, magnetic moment, inertia moment, silicon oil, *GEO PHYSIC*  
*INSTRUMENT*

ABSTRACT: A device for measurements of geomagnetic-field variations  
has been designed and built (see Fig. 1). This instrument has a mag-  
netostatic transmitter whose magnet-indicator is plate-shaped and made  
of a hard magnetic material. Its transmission ability is higher, and  
noises in the instrument are damped. The ratio of the magnetic moment  
of the magnet to its inertia moment is very important for keeping the  
optimum value of the magnetic moment; therefore, the magnet is put  
into a closed vessel filled with silicon oil. Orig. art. has: 1 figure

Card 1/2

UDC: 550.838

L 06168-67

ACC NR: AP6033490




Fig. 1. Device for measuring  
geomagnetic-field variations.  
1 - magnet-indicator; 2 - body.

SUB CODE: 08/ SUBM DATE: 09Feb63/ ATD PRESS:

Card

2/2 m<sup>1</sup> L

AGULOV, Aleksey Pavlovich, kand.geol.-mineral.nauk, nauchnyy sotrudnik;  
ALEKSEYEV, Aleksey Mikhaylovich, dotsent, nauchnyy sotrudnik;  
BARYSH, Mariya Yakovlevna, inzh.-geolog, nauchnyy sotrudnik;  
DOMORATSKIY, Nikolay Aleksandrovich, dotsent, nauchnyy sotrudnik;  
LEVIN, Semen Timofeyevich, dotsent, nauchnyy sotrudnik; NESTERENKO,  
Petr Grigor'yevich, prof., nauchnyy sotrudnik; SHIROKOV, Aleksandr  
Zosimovich, prof., nauchnyy sotrudnik; SHPAKHLER, Abram Grigor'yevich,  
starshiy nauchnyy sotrudnik; OVCHAROVA, Z.G., red.izd-va; ROZENTSVEYG,  
Ye.N., tekhn.red.

[Atlas of Donets Basin coals] Atlas uglei Dneprovskogo basseina.  
Kiev, Izd-vo Akad.nauk USSR, 1960. 44 p.

(MIRA 13:12)

1. Dnepropetrovskiy ordena Trudovogo Krasnogo Znameni gornyy institut  
im. Artema (for all, except Ovcharova, Rozentsveyg). 2. Chlen-  
korrespondent AN USSR (for Shirokov).

(Donets Basin--Coal geology)

*deceased*

NESTERENKO, Petr Grigor'yevich, nauchn. sotr.; ALEKSEYEV, Aleksey  
Mikhaylovich, nauchn. sotr. [deceased]; AGULOV, Aleksey  
Pavlovich, nauchn. sotr.; BARYSH, Mariya Yakovlevna,  
nauchn. sotr.; BEL'GARD, Aleksandr Aleksandrovich, nauchn.  
sotr.; DOMORATSKIY, Nikolay Aleksandrovich, nauchn. sotr.;  
LESKEVICH, Ivan Yevseyevich, nauchn. sotr.; SHIROKOV,  
Aleksandr Zosimovich, nauchn. sotr.; YAGOVDIK, Vladimir  
Vikent'yevich, nauchn. sotr.; KOROLEVA, T.I., red. izd-va;  
BOLDYREVA, Z.A., tekhn. red.

[Regularities of coal accumulation in the Dnieper lignite  
basin] Zakonomernosti uglenakopleniya na territorii Dnepro-  
petrovskogo burougol'nogo basseina. Moskva, Gosgortekhzidat,  
1963. 210 p. (MIRA 16:10)

1. Dnepropetrovsk. Dnepropetrovskiy gornyy institut.  
(Dnieper basin--Coal geology)

ATROSHCHENKO, Vasilii Ivanovich; ALEKSEYEV, Arkadiy Mefodiyevich;  
ZASORIN, Anatolii Petrovich; KIRILLOV, Ivan Petrovich;  
KONVISAR, Viktor Ivanovich; YASTREBENETSKIY, Anisim  
Rudol'fovich; VVEDENSKIY, P.I., prof., retsenzent;  
VARLAMOV, M.L., prof., retsenzent; BAZILYANSKAYA, I.L.,  
red.; TROFIMENKO, A.S., tekhn. red.

[Technology of combined nitrogen] Tekhnologiya svyazannogo  
azota [By] V.I. Atroshchenko i dr. Khar'kov, Izd-vo Khar'-  
kovskogo univ. 1962. 322 p. (MIRA 17:1)



PLEASE I WORK FOR INFORMATION 608/3876

Photocopying machine-readable, easily imitable geotitles are highly undesirable.  
 Philadelpia societies, *Abornik skazki*, 77 p. 18 (Applied Geography: Collection of  
 Articles, No. 15) Moscow, Goskompriat, 1978, 256 p.  
 Article also inserted. 3,000 copies printed.

**Extra copy inserted. 3,000 copies printed.**

Ed.: A.I. Bogdanov; Executive Ed.: N.P. Dobrynin; Tech. Ed.: E.A. Melnikova.

**FOOTNOTE:** The book is intended for engineers, technicians, geophysicists, and persons interested in the geological methods of petroleum prospecting.

**CONTENTS:** This book is a collection of 15 articles dealing with the theoretical and practical problems of electrical monitoring, seismic prospecting and geophysics. The first two articles are devoted to the problems of seismicity and the advances in electrical prospecting in not easily accessible regions and in the oceans are treated for the first time in Soviet literature. New methods for the investigation and detection of radioactive emissions of drill holes, as well as optical and luminescence logging are analyzed. In particular two new methods, interferon microscopy and the optical method of measuring the strain of the rock, are described.

Gel'fand, Ya. I., G. A. Izrael'skiy, V. I. Kiselev, and A. V. Prokhorov  
Methods and Techniques of the Application of Stereographic Projections  
for the Solution of Spectral Problems in Geometric Optics

Portals, T. P. Intensity of Reflected and Refracted Longitudinal Waves at Angles of Incidence Less Than Critical

Polakoff, M.K., and A.I. Slutskybyrdy. Some Problems of the Theory and Design of the Output Stage of a Helical Amplifier and Oscillator 61

Serebrya, Ye.I.: Theoretical Principles of Electrical Bonding With an Installation Immersed in Water

Abstracts, A. H. H. Northcote, and A. H. Ziegler. Application of New Methods of Electrical Prospecting in Siberia

Benilichenskiy, N.Y. Methods of Cervilinear Electrical Boundings

Exploration of buried structures  
Kusnel, I. G. Method of integral transformations in the geological  
exploration of buried structures

# Density Characteristics of a Geological Cross Section of the Mesozoic and Cenozoic of the Western Part of the Western Siberian Plateau

Ernest Kowland  
Kochersberg, B.V. Some Relations Between Errors in Gravimetric  
Analysis and the Nature of the Errors

Observations of a Boy in Work in the Case of a Student at the  
Bell Point

**Galvin, J.A.** Some Problems in Gas Logging  
Abstracted in 5, 27 and in Volume 1 of the Proceedings  
Presented Around a Coaling Column

Saccharalote, E.V. Luminescence Logging

# Abstract

	<u>Very small</u>	<u>Small</u>	<u>Medium</u>	<u>Large</u>	<u>Very large</u>
Intensity					
Duration					
Frequency					
Number of subjects					
Number of trials					
Number of sessions					
Number of groups					
Number of conditions					
Number of variables					
Number of factors					
Number of levels					
Number of comparisons					
Number of hypotheses					
Number of predictions					
Number of results					
Number of conclusions					
Number of implications					
Number of applications					
Number of extensions					
Number of generalizations					
Number of specifications					
Number of qualifications					
Number of restrictions					
Number of limitations					
Number of exceptions					
Number of caveats					
Number of disclaimers					
Number of disclosures					
Number of acknowledgments					
Number of thanks					
Number of compliments					
Number of praises					
Number of congratulations					
Number of encouragements					
Number of inspirations					
Number of motivations					
Number of persuasions					
Number of inducements					
Number of incentives					
Number of rewards					
Number of prizes					
Number of gifts					
Number of offerings					
Number of donations					
Number of contributions					
Number of shares					
Number of portions					
Number of parts					
Number of pieces					
Number of fragments					
Number of scraps					
Number of bits					
Number of crumbs					
Number of specks					
Number of grains					
Number of seeds					
Number of fruits					
Number of vegetables					
Number of flowers					
Number of leaves					
Number of branches					
Number of stems					
Number of roots					
Number of trunks					
Number of canopies					
Number of crowns					
Number of tops					
Number of bottoms					
Number of middles					
Number of centers					
Number of cores					
Number of hubs					
Number of spokes					
Number of wheels					
Number of gears					
Number of cogs					
Number of pulleys					
Number of levers					
Number of hinges					
Number of joints					
Number of sockets					
Number of ports					
Number of outlets					
Number of inputs					
Number of feeds					
Number of supplies					
Number of sources					
Number of origins					
Number of beginnings					
Number of starts					
Number of initiations					
Number of commencements					
Number of inaugurations					
Number of openings					
Number of entrances					
Number of exits					
Number of departures					
Number of leave-takings	</				

AVAILABILITY: Library of Congress (TH559 .J7)

**Card 4/4**

**MA/chr/ms  
8-18-60**

ALEKSEYEV, A.M.; BHRDICHEVSKIY, M.N.; ZAGARMISTR, A.M.

Use of new methods in electric prospecting in Siberia, Prikl. geofiz.  
no.18:103-127 '58. (MIRA 11:5)  
(Siberia--Prospecting--Geophysical methods)

SOV/112-59-3-6159

Translation from: Referativnyy zhurnal. Elektrotehnika, 1959, Nr 3, p 276 (USSR)

AUTHOR: Alekseyev, A. M.

TITLE: The PPMZ-2 Intermediate Magnetic-Recording Attachment for  
Seismoprospecting (Pristavka dlya promezhutochnoy magnitnoy zapisi PPMZ-2  
pri seysmorazvedochnykh rabotakh)

PERIODICAL: Razved. i promysl. geofiz., Nr 22, 1958, pp 2-76

ABSTRACT: Use of the PPMZ-2 magnetic-recording attachment in seismo-  
prospecting permits recording, under field conditions, the spectrum of seismic  
oscillations and 10-300-cps noise without adjusting the amplitude, without  
mixing the seismosignals, and without using filtration. Isolating the useful  
signals can be done at the time of reproducing the magnetic record on the  
standard seismoprospecting apparatus or by means of specialized reproducing  
amplifiers. The magnetic recording of seismic waves is referred to as an  
intermediate recording because later on, it serves as a basis for a seismogram

Card 1/2

SOV/112-59-3-6159

The PPMZ-2 Intermediate Magnetic-Recording Attachment for Seismoprospecting

subject to subsequent visual cameral processing. Use of intermediate magnetic recording has principal advantages. The PPMZ-2 attachment has a 15-cm wide magnetic band moving at 8-10 cm/sec and fixed on a drum; it records simultaneously electric oscillations coming from 25 seismoreceivers, 100-cps oscillations from a tuning-fork marker oscillator, and an electric marking pulse associated with the explosion. All values are recorded with a high-frequency (5,000 cps) magnetization. The dynamic recording range is not less than 40 db. The equipment consists of 4 portable units. Selection of the block diagram for seismosignal magnetic recording and reproducing is substantiated. Technical characteristics of the fundamental attachment assemblies are given, as well as a description of construction of the principal units and their simplified electric circuits.

R.R.A.

Card 2/2

ALEKSEYEV, Arian Mikhaylovich; SHEYNMAN, S.M., red.; ZARETSKAYA, A.I.,  
vedushchiy red.; POLOSINA, A.S., tekhn.red.

[Apparatus for telluric current electric prospecting] Apparatura  
dlia elektrorazvedki metodom telluricheskikh tokov. Moskva, Gos.  
nauchno-tekhn.izd-vo nef. i gorno-toplivnoi lit-ry, 1959. 90 p.  
(MIRA 12:12)

(Electric prospecting--Equipment and supplies)

SOV/49-59-8-15/27

AUTHORS: Bryunelli, B. Ye., Berdichevskiy, M.N., Alekseyev, A.M.  
and Burdo, O.A. (Deceased)

TITLE: Observed Variations of the Micro-pulsations of the  
Earth's Electromagnetic Field ✓

PERIODICAL: Izvestiya Akademii nauk SSSR, Seriya geofizicheskaya,  
1959, Nr 8, pp 1206-1213 + 2 plates (USSR)

ABSTRACT: Observations of a magnetotelluric field were carried  
out on September 4 to 9, 1957 in South Tyumensk  
( $\varphi = 56^{\circ}40'$ ,  $\lambda = 67^{\circ}$ ), where a method of measurements  
illustrated in Fig 1 was applied (I - oscillograph, see  
Fig 3, II - magnetometer, see Figs 4 and 5). The  
variations of the period between 10 to 50 secs were  
recorded. The reciprocal impedance was defined as  
Eq (1), where  $H_y E_x$  - amplitude of monoharmonic  
variations of the components H and E expressed in  
 $\gamma$  and mV/km, S - total longitudinal conductivity of  
the top layers, Eqs (2) to (4), T - period of variations,  
 $\rho_n$  - specific resistance of the foundation layer. The  
curve of the dipole azimuth sounding near the point of  
observation is shown in Fig 2. Its left-hand curve ✓

Card 1/3

SOV/49-59-8-15/27

Observed Variations of the Micro-pulsations of the Earth's  
Electromagnetic Field

represents the layers of the Quaternary formation with 20 to 30 Ohms of resistance, while the right-hand curve corresponds to the Paleozoic period showing resistance 500 Ohms. The corresponding total thickness of layers is 1125 m, its mean resistance  $\rho = 3.2$  Ohm and the total conductivity  $S = 350$  Ohms<sup>-1</sup>. The examples of recordings of the variations of a magnetic field obtained by two magnetometers are reproduced in Fig 6 and those of electric and magnetic fields (perpendicular to each other) are shown in Fig 7. The oscillogram in Fig 8 illustrates the magnetotelluric variations during a magnetic storm. The results of statistical analysis of the data and the calculations based on Eq (3) for the oscillograms illustrated in Fig 7b are tabulated in Table 1. Table 2 gives similar results of analysis based on 23 oscillograms. The results obtained signify that a new method of geophysical surveying can be developed based on the experiments

Card 2/3

SOV/49-59-8-15/27

Observed Variations of the Micro-pulsations of the Earth's  
Electromagnetic Field

described.

There are 8 figures, 2 tables and 8 references,  
6 of which are Soviet and 2 English.

ASSOCIATIONS Ministerstvo geologii i okhrany nedr VNIIGeofizika  
(Ministry of Natural Resources VNIIGeofizika) and  
Leningradskiy gosudarstvennyy universitet imeni  
A. A. Zhdanova (Leningrad State University imeni  
A. A. Zhdanov)

---

SUBMITTED: March 28, 1958

Card 3/3



S/132/60/000/011/001/002

A054/A130

AUTHORS: Abkseyev, A. M., Ioffe, L. M., Semenov, M. V., Mogil'nikov, V. I.,  
Morozov, N. V.

TITLE: Experience with the new  $\beta\eta$ (VP)-59 type electric testing equipment  
to be used in the induced polarization method

PERIODICAL: Razvedka i okhrana nedr, no. 11, 1960, 47 - 49

TEXT: The VNIIGeofizika Institute has designed in cooperation with the  
VITR a new type of electric testing station, (VP-59) to be mainly used in pros-  
pecting electron-conductive (sulfide) impregnated ores by means of induced polari-  
zation, vertical electric sounding and dipole sounding. The station is mounted  
on two ГАЗ (GAZ)-69 type trucks with increased power for crossing heavy terrain  
and consists of a generator and a receiving unit. Current for the feed line in  
the generator equipment is supplied by a ПН(PN)-100 type generator (11.5 kw, nomi-  
nal voltage 460 v). The generator is driven by the engine of the truck via a  
special power take-off gear box. In the measuring instrument the difference of  
transmission potentials  $\Delta V_{tr}$  and induced polarization ( $\Delta V_{ip}$ ) are registered by  
an 3П0(EPO)-7 type oscillograph on photogenic paper. (Abstractor's note: tran-

Card 1/5

Experience with the.....

S/132/60/000/011/001/002  
A054/A130

scripts tr (transmission) and ip (induced polarization) have been substituted for the original  $\eta p = pr = \text{propusk}$  and  $\beta n = vp = \text{vyzvannaya polarizatsiya}$ ). To increase the input voltage in the measuring-registering instrument, 3AA(EDA)-58 type auto-compensators are mounted which make measuring possible at any kind of earthing of the receiving electrodes. The sensitivity of the measuring channels is 1-1000 mv for the full scale of the oscillograph; the input resistance of the instrument is 2 megaohm, the error in measuring does not exceed 2%; there is no zero-creep at the auto-compensators. The principal measuring operations and the control of the generator are automatic. The equipment was tested in an anticlinal folding containing galenite, sphalerite, in some places also bornite, chalcopyrite, etc. The ores have an impregnated or cocarde texture or are found in massives. The sulfide mineralization is dispersed in nearly all tectonic zones. Some ore bodies are oxidized from the surface, the depth and extent of oxidation is not uniform. The tests with the induced polarization method were carried out in sections through the thickest parts of the ore layer, which were selected in such a way to make it possible to examine the effect of primary mineralization at a depth of 30 m, covered by a superstratum 15 - 20 m thick. The tests were carried out by vertical electrical sounding, following the VITR method. (Ref. 1. V. A. Komarov, L. M. Ioffe, M. V. Semenov: The method of induced polarization, ONTI VITR, publ. 20. 1959). When

Card 2/4

S/132/60/000/011/001/002  
A054/A130

Experience with the.....

working with vertical electric sounding the spacing taken for AO was 500 m, when working with profiling, AB was 1000 m. The spacings were chosen according to the curve of vertical sounding, (Fig. 1). By taking a spacing of 1000 m, it was possible to register anomalies above the mineralized layers in the working area. With a generator voltage of 100 - 600 v and with 4 - 12 a in the feed line, a voltage ( $\Delta V_{tr}$ ) could be obtained in the receiving line which was not lower than some tens of millivolts. As receiving line a thin strip was used provided with a commutator, switching in turn one of the five pairs of non-polarizing receiving electrodes. Based on the calculated values of  $\Delta U_{ip}$  and  $\Delta V_{tr}$  and the known current intensity  $i$  in line AB, the following values have been determined:

$$\eta_K = \frac{\Delta U_{ip}}{\Delta V_{tr}} \quad 100\%$$

$$\rho_K = K \frac{\Delta V_{tr}}{i}$$

which were plotted in graphs according to the profiles or in vertical electric sounding curves. Figure 1 shows  $\eta_K$  and  $\rho_K$  curves obtained when working with the vertical electrical sounding of induced polarization, for determining (at picket 17, profile 50) the optimum length of line AB, for surveying according to the Card 3/5/

S/132/60/000/011/001/002  
A054/A130

Experience with the.....

average gradient, to evaluate the obtained  $\eta_K$  values above the mineralization zone and to define the thickness of the overburden and the oxidized zones. The  $\eta_K$  value of vertical electrical sounding remains unchanged at 0.4% until the half-spacing  $AO = 15$  m. With an increase in spacing, the value  $\eta_K$  also increases which indicates the presence of primary sulfide minerals in the section. The maximum value for  $\eta_K : 3.5\%$  was obtained at a semi-spacing of  $AO = 500$  m, where  $\eta_K$  still had not reached its limit. According to the curve  $\eta_K$  of vertical electric sounding the total thickness of overburden and oxidized layers, where no electron-conductive minerals are present, can be assumed to be 30 m. The curve  $\eta_K$  indicates that from  $AO = 250$  m the shape of the curve is influenced by the higher conductivity of the oxidized zone and by some screening object. Figure 2 represents the survey of profile 50 by induced polarization at a distance of 700 m. It is pointed out, that the high values of  $\eta_K$  are connected with the presence of dispersed impregnated sulfides in lime stone. When moving away from the mineralization zone,  $\eta_K$  decreases from 3 to 2%. The tests proved that it is possible to reveal on the sections the presence of massive and impregnated minerals, and to determine the distribution of the impregnation of sulfides. There are 2 figures and 1 Soviet reference.

ASSOCIATIONS: VNII Geofizika, VITR, Uz.GTTsGFP, Tsentral'naya geofizicheskaya partiya, (VNII of Geophysics, VITR, Uz.GTTsGFP, Central Geophysical Party)

Card 4/5

SMIRNOV, V.S.; ALEKSEYEV, A.M.

Manufacture of thermoelectric elements by the method of hot extrusion through dies. Trudy LPI no.238:5-14 '64. (MIRA 17:11)

Mechanical properties of the arms of thermoelements made of  $\text{Bi}_2\text{Te}_3$ - $\text{Bi}_2\text{Se}_3$  and  $\text{Bi}_2\text{Te}_3$  -  $\text{Sb}_2\text{Te}_3$  alloys produced by the extrusion method. Trudy LPI no.238:21-24 '64. (MIRA 17:11)

KIRILLOV, I.P.; ALEKSEYEV, A.M.; SARBAYEV, A.N.

Processes of oxidation of a catalyst for carbon monoxide conversion during its regeneration. Izv.vys.ucheb.zav.; khim. i khim.tekh. 7 no.2:246-251 '64. (MIRA 18:4)

1. Ivanovskiy khimiko-tehnologicheskii institut, kafedra tekhnologii neorganicheskikh veshchestv.

OPOLOVNIKOVA, N.P.; ALEKSEYEV, A.M.; KIRILLOV, I.P.

Studying the forming and reduction of zinc-chromium catalysts  
for alcohol synthesis. Report No.2. Izv.vys.ucheb.zav.; khim.i  
khim.tekh. 8 no.4:633-638 '65.

(MIRA 18:11)

1. Ivanovskiy khimiko-tekhnologicheskii institut, kafedra  
tekhnologii neorganicheskikh veshchestv.

L 24867-66 EWT(m)/I DJ

ACC NR: AP6006410

(N)

SOURCE CODE: UR/0413/66/000/002/0151/0151

AUTHORS: Alekseyev, A. M.; Sokolov, G. M.

/8

ORG: none

B

TITLE: A device for moving the assemblies of ships. Class 65, No. 178274

SOURCE: Izobreteniya, promyshlennyye obraztsy, tovarnyye znaki, no. 2, 1966, 151

TOPIC TAGS: ~~vertical jack~~, ~~lifting device~~ *marine equipment, marine engineering*

ABSTRACT: This Author Certificate presents a device for moving the assemblies of ships. The device has a vertical jack mounted on a carriage (see Fig. 1). The design makes it possible to shift horizontally the assembly of a ship which has been lifted on the vertical jack. The carriage contains a lower bearing plate clad with an elastic material. This plate slips along cylindrical rollers. The carriage has a hydraulic drive in the form of a horizontal double-action hydraulic jack.

Cord 1/2


UDC: 629.128.1:621.868.238.66-82



L 24867-66

ACC NR: AP6006410

Fig. 1. 1 - vertical jack; 2 - carriage;  
3 - bearing plate; 4 - cylindrical  
rollers; 5 - horizontal double-  
action hydraulic jack.



Orig. art. has: 1 figure.

SUB CODE: 13/ SUBM DATE: 09Jul64

Card 2/2 dda

ALEKSEYEV, A.M.

Possibilities of using aluminum pipes in the construction of oil  
and gas pipelines. Stroi. truboprov. 10 no.2:8-10 F '65. (MIRA 18:5)

KRAVCHUK, M.V., kand. tekhn. nauk; ALEKSEYEV, A.M.; AVRUSHKIN, Yu.I.

Selection of the power of automobile generators. Avt. prom. 30  
no.12:32-35 D '64. (MIRA 18:2)

1. Moskovskiy avtomekhanicheskiy institut.

AUTHOR: Alekseyev, A.N., Mining Engineer SOV-127-58-10-22/29

TITLE: The Work of a Composite Brigade at the Mirgalim-Say Mine  
(Rabota kompleksnoy brigady na Mirgalimsayskom rudnike)

PERIODICAL: Gornyy zhurnal, 1958, Nr 10, p 73 (USSR)

ABSTRACT: Until 1957, working brigades of the Achpolimetal Combine executed only basic stoping and preparatory work in the mines of the Trust. Other secondary operations, as well as small repairs, were done by workers not in the brigades. In 1957, work in the Mirgalim-Say mine was reorganized in such a way that all operations were executed by composite brigades. The author describes the work of such a brigade headed by the drill-operator N.I. Abramov. The productivity of the reorganized brigades increased sharply and loss of working time was reduced to a minimum.

ASSOCIATION: Kombinat Achpolimetal (The Achpolimetal Combine)

1. Mining industry--USER 2. Personnel--Performance

Card 1/1

ALEKSEYEV, A.N.

Use of popular scientific literature on chemistry. Khim. v shkole  
15 no.2:64-67 Mr-Apr '60. (MIRA 14:5)

1. Direktor Klimautsevskoy sredney shkoly Amurskoy oblasti.  
(Chemistry--Study and teaching)  
(Chemistry--Juvenile literature)

ALEKSEYEV, A.N., kand.pedagogicheskikh nauk

Working with popular science literature on biology. Biol. v  
shkole no.5:24-28 S-O '61. (MIRA 14:9)

1. Direktor Klimaytsevskoy sredney shkoly Svobodnenskogo  
rayona Amurskoy oblasti.  
(Biology--Juvenile literature)

ALEKSEYEV, Aleksey Nikolayevich; GEORGIYEV, Oleg Georgiyevich;  
ROMANOVA, G.I., otv. za vyp.; NOVOCHADOVA, L.A., red.;  
RAKITIN, I.T., tekhn. red.

[Medicobiological problems of space flights; materials  
for a lecture] Mediko-biologicheskie problemy poletov v  
kosmos; material k lektsii. Moskva, Izd-vo "Znanie,"  
1962. 48 p. (MIRA 17:3)

\*

ACC NR: AP6034111 (A,N) SOURCE CODE: UR/0358/66/035/005/0532/0537

AUTHOR: Kamennov, N. A.; Alekseyev, A. N.; Starkov, A. V.; Volkova, A. P.; Larionova, V. D.

ORG: <sup>Scientific</sup> Central Disinfection Research Institute, Ministry of Health, Moscow (Tsentral'nyy nauchno-issledovatel'skiy dezinfektsionnyy institut Ministerstva zdavookhraneniya)

TITLE: Properties of ovicidal drugs

SOURCE: Meditsinskaya parazitologiya i parazitarnyye bolezni, v. 35, no. 5, 1966, 532-537

TOPIC TAGS: ovicidal drug, drug effect, para isobutyl phenyl ester, toxicity, phenyl compound, disinfectant, pesticide

ABSTRACT: Ortho- and paracresylacrylates and phenylacetate were the most effective ovicidal drugs of the 13 fatty acid phenyl esters studied. Orthocresylacrylate was most effective against loose eggs laid in hair when applied in a 2% solution in a 2% aqueous sulfanole solution. Their toxicity is not more than DDT and they are effective only against eggs and not against imagoes. Orig. art. has: 6 tables and 1 figure. [W.A. 50]

SUB CODE: 06/ SUBM DATE: 16Nov64

UDC: 615.777/.779+616.5-002.957.5 (Pediouli-  
dae)-085.77

Card 1/1



MAKINGIN, M.V.; ALEKSEYEV, A.N.

Variation of gas exchange in the tick *Hyalomma asiaticum*  
*asiaticum* P.Sch. et Schl, 1929 under different environmental  
conditions. Zool.zhur. 39 no.2:297-299 F '60.  
(MIRA 13:6)

(Ticks) (Respiration)

ALEKSEYEV, A.N. (Moskva)

Diagnostic characters of larvae in some flea species of the genus  
Geratophyllus. Zool. zhur. 40 no.5:778-779 '61. (MIRA 14:5)

(Fleas)

(Larvae--Insects)

ALEKSEYEV, A.N. (Moskva)

Biology of the flea *Ceratophyllus* (*Nesopsyllus*) *consimilis* Wagn.  
1898 (*Ceratophyllidae*, *Aphaniptera*). Zool. zhur. 40 no.6:840-  
847 Je '61. (MIRA 14:6)

(Fleas)

ALEKSEYEV, A.N.; KERBABAYEV, E.B.; FEDDER, M.L.

Attempt to use insecticide zones for protection against mosquito attack. Zdrav. Turk. 5 no.5:28-32 S-0 '61. (MIRA 14:12)

1. Iz Ashkhabadskogo instituta epidemiologii i gigiyeny (dir. - dotsent Ye.S.Popova) i Tsentral'nogo nauchno-issledovatel'skogo instituta Ministerstva zdavookhraneniya SSSR (dir. - prof. V.I. Vashkov).

(MOSQUITOES--EXTERMINATION) (INSECTICIDES)

ALEKSEYEV, A.N.; IGNAT'YEVA, A.P., laborant

Toxicity of some organic phosphoric insecticides for the larvae  
of blood-sucking blackflies. Med. paraz. i paraz. bol. 32 no.5:  
546-548 S-0'63 (MIRA 16:12)

1. Iz Tsentral'nogo nauchno-issledovatel'skogo dezinfektsionno-  
go instituta (dir. - prof. V.I.Vashkov) Ministerstva zdрави-  
ckhraneniya SSSR.

ALEKSEYEV, A.N.

Effect of insecticides on fleas in relation to their sex and age.  
Med. paraz. i paraz. bol. 33 no.1:57-61 Ja-F '64 (MIRA 18:1)

1. Tsentral'nyy nauchno-issledovatel'skiy dezinfektsionnyy institut (direktor - prof. V.I. Vashkov) Ministerstva zdoravookhraneniya SSSR, Moskva.

ALEKSEYEV, A.N.

Susceptibility of preimaginal phases of fleas (Aphaniptera) to insecticides. Ent.oboz. 43 no.2:301-307 '64. (MIRA 17:9)

1. Tsentral'nyy nauchno-issledovatel'skiy dezinfektsionnyy institut Ministerstva zdravookhraneniya SSSR, Moskova.

FEDDER, M.L.; ALEKSEYEV, A.N.

Sensitivity of biting midges (Diptera, H-leidae) to some organo-phosphorus insecticides. Med. paraz. i parazit. bol. 33 no.5:525-527 S-0 '64. (MIRA 18:4)

1. Tsentral'nyy nauchno-issledovatel'skiy dezinfeksionnyy institut Ministerstva zdravookhraneniya SSSR, Moskva.



ALEKSEYEV, A.N.

Forced dosed feeding of insects. Med. paraz.i paraz.bol.  
34 no.4:467-471 J1-Ag '65.

(MIRA 18:12)

1. Tsentral'nyy nauchno-issledovatel'skiy dezinfektsionnyy  
institut Ministerstva zdavookhraneniya SSSR, Moskva.  
Submitted March 12, 1965.

ACC NR: AP6034111

(A,N)

SOURCE CODE: UR/0358/66/035/005/0532/0537

AUTHOR: Kamennov, N. A.; ~~Alekseyev, A. N.~~; Starkov, A. V.; Volkova, A. P.; Larionova, V. D.

ORG: Central Disinfection <sup>Scientific</sup> Research Institute, Ministry of Health, Moscow (Tsentral'nyy nauchno-issledovatel'skiy dezinfektsionnyy institut Ministerstva zdravookhraneniya)

TITLE: Properties of ovicidal drugs

SOURCE: Meditsinskaya parazitologiya i parazitarnyye bolezni, v. 35, no. 5, 1966, 532-537

TOPIC TAGS: ovicidal drug, drug effect, para isobutyl phenyl ester, toxicity, ~~phenyl compound, disinfectant, pesticide~~

ABSTRACT: Ortho- and paracresylacrylates and phenylacetate were the most effective ovicidal drugs of the 13 fatty acid phenyl esters studied. Orthocresylacrylate was most effective against loose eggs laid in hair when applied in a 2% solution in a 2% aqueous sulfanole solution. Their toxicity is not more than DDT and they are effective only against eggs and not against imagoes. Orig. art. has: 6 tables and 1 figure. [W.A. 50]

SUB CODE: 06/ SUBM DATE: 16Nov64

Cord 1/1

UDC: 615.777/.779+616.5-002.957.5 (Pediouli-  
dae)-085.77

ALEKSEYEV, A.N.

KUSHEL'NIKOV, I.I., redaktor; ALEKSEYEV, A.N., redaktor; FLAUM, M.Ya.,  
redaktor.

[Instructions on the classification and construction of steel  
marine ships] Pravila klassifikatsii i postroiki morskikh  
stalnykh sudov. Moskva, Morskoi transport, 1952. 368 p.  
(MLRA 7:3)

1. Russia (1923- U.S.S.R.) Ministerstvo morskogo flota.  
(Shipbuilding)

ALEKSEYEV, Aleksandr Nikolayevich; MATSYUTO, A.F., redaktor; ALEKSEYEV, A.I.,  
redaktor izdatel'stva; TROPIMOV, A.V., tekhnicheskii redaktor

[Fundamentals of navigation] Osnovy sudovozhdeniya. Moskva, Izd-vo  
"Morskoi transport," 1956. 259 p. (MLRA 10:4)  
(Navigation)

ARAKHELOV, V.M., redaktor; ALEKSEYEV, A.N., redaktor; KUSHEL'NIKOV, I.I.,  
redaktor; KOTLYAKOVA, O.I., tekhnicheskii redaktor

[Regulations governing the classification and construction of steel  
oceangoing vessels] Pravila klassifikatsii i postroiiki morskikh  
stal'nykh sudov. Leningrad, Izd-vo "Morskoi transport," 1956. 509 p.  
(MIRA 9:12)

1. Russia (1923- U.S.S.R.) Glavnoye upravleniye morskogo  
registra.

(Ships, Iron and steel)

ALEKSEYEV, A.N.

Reading popular literature on geography outside the class room.  
Geog.v shkole 23 no.2:67-71 Mr-Apr '60. (MIRA 13:6)

1. Klimautsevskaia shkola Amurskoy obl.  
(Amur Province--Geography--Study and teaching)

ALEKSEYEV, A.N., inzhener

Modern types of foundations for the metal supports of transmission line.  
Energetik 3 no.10:1-4 0'55. (MIRA 8:12)  
(Foundations) (Electric lines--Poles)

ALEKSEYEV, A.N.

Subject : USSR/Electricity AID P - 2523  
Card 1/1 Pub. 26 - 7/32  
Author : Alekseyev, A. N., Eng.  
Title : ~~STEEL TOWERS AND FOUNDATIONS FOR 110-220 KV TRANSMISSION LINES~~  
Periodical : Elek sta, 6, 20-24, Je 1955  
Abstract : The latest types of transmission towers are discussed in detail with drawings illustrating the structures and tables describing the characteristics. The use of various types of concrete foundations is strongly recommended. Eleven diagrams.  
Institution : None  
Submitted : No date



ALEKSEYEV, A. N.

AID P - 3386

Subject : USSR/Electricity

Card 1/1 Pub. 29 - 1/30

Author : Alekseyev, A. N., Eng.

Title : Contemporary types of foundations for supporting structures of electric transmission lines

Periodical : Energetik, 10, 1-4, 0 1955

Abstract : The author describes the types of foundations used for steel supporting structures of 35 to 220-kv transmission lines. Most used is the reinforced concrete footing type produced in plants and workshops, or on the site. The author presents several types of such footing and methods of their production used by the Trust "SPETSSETSTROY". Six drawings, 1 table.

Institution : None

Submitted : No date

ALEKSEYEV, A.N., inzhener.

Reinforced concrete supports for 35-400 kv transmission lines.

Elek.sta. 27 no.3:32-36 Mr '56.

(MLRA 9:8)

(Electric lines--Poles)

AFANAS'YEV, Vasilii Gavrilovich; ALEKSEYEV, Aleksandr Onisimovich;  
SOKOLOV, Yevgeniy Nikolayevich; CHEREMISIN, M.S.; doktor  
tekhn. nauk, red.

[Geodesy and mine surveying in the construction of tunnels  
and subways] Geodeziia i markshreideriia pri stroitel'stve  
tonnelei i metropolitenov. Moskva, Nedra, 1965. 299 p.  
(MIRA 18:9)

SKRIPCHENKO, N.S.; VESELOVSKIY, N.V.; ALEKSEYEV, A.P.

Sulfur isotope composition of copper pyrite deposits in the  
Northern Caucasus. Izv. AN SSSR.Ser.geol. 28 no.5:89-95  
My '63. (MIRA 17:4)

1. Novocherkasskiy politekhnicheskii institut i Gidrokhimicheskii  
institut AN SSSR.

VESELOVSKIY, N.V.; ALEKSEYEV, A.P.; GONCHAROVA, V.D.; PUTINTSEVA, V.S.;  
POLOZHENTSEV, I.F.

Isotopic composition of sulfur in sulfate ions of some continental  
surface waters. *Gidrokhim. mat.* 38:62-76 '64.

(MIRA 18:4)

1. *Gidrokhimicheskiy institut AN SSSR. Novocherkassk.*

ALEKSEYEV, A.P., inzh.

Combined tip for electric welding machines and semiautomatic machines.  
Svar. proizv. no.3:34 Mr '65. (MIRA 18:5)

1. Myshegskiy armaturnyy zavod.

ALEKSEYEV, A.P., kand. biol. nauk; LUKASHEV, A.I., kand. sel'-  
khoz. nauk; BELEVTSSEV, D.N., kand. sel'khoz. nauk;  
KALININ, N.I., st. nauchn. sotr.; ZHDANOV, L.A., akademik,  
red.; ALEKSEYEVA, R.I., red.

[Sunflowers in the Don Valley] Podsolnechnik na Donu. [By]  
A.P.Alekseev i dr. Rostov na Donu, Rostovskoe knizhnoe izd-  
vo, 1964. 110 p. (MIRA 17:6)

1. ALEKSEYEV, A. P., ENG.
2. USSR (600)
4. Portland Cement
7. Artificial marble from portland cement. Ger.khoz.Mosk. 26 no.10, 1952
9. Monthly List of Russian Accessions, Library of Congress, January 1953. Unclassified.



ALEKSEYEV, Aleksandr Petrovich; KAPITANOVSKIY, Lev Nikolayevich; TASTEVAN, Yevgeniy Edmundovich; CHEZHIK, Nikolay Ivanovich; SHPOLYANSKIY, Mikhail Naumovich; YERMOLAYEV, M.P., inzh., retsenzent; VOSKRESENSKIY, N.N., inzh., red.; TIKHANOV, A.Ya., tekhn.red.

[All-metal streetcars; design, manufacture, and operation] TSel'no-metallicheskiy tramvainyi vagon; konstruktsiya, tekhnologiya. proizvodstva i ekspluatatsiya. Moskva, Gos.nauchno-tekhn.izd-vo mashinostroit. lit-ry, 1958. 287 p. (MIRA 11:7)  
(Streetcars)

ALEKSEYEV, A.P., mayor; SERGEYEV, L.B., inzhener-mayor

With an infrared homing system. Vest.Vozd.Fl. no.2:92-94 F  
'61. (MIRA 14:7)  
(Guided missiles)

*Алексей А. П.*  
ALEKSEYEV, A-P.

Alekseyev, A.P. (Don Experimental Selection Station of Oil Cultures, Rostov-on-the-Don).  
Interrelation of grafted components in a sunflower in connection with its resistance to  
disease, 333-6

*Академика Наука, СССР, Урожай, vol. 79, No 2, 1951*

ALIKSEYEV, A. P.

"Certain Characteristics of the Growth and Development of the Sunflowers, *Lallemantia iberica* and *Brassica juncea*." Cand Biol Sci, All-Union Order of Labor Red Banner Selection and Genetics Inst imeni T. D. Lysenko, Odessa, 1954. (KL, No 12, Mar 55)

So: Sum. No 670, 29 Sept 55 - Survey of Scientific and Technical Dissertations Defended at USSR Higher Educational Institutions (15)

COUNTRY : USSR  
 CATEGORY : Cultivated Plants. Industrial. Oleiferous. M  
 BS. JOUR. : RZhBiol., No. 3, 1959, No. 11040  
 AUTHOR : Alekseyev, A. P.  
 INST. : All-Union Scientific Research Institute of Oleiferous \*)  
 TITLE : An Investigation of New Methods of Securing Fast-Maturing  
 and Dwarf Forms of Sunflower.  
 ORIG. PUR. : V sb.: Kratkiy otchet o nauchno-issled. rabote Vses. n.-i  
 in-ta maslichn. i efiromaslichn. kul'tur za 1956 g. \*\*)  
 ABSTRACT : By means of the action of a shortened light exposure day  
 on the sunflower, the Don Zonal Experimental and Breeding  
 Station has singled out in a number of varieties the  
 faster-maturing and dwarf groups of plants in which these  
 characteristics were preserved during the first and sec-  
 ond seeded generations. In addition, it was found that  
 with the short light exposure day, the accelerated dev-  
 elopment of the plants and a decrease in the height were,  
 on the whole, characteristic of the majority of sunflower

CARD: 1/2

\*) and Essential Oil Plants.  
 \*\*) Krasnodar, "Sov. Kuban' ", 1957, 170-174

-98-

M

Country : USSR  
Category: Cultivated Plants. Commercial. Oil-Bearing.  
Sugar-Bearing.

Libs Jour: RZhBiol., No 11, 1958, No 49052

Author : Alekseyev, A.P.  
Inst : All-Union Agr. Res. Acad. of Agric. Sciences im.  
V.I. Lenin  
Title : Some Data on the Growth and Development of Sesame  
Under Different Durations of Daylight.

Orig Pub: V. sb.: Kratkoy otchet. o nauchn.-issled. rabote  
Vses. n.-i. in-ta maslich. i efiromaslich. kul'tur  
VAKHNIL za 1955 g. Krasnodar, 1956, 125-129

Abstract: In vegetal tests in 1954 and 1955, the influence of  
a shortening of the nin hour day on the following

Card : 1/3

Country : USSR

M

Category: Cultivated Plants. Commercial. Oil-Bearing.  
Sugar-Bearing.

Pub Jour: Izv. Akad. Nauk, No 11, 1958, No 49052

day plants as well as for long day plants. The  
light period of sesame is 10-15 days. -- D.B. Vakh-  
mistrov

Card : 3/3

ZHDANOV, L.A.; ALEKSEYEV, A.P., kandidat biologicheskikh nauk.

Vegetative, hybridization of the sunflower. Agrobiologiya no.5:  
45-54 S-O '56. (MLBA 9:11)

1. Akademik Vsesoyuznoy Akademii sel'skokhozyaystvennykh nauk imeni Lenina (for Zhdanov).
2. Donskaya zonal'naya opytno-selektsionnaya stantsiya Vsesoyuznogo nauchno-issledovatel'skogo instituta maslichnykh i efiromaslichnykh kul'tur, Rostov-na-Donu.  
(Sunflowers) (Hybridization, Vegetable)



ALEKSEYEV, A.P., kand. biol. nauk.

Reaction to short days as a means of selecting early ripening sunflower types. Agrobiologiya no.2:76-80 Mr-Apr '58. (MIRA 11:4)

1. Donskaya zonal'naya opytno-selektsionnaya stantsiya Vsesoyuznogo nauchno-issledovatel'skogo instituta maslichnykh i efiromaslichnykh kul'tur, Rostov-na-Doni.

(Sunflowers)

PHASE I BOOK EXPLOITATION

SOV/5139

Abrikosov, S. V., A. P. Alekseyev, N. M. Zotov, G. F. Kudryashov,  
N. I. Lapov, V. P. Lebedev, and Ye. Ye. Chekmenev

Benzoelektricheskiye i dizel'-elektricheskiye agregaty moshchnost'yu  
ot 0.5 do 400 kvt; spravochnik (Gasoline- and Diesel-Engine  
Electric Generating Sets, 0.5 to 400 kw Capacity; Handbook)  
Moscow, Mashgiz, 1960. 543 p. Errata slip inserted. 7,000  
copies printed.

Ed. (Title page): V. P. Lebedev, Engineer; Reviewer: Ye. A.  
Meyerovich, Engineer; Ed. of Publishing House: V. I. Rybakova;  
Tech. Ed.: T. F. Sokolova; Managing Ed. for Information Litera-  
ture: I. M. Monastyrskiy, Engineer.

PURPOSE: This handbook is intended for technical personnel con-  
cerned with the design and operation of electric generating sets.

COVERAGE: The handbook contains technical data on gasoline- and  
Diesel-engine electric generating sets with a capacity of 0.5  
to 400 kw. Prime movers, electric generators, and electrical

Card 1/6

Gasoline- and Diesel-Engine (Cont.)

SOV/5139

equipment, as well as the materials required for the selection and designing of generating sets are discussed. The handbook also gives information on the basic requirements for the operation of the sets and on the automation of their control. No personalities are mentioned. There are 34 references, all Soviet.

TABLE OF CONTENTS:

Introduction	3
Ch. I. Gasoline-Engine Generating Sets	4
Technical data	4
Structural designs	14
Electric circuits	32
Ch. II. Diesel-Engine Generating Sets	48
Technical data	48
Structural designs	48

Card ~~2/6~~

BARANOV, S.M., podpolkovnik meditsinskoy sluzhby; ALEKSEYEV, A.P., mayor  
meditsinskoy sluzhby

Use of potentiated local anesthesia under conditions of a garrison  
hospital. Voen.-med. zhur. no.7:78 J1 '61. (MIRA 15:1)  
(LOCAL ANESTHESIA) (AUTONOMIC DRUGS)

ALEKSEYEV, A. P. (Major of the Medical Service) and BARANOV, S. M.

"Experience in the Use of Potentiated Local Anesthesia Under Conditions  
of a Garrison Hospital."

Voyenno-Meditsinskiv Zhurnal, No. <sup>7</sup>~~12~~, December 1961, pp ~~88-93~~

Translation 11111

ALEKSEYEV, A.P.

ALEKSEYEV, A.P., ~~inshener~~

Making joints in wooden piles. Tekh.shel.dor.6 no.7:27 J1'47.  
(Bridges, Pile) (MIRA 8:11)

ALERSHEV, A. P.

"A New Organization of Work in Constructing Water Reservoir Structures," Tekh. Zhel.  
Dor. No. 2, 1948



ALEKSEYEV, Aleksey Pavlovich, inzhener; PAUL', V.P., inzhener, redaktor;  
KHITROV, P.A., tekhnicheskii redaktor

[Construction of industrial buildings for railroads] Opyt stroitel'-  
stva zheleznodorozhnykh promyshlennykh zdani. Moskva, Gos. tran-  
sportnoe zhel-dor. izd-vo, 1955. 82 p. (MLRA 8:6)  
(Railroads--Buildings and structures)  
(Building)

Name: ALEKSEYEV, A. P.

Dissertation: Investigation and selection of efficient methods for the  
over-all mechanization of basic processes in the construction  
of industrial railroad buildings

Degree: Cand Tech Sci

*Defended at*  
*Publication*  
Affiliation: Min Transportation Construction USSR, All-Union Sci Res Inst  
Transportation Construction

Defense Date, Place: 1956, Moscow

Source: Knizhnaya Letopis', No 48, 1956

ALEKSEYEV, A.P.

Work of the construction industry for railroad transportation.  
Transp. stroi. 7 no.12:1-3 D '57. (MIRA 11:2)

1. Glavnyy inzhener Glavzheldorstroya Povolzh'ya i Yuga.  
(Construction industry)  
(Railroads--Buildings and structures)

ALEKSEYEV, A.P., kand.tekhn.nauk.

"Construction of railroad buildings" by F.G. Sokolov. Reviewed  
by A.P. Alekseev. Transp. stroi. 8 no.3:31-32 Mr '58.  
(MIRA 11:4)

(Railroads--Buildings and structures)  
(Sokolov, F.G.)

ALEKSEYEV, A.P.

Demonstration construction of electrified sections. Transp. stroi.  
8 no.11:9-10 N '58. (MIRA 12:1)

1.Glavnyy inzhener Glavzheldorstroya Povol'zh'ya i Yuga.  
(Railroads--Electrification)

~~ALEKSEYEV, A. F.~~

Selecting machinery for erecting buildings on traction substations.  
Transp. stroi. 9 no.10:16-18 0 '58. (MIRA 11:11)

1. Glavnyy inzh. Glavzheldorstroya Povolzh'ya i Yuga.  
(Railroads--Buildings and structures)

ALEKSEYEV, A.P.

Rapid method for treating reinforced concrete products in  
autoclaves. Transp.stroi. 9 no.12:31-33 D '59.

(MIRA 13:5)

1. Glavnyy inzhener Glavzheldorstroya Povolzh'ya i Yuga.  
(Autoclaves) (Reinforced concrete)

ALEKSEYEV, A. P., kand.tekhn.nauk

About a book on reinforced concrete supports for overhead  
lines. Transp.stroi. 9 no.5:60-61 My '59. (MIRA 12:12)  
(Electric lines--Poles)



ALEKSEYEV, A.P.

Making large gypsum slag partitions in vertical forms. Transp.stroi.  
9 no.6:22-24 Je '59. (MIRA 12:11)

1. Glavnyy inzhener Glavzheldorstroya Povolzh'ya i Yuga.  
(Walls) (Gypsum)

ALEKSEYEV, A.P.

Using blasting in making holes for installing contact-system  
poles. Transp.stroi. 9 no.7:24-26 (MIRA 12:12)  
(Electric lines--Poles) (Blasting) (Electric railroads)

ABRIKOSOV, S.V.; ALEKSEYEV, A.P.; ZOTOV, N.M.; KUDRYASHOV, G.F.; LAPOV, N.I.;  
LEBEDEV, V.P., inzh.; CHEKMELEV, Ye.Ye.; MEYEROVICH, Ye.A., inzh.,  
retsensent; RYBAKOVA, V.I., inzh., red.izd-va; SOKOLOVA, T.F.,  
tekhn.red.

[Gasoline-electric and diesel-electric power units with a capacity  
from 0.5 to 400 kilowatts; reference book] Benzoelektricheskie  
i dizel'elektricheskie agregaty moshchnost'iu ot 0,5 do 400 kvv;  
spravochnik. Pod red. V.P.Lebedeva. Moskva, Gos.nauchno-tekhn.  
izd-vo mashinostroit.lit-ry, 1960. 543 p.

(MIRA 14:1)

(Electric power stations)

~~ALEKSEYEV, A.P.~~, kand.tekhn.nauk; BOGIN, N.M., kand.tekhn.nauk;  
SHPAKOV, B.V., kand.tekhn.nauk; SHURYGIN, V.P., kand.tekhn.nauk

Prestressed reinforced concrete three-stake poles with elastic  
cross pieces. Transp.stroi. 10 no.3:16-20 Mr '60.  
(MIRA 13:6)

(Electric lines—Poles)

ALEKSEYEV, A.P., kand.tekhn.nauk

Modern designs of reinforced concrete contact-network poles. Bet.  
i zhel.-bet. no.11,493-497 N '60. (MIRA 13:11)

1. Glavnyy inzhener Glavzheldorstroya Povolzh'ya i Yuga  
Mintransstroya. (Electric lines--Poles)

KUNGURTSEV, Andrey Andreyevich; DYUNIN, A.K., kand. tekhn. nauk, retsenzent;  
ALEKSEYEV, A.P., inzh., nauchnyy red.; ZUBKOVA, M.S., red. izd-va;  
ZUBKOVA, M.Ye., red. izd-va; DONSKAYA, G.D., tekhn. red.

[Planning and design of snow protection measures for railroads] Pro-  
ektirovanie snegozashchitnykh meropriyatii na dorogakh. Moskva,  
Nauchno-tekhn. izd-vo M-va avtomobil'nogo transp. i shosseinykh dorog  
RSFSR, 1961. 106 p. (MIRA 14:10)

(Railroads--Snow protection and removal)

ALEKSEYEV, Aleksey Pavlovich, kand.tekhn.nauk; SESSAREVSKIY, A.N., inzh.,  
retsensent; PAUL', V.P., inzh., red.; BOBROVA, Ye.N., tekhn.red.

[Overall mechanization of construction operations in the  
electrification of railroads] Kompleksnaya mekhanizatsiya stroi-  
tel'nykh rabot pri elektrifikatsii zheleznnykh dorog. Moskva, Vses.  
izdatel'sko-poligr.ob'edinenie M-va putei soobshchenia, 1961. 141 p.  
(MIRA 14:6)

(Railroads—Electrification)

KLAUZ, Pavel Leonidovich, kand. tekhn. nauk, dots.; KRYUKOV, Georgiy Nikolayevich, kand. tekhn. nauk, dots.; CHERNYSHEV, M.A., prof., retsenzent; ALEKSEYEV, A.P., kand. tekhn. nauk, retsenzent; IVANOV, K.Ye., kand. tekhn. nauk, retsenzent; TIKHOMIROV, V.I., inzh., retsenzent; NEKLEPAYEVA, Z.A., inzh., red.; USENKO, L.A., tekhn. red.

[Organization and operation of mechanized construction and track maintenance work] Organizatsiya i proizvodstvo mekhanizirovannykh stroitel'nykh i putevykh rabot. Moskva, Transzheldorizdat, 1962. 267 p. (MIRA 15:12)

(Railroads--Maintenance and repair)  
(Railroads--Construction)



ALEKSEYEV, Aleksey Pavlovich, kand. tekhn. nauk; DISSON, Pavel Solomonovich, inzh.; SESSAREVSKIY, Aleksandr Nikolayevich, inzh.; SMOL'YANINOV, Aleksandr Andreyevich, kand. tekhn. nauk; SHURYGIN, Vladimir Pavlovich, kand. tekhn. nauk; SHADRIN, N.A., prof., retsenzent; GOL'SHUKH, V.V., inzh.; ABRAGAM, S.R., inzh., red.; BOBROVA, Ye.N., tekhn. red.

[Construction operations in railroad electrification] Stroitel'-nye raboty pri elektrifikatsii zheleznnykh dorog. [By] A.P. Alekseev i dr. Moskva, Transzheldorizdat, 1962. 287 p.  
(MIRA 15:12)

(Railroads—Electrification)  
(Railroads—Buildings and structures)

ALEKSEYEV, A.P., kand.tekhn.nauk; SHURYGIN, V.P., kand.tekhn.nauk

Optimum time of "intervals" in the electrification of railroads.  
Zhel.dor.transp. 44 no.1:52-54 Ja '62. (MIRA 14:12)  
(Railroads--Electrification)  
(Railroad engineering)

KIROV, S.A., kand.tekhn.nauk; LISTOV, A.M., kand.tekhn.nauk; KOPYSHTA, I.L., inzh.; DROZDOV, V.A., kand.tekhn.nauk; TITORENKO, N.Ye., kand.tekhn.nauk; BUTOR, A.I., inzh.; Primali uchastiye: ALEKSEYEV, A.P., kand.tekhn.nauk; MALYSHEV, Ye.G., kand.tekhn.nauk; GAGARIN, Yu.A., inzh.; TITOV, S.A., inzh.; TUMARINSON, N.S. inzh.; KRUTIKOV, V.I., inzh., red.; MEDVEDEVA, M.A., tekhn.red.

[Completely precast buildings with few stories] Polnosbornye maloetazhnye zdaniia. Moskva, Vses. izdatel'sko-poligr. ob"edinenie M-va putei soobshcheniia, 1962. 87 p. (Vsesoiuznyi nauchno-issledov. institut transportnogo stroitel'stva. Trudy no.44). (MIRA 15:8)

(Railroads—Buildings and structures)

(Precast concrete construction)

ALEKSEYEV, Aleksey Pavlovich, kand. tekhn. nauk; DISSON, Pavel Solomonovich, inzh.; SESSAREVSKIY, Aleksandr Nikolayevich, inzh.; SMOL'YANINOV, Aleksandr Andreyevich, kand. tekhn. nauk; SHURYGIN, Vladimir Pavlovich, kand. tekhn. nauk; SHADRIN, N.A., prof., retsenzent; GOL'SHUKH, V.V., inzh., retsenzent; ABRAGAM, S., inzh., red.; BOBROVA, B.N., tekhn. red.

[Construction work in railroad electrification] Stroitel'nye raboty pri elektrifikatsii zheleznykh dorog. Utverzhdeno Glavnym upravleniem uchebnymi zavedeniami MPS v kachestve uchebnogo posobiya dlia vysshikh uchebnykh zavedenii zheleznodorozhnogo transporta. [By] A.P. Alekseev i dr. Moskva, Transzheldorizdat, 1962. 287 p. (MIRA 16:2)

(Railroads--Electrification)

ALEKSEYEV, A.P.; CHEKMENEV, Ye.Ye.; RADIN, V.I., kand.tekhn.nauk,  
retsenzent; SAVEL'YEV, Ye.Ya., red.; SOKOLOVA, T.F.,  
tekhn. red.

[Electrical machinery with carburetor engines] Elektroag-  
regaty s karbiuratornymi dvigateliami. Moskva, Mashgiz,  
1963. 294 p. (MIRA 16:11)  
(Diesel electric power plants)

ALEKSEYEV, A. P., kand. tekhn. nauk

"Buildings in railroad transportation" by T. G. Onufriev,  
B. N. Shatiyev, T. Ya. Ivan'ko, L. S. Gerol'skaya, M. P.  
Sarycheva, S. P. Kostyayev[deceased]. Reviewed by A. P.  
Alekshev. Transp. stroi. 13 no.3:60-61 Mr '63.  
(MIRA 16:4)

(Railroads--Buildings and structures)  
(Shatiyev, B. N.) (Ivan'ko, T. Ya.)  
(Gerol'skaya, L. S.) (Sarycheva, M. P.)  
(Kostyayev, S. P.[deceased])

ALEKSEYEV, A.P. (Rostov-na-Donu); IVANOV, I.N. (Rostov-na-Donu)

Over-all reorganization of the Northern Caucasus Railroad. Zhel.  
dcr.transp. 45 no.2:68-73 F '63. (MIRA 16:2)

1. Glavnyy inzh. Glavnogo upravleniya zheleznodorozhnogo stroitel'stva  
Povolzh'ya i Yuga Ministerstva transportnogo stroitel'stva SSSR  
(for Alekseyev). 2. Glavnyy inzh. tresta "Sevkavtransstroy" (for  
Ivanov).

(Caucasus, Northern Railroads—Electrification)

MITURSKIY, Sergey Nikolayevich; BRONSHTEYN, L.A., kand. tekhn.  
nauk, retsenzent; ALEKSEYEV, A.P., red.

[Building expenditures in automotive transportation;  
consolidated indices] Stroitel'nye raskhody na avto-  
dorozhnom transporte; ukрупnennye pokazateli. Moskva,  
Avtotransizdat, 1963. 100 p. (MIRA 18:2)



ALEKSEYEV, Aleksey Pavlovich, kand. tekhn. nauk; IVANOV, Igor'  
Nikolayevich, inzh.; MALIMANOV, Yuriy Ignat'yevich,  
inzh.; SESSAREVSKIY, Aleksandr Nikolayevich;  
VELICHKIN, Ye.A., red.

[Handbook on construction work for the electrification of  
railroads] Spravochnik po stroitel'nyim rabotam pri elek-  
trifikatsii zheleznykh dorog. [By] A.P.Alekseev.i dr. Mo-  
skva, Izd-vo "Transport," 1964. 322 p. (MIRA 17:6)

ALEKSEYEV, A. P.

ALEKSEEV, A. P., NIKOLAI NIKOLAEVICH IVANOV, and N. G. SOKOL'SKII.

Opyt stroitel'stva vzletno-posadochnykh polos na aerodromakh SSHA i Kanady; pod red. N. M. Nazarova. Moskva, Dorizdat, 1944. 151 p., illus., diags.

Title tr.: American and Canadian experience in landing strip construction.

TL725.3.R8I8

SO: Aeronautical Sciences and Aviation in the Soviet Union, Library of Congress, 1955.

KUDRYAVTSEV, M.N.; ALEKSEYEV, A.P., redaktor; ZAMAKHAYEV, M.S., redaktor  
GALAKTIONOVA, Ie.N., tekhnicheskiy redaktor

[Automobile reads] Avtomobil'nye dorogi. Izd. 2-e ispravl. i dop.  
Moskva, Izd-vo dorozhno-tekhn. lit-ry Gushosdora MVD SSSR. Pt. 2  
[Repair, maintenance and planning] Remont, sodержanie i proek-  
tirovanie. 1950. 234 p. (MIRA 8:6)  
(Roads--Maintenance and repair)

ANOKHIN, A.I., doktor tekhnicheskikh nauk, prof. [deceased]; BORODACHEV, I.P. kand. tekhnicheskikh nauk; BROMBERG, professor; VASIL'YEV, A.A., laureat Stalinskoy premii; PETERS, kandidat tekhnicheskikh nauk; POLOSIN-NIKITIN, S.M., kandidat tekhnicheskikh nauk; PHUSSAK, B.N., inzhener; RITOV, M.N., inzhener; FEYNBERG, G.M., inzhener; ESTRIN, M.I., inzhener; ALEKSEYEV, A.P., inzhener; BIRULYA, A.K., professor, doktor tekhnicheskikh nauk; BOLDAKOV, Ye.V., doktor tekhnicheskikh nauk; BOCHIN, V.A., laureat Stalinskoy premii, inzhener; VOIKOV, M.I., professor; GIBSHMAN, Ye.Ye., professor, doktor tekhnicheskikh nauk; DONCHENKO, V.G., dotsent, kandidat tekhnicheskikh nauk; ZHURAVILEV, A.Ya., laureat Stalinskoy premii; IVANOV, N.N., laureat Stalinskikh premii, professor, doktor tekhnicheskikh nauk; KUVASOV, A.S., inzhener; NEKRASOV, V.K., kandidat tekhnicheskikh nauk; POLOSIN-NIKITIN, S.M., dotsent, kandidat tekhnicheskikh nauk; KHLEBNIKOV, Ye.L., laureat Stalinskoy premii, professor; ORNATSKIY, N.V., doktor tekhnicheskikh nauk, professor, redaktor; VOSKRESENSKIY, N.N., redaktor; KOVALIKHINA, N.F., tekhnicheskii redaktor

[Manual for highway engineers; road building machinery] Spravochnik inshenera dorozhnika; dorozhno-stroitel'nye mashiny. Moskva, Izd-vo dorozhno-tekhn. lit-ry. Gushosdora MVD SSSR, 1952. 698 p.  
[Microfilm] (MIRA 9:2)

(Road machinery)