

DIKOVSKIY, A.M., dotsent

Skin lesions in brucellosis. Vest. ven. i derm. no.6:13 H-D '54.
(MLRA 8:2)

1. Iz kliniki infektsionnykh bolezney (sav.-dotsent A.M.Dikovskiy)
Stalingradskogo med. instituta.
(BRUCELLOSIS, complications
skin dis.)
(SKIN, diseases
in brucellosis)

DIKOVSKIY, A.M., dotsent

New classification of brucellosis. Vrach.delo no.8:803 Ag '57.
(MLRA 10:8)

1. Kafedra infektsionnykh bolezney (zav. - dotsent A.M.Dikovskiy)
Samarkandskogo meditsinskogo instituta
(BRUCELLOSIS--CLASSIFICATION)

DIKOVSKIY, A.M.; MANGASAROVA, A.A.

Study of brucellosis among parturients. Med.zhur.Uzb. no.1:35-37
Ja '59. (MIRA 13:2)

1. Iz kafedry infektsionnykh bolezney (zaveduyushchiy - dotsent
A.M. Dikovskiy) i akushersko-ginekologicheskoy kliniki (zavedu-
yushchiy - prof. G.I. Ioffe-Golubchik) Samarkandskogo gosudarst-
vennogo meditsinskogo instituta imeni I.P. Pavlova.
(BRUCELLOSIS) (PREGNANCY)

DIKOVSKIY, A.M., dotsent

"Health resorts, sanatoriums and rest homes in Siberia" by
A.S.Shmitkova. Reviewed by A.M.Dikovskii. Vop.kur., fizio-
ter. i lech. fiz. kul't. 27 no.5:464-466 S-O'62. (MIRA 16:9)
(SIBERIA--HEALTH RESORTS, WATERING PLACES, ETC.)
(SHMITKOVA, A.S.)

SHIPKOV, S.N., dotsent; KONSTANTINOV, V.I., inzhener (Moscow); DIKOVSKIY,
B.S., dotsent, kandidat tekhnicheskikh nauk.

Remarks on a textbook of theoretical electrical engineering for
schools of higher learning. ("Principles of Electrical Engineering."
K.A.Krug, ed. Reviewed by S.N.Shipkov, V.I.Konstantinov, B.S.Dikov-
skii). Elektrichestvo no.3:73-76 Mr '54. (MLRA 7:4)

1. Kuybyshevskiy industrial'nyy institut im. Kuybysheva (for Shipkov).
2. Ivanovskiy energeticheskii institut (for Dikovskiy).
(Electric engineering—Problems, exercises, etc.)

DIKOVSKIY, F. F.
CA

110

Turgidity and water content of leaves of grain plants.
D. M. Novogrudskii and F. P. Dikovskii. *Doklady Akad.
Nauk S.S.S.R.* 58, 671-3(1947).—Measurement of the force
required to produce a given deformation of a leaf as a meas-
ure of elasticity (diagram of app. supplied) with specimens
of *Setaria viridis*, *Echinochloa crus.* and *Agropyron cristatum*
show a parallelism between the turgor and the water con-
tent of the leaves. Repeated satn. of a leaf with H_2O how-
ever does not necessarily cause a corresponding increase of
turgor, thus indicating that the phenomena involved are only
partly reversible.
G. M. Kosolapoff

Dikovskii, F. F.
CA

15

Determination of oxygen requirement of soil as a means of evaluation of possibility of development of aerobic microbiological processes. R. F. Dikovskii (Agr. Sta., Karaganda). *Doklady Akad. Nauk S.S.S.R.* 80, 253-4 (1951). The O consumption by soil samples was detd. by a manometric method (a diagram of the app. is shown) which allows continuous observation of the rate. The farm soils of Mid-Kazakhstan were examd. Soils after potato plating show fairly high O requirement; sterilization at 120° reduced O consumption very drastically, but replating with meadow grasses, wheat, etc. leads to a rapid rise of O consumption. The results parallel the development of bacterial population. Graphical interpretation of the results is discussed.

G. M. Kosolapoff

DIKOVSKIY, F.F.

Homogram for calculating the hemoglobin content in an erythro-
cyte. Lab. delo 7 no. 11:47-50 N '61. (MIRA 14:10)
(ERYTHROCYTES) (HEMOGLOBIN)

GORODISSKAYA, G.Ya., prof., doktor med. nauk, otv. red.; BLOKHINA, I.N., red.; GUSEVA, V.A., red.; DIKOVSKIY, F.F., red.; ZIMINA, V.S., red.; LAZOVSKAYA, A.L., red.; PEROVA, R.S., red.

[Biochemistry of microbes] Biokhimiia mikrobov; sbornik trudov. Gor'kii, 1964. 427 p. (MIRA 17:12)

1. Gorki. Gor'kovskiy nauchno-issledovatel'skiy institut epidemiologii i mikrobiologii.

#

103

**The
End!**