

FLEISCHMANIS, B.

"A grave form of exudative multiform erythema (Stevens' and Johnson's syndrome) and its treatment by penicillin." p. 432. (CASOPIS LĚKARU ČESKÝCH, Vol. 98, no. 16, Apr. 1953, Praha.)

SO: Monthly List of East European Accessions, Vol. 2, 10, Library of Congress
October 1953, Uncl.

FLEISCHHANS, Boh., Dr.

Perforation of cardiac septum from left ventricle to right chamber
in bacterial endocarditis. Cas. lek. cesk. 94 no.5:118-121 28
Jan 55.

1. Vnitřní oddel. Okrasn. ustavu nar. zdraví ve Slanem- primar
MUDr Bohuslav Fleischhans.

(CARDIAC SEPTUM, perforation
intraventric., in bact. endocarditis)
(ENDOCARDITIS, BACTERIAL, complications
cardiac septum perf., intraventric.)

~~FLEISHMANS~~, Bohuslav, Dr.; NEUMANN, Miroslav, Dr.; KLIMA, Jaroslav, Dr.;
BARTA, Vladimir, MUC; KVASHNICKA, Vladimir, MUC; MAXA, Miroslav, MUC

Chronic bronchitis and pulmonary emphysema in farmers. Cas. lek.
cesk. 94 no.7:158-163 11 Feb 55.

1. Interni oddeleni OUNZ ve Slanem; primar MUDr Bohuslav Fleischmans
(OCCUPATIONAL DISEASES
bronchitis & pulm.emphysema in agriculture)
(AGRICULTURE
bronchitis & pulm. emphysema in farmers)
(EMPHYSEMA, PULMONARY
in agricultural workers)
(BRONCHITIS
in agricultural workers)

FLEISCHHANS, Boh.; BARTA, Vlad.; KVASNICKA, Vlad. MAXA, Mir.

Data on the electrocardiographic diagnosis of right ventricular hypertrophy in cor pulmonale. Cas. lek. cesk. 98 no.10:299-304
6 Mar 59.

1. Interni oddeleni Okresního ústavu národního zdraví ve Slaném,
primar MUDr. Bohuslav Fleischhans.

(PULMONARY HEART DISEASE, diag.

ECG in right ventric. hypertrophy in chronic pulm.
heart dis. (Cz))

(ELECTROCARDIOGRAPHY, in various dis.

right ventric. hypertrophy in chronic pulm. heart
dis. (Cz))

(CARDIAC ENLARGEMENT

ECG in right ventric. hypertrophy in chronic pulm.
heart dis. (Cz))

CZECHOSLOVAKIA

FLEISCHHANS, Bohuslav, MUDr. CSc.
~~*****~~

Section of Internal Medicine, Regional Hospital Ceske Budejovice
(Interni oddeleni krajske nemocnice, Ceske Budejovice), (Fleischhans
- Head).

Prague, Prakticky lekar, No 24, 20 December 1965, pp 934

"Epidemiological Research on cardiovascular and chronic respiratory
diseases."

FLEISCHMAN, M.

"Component parts for Fine Mechanics" by Richter, Voss and Kozer.
Reviewed by M. Fleischman. Strojirenstvi 11 no.11:877 N '61.

(Mechanics) (Richter) (Voss) (Kozer)

FLEISCHMAN, Martin

"Mechanical engineering tables" edited by [dr.] Kismarty
Lorand. Reviewed by Martin Fleischman. Stroj vyr 12
no.1:73 Ja'64.

FLEISHMAN, N.P., kand.fiziko-matematicheskikh nauk, dotsent; GRACH, S.A.

Axisymmetric bending of circular and annular plates with concentric
extrusions. Vest. mash. 41 no. 5:19-23 My '61. (MIRA 14:5)
(Elastic plates and shells)

FILE 150.111111, J.
REINIS, Z; SKOP, V; FLEISCHMANN, J.

Direct lumbar aortography. Cas. lek. cesk. 89 no.29:809-811
21 July 1950. (CIML 20:1)

1. Of the Institute of Anatomy of Charles University. 2. Of the
Fourth Internal Clinic.

FLEISCHMANN, J.

HERMANSKY, F.; FLEISCHMANN, J.

Cytochemical investigation of polysaccharides in the blood
cells and blood-forming tissue. Sborn. lek., Praha 53 no. 57:182-
194 Nov. 1951. (CML 21:3)

1. Of the First Internal Clinic (Head--Prof. M. Netousek, M. D.)
of Charles University, Prague and of the Institute of Anatomy
(Head--Prof. Ladislav Borovansky, M. D.).

LINC, R.; FLEISCHMANN, J.

A new anatomical terminology: Nomina anatomica parisiensia, P.N.A.
1955. Cas. lek. cesk. 98 no.14:419-425 3 Apr 59.

1. Anatomické oddělení VSP, Praha a katedra biologických věd ITV, Praha.
R. L., Praha 1, Ujezd 450.

(ANATOMY

terminol., hist. & comparison of new Nomina anat.
parisiensia & Jena terminol. (Cz))

FLEISCHMANN, László, dr., orvostudományok doktora.

Experience with surgery of otosclerosis. Orv. hetil.
95 no.45:1237-1240 7 Nov 54.

1. A Fovarosi Peterfy Sándor-utcai Korház-rendelő
(igazgató: Lendvay, József dr.) Ful-orr-gegeosztályának
(főorvos: Fleischmann, László dr., az orvostudományok doktora.
(OTOSCLEROSIS, surgery,)

~~FLEISCHMANN~~ ~~L~~
SZMUK, Imre, dr.; BACH, Imre, dr.; DANZIGER, László, dr.; ~~FEKETE~~, Balázs, dr.;
FLEISCHMANN, László, dr.; JAKO, Géza, dr.; MISSURA, Tibor, dr.;
FÖPPER, Szussanna, dr.; SZABADOS, Daisy, dr.

Use of radioiodine in localization of inflamed regions (foci,
abscesses). Orv. hetil. 97 no.34:949-951 19 Aug 56.

1. A Fovarosí Peterfy Sándor u. Korházrendelő (igazgató:
Lendvai, József, dr.) közleménye.

(BRAIN, abscess

exper., localisation with radioiodine in dogs (Hun))

(IODINE, radioactive

in localization of exper. brain abscesses in dogs (Hun))

FLEISCHMANN, Laszlo, Dr.

Circulatory disorders in the cranial cavity occurring in connection with sinus thrombosis. Orv. hetil. 99 no.6:195-198 9 Feb 58.

1. A Fovarosí Peterfy Sándor utcai Kórház-rendelő (mb. igazgató-főorvos: Galocsi György dr.) Fül-orr-gege Osztályának (főorvos: Fleischmann László dr., az orvostudományok doktora) közleménye.

(SINUS THROMBOSIS, surg.

compl., postop. temporary hemiplegia (Hun))

(HEMIPLEGIA, etiol. & pathol.

surg. of sinus thrombosis causing temporary postop. hemiplegia (Hun))

FLEISCHMANN, Laszlo, dr.; FURSTNER, Jozsef, dr.; KRALOVANSZKY, Zoltan, dr. D

Investigations on heat conduction in heat irritation of the
labyrinth. *Ful-orr-gegyogy.* 6 no.3:97-104 S '60.

1. A Fovarosí Peterfy S. utcai kórház-rendelő *Ful-orr-gegeosztályának*
(Főorvos: Fleischmann Laszlo dr.) közleménye
(LABYRINTH physiol.)

FLEISCHMANN, M.

Xanthoma of the knee joint. Acta chir.orthop.traum.czech.27 no.4:
386-390 Ag'60.

1. Ortopedicko-traumatologické oddělení Ústřední vojenské
nemocnice v Praze, přednosta plk. MUDr. Bohumil Eiselt.
(CARCINOMA BRONCHOGENIC case reports)

FLEISCHMANN, Miroslav

Traumatic skin avulsion. Rozhl.chir.39 no.12:829-832 D '60.

1. Traumatol-ortoped. odd. Ustr. voj. nemocnice v Praze, predn.
MUDr. Bohumil Eiselt.
(SKIN wds & inj)

FLEISCHMANN, Miroslav; BOREK, Vladimir

Contribution to the differential diagnosis of bone tumors. Acta
chir. orthop. trauma. Cech. 28 no.2:100-104 Ap '62.

1. Ortopedicko-traumatologicke odd. Ustr. voj. nem. v Praze, predn.
prim. MUDr. B.Eiselt;
(BONE AND BONES neopl)

CIHAK, Radomir; EISELT, Bohumil; FLEISCHMANN, Miroslaw.

Reconstruction of thumb opposition by intrinsic hand muscles.
Acta Univ. Carol. [med.] (Praha) 9 no.1:3-26 '63

1. Department of Anatomy , Faculty of General Medicine, Charles
University in Prague (Director: prof. L. Borovansky, M.D.,
Dr.Sc) and Orthopaedic Section of the Central Military Hospital
in Prague-Stresovice (Director: B. Eiselt, M.D.).

FLEISCHMANN, M.

Experiences in the surgical treatment of supracondylar fractures of the humerus in children. Acta chir. orthop. traum. cech. 30 no.3:234-239 Js '63.

1. Ortopedické oddelení UVN v Praze, vedoucí MUDr. B. Eiselt.
(HUMERAL FRACTURES) (FRACTURE FIXATION)
(RADIOGRAPHY) (NEUROLOGIC MANIFESTATIONS)
(SURGERY, OPERATIVE) (ARM INJURIES)
(BLOOD CIRCULATION)

EISELT, Bohumil, plukovník MDr.; CIHAK, Radomír, doc. MDr. CSc.;
FLEISCHMANN, Miroslav, podplukovník MDr.

Contribution to the technique of blood collecting from cadavers.
Voj. zdrav. listy 34 no.3:105-108 Je '65.

1. Z traumatologicko-ortopedického oddělení UVN a Anatomického
ústavu fakulty všeobecného lékařství Karlovy University v Praze.

FLEISCHMANN, M.

CZECHOSLOVAKIA

ARMSTRONG, R. D.; FLEISCHMANN, M.; KORYTA, J.

1. Dept. of Physical Chemistry, Univ. of Newcastle-upon-Tyne,
England (for all); 2. J. Heyrovsky Polarographic Institute,
Czechoslovak Academy of Sciences, Prague (for Koryta)

Prague, Collection of Czechoslovak Chemical Communications, No. 12,
Dec 1965, pp 4343-4346

"Anodic polarographic waves involving insoluble mercury salt formation."

ACC NR: AP6019141

SOURCE CODE: CZ/0048/66/000/004/0120/0122

AUTHOR: Fleissig, J.

ORG: none

TITLE: The whole world is amazed [the power of parapsychology]

SOURCE: Veda a technika mladezi, no. 4, 1966, 120-122

TOPIC TAGS: parapsychology, psychologic warfare

ABSTRACT: The author comments derisively on a recent article published in the Sunday Mirror of London, which reported on an experiment by the Czech inventor Pavlita, chief of a development workshop of an enterprise in Morice. The experiment dealt with "telekinesis." The inventor claimed that he was able to stop the rotation of a tiny propeller of a little motor merely by looking at it. The inventor claimed that he was able to do so by strange biological currents which come from his brain. The Sunday Mirror referred to the experiment as the most demanding research ever undertaken by anyone. The author suggests that the experiment was a fraud, gives examples of parapsychology, spiritualism, extrasensory perception, which by their implications lead directly to naive worshipping of God and the world beyond. As a specific example the author cites the case of a couple who claimed that they were able to move a little table by the "fluid" of mental telepathy. He describes his interview with the couple

Card 1/2

ACC NR: AP6019141

as an embarrassing comedy and a fraud. He states that such nonsense should be dealt with more appropriately by a psychiatrist. He points out that times have changed. Today no patient claims to be a Napoleon. Instead, people "outside of the norm" talk with the crews of flying saucers. Orig. art. has: 3 figures.

SUB CODE: 05,15/ SUBM DATE: none

Card 2/2

S/194/62/000/011/008/062
D201/D308

AUTHOR: Fleissig, Jan

TITLE: A device for the addition and subtraction of numbers,
particularly of numbers in the decimal system of
counting

PERIODICAL: Referativnyy zhurnal, Avtomatika i radioelektronika,
no. 11, 1962, 40, abstract 11-1-80n (Czech. pat.,
cl. 42m, 15, no. 99453, Apr. 15, 1961)

TEXT: Patent for a device for the addition and subtraction of num-
bers, designed for the use in quality control systems and in par-
ticular for the determination of the distribution dispersion of any
parameters of the controlled product. The device is distinguished
by the simplicity of manipulations required for calculation. It is
designed as a keyboard calculating machine and has 100 keys car-
rying numbers from 0 to 99. Each key is connected to a set of six
electrical contacts (closing when the key is depressed) and to a
vertical wiper, which is displaced by one step when the key is

Card 1/2

A device for the ...

S/194/62/000/011/008/062
D201/D308

pressed. In this way the number of depressions of the key, i.e. of terms, is determined. Depression of the key starts a step-by-step switch which sends pulses to an electromechanical adder until the latter reaches the positions corresponding to the closed contacts, at which the relays open circuits sending pulses to the separate digits of the counter. The device has a squaring circuit operating in a manner similar to that described above and a transfer unit for correct evaluation of the sum controlled directly by the corresponding digit rings of the counter. Instead of calculating the dispersion (the final determination of the magnitude of dispersion is manual, from data set on the panel and in the counter) the device, as a whole, may be used for calculating any other functions, which is made possible by appropriate mounting of the key contacts. 1 figure. /-Abstracter's note: Complete translation.-/ ✓

Card 2/2

FLEISSIG, O.

Kubias, J.; Fleissig, O. "A Quick and Precise Method of Determining the Hardness of Water." p. 91 (Uhli A Rudy, Vol. 1, no. 4, Apr. 1951, Praha)

SO: Monthly List of East European Accessions, Vol. 3, No. 3, Library of Congress, March 1954, Uncl.

FLEJSZEP, H.

Printing textile fabrics with dyes containing nitrosamine, Biuletyn Wlok. p. 20.
(PRZEMYSŁ WŁOKIENNICZY, Lodz, Vol. 7, no. 9/10, Sept./Oct. 1953.)

SO: Monthly List of East European Accessions, (EEAL), LC, Vol. 4, No. 6, Jan. 1955,
Uncl.

COUNTRY : POLAND
 CATEGORY : Chemical Technology. Chemical Products and Their Applications. Carbohydrates and Their Processing.
 ABS. JOUR. : RZhKhim., No 17, 1959, No. 62442
 AUTHOR : Flejszman, I. E.
 INSTITUTE :
 TITLE : Increase of Productivity of Sugar Refineries by Means of Reducing Removal of the Diffusion Juice.
 ORIG. PUB. : Gaz. cukrown., 1958, 60, No 11, 346-347

ABSTRACT : For the translation see Ref.Zhur.-Khimiya, 1958, No 3. 9918.

Card: 1/1

H - 105

CZECHOSLOVAKIA UDC 616.152(:546.815) - 074:545.33
 APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000413320005-3


SEDIVEC, Vaclav; FLEK, Jan; Institute of Hygiene and Occupational Diseases (Ustav Hygieny Prace a Chorob z Povolani)
 Prague, Director (Reditel) Prof Dr J. TEISINGER.

"Some Causes of Possible Errors in the Polarographic Determination of Lead in Blood."

Prague, Pracovni Lekarstvi, Vol 18, No 2, March 66, pp 74 - 78

Abstract [Authors' English summary modified]: The effect of the parameters of the Hg droplet on the height of the polarographic curves of lead solutions in HCl and in deproteinized blood filtrate was investigated. For correct results the Hg flow rate should be 1-4 mg/sec, and a droplet formed each 3-6 seconds; when the Hg flow is too high the results are distorted because of the fact that too large quantities of depolarizator are transported to the electrode. 3 Figures, 1 Table, 6 Western, 7 Czech, 4 Russian references. (Manuscript received 16 Aug 65).

1/1



C. a. FLEK, J.

1951

Mineralogical and Petrog.
Chemistry
8

Alum shales of Hromnice. Jindřich Flek. Věstník
Nátl. Geol. Ústavu Českoslov. Rep. 23, 40-55, in English
55-6 (1950).—The deposits which were formerly used for the
manuf. of oleum are described. The shales contain finely
divided pyrite which weathers to FeSO_4 and then to
 $\text{Fe}(\text{SO}_4)_2$. Spectrographic analysis of the shales revealed
traces of Zn, Cu, Mn, Pb, Ni, Co, Ag, Ti, Ca, Mg, Mo,
Ga, In, and As but not in sufficient quantity to allow ex-
ploitation. The compn. of the water in the lake and in the
adit was detd.
H. Newcombe.

FLEK, JAN

CZECHOSLOVAKIA / Chemical Technology, Chemical Products and J-9
Their Application. Treatment of natural gases and
petroleum. Motor and rocket fuels. Lubricants

Abs Jour : Referat Zhur - Khimiya, No 2, 1958, 5965

Author : Sedives Vaclav, Flek Jan

Inst : Not given *USTAV hyg. práce, PRAKUE*

Title : Determination of Benzene in Technical Gasoline

Orig Pub : Pracovni lekar., 1957, 9, No 3, 190-195

Abstract : Two methods are proposed for determination of benzene in technical and motor gasoline, which are based on nitration of the entire amount of aromatic hydrocarbons, selective oxidation of the nitration products of toluene and xylene, and extraction of unchanged dinitro benzene, with pyridine from a strongly alkaline medium or with butanone from a

Card 1/2

HUNGARY / Chemical Technology. Chemical Products and Their
Application - Treatment of natural gases and petroleum.
Motor and rocket fuels. Lubricants

J-9

Abs Jour : Referat Zhur - Khimiya, No 2, 1958, 5953

Abstract : with an electrophotometer on the basis of intensity of
current passing through the photocell. Between the logarithm
of Conradson's number and the logarithm of current intensity
there is a linear correlation (an example of calibration
curve is given). Chromatograms of spent oils containing
precipitates give an idea concerning dispersity of pre-
cipitate, the content of water, etc. The content of Fe in
the oils is determined colorimetrically from the coloration
of Fe-thiocyanate formed on dissolving calcined ash in
HCl acid.

Card 2/2

CZECHOSLOVAKIA/Chemical Technology- Chemical Products and Their Application. Chemical Processing of Natural Gases and Petroleum. Motor and Rocket Fuels. Lubricants. H.

Abs Jour : Ref Zhur - Khimiya, No 10, 1959, 30507

Author : Sedivec V., Flek, J.

Inst :

Title : A Rapid Analysis of Tetraethyl Lead in Benzines.

Orig Pub : Pracevi dkar.. 1953, 10, No 3, 270-272.

Abstract : There is described the Borup-Levin polarographic method for the determination of TEL in benzines, modified somewhat when employed under sanitary-hygienic supervision. In the authors' opinion, the method is more sensitive and permits to determine with accuracy the presence of TEL in benzines in very small quantities. The presence of other ingredients does not hinder the analysis, and a preliminary removal of them is not necessary. The method's error is $\pm 2.3\%$; the duration of the analysis is about 1 hour.

--- S. Rosenfeld

Card 1/1

H-133

CZECHOSLOVAKIA/Physical Chemistry. Thermodynamics. Thermochemistry. Phase Transitions. Equilibria. Physico-Chemical Analysis. E

Abs Jour: Ref. Zhur. - Khimiya, No. 4, 1959, 11027

Authors: Sedivec V., Flek J.

Inst : Not given

Title : Solubility of Metallic Diethyldithiocarbamates in Organic Solvents

Ustav hygieny práce a chorob z povolani, Prague

Orig Pub: Chem. listy, 1958, 52, No. 3, 545-547

Abstract: There was investigated the solubility of diethyldithiocarbamates-(Hg(2+), Ag(+), Pb(2+), Bi(3+), Cu(2+), Cd(2+), (As(3+), Sb(3+), Sn(4+), Fe(3+), Ni(2+), Co(3+), Zn(2+)-in ten organic solvents (95% ethanol, acetone, pyridine, ethyl acetate, isoamyl acetate CHCl₃, isoamyl alcohol, CCl₄, benzol, and ether). The solubility was determined by weighing the residue after evaporating 5 mg of the saturated solution of the compound in a corresponding solvent.

Card 1/2

The results indicate that the most suitable solvents

PIEX, J.

"History of ultramarine."

CHEMICKY PRUMYSL, Praha, Czechoslovakia, Vol. 9, No. 4, April 1959.

Monthly List of East European Accessions (EEAI), LC, Vol. 8, No. 2, September 1959.

Unclassified.

SEDIVEC, V.; FLEK, J.

Volumetric determination of carbon disulfide as diethyldithiocarbamate.
In German. Coll.Cz.Chem. 24 no.11:3643-3648 N '59. (KSAI 9:5)

1. Institut für Arbeitshygiene und Berufskrankheiten, Prag.
(Carbon disulfide) (Diethyldithiocarbamate)

SEDIVEC, V.; FLEK, J.

Determining the styrols by coversion into polynitrosite. Coll Cz
Chem 25 no.5:1293-1301 My '60.

1. Institut fur Arbeitshygiene und Berufskrankheiten, Prag.

SEDIVEC, V.; FLEK, J.

Determination of styrene in the air. Pracovní lek.12 no.8:418-422
0'60.

1. Ustav hygieny prace a chorob z povolani, Praha.
(BENZENE rel cpds)
(AIR POLLUTION)

SEDIVEC, Vaclav; FLEK, Jan

Distillation test in the determination of benzene in commercial toluene. Pracovni lek. 13 no.5:232-237 Je '61.

1. Ustav hygieny prace a chorob z povolani, Praha.

(TOLUENE chem) (BENZENE chem)

FLEK, Jindrich

On sulphur and vitriol. Chem prum 12 no.1:26-29 Ja '62.

FLEK, Jindrich

The beginnings of analytic chemistry. Chem prum 12 no.4:199-201
Ap '62.

FLSK, Jindrich

Development of the tar dye production; from the mauvein
to indigo. Chem prum 12 no.7:262-265 JI '62.

FLEK, Jindrich

Discovery of selenium and its occurrence in Czechoslovakia. Chem
prum 13 no.1:28-30 Ja '63.

FLEK, Jindrich

History of sulfuric acid development. Chem prum 14 no. 3:
159-162 Mr '64.

FLEK, Jindrich

The history of sulfuric acid. Pt.2. Chem prum 14 no.5:267-269
My '64.

FLEK, Jindrich

The history of sulfuric acid. Pt.3. Chem prum 14 no.6:325-327
Je '64.

SEDIVEC, V.; FLEK, J.

Extraction of heavy metal diethyldithiocarbamates with organic solvents. Coll Cz Chem 29 no.5:1310-1313 My '64.

1. Institute of Industrial Hygiene and Occupational Diseases, Prague.

FIEK, Jindrich

Sulfuric acid in the course of history. Pt.4. Chem prum 14 no.7:
382-385 J1 '64.

FLEK, Jindrich

Sulphuric acid in the course of history. Pt. 6. Chem prum 14 no.11:
609-612 N '64.

FLEK, Ludwik

Ludwik Fleck, in memoriam. Med. dosw. mikrob. 14 no.1:91 '62.
(OBITUARIES)

FLEKAC, N.

"Measuring Device for Longitudinal Grinding." p. 260, Praha, Vol. 2, no. 6, June 1954.
"An Automatic Idling Out-Off in Welding Apparatus." p. 261, Praha, Vol. 2, no. 6, June 1954.

SO: East European Accessions List, Vol. 3, No. 9, September 1954, Lib. of Congress

FLEKEL', I. M.

Flekal', I. M. - "Wartime ulcer disease in Leningrad," Vracheb.
delo, 1949, No. 2, columns 113-20

SO: U-3566, 15 March 53, (Letopis 'Zhurnal 'nykh Statey, No. 14, 1949).

Flekkel, A.B.

K-9

USSR/Optics - Physiological Optics

Abs Jour : Referat Zhur - Fizika, No 5, 1957, 13164

Author : Flekkel', A.B.

Inst :

Title : Concerning the Differential Diagnosis of Color Vision.

Orig Pub : Dokl. AN SSSR, 1955, 100, No 1, 57-60

Abstract : The author considers the problem of the degree of permissible deviations in color vision from the statistical mean norm for various occupations in connection with the need for distinguishing color signals. Comparative investigations of color vision were made (consisting of distinguishing color signals under field conditions and with the aid of the Rabkin table and the Rautian anomaloscope). On the basis of results obtained for 124 observers with color vision defects (which were selected with the aid of the Rabkin tables), the author reaches the conclusion that the quality of human color vision is determined not

Card 1/2

USSR/Optics - Physiological Optics

K-9

' Abs Jour : Ref Zhur - Fizika, No 5, 1957, 13164

so much by the difference in the composition of the Rayleigh equation, as by the level of sharpness of the color difference, and that correct recognition of color signals is insured independently of the degree of anomaly, provided the sharpness of the color separation is not reduced below one half of the norm.

Card 2/2

FLEKKEL', A.B.

Use of Iustova's tables in color sense research. Biofizika 1 no.8:
708-712 '56. (MLRA 9:12)

(COLOR SENSE) (IUSTOVA, E.N.)

FLEKKEL', A.B., polkovnik med.sluzhby, kand.med.nauk

Significance of absolute color vision thresholds in military medical
expert examination. Voen.-med.shur. no.10:51-53 O '58. (MIRA 12:12)
(COLOR VISION,
absolute threshold in military med. exam. (Rus))

FLEKKEL', A.B., kand.med.nauk, polkovnik meditsinskoy sluzhby

Effect of thin atmosphere on color sensitivity in various
states of color vision. Voen.med.zhur. no.5:32-35 My '59.
(MIRA 12:8)

(COLOR VISION, physiol.

eff. of high altitude on color sensitivity (Rus))

(ALTITUDE, eff.

on color sensitivity (Rus))

FLEKKEL', A.B., kand.med.nauk, polkovnik meditsinskoy sluzhby; MARUKHANYAN,
B.V., kand.med.nauk, podpolkovnik meditsinskoy sluzhby

Effect of prolonged radial acceleration on certain visual functions
in man. Voen.-med.shur. no.8:54-58 Ag '59. (MIRA 12:12)
(ACCELERATION, effects)
(VISION physiol.)

ACCESSION NR: AT4042718

S/0000/63/000/000/0460/0462

AUTHOR: Flekkel', A. B.

TITLE: Rotation and visual functions

SOURCE: Konferentsiya po aviatsionnoy i kosmicheskoy meditsine, 1963.
Aviatsionnaya i kosmicheskaya meditsina (Aviation and space medicine); materialy konferentsii. Moscow, 1963, 460-462

TOPIC TAGS: rotation experiment, visual function, visual acuity, flicker, fusion threshold, vision field, angular rotation

ABSTRACT: Speed of rotation in free fall and consequent internal accelerations at the level of the head may reach high values. In the present investigation of this problem, several visual functions (visual acuity, flicker fusion threshold, and field of vision) were evaluated under conditions of rotation at various speeds about various axes. Subjects were rotated at various speeds while sitting in an armchair tilted at various angles from the vertical or lying supine. Visual functions were tested preceding, during, and following rotation and on the day after rotation. Combinations of duration and speed of rotation causing a pronounced

Card 1/4

ACCESSION NR: AT4042718

(15% to 20%) impairment of visual function were considered sufficient; no attempt was made to establish limits of tolerance, lest physical trauma or functional disorders of the eyes result. In the sitting tests, a 15% to 20% reduction in flicker fusion frequency was induced by rotation at 1.75 revolutions per second (rps) when the trunk was vertical. The speed of rotation required to produce a similar effect decreased (to 0.5 rps) as inclination of the trunk from the vertical increased (to 90°). Analogous changes in visual acuity and field of vision occurred. In individual cases, when these combined limits were exceeded (2 rps with trunk vertical or 1.75 rps with the trunk at 20° and 30°), impairment of visual functions reached a value of 25% to 30%. In some individuals, rotation even at very slow speeds with the trunk 45° or more from the vertical caused hyperemia of the mucosa of the eyelids and vessels of the eyeball and noticeable dilatation of the vessels of the fundus. In supine tests, location of the axis of rotation relative to the trunk of the subject was a determiner of effect on visual function. Rotation had a greater effect with the axis of rotation in the vicinity of the feet or head than when it was located near the heart. A 15% to 20% impairment occurred with axis of rotation near the heart at a rotation speed of 1.0 rps; near the head, at 0.5 rps; and near the feet, at 0.25 to 0.5 rps. As a rule, visual function impairment depended on the duration of rotation. Maximum impairment was reached in the 5th to 6th minute of rotation after which restoration gradually oc-

Card 2/4

ACCESSION NR: AT4042718

curred. Full restoration was attained 4 to 5 minutes after cessation of rotation. The observed stabilization of impairment and restoration of visual functions is probably the result of vascular compensation triggered by circulatory disturbances. Analysis of results indicates that the degree of effect on visual functions or rotation around various axes passing through the body in different directions is significantly correlated with the amount of acceleration thereby created in the most distant part of the body. Visual impairment began with an acceleration at the head of the subject of 0.5 to 1.0 g. A 15% to 20% impairment was observed at an acceleration of 1.5 to 4 g, and a 30% impairment at an acceleration of 2.0 to 5.5 g. Severe ocular disturbances, such as hemorrhage into the ocular membranes, displacement of visual axes, pain, unusual colors in the field of vision, or loss of consciousness, which are often observed during exposure to radial pelvis-to-head accelerations, did not occur. In two cases a state bordering on swooning occurred during rotation around the head at 1.0 rps. The changes in visual function during exposure to rotation about an axis passing through the body correspond to a great degree with changes in motor coordination and other physiological functions observed under the same circumstances.

ASSOCIATION: none

Card 3/4

ACCESSION NR: AT4042718

SUBMITTED: 27Sep63

NO REF SOV: 000

ENCL: 00

SUB CODE: 18

OTHER: 000

Card 4/4

FLEKKEL', A.B., kand. med. nauk, polkovnik meditsinskoy sluzhby;
MEYER, L.N., kand. tekhn. nauk

Determination of standards of color vision in examination by
means of anomaloscope AM-56 and AN-57 for the practice of
medical flying expertise. Voen.-med. zhur. no.3:66-68 '65.
(MIRA 18:11)

PLAKSIN, Yakov Grigor'yevich; FLEKKEL' Arkadiy Il'ich; NIKITENKO,
Vasiliy Rodionovich; NOVIKOV, Grigoriy Porfir'yevich;
SHTODA, Ivan Ivanovich; MARKOVICH, M.P., kand.tekhn.nauk, dots.,
retsentsent; GRIGOR, V.I., dots., retsenzent; MITROKHIN, S.G., re-
tsenzent; SLAVIN, D.S., otv.red.; CHERNEGOVA, E.N., red.izd-va;
MAKSIMOVA, V.V., tekhn.red.

[Principles of building and mining-engineering structures]
Osnovy stroitel'nogo dela i gornoinzhenernye sooruzhenia.
Izd.2., dop. i perer. [By] I.A.G.Plaksin i dr. Moskva,
Gosgortekhnizdat, 1963. 463 p. (MIRA 16:12)
(Building) (Mine buildings)

FLEKOVA, M. MUDr.

FLEKOVA, M., MUDr

Lambiasis in children. Cesk. pediat. 10 no.1:44-47 Feb 55.

1. Thomayerova nemocnice ONV v Praze-Kroi, detske int. odd.; primar
MUDr M.Kratkova.

(GIARDIASIS, in infant and child
diag. & ther.)

EXCERPTA MEDICA Sec. 7 Vol. 9/9 Sept. 55

FLEKROVA M.
1943. FLEKROVA M. Thomayerova nemocn. ONV, Praha-Krči. Lambliasis v
dětském věku. Lambliasis in children PEDIAT. LISTY 1955, 10/1
(44-47)

Good results were obtained with atabrine in children with indefinite gastrointest.
inal disorders. The dosage was 0.03 - 0.05 g./kg. 3 times a day in children under
5 years of age and 0.1 g./kg. in older children. Three cycles of 5 days' duration
are recommended each after an interval of 10 - 12 days. Pavlák - Brno (XX, 7)

MELENT'YEV, B.N.; FLEKSER, G.I.

Analysis of rare earth titanium niobates by means of cupferron.
Trudy Inst. met. no.8:225-233 '61. (MIRA 14:10)
(Rare earth titanium niobates--Analysis)

FLEKSER, G.I.

Slag analysis with the use of trilon B. Trudy Inst. met. no.12:
264-267 '63. (MIRA 16:6)

(Slag--Analysis)

L 3416-66 EWT(m)/EWP(t)/EWP(b) IJ9(c) JD/GS

ACCESSION NR: AT5023108

UR/000/65/000/000/0324/0325 13

AUTHOR: Flekser, G. I. B+1

TITLE: Complexometric method of the determination of calcium by means of hydron II in the presence of large amounts of magnesium 27

SOURCE: Problemy bol'shoy metallurgii i fizicheskoy khimii novykh splavov (Problems of large-scale metallurgy and physical chemistry of new alloys); k 100-letiyu so dnya rozhdeniya akademika M. A. Pavlova. Moscow, Izd-vo Nauka, 1965, 324-325

TOPIC TAGS: calcium, colorimetric analysis, alkali, complexometry/hydron II, EDTA

ABSTRACT: I. S. Mustafin and Ye. S. Kruchkova (ZhAKh, 15, 1, 20, 1960) proposed a new indicator -- hydron II [a mixture of 1 volume of 0.5% aqueous solution of acid chrome dark-green and 2 volumes of 0.25% aqueous solution of naphthol yellow], for the determination of Ca in the presence of a 100-fold (molar) amount of Mg. On verifying this, the author experimented with using KOH instead of NaOH. KOH is

Card 1/2

L 3416-66

ACCESSION NR: AT5023108

added twice: prior to the precipitation of $Mg(OH)_2$ and following the addition of 2-3 drops of hydron II, prior to the transition of the solution's color from green to rose. Titration is performed with a 0.02 N solution of EDTA prior to the transition of the solution's color to green. The findings show that the use of KOH instead of NaOH makes it possible to determine Ca with a high accuracy in the presence of much larger amounts of Mg than specified by Mustafin and Kruchkova, namely, in the presence of a 1000-fold molar ratio of Mg to Ca. This is of practical value to determining insignificant amounts of Ca (0.2-1%) in Mg metal as well as in certain Mg alloys. Orig. art. has: 2 tables.

ASSOCIATION: none

SUBMITTED: 00

ENCL: 00

SUB CODE: GC, IC

NO REF SOV: 001

OTHER: 000

Card

2/2

med

SHCHEDROVITSKIY, S.S. Prinimali Uchastiye: FURER, G.L., inzh.; FLEKSER, L.A.,
inzh.; RYMAR', N.F., dotsent, nauchnyy red.; ZELKIN, I., red.izd-va;
MATVEYEVA, A.; tekhn. red.

[Mass measuring equipment] Tekhnika izmereniia massy. Moskva, Gos.
izd-vo standartov, 1961. 353 p. (MIRA 14:11)

1. Glavnyy konstruktor zavoda vesovykh avtomatov im. Dzerzhinskogo
(for Furer). (Weights and measures)
(Weighing machines)

FLEKSEN, L. A.

SHCHEDROVITSKIY, S.S.; FLEKSEN, L.A.

Investigating torsion balances. Iss. tekhn. no.3:26-31 My-Je '57.
(Torsion balance) (MLRA 10:8)

FLEKSER, L.A., inzh.; RADOVITSKIY, V.P., kand.tekhn.nauk

New apparatus for preparing roving and sliver sample
cuts. Tekst. prom. 20 no. 11:55-56 N '60. (MIRA 13:12)
(Textile industry--Testing)
(Textile industry--Equipment and supplies)

IVANOV, Sergey Savel'yevich, kand. tekhn.nauk; LEBEDEVA, Nina Nikolayevna, 0.5.82
NILOVA, Varvara Ivanovna; TSISHEVSKIY, Ivan Nikolayevich, kand.
tekhn. nauk; Primalni uchastiye: EYGES, Ye.G.; FLEKSER, L.A.;
SOLOV'YEV, A.N., dokt.tekhn.nauk, prof., retsenzent; ABRAMCHUK, N.N.,
inzh., retsenzent; CHUGREYEVA, V.N., red.; TRISHINA, L.A., tekhn.
red.; VINOGRADOVA, G.A., tekhn. red.

[Methods of determining the properties of cotton fibers] Metody op-
redeleniya svoistv khlopka-volokna. Pod red. S.S.Ivanova. Moskva,
Rostekhnizdat, 1962. 234 p. (Cotton—Testing) (MIRA 16:2)

FLEKSER, L.A.; DANILOVA, L.I. *relation*

Effect of the ^K between the number of cotton fibers in groups
and their transparency. Izv. vys. ucheb. zav.; tekhn. tekst.
prom. no.1:16-18 '64. (MIRA 17:5)

1. Moskovskiy tekstil'nyy institut.

FLEKSEH, L.A., kand. tekhn. nauk, nauchnyy sotrudnik; AYVAZIAN, S.A., mladshiy nauchnyy sotrudnik

Dependence between the indices of the numerical and weight distribution of cotton by its length. Tekst. prom. 24 no.3:67-72 Mr '64.
(MIRA 17:9)

1. Tsentral'nyy nauchno-issledovatel'skiy institut khlopchatobumazhnoy promyshlennosti (for Flekser). 2. Matematicheskiy institut AN SSSR imeni V.A. Steklova (for Ayvazyan).

~~XXXXXXXX~~ ⁷⁸ M.G., provizor (Moskva)

Prescriptions, dosage, and preparations of mixtures and drops;
unification of their volumes and dosages. Gyogyszerezs 9 no.5:
81-84 My '54.

(PRESCRIPTIONS)

*

(DRUGS, dos.)

*

(PHARMACY

*mixtures & drops, prep.)

OSADCHENKO, P.I.; FLEKSER, M.G.

Practice of obtaining plastic material for the preparation of pills
in pharmacy no. 84 in Moscow. Apt. delo 5 no.6:27-28 N-D '56.
(PILLS) (MLRA 10:1)

FLEKSER, M. Sh.

"On the Calculation of the Effect of the Inertia of Rotation and Intersecting Forces on the Transverse Vibrations of a Rod of Finite Length," by M. Sh. Flekser, Khar'kov, Inzhenernyy Sbornik, Vol 23, 1956, pp 138-139

The author derives equations which are analogies of classical boundary conditions for rods with fixed, supported, and free ends. The analogy is based on the fact that the motion of the rod results from the imposition of an infinite number of almost periodic vibrations. The article was submitted for publication in June 1954.

Sum 1219

FLEKSER, M.S.

SUBJECT USSR/MATHEMATICS/Functional analysis CARD 1/2 PG - 625

AUTHOR FLEKSER M.S.

TITLE On the spectral function of the operator

$$-\sum_{i,k=1}^3 \frac{\partial}{\partial x_i} \left[a_{ik}(x_1, x_2, x_3) \frac{\partial u}{\partial x_k} \right] + c(x_1, x_2, x_3)u.$$

PERIODICAL Mat.Sbornik, n. Ser. 40, 3-22 (1956)
reviewed 2/1957

The author transfers the results of Povsner (Mat. Sbornik, n. Ser. 32, 109-156 (1953)) on the spectral function of the operator $-\Delta u + cu$

$(\Delta = \sum_{i=1}^3 \frac{\partial^2}{\partial x_i^2})$ to the operator of elliptic type

$$Bu = -\sum_{i,k=1}^3 \frac{\partial}{\partial x_i} \left[a_{ik}(x_1, x_2, x_3) \frac{\partial u}{\partial x_k} \right] + c(x_1, x_2, x_3)u$$

which is considered in the whole space E . At first general properties of the elliptic equation

Mat.Sbornik, n. Ser. 40, 3-22 (1956)

CARD 2/2

PG - 625

$$\sum_{i,k=1}^3 \frac{\partial}{\partial x_i} (a_{ik} \frac{\partial u}{\partial x_k}) = 0$$

are considered. Then it is proved that the resolvent $R_{\lambda} (\bar{\lambda} \neq \lambda)$ of an arbitrary selfadjoint extension of the operator B is an integral operator with the kernel $H(p,q;\lambda)$, where the kernel satisfies the condition

$$\int_E |H(p,q,\lambda)|^2 dq < \infty \quad (p,q \in E).$$

Finally the fundamental properties of the spectral function of an arbitrary selfadjoint extension of the operator B are treated.

FLEKSER, M.Sh.

20-3-12/59

AUTHOR: Flekser, M.Sh.

TITLE: The Asymptotic Behavior of the Spectral Matrix of the Operator of the Theory of Elasticity (Asimptoticheskoye povedeniye spektral'noy matritsy operatora teorii uprugosti)

PERIODICAL: Doklady Akademii Nauk SSSR, 1957, Vol. 115, Nr 3, pp. 470-472 (USSR)

ABSTRACT: B.M. Levitan, Matem. sborn., 1954, Vol. 35(77), p.2 and V.A. Marchenko, Izv. Akad. nauk SSSR, ser matem., 1955, Vol. 19, Nr 6 developed new methods for the investigation of the spectral properties of the differential operators. The present report uses these operators for the investigation of the asymptotic behavior of the elements of the spectral matrix of the theory of elasticity operator which is assumed in a finite domain. The formulae found here precisely define a result obtained by A. Plejdel, Ark.f.Mat., Astr. och.Pys.(?), 1940, Vol. 27 A, Nr 13, p.74. Ω may signify here a finite domain of the three-dimensional Euclidean space E_3 . $f(p) = \{f^1(p), f^2(p), f^3(p)\}$ (p signifies a point on Ω) signifies here a vector whose components have continuous differentials up to and including the

Card 1/2

20-3, 12/59

, The Asymptotic Behavior of the Spectral Matrix of the Operator of the Theory of Elasticity

second order. The author investigates the Cauchy (Koshi) problem: $-\Delta * v + (\partial^2 v / \partial t^2) = 0$ $v = \{v^1, v^2, v^3\}$. The solution of this equation under the initial conditions $v(p, 0) = 0$,

$\partial v(p, 0) / \partial t = f(p)$ may be found. In this connection applies.

$\Delta * = b^2 \Delta + (a^2 - b^2)$; $a > b > 0$ are constants and Δ is the Laplace (Laplas) operator. Then the author examines an operator $\mathcal{L}$ produced by the differential operation $-\Delta *$ in the domain Ω , and the eigenvalue problem $\mathcal{L}u - \mu^2 u = 0$; $u = \{u^1, u^2, u^3\}$ for this operator. The author defines the conception of the spectral matrix of the operator $\mathcal{L}$ and gives a rather comprehensive formula for the asymptotic behavior of this matrix. There are 5 references, 4 of which are Slavic.

PRESENTED: February 28, 1957, by M.V. Keldysh, Academician

SUBMITTED: February 26, 1957

AVAILABLE: Library of Congress

Card 2/2

FLEKSER, M.Sh. (Khar'kov)

Lateral vibrations of rods. Prikl.mat. i mekh. 22 no.5:696-697
S-0 '58. (MIRA 11:11)
(Elastic rods and wires)

8601

S/020/60/135/003/009/039
B019/B077

9.3230 (include 3403)

AUTHORS: Livshits, M. S. and Flekser, M. Sh.

TITLE: Reduction of a Reactive Four-pole Into a Series of Simple Four-poles

PERIODICAL: Doklady Akademii nauk SSSR, 1960, Vol. 135, No. 3,
pp. 542 - 544

TEXT: The authors start their investigation with the following relations between the four-pole terminal voltage and the current $E = U \exp(-i\omega t)$ and $i = I \exp(-i\omega t)$ and define the vectors $\vec{x}_1$ and $\vec{x}_2$

$$\vec{x}_1 = \begin{pmatrix} U_1 \\ I_1 \end{pmatrix} \text{ and } \vec{x}_2 = \begin{pmatrix} U_2 \\ I_2 \end{pmatrix}$$

and their components are the input and output voltage and current amplitudes. A linear relation exists between $\vec{x}_1$ and $\vec{x}_2$ which is written as a matrix $S(\omega)$ whose elements are a function of ω :

Card 1/4

86031

Reduction of a Reactive Four-pole Into a
Series of Simple Four-poles

S/020/60/135/003/009/039
B019/B077

$$\vec{x}_2 = S(\omega)\vec{x}_1, \text{ where } S(\omega) = \begin{pmatrix} s_{11}(\omega) & s_{12}(\omega) \\ s_{21}(\omega) & s_{22}(\omega) \end{pmatrix}.$$

$S(\omega)$ is called a four-pole transmission matrix; a chain type connection of four-poles corresponds to an expansion of the matrix $S(\omega)$ in factors:

$S(\omega) = S_n(\omega)S_{n-1}(\omega)\dots S_1(\omega)$, where the $S_i(\omega)$ are the transmission matrices of each term. In the following, the authors limit their work to passive four-poles with reactive elements only. In this case the elements of $S(\omega)$ have the following forms: $s_{11}(\omega) = f_{11}(\omega^2)$, $s_{12}(\omega) = i\omega f_{12}(\omega^2)$, $s_{21}(\omega)$

$= i\omega f_{21}(\omega^2)$, $s_{22}(\omega) = f_{22}(\omega^2)$, where f_{ik} are the rational functions with real coefficients. The matrix $S(\omega)$ is called a reactive matrix when the assumption is satisfied that there is no negative output at the terminals of a four-pole; this leads to a transformation from a reactive four-pole to chain type connections of simple four-poles which can be represented by reactive factors of the S-matrix. In the following, the authors base their work on that of V. P. Potapov and Yu. P. Ginzburg and prove the theorem

Card 2/4

86031

Reduction of a Reactive Four-pole Into a
Series of Simple Four-poles

S/020/60/135/003/009/039
B019/B077

that any reactive four-pole can be replaced by an equivalent chain of
simple non-reducible four-poles shown in Fig. 2 where the last element has
to be an ideal transformer. There are 2 figures and 5 references: 4 Soviet
and 1 German.

ASSOCIATION: Khar'kovskiy gornyy institut (Khar'kov Mining Institute)

PRESENTED: June 6, 1960, by N. N. Bogolyubov, Academician

SUBMITTED: April 20, 1960

Card 3/4




Рис. 2 (Fig.2)

8603¹

S/020/60/135/003/009/039
B019/B077

✓ 45

50

55

Card: 4/4

CHURAYEV, N.V.; YAKOVLEV, A.I.; VOLOROVICH, M.P.; FLEKSER, N.Ya.; VARTAZAROV,
S.Ya.

Use of isotopes and radiation sources in hydrology and hydrogeology.
Atom. energ. 18 no.3:264-268 Mr '65.

(MIRA 18:3)

FLEKSER, N.Ya., inzh.

Controlled by isotopes. Nauka i zhizn' 27 no.10:50 0 '60. (MIRA 13:10)
(Radioisotopes--Industrial application)

S/169/62/000/012/034/095
D228/D307

AUTHORS: Flekser, N.Ya. and Shipenko, O.N.

TITLE: Equipment for controlling ground flows by the radioactive tracer technique

PERIODICAL: Referativnyy zhurnal, Geofizika, no.12, 1962, 49, abstract 12A394 (Razvedka i okhrana nedr, no. 6, 1961, 42-45)

TEXT: The authors describe a set of equipment, which includes a contrivance for introducing a tracer into the filtration flow (mechanical or explosive), a sampling device, and a recording apparatus - a radioactivity filtration meter. The outfit is intended for work in wells with a diameter of more than 50 mm and in open streams. The radioactivity filtration meter is designed to work in wells. It allows the time to be fixed and the recorder to be switched on automatically when the tracer appears at the observation point. The outfit contains a metering unit, a recording unit, and submersible probes. Each submersible probe has a diameter of

Card 1/2

Equipment for controlling ground ...

S/169/62/000/012/034/095
D228/D307

36 mm and is provided with an CTC -6 (STS-6) counter; the probe's circuit is assembled on transistors. The commutation system ensures that the readings of each probe are recorded at a 5-minute interval. This type of equipment was used for controlling filtration in the alluvial dam of the Gor'kovskaya GES (Gor'kiy Hydroelectric Station) and was found to work reliably.

[Abstracter's note: Complete translation]

Card 2/2

FLEKSER, N. YA.

Radioactive isotopes as tracers in the control of filtration
streams. Atom.energ. 10 no.5:546-549 My '61. (MIRA 14:5)
(Filters and filtration) (Radioactive tracers)

FLEKSER, S. Ya.

(Children's Hospital im. Rusakov)

"Two Cases of Polyarthrititis Not Resulting From Rheumatism," Pediatrics,
No. 4, 1948.

FLEKSER, S. YA.

PA 34/49T62

USSR/Medicine - Children, Diseases
Medicine - Diphtheritic Group

Sep/Oct 48

"Diphtheritic Group (Literature Review for 1945 -
1947)," S. Ya. Flekser, 3½ pp

"Pediatriya" No 5

General survey of USSR and foreign work on subject.

34/49T62

FLEKSER, S. YA

USSR/Medicine - New Drugs; Dimedrol Jul/Aug 53

"Treatment of Serum Disease With Dimedrol," S.Ya. Flekser, Cand Med Sci, Children's Clinical Hospital No 1, Moscow Sci-Res Inst of Pediatrics, Min of Health RSFSR

Pediat, No 4, pp 58-60

Dimedrol is a synthetic antihistamine drug recently released by the All-Union Sci-Res Chem-Pharmaceut Inst. Oral admn of 0.01-0.03g of this drug, 2-3 times a day, to 62 children between the ages of 8 mos and 13 yrs resulted in their rapid recovery from serum disease. No secondary symptoms were noted. Observations showed that dimedrol

273752

alleviated the course of serum disease, decreased its duration, and in many cases abruptly interrupted the sickness during its initial stages. The drug appeared to be effective in the treatment of a number of allergic diseases like bronchial asthma hay fever, and angioneurotic edema. Dimedrol is a white crystalline powder, easily soluble in water. This drug can also be administered intravenously or intramuscularly.

FLEKSER, S.Ya.

Clinical aspects of Filatov's disease in children (glandular fever, infectious mononucleosis. *Pediatrics*, Moskva no.5:53-58 Sept-Oct 1953.
(GLML 25:5)

1. Candidate Medical Sciences. 2. Of the Children's Clinical Hospital No. 1 (Head Physician -- Honored Physician **MSFSR** Ye. V. Prokhorovich) and the Infectious Clinic of the Pediatric Institute **MSFSR** (Director -- Prof. S. P. Borisov; Scientific Supervisor -- Prof. S. M. Rozanov).

SUKHAREVA, M.Ye., professor; ~~FLKSER~~, S.Ya., kandidat meditsinskikh nauk;
TSIRLINA, F.G.; ~~TRFT~~ YAKOVA, A.F.

Diphtheria index for 1955. Vop.okh.mat. i det. 1 no.4:3-7 J1-Ag '56.
(DIPHTHERIA) (MLRA 9:9)

FLEKSER, S.Ya., kandidat meditsinskikh nauk; NAUMOVA, M.A.

Infectious hepatitis (Botkin's disease) in children. Vop.okh.mat.
1 det. 1 no.4:38-44. J1-Ag '56. (MLRA 9:9)

1. Iz Detskoy gorodskoy klinicheskoy bol'nitsy No.2 imeni Rusakova
(glavnyy vrach - zasluzhennyy vrach RSFSR dotsent V.A.Krushkov)
Moskva.

(HEPATITIS, INFECTIOUS) (CHILDREN--DISEASES)