

KORENEV, M. I.

Widening the use of hidden production potentialities. Der.prom.
9 no.6:17-18 Je '60. (MIRA 13:8)

1. Rechitskiy fanerno-mebel'nyy kombinat.
(Furniture industry)

KORENEV, N.I.

Redesigned gas furnace. Der. prom. 15 no.1:25 Ja '66.
(MIRA 19:1)

KORENEV, N.I.

Improved dust i-terceptor for band grinding machines. Der.
prom. 14 no.5:28-29 My '65. (MIRA 18:6)

VOBKOV, Yu.M.; KORENEV, N.V.

The lining of cyclones with concrete. Gidroliz.i lesokhim.prom.
9 no.3:15 '56. (MLRA 9:8)

1. Saratovskiy gidroliznyy zavod.
(Hydrolysis) (Separators (Machines))

KORENEV, P. D.

Karakul Sheep

Results of building activities of state karakul farms during 1951 and tasks for 1952. Kar.
i zver., 5, No. 2, 1952.

Monthly List of Russian Accessions, Library of Congress, June 1952. Unclassified.

KORENEV, P.G., zaslushennyy vetvrach Ukrainskoy SSR

Acidophilus bouillon culture in coccidiosis in rabbits and
chickens. Veterinariia 36 no.6:39-40 Je '59. (MIRA 12:10)

1. Direktor Simferopol'skoy mezhsovkhoznoy vethaklaboratorii.
(Coccidiosis) (Lactic acid bacteria)

KORENEV, V.; KALESHIN, A.; BESPROZVANNYY, L.

Increasing hourly output during the shortened workday. Sots.
trud no.3:95-104 Mr '58. (MIRA 13:3)

1. Nachal'nik planovogo otdela shakhty "Kochegarka," Donbass
(for Korenev). 2. Direktor Minskogo stankostroitel'nogo zavoda
im.Voroshilova (for Kaleshin). 3. Nachal'nik otdela truda i zarplaty
Minskogo stankostroitel'nogo zavoda im. Voroshilova (for
Besprozvanny).
(Ukraine--Hours of labor) (Ukraine--Labor productivity)

GRITSENKO, L.P.; KORENEV, V.; SAVCHENKO, A.P.

Ways of increasing the rates of development operations in mines
of the Gorlovskugol' Trust. Sbor. DonUGI no.28:208-220 '62.
(MIRA 16:8)

(Donets Basin--Coal mines and mining--Labor productivity)

KORENEV, V.F.

Group conference of workers of the furniture industry. Bum. 1
der. prom. no.1:55 Ja-Mr '63. (MIRA 16:7)

(Ukraine—Furniture industry—Congresses)

KORENEV, V.F.; SHUTENKO, N.I.

In the State Committee of the Council of Ministers of the Ukrainian S.S.R. on the coordination of research work. Bum. 1 der.
prom. no.3:59 JI-S '63. (MIRA 17:2)

KORENEV, V.F.; NOVIKOV, N.S.

Glued and finishing materials used in furniture manufacture in
Czechoslovakia. Bum. 1 der. prom. no.4:56-58 O-D '64
(MIRA 18:2)

KORENEV, V.F., inzh.

Conference on the problem of the creation of a timber raw
supply based on fast-growing species. Bum. prom. 33 no. 6:30
Je '58. (MIRA 11:7)

(Forests and forestry--Congresses)
(Wood-using industries)

KORENEV, V.F., inzh.

Salvaging waste wood in the pulp and paper industry of the Ukraine.
Bum. prom. 33 no.9:25 S '58. (MIRA 11:10)
(Ukraine--Wood waste)

OSTROVSKIY, Semen Moiseyevich; PETRENKO, Yevgeniy Vasil'yevich;
KORENEV, Veniamin Grigor'yevich; BOYKO, A.A., retsenzent;
BELOSVETOV, .V., red.; VYSOCHIN, Ye.M., red.; DVOYNIN,
A.I., red.; DENISENKO, A.I., red.; LOKSHIN, B.S., red.;
MARSHAK, I.S., red.; NAYEROV, R.Ya., red.; NEKRASOVSKIY,
Ya.E., red.; RATUSHNYY, A.A., red.; RIPP, M.G., red.

[Handbook for Donets Basin miners] Spravochnik shakhtera
Donbassa. Moskva, Izd-vo "Nedra," 1964. 411 p.
(MIRA 17:7)

SLIPCHENKO, L.D.; KORENEV, V.G.

Use of hidden potentialities as a means for the increase of
labor productivity. Ugol' 34 no.7:30-33 J1 '59.
(MIRA 12:10)

1. Kombinat Stalimugol' (for Slipchenko). 2. Shakhta "Kochegarka"
(for Korenev).
(Coal mines and mining--Labor productivity)

KALTAGOVA, M.G., kand.tekhn.nauk; KORENEV, V.N., inzh.

Determining the loss of water through filtration from irrigation canals
by using a hydraulic integrator. Gidr. i mel. 14 no.1:22-30 Ja '63.
(MIRA 16:2)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut gidrotekhniki i
melioratsii im. Kostyukova.
(Irrigation canals and flumes) (Seepage)

KORNEV, Y.

Shift reports. Mast. ugl. 5 no. 7:29 J1 '56. (MIRA 9:9)

1. Rabotnik otdela normirovaniya truda shakhty "Kochegarka".
(Mine management)

STRIZHEVSKIY, B.A., inzh.; KORENEV, Yu.A., inzh.

At the Shatura Furniture Factory. Der. prom. 12 no.7:20-23
Jl '63. (MIRA 16:8)

(Shatura--Furniture industry)

KORENEV, Yu.F.

Mobile measuring and tuning system for controlling the operation
of radio transmitters. Vest. svyazi 23 no.12:3-6 D '63.
(MIRA 17:2)

1. Nachal'nik Kiyevskoy stantsii tekhnicheskogo radiokontrolya.

25857
S/020/61/139/004/017/025
B103/B206

5.2420

AUTHORS: Novoselova, A. V., Corresponding Member AS USSR, Korenov, Yu. M., and Simanov, Yu. P.

TITLE: Investigation of the system KF-ZrF_4

PERIODICAL: Akademiya nauk SSSR. Doklady, v. 139, no. 4, 1961, 892-894

TEXT: The authors investigated the system KF-ZrF_4 by: 1) differential thermal analysis and 2) X-ray phase analysis. Publications on the melting-point diagram of this system are very scanty. The authors produced KF by dehydration of $\text{KF} \cdot 2\text{H}_2\text{O}$; ZrF_4 was prepared from $(\text{NH}_4)_3\text{ZrF}_7$ by distilling off NH_4F in a CO_2 current. $(\text{NH}_4)_3\text{ZrF}_7$ was synthesized by methods of G. A. Yagodin and V. I. Tarasov (Ref. 9: ZhNKh, 5, vyp. 9, 1987 (1960)). Melts with less than 33.3% ZrF_4 were prepared from KF and K_2ZrF_6 , and those with more than 33.3% ZrF_4 by fusing calculated amounts of K_2ZrF_6 and $(\text{NH}_4)_3\text{ZrF}_7$ in a CO_2 current. 1): The authors used the pyrometer by N. S. Kurnakov

Card 1/6

25057

S/020/61/139/004/017/025

B'03 B206

Investigation of the system $KF-ZrF_4$

with a platinum - platinum - rhodium thermocouple. Al_2O_3 served as a standard. In order to reduce losses of ZrF_4 , the melts (0.5 g each) were entered into the furnace which had previously been heated to a temperature slightly higher than the melting point of the melt ($930-940^\circ C$). The current was switched off after some minutes, and the cooling curve was recorded. This was the procedure with melts containing more than 33.3% ZrF_4 . For other melts, both cooling and heating curves were recorded.

2): Crushed alloys were glued to Pyrex by means of zapon lacquer. Roentgenograms of KF and of alloys containing much KF were taken in sealed Pyrex capillaries. The authors used cameras of the type PKA-57 (BKD-57) with Fe radiation; for K_2ZrF_6 at 260 and $340^\circ C$, a "Unicam" camera with a GCBAT (BSVLT) tube and a copper anode was used. Fig. 1 shows the phase diagram of the system $KF-ZrF_4$. The authors established that the ZrF_4 synthesized by them is a monoclinic modification. Its heating curve shows

Card 2/6

25857

S/020/61/139/004/017/025

B103/B206


Investigation of the system KF-ZrF_4

endothermic effects at 612°C and 685°C which correspond to transformations in the solid state. The effect at 612°C was missing with repeated heating. From 880°C onward the differential curve shows a strong deviation, since ZrF_4 is highly volatile. At $903\pm 5^\circ\text{C}$ there is an endothermic effect which corresponds to the melting of ZrF_4 . If ZrF_4 in a platinum crucible is put into a previously heated furnace, its cooling curve shows a solidification effect at $903\pm 5^\circ\text{C}$. With further cooling a polymorphous transformation occurs at 685°C . The melting point of KF was found to be 850°C . In the system KF-ZrF_4 they ascertained the following fluorine zirconates: 1) K_3ZrF_7 , 2) $\text{K}_5\text{Zr}_2\text{F}_{13}$, 3) K_2ZrF_6 , 4) $\text{K}_3\text{Zr}_2\text{F}_{11}$, 5) $\text{K}_7\text{Zr}_6\text{F}_{31}$, and 6) KZrF_5 . 1) and 6) melt congruently at 923 and 455°C , respectively. 2) and 3) are formed by peritectic reactions:

Card 3/6

Investigation of the system KF-ZrF_4


25857
8/020/61/139/004/017/025
B103/B206



4) and 5) only exist in the solid state at 327 and 380°C, respectively.

The eutectic point for KF and K_3ZrF_7 lie at 760°C and 13% ZrF_4 ; for

K_3ZrF_7 and KZrF_5 at 430°C and 47% ZrF_4 ; for KZrF_5 and ZrF_4 at 440°C and 60% ZrF_4 . K_2ZrF_6 showed several modifications. Its transformations are



Polymorphous transformations of KZrF_5 occur at 400 and 424°C, and of

$\text{K}_3\text{Zr}_2\text{F}_{11}$ at 313°C. K_3ZrF_7 has only a single modification which crystallizes in a face-centered cubic lattice: $a = 8.966 \pm 0.003$ kX, and forms a solid solution with K_2ZrF_6 (in the range 73 - 75%). There are

Card 4/6

Investigation of the system $KF-ZrF_4$

25857
S/020/61/139/004/017/025
B103/B206

3 figures and 9 references: 3 Soviet-bloc and 6 non-Soviet-bloc.
The most important references to English-language publications read as follows: C. J. Barton & al. J. Phys. Chem., 62, 665 (1958)); R. A. Sense et al., ibid. 58, 995 (1954); H. M. Haendler & al., J. Am. Chem. Soc. 74, 2352 (1952).

ASSOCIATION: Moskovskiy gosudarstvennyy universitet im. M. V. Lomonosova
(Moscow State University imeni M. V. Lomonosov)

SUBMITTED: March 18, 1961

Legend to Fig. 1: a) Phase fields; [] - liquid. TF - solid solutions. Abscissa: mole % ZrF_4 .

Card 5/6

S/020/62/147/004/018/027
B107/B186

AUTHORS: Korenev, Yu. M., Simanov, Yu. P., (Deceased),
Novoselova, A. A., Corresponding Member AS USSR

TITLE: A rhombic modification of beryllium fluoride

PERIODICAL: Akademiya nauk SSSR. Doklady, v. 147, no. 4, 1962, 846-848

TEXT: The structures of BeF_2 are similar to the SiO_2 structures. So far, the following types of structures have been found: β -quartz, α -quartz, β -cristobalite, and α -cristobalite. The present paper describes a new, rhombic modification of BeF_2 which is assumed to be of structure similar to tridymite. This modification had already been detected during the thermal analysis of the $\text{NaF} - \text{BeF}_2$ system (A.V. Novoselova, M.Ye. Levina, and M.P. Savel'yeva, ZhNKh, v. 3, 2562 (1958)), but it could not be found by X-ray photography. The authors succeeded in preparing a mixture of BeF_2 containing 4% ZrF_4 at 590 - 600°C and 10 - 20 mm Hg argon pressure by 25-hr tempering suitable for X-ray analysis. Powder patterns were

Card 1/3

S/020/62/147/004/018/027

B107/B186

A rhombic modification of ...

taken with two cameras and with filtered cobalt and copper radiation and indices of 25 X-ray lines of BeF_2 were tabulated. The lattice constants are: $a = 10.01 \pm 0.01$ kX, $b = 13.07 \pm 0.02$ kX, and $c = 16.24 \pm 0.01$ kX. The cell is body centered and clearly shows a subcell $1/8$ its size. According to R. E. G. Gibbs (Proc. Roy. Soc., 113, 351, 1927), α -tridymite has the following lattice constants $a = 9.88$ kX, $b = 17.1$ kX, and $c = 16.3$ kX, and also a body centered cell. The similarity is probably sufficient to confirm the assumption that the new modification of BeF_2 is actually similar to tridymite. The following scheme (A.V. Novoselova, Usp. khim., 28, no. 1, 33, (1959)) may help to explain the phase transitions of BeF_2 :

β -quartz-type $\xrightleftharpoons{220^\circ\text{C}}$ α -quartz type $\xrightleftharpoons{420-450^\circ\text{C}}$ tridymite type $\xrightleftharpoons{680^\circ\text{C}}$
 α -crystalite type $\xrightleftharpoons{\sim 800^\circ\text{C}}$ melt
 $\downarrow \uparrow 130^\circ\text{C}$
 β -crystalite type

Card 2/3

A rhombic modification of ...

8/020/62/147/004/018/027
B107/B186

ASSOCIATION: Moskovskiy gosudarstvennyy universitet im. M.V. Lomonosova
(Moscow State University imeni M.V. Lomonosov)

SUBMITTED: July 18, 1962

Card 3/3

AFTC/ASD JD

AUTHOR: Korenev, Yu. M., and Novoselova, A. V.

TITLE: Investigation of the system $\text{BeF}_2\text{--ZrF}_4$

58

PERIODICAL: Akademiya nauk SSSR. Doklady. v. 149, no. 6, 1963, 1337-1339

TITLE: In connection with studies of the ternary system $\text{KF--BeF}_2\text{--ZrF}_4$ the authors undertook to investigate the corresponding binary systems. In the present articles they report on results of an investigation of the system $\text{BeF}_2\text{--ZrF}_4$, which has not previously been described in literature. The system was subjected to a thermal analysis on a Kurnakov pyrometer. The melts to be analyzed were prepared by taking mixtures of $(\text{NH}_4)_2\text{BeF}_4$ and $(\text{NH}_4)_3\text{ZrF}_7$ in definite proportions and driving off ammonium fluoride in a current of CO_2 . The melts were placed in a platinum crucible with tightly fitting lid containing a pocket for a thermocouple. To avoid loss of zirconium fluoride due to evaporation, the melts were placed in a furnace that was heated in advance somewhat above the melting point of the melt. Subsequently the melts were subjected to X-ray phase analysis. A constitutional diagram is plotted for the system $\text{BeF}_2\text{--ZrF}_4$, and a relationship is established between the reflection angles and line intensities in the roentgenograms of melts of the system $\text{BeF}_2\text{--ZrF}_4$. There are 2 figures.

ASSOCIATION: Moskovskiy Gosudarstvennyy universitet im. M. V. Lomonosova (Moscow State University imini M. V. Lomonosov)

SUBMITTED: January, 17, 1963

Card 1/1

L 15313-65 EWT(m)/EPF(c)/EPR/EWP(b) Pr-4/Ps-4 JD/JW
 S/0078/84/008/008/2042/2042
 ACCESSION NR: AP4043588

AUTHOR: Novoselova, A. V.; Korenev, Yu. M.; Elorzenkova, M. P.

TITLE: The KF-BeF_2 system

SOURCE: Zhurnal neorganicheskoy khimii, v. 9, no. 8, 1964, 2042

TOPIC TAGS: KF-BeF_2 system, differential thermal analysis, phase diagram, KBe_2F_5 , eutectic, KBeF_3 , polymorphic transition

ABSTRACT: The KF-BeF_2 system in the range encompassing 50-100 mol% BeF_2 was investigated by differential thermal analysis. The phase diagram shown in the figure for the entire system was constructed based on present data and data from earlier work (M. P. Borzenkova, A. V. Novoselova, Yu. P. Simanov, V. I. Chernykh, Ye. I. Yarembash, Zh. neorgan. khimii, 1, 2071 (1956)). The $\alpha \rightarrow \beta$ transition of BeF_2 is at 220°C. The compound KBe_2F_5 melts congruently at 353°C. The eutectic between KBeF_3 and KBe_2F_5 exists at 58 mol% BeF_2 and 327°C; the eutectic between BeF_2 and KBe_2F_5 exists at

Card 1/3

L 15313-65

ACCESSION NO: AP4043588

72 mol% BeF₂ and 346C. Orig. art. has: 1 figure.

ASSOCIATION: None

SUBMITTED: 02Mar64

ENCL: 01

SUB CODE: GC, IC

NO REF SOV: 002

OTHER: 000

Card 2/3

L 15513-65
ACCESSION NR: AP4043588

ENCLOSURE: 01




fig. 1

Phase diagram of the KF-BeF₂ system

Card 3/3

L 55761-65 EWT(m)/EPF(c)/EPF(n)-2/EPR/T/EWP(t)/EWP(b)/EWA(c) Pr-L/Ps-L/Pu-L
 ID/WW/TN/JG OR/0363/65/001/002/0201/0203
 ACCESSION NR: A75009368 546.34'161+546.831'161

AUTHOR: Korenev, Yu. M.; Novoselova, A. V.; Glinskiy, K. K.; Shornikov, V. V.

TITLE: Study of the lithium fluoride-zirconium tetrafluoride system

SOURCE: AN SSSR. Izvestiya. Neorganicheskiye materialy, v. 1, no. 2, 1965, 201-203

TCPIC TAGS: lithium fluoride, zirconium tetrafluoride, phase diagram, thermal analysis, x-ray diffraction analysis

ABSTRACT: The LiF-ZrF₄ system was investigated by the differential thermal analysis and x-ray diffraction. Lithium fluoride and ammonium fluorozirconate were used for preparing the mixtures. After the removal of ammonium fluoride by distillation the specimens were placed in a platinum crucible with a tightly fitting cover and put into a furnace, which had been preheated above the melting point of the composition. Following melting the cooling curves were recorded. The gravimetric analysis indicated an insignificant loss of zirconium during the recording of the cooling curves. The phase diagram of the LiF-ZrF₄ system is shown in Fig. 1 of the Enclosure. Three compounds were found in this system: Li₂ZrF₆, Li₃ZrF₇ and Li₂ZrF₆.

Card 1/22

L 55961-65

ACCESSION NR: AP5009368

It was established that Li_3ZrF_8 is stable as a solid up to 464°C . Li_3ZrF_7 exists above 474°C . It melts congruently at 640°C . It was found that Li_2ZrF_6 is formed according to the peritectic reaction: melt $\xrightarrow{670^\circ}$ Li_2ZrF_6 . Orig. art. has: 1 figure.

ASSOCIATION: Khimicheskiy fakul'tet Moskovskogo gosudarstvennogo universiteta im. M. V. Lomonosova (Chemistry Department, Moscow State University)

SUBMITTED: 24Oct64

ENCL: 01

SUB CODE: IC, SS

NO REF SOV: 001

OTHER: 004

Card 2/3

CHAN NGOK MAY; KORENEV, Yu.M.; NOVOSELOVA, A.V.

System KF - K_2BeF_4 - K_3ZrF_7 . Zhur. neorg. khim. 10 no.7:1683-
1689 J1 '65. (MIRA 18:8)

SIDOROV, L.N.; AKISHIN, P.A.; SHOL'TS, V.B.; KORENEV, Yu.M.

Mass spectrometric study of the thermodynamic properties of
the NaF - ZrF₄ system. Part 3. Zhur. fiz. khim. 39 no.9:
2150-2156 S '65. (MIRA 18:10)

1. Khimicheskiy fakul'tet, Moskovskiy gosudarstvennyy uni-
versitet imeni M.V. Lomonosova.

ANIKIN, M.M., Docent, BLUDOVA, P.A., KORENEVA, L.A., TIKHONOVA, M.A. Docent

Hypertension

Local application of short wave diathermy in hypertension. Zhur. nerv. i psikh. 52
no. 9, 1952.

Monthly List of Russian Accessions, Library of Congress, December 1952. UNCLASSIFIED

TORCHINSKIY, Yu. M.; KORENEVA, L. G.; BRAUNSHTEYN, A. Ye.

"Studies on the Rotatory Dispersion of Aspartateglutamate Transaminase."

report ~~to be~~ submitted for 6th Intl Biochemistry Cong, New York City, 26 Jul-1 Aug
1964.

KORENEVA, L.G.

Conformational changes in aspartic-glutamic transaminase. Biofizika
10 no.5:743-746 '65. (MIRA 18:10)

1., Institut biologicheskoy fiziki AN SSSR, Moskva.

TORCHINSKIY, Yu.M.; KORENEVA, L.G.

Anomalous dispersion of the optical rotation of the aspartic-glutamic transaminase in the heart. Biokhimiia 28 no.6:
1087-1098 N-D'63 (MIRA 17:1)

1. Institute of Radiation and Physical-Chemical Biology and
Institute of Biophysics, Academy of Sciences of the U.S.S.R.,
Moscow.

TORCHINSKIY, Yu.M.; KORENEVA, L.G.

Effect of substrate analogs and carbonyl reagents on the anomalous optical rotatory dispersion in aspartic-glutamic transaminase of the heart. Biokhimiia 29 no.4:780-790
Jl-Ag '64. (MIRA 18:6)

1. Institut radiatsionnoy i fiziko-khimicheskoy biologii i Institut biologicheskoy fiziki AN SSSR, Moskva.

TORCHINSKIY, Yu.M.; KORENEVA, L.G.

Study of the anomalous dispersion of the optic rotation of metal
chelates of aldimines of α -amino acids and their derivatives as
a method of determining configuration of the asymmetric center.
Biskhimiya 10 no.1439-44 Jan '65. (MIRA 1886)

1. Institut radiatsionnoy i fiziko-khimicheskoy biologii i
Institut biologicheskoy fiziki AN SSSR, Moskva.

KORENEVA, L.G.; DVORKIN, G.A.; SMOLYANINOV, V.V.

Anomalous dispersion of the optic activity of nucleic acids and nucleotides. Dokl. AN SSSR 162 no.2:451-454 My '65. (MIRA 18:5)

1. Institut biologicheskoy fiziki AN SSSR. Submitted July 6, 1964.

TORCHINSKIY, Yu. M.; KORENEVA, L.G.

Optical rotatory dispersion of pyridoxylideneamino acids with
metal ions. Dokl. AN SSSR 155 no. 4:961-963 Ap '64.
MIRA 17:5)

1. Institut radiatsionnoy i fiziko-khimicheskoy biologii AN SSSR
i Institut biologicheskoy fiziki AN SSSR. Predstavleno akademikom
V.A.Engel'gardtom.

DOMBROVSKAYA, Anna Vladimirovna; KOREMNEVA, Mariya Mikhaylovna;
TYUREMNOV, Sergey Nikolayevich, prof.; KOLODUSHKIN, V.I.,
red.; VORONIN, K.P., tekhn.red.

[Atlas of plant residues encountered in peat] Atlas rastitel'nykh ostatkov, vstrechaemykh v torfe. Pod red. S.N. Tiuremnova. Moskva, Gos.energ.izd-vo, 1959. 89 p.

(MIRA 14:2)

(Peat)

DVORKIN, G.A.; GOLUB, Ye.I.; GORBACHEV, L.P.; KORENEVA, L.G.;
MEKSHENKOV, M.I.

Dispersion of the optic rotation of deoxyribonucleic acid isolated
from T-2 bacteriophages. Dokl. AN SSSR 151 no.5:1211-1214 Ag
'63. (MIRA 16:9)

1. Institut biologicheskoy fiziki AN SSSR. Predstavleno akademikom
A.N.Belozerskim.

(Bacteriophage) (Nucleic acids)

RUSAKOVA, A.; KORENEVA, N.

New containers for minor quantities of lubricants. Avt.transp.
40 no.5:56 Ny '62. (MIRA 15:5)

1. Tsentral'nyy nauchno-issledovatel'skiy institut tary i
upakovki (TSNIITU)

(Containers)
(Petroleum products)

RUSAKOVA, A., nauchnyy sotrudnik; KORENEVA, N., nauchnyy sotrudnik;
SOKOLOV, G., inzh. (Kuybyshev); TAKOVITSKIY, A., izobretatel'
(Moskva); BABKIN, A., master (Nizhniy Tagil)

Suggested, created, introduced. Izobr.i rats. no.5:40-3 of cover
My '62. (MIRA 15:5)

1. Tsentral'nyy nauchno-issledovatel'skiy institut tary i upakovki,
Kaluga (for Rusakova, Koreneva).
(Technological innovations)

BOGDANOVA, Taisiya Nikitichna; Prinimale uchastiye KORENEVA, N.K.;
MOROZOVA, I.I., red.; ZARSHCHIKOVA, L.N., tekhn. red.

[Polymer film materials for the packaging of food products]
Plenochnye polimernye materialy dlia upakovki pishchevykh
produktov; spravochnoe posobie. Moskva, Pishchepromizdat,
1963. 150 p. (MIRA 16:8)
(Plastics) (Food—Packaging)

KORENEVA, T. A., Cand of Bio Sci -- (diss) "Systematics and biology of
Pelopiinae (Diptera Tephritidae) of the Uchinsk reservoir." Moscow, 1957,
12 pp (Moscow State University im Lomonosov), 100 copies
(KL, 32-57, 93)

KORENEVA, T.A.

A rotifer parasitic on tendipedid eggs [with summary in English].
Zool. zhur. 37 no.2:290-291 F '58. (MIRA 11:3)

1. Laboratoriya fauny presnykh vod kafedry zoologii bespozvonochnykh
Moskovskogo gosudarstvennogo universiteta.
(Ucha Reservoir--Rotifera) (Parasites--Chironomidae)

KORENEVA, T.A.

Structure of larvae of the first instar in some Pelopiinae
(Diptera, Chironomidae). Nauch.dokl.vys.shkoly; biol.nauki
no.1:11-16 '59. (MIRA 12:5)

1. Rekomendovana kafedroy zoologii bespozvonochnykh Moskov-
skogo gosudarstvennogo universiteta im. M.V.Lomonosova.
(CHIRONOMIDAE) (LARVAE--INSECTS)

KORENEVA, T.A.

Deposition of eggs by female Pelepiinae (Diptera, Tondipedidae)
in Ucha Reservoir. Trudy Gidrobiol. ob-va 9:108-120 '59.
(MIRA 12:9)

1. Kafedra zoologii bespozvenichnykh Moskovskogo gosudarstvennogo
universiteta.
(Ucha Reservoir--Chironomidae)

SOKOLOVA, N.Yu.; KORENEVA, T.A.

Biological cycle and seasonal dynamics of larval populations of
some tendipedids occurring in large masses in Ucha Reservoir.

Biul. MOIP. Otd. biol. 64 no.2:67-78 Mr-Apr '59.

(MIRA 12:10)

(Ucha Reservoir--Chironomidae)

KORENEVA, T.A.

Systematics and ecology of Pelopiinae (Diptera, Tephritidae) in
Ucha Reservoir. Report No. 2: Pelopia, Ablabesmyia, Clinotanypus
[with summary in English]. Ent. oboz. 39 no.1:134-143 '60.

(MIRA 13:6)

(Ucha Reservoir--Chironomidae)

SOKOLOVA, N.Yu., otv. red.; KORENEVA, T.A., red.; GEORGIYEVA, G.I.,
tekhn. red.

[Ucha and Mozhaysk Reservoirs; hydrobiological and ichthyological studies] Uchinskoe i Mozhaiskoe vodokhranilishcha; gidrobiologicheskie i ikhtiologicheskie issledovaniia. Moskva, Izd-vo Mosk. univ., 1963. 422 p. (MIRA 16:3)

1. Moscow. Universitet. Biologo-pochvennyy fakul'tet.
(Ucha Reservoir--Freshwater biology)
(Mozhaysk Reservoir--Freshwater biology)

SHESTAK, S.S., nauchnyy sotrudnik; KORENEV, G.P.; KORENEVA, T.A.;
SAPOGOV, A.G., nauchnyy sotrudnik

Use of SZHK (pregnant mare's serum). Veterinariia 37 no.1:10-12
Ja '60. (MIRA 16:6)

1. Orenburgskaya nauchno-issledovatel'skaya veterinarnaya stantsiya
(for Shestak). 2. Direktor Simferopol'skoy mezhsovkhoznoy labora-
torii (for Korenev). 3. Simferopol'skaya mezhsovkhoznaya
laboratoriya (for Koreneva). 4. Turkmenskaya NIIZhV (for Sapogov).
(Serum therapy) (Veterinary medicine)

KEFELI, V.I.; DEVIYATKINA, G.A.; KORENEVA, V.M.; DUBOVAYA, L.P.

Rhythmic nature of the growth process. Fiziol. rast. 11
no. 3:496-505 '64. (MIRA 17:7)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut fitopatologii.

KORENEV, V.F.

Production of furniture in the German Democratic Republic. Bum.
i der. prom. no.3:56-57 J1-S '64.

(MIRA 17:11)

KORENEVA, V. V.

"Quantitative Separation of Copper, Nickel, Cobalt, Iron and Silver by Extraction With Complex Salicylate Compounds." Cand Chem Sci, Moscow Inst of Fine Chemical Technology imeni N. V. Lomonosov, 11 Oct 54. (VII, 29 Sep 54)

SO: Sum 432, 29 Mar 55

KORENEVA, V.V.

✓1973. Separation of small amounts of nickel from cobalt by extracting nickel salicylaldehyde. I. P. Alimarin and V. V. Koreneva (M.V. Lomonosov Inst. Fine Chem., Moscow, U.S.S.R.), *Lab. 1973*, 31 (5), 891-910. Salicylaldehyde in the presence of aq. NH_3 and NH_4Cl gives with Ni^{2+} the complex nickel salicylaldehyde, which can be extracted with chloroform from aq. solutions; Ba, Ti, V, Zr, La, Mo, Fe, Co²⁺, Ni, Cu, Ca, Pb, Ce, Pr, Nb, Rb, Th and U are also extracted, but Co³⁺ are not extracted. Chloroform dissolves 0.031 mg of Ni in the complex form per 1 ml. *Procedure*—The solution, containing 0.01 to 0.1 mg of nickel, is treated with 2 ml of 4N NH_4Cl , 0.5 ml of 2 per cent alcoholic salicylaldehyde, and 20 per cent aq. NH_3 to give a pH of 7.5 to 8.5. The solution is diluted with water to 10 ml and extracted with 10 ml of chloroform for 1 or 2 min. The chloroform layer is removed and the Ni extracted with dil. HCl (1 + 10); the solution is evaporated with HNO_3 and HCl to destroy the reagent and Ni is determined photocolourimetrically. In the presence of amounts of Co up to 100 mg in 10 to 20 ml 1.5 ml of 100 vol. H_2O_2 are added after the aq. NH_3 . The max. ratio of Co to Ni is 10,000:1. The method is applicable to the analysis of metallic cobalt, and cobalt ores and salts.

G. S. Surin

Kireneva, K.V.

✓ 2419 Separation of small amounts of copper from nickel and cobalt by extraction of copper salicylaldehyde. I. P. Almarin and V. Y. Kireneva (M. V. Lomonosov Moscow Inst. Chem. Technol.). *Zavod. Lab.*, 1969, 25 (4), 492-495. The solubility of copper salicylaldehyde in a number of org. solvents has been determined. In CHCl_3 , the solubility is 8.44×10^{-4} M. At pH 7 both Cu and Ni are extracted by CHCl_3 , but with increase of pH the amount of Ni extracted diminishes, whilst that of Cu remains constant. In ammoniacal soln. Cu can be separated from Ni. The soln. containing Cu and Ni is mixed with 1 ml of a 2 per cent. soln. of salicylaldehyde in ethanol, 8 ml of 25 per cent. aq. NH_3 , and 10 ml of CHCl_3 ; the water phase is diluted to 15 ml and the mixture is shaken for 1 min. The Cu is removed from the CHCl_3 by shaking with 5 ml of 4N HCl. The method is suitable for determining 1 μg of Cu in 2000 μg of Ni and is applied to the analysis of metallic Ni and Ni salts. To determine Cu and Ni in cobalt-containing ores, alloys and salts, 10 to 15 ml of a

2
1/2

Alimarin, I. P.

soln. of the sample containing 2.0-25 to 0.30 mg of Cu and Ni and 100 mg of Co are mixed with 2 ml of 4 N NH_4Cl , 5 ml of 20 per cent. aq. NH_3 and 1-6 ml of hydrogen peroxide (to oxidize the Co so that it is not extracted with CHCl_3) and boiled for 3 to 6 min. to remove excess of the oxidant and most of the NH_3 . The cooled soln. is transferred to a separating funnel. 1 to 1.5 ml of salicylaldehyde soln. and 10 ml of CHCl_3 are added, and the contents are shaken for 0.5 to 1 min. The Cu and Ni are in soln. in CHCl_3 ; they are extracted with 3 to 5 ml of dil. HCl (1 + 10), the acid soln. is treated with 0.5 ml of 2 per cent. salicylaldehyde soln. and 10 ml of 20 per cent. aq. NH_3 , and the Co is extracted with 10 ml of CHCl_3 . Nickel remains in the aq. layer.

G. S. Smith

2/2

PM

AUTHORS: Dymov, A. M., Koreneva, V. V.

SOV/163-58-3-46/49

TITLE: The Extraction of Iron (III) From Hydrochloric Solutions With Tribenzylamine in Chloroform (Eketraktsiya zheleza (III) iz solyanokislykh rastvorov tribenzilaminom v khloroforme)

PERIODICAL: Nauchnyye doklady vysshey shkoly. Metallurgiya, 1958, Nr 3, pp 269-272 (USSR)

ABSTRACT: The optimum conditions for this extraction were investigated. The extent of the extraction of iron (III) from hydrochloric solutions as dependent on the concentration of the hydrochloric acid and the concentration of the tribenzylamine in chloroform, the concentration of the iron in the initial solution, the duration of the extraction, the number of subsequent extractions, and the ratio between the organic and the aqueous phase were investigated. An 8% tribenzylamine solution was used as extracting agent. The results obtained show that the extraction of iron (III) from hydrochloric solutions depends to a high degree on the concentration of the hydrochloric acid in the solution. The complete extraction was obtained with 8n HCl. A further increase of the concentration of hydrochloric acid did not result

Card 1/2

SOV/163-58-3-46/49

The Extraction of Iron (III) From Hydrochloric Solutions With Tribenzylamine in Chloroform

in a percentual increase of the extraction.

The extraction of iron from concentrated hydrochloric acid is explained by the occurrence of some complex groups:

$[\text{FeCl}^{2+}]$; $[\text{FeCl}_2]^+$; FeCl_3 ; $[\text{FeCl}_4]^-$ and others.

A complete extraction from an 8n HCl-solution is obtained by means of an 8% chloroform solution of tribenzylamine.

A complete extraction is obtained at a content of 2,02 mg/ml - 40,40 mg/ml Fe. Larger quantities of iron are not completely extracted.

The equilibrium between the aqueous and the organic phase is obtained within 2-3 minutes. If the ratio between organic phase and aqueous phase is 1:1 the iron is completely extracted.

There are 3 figures, 2 tables, and 7 references, 2 of which are Soviet.

ASSOCIATION: Moskovskiy institut stali (Moscow Steel Institute)

SUBMITTED: December 6, 1957
Card 2/2

DYMOV, A.V.; KORENEVA, V.V.

Indirect photometric method of determining small amounts of
aluminum in iron alloys. Izv.vys. ucheb. zav.; chern. met. no.3:192-
196 '61. (MIRA 14:3)

1. Moskovskiy institut stali.
(Iron alloys—Analysis)
(Photometry)

KORENEVA, YE. V.

"Spore-Pollen analysis of Deposits at the Bottom of the
Okhotsk Sea." and "Geog Sci, Inst of Oceanology, Acad Sci USSR,
Moscow, 1955. (KL, No 7, Feb 55)

SO: Sum. No. 631, 26 Aug 55 - Survey of Scientific and Technical
Dissertations Defended at USSR Higher Educational Institutions
(14)

KORENEVA, Ye. V.

KORENEVA, Ye. V.

Study of present-day marine deposits by means of spore-pollen
analysis. Trudy Inst. okean. no. 13:23-29 '55. (MLRA 8:11)
(Okhotsk, Sea of--Ocean bottom)

KORENEVA, Ye. V.

"Examination of Core Samples from Sea of Okhotsk," Reports of the Inst. of Oceanography, Academy of Sciences USSR, Vol. 22, 1957, p. 221-251.

This paper includes examination of core samples of ocean bottom sedimentation obtained by the VITYAZ.

SOV/10-59-2-2/29

3(5)

AUTHOR: Zhuze A.P., Koreneva, Ye.V.

TITLE: On the Paleogeography of the Sea of Okhotsk

PERIODICAL: Izvestiya Akademii nauk SSSR, Seriya geografi-
cheskaya, 1959, Nr 2, pp 12 - 24 (USSR)

ABSTRACT: This is a resumé of the investigations carried out by the authors since 1952 in the Sea of Okhotsk and the Bering Sea, to obtain data on the fossils of diatoms, pollen and spores on the surface as well as the deeper strata of the silt of these basins. The data is needed for the study of the paleogeographic conditions of the era, when the sediments formed. The authors used a number of new devices, among which new tubes for core sampling were of foremost importance. The article is subdivided into two main sections, the first referring to the fossils of the silt surface and the second to the fossils of the deeper strata. As to the first group, diatoms

Card 1/3

SOV/10-59--2-2/29

On the Paleogeography of the Sea of Okhotsk

were studied in the Sea of Okhotsk at 132 sites, in the Bering Sea at 158. Spores and pollen were studied at 82 sites of the Sea of Okhotsk. As to the latter, the investigation showed that most of the sea sections are characterized by the occurrence of pollen and spores belonging exclusively to a sylvan flora. Only in the sediments of the northern sections did the authors discover a complex of pollen and spores corresponding to a flora of mixed wood and tundra character. Diatoms abound in the sediments of the Sea of Okhotsk as well as the Bering Sea. At present diatomaceous silts are forming with a content of amorphous silica varying from 30 to 55% (Bezrukov, 1955, Lisitsyn, 1955). The deeper strata were examined in 37 core samples taken from the bottom of the Sea of Okhotsk and 22 from the Bering Sea. The longest core samples measured 33.5 m, the shortest - 1 m. The long core samples were taken with the hydrostatic ground

Card 2/3

SOV/10-59-2-2/29

On the Paleogeography of the Sea of Okhotsk

tube, of Sysoyev-Kudinov type from the deep-water depressions of both seas. The authors report in detail on the results of the analysis of two core samples taken in the Sea of Okhotsk on sites "140" and "1907" (see graph 1). The authors conclude that both paleontological methods proved sufficiently promising in the study of the history of contemporaneous sea basins. In addition to the above-mentioned names, the scientist Udintsev is referred to in connection with the problem of the change in the distribution of fossils in the strata due to changes in the configuration and level of the seas. There are 10 Soviet references.

ASSOCIATION: Institut okeanologii AN SSSR (Institute of Oceanography of the AS USSR) Geologicheskii institut AN SSSR (Institute of Geology of the AS USSR).

Card 3/3

GOLUBEVA, L.B.; GITERMAN, R.Ye.; KORENEVA, Ye.V.; MATVEYEVA, O.V.;
ARKHIPOV, S.A., ovt.red.; GALUSHKO, Ya.A., red.izd-va;
GUSEVA, A.P., tekhn.red.

[Spore-pollen spectra of Quaternary sediments in Western
and central Siberia and their stratigraphic importance]
Sporovo-pyl'tsevye spektry chetvertichnykh otlozhenii
zapadnoi i tsentral'noi Sibiri i ikh stratigraficheskoe
znachenie. Moskva, Izd-vo Akad.nauk.SSSR, 1960. 114p.
(Akademiia nauk SSSR Geologicheskii institut. Trudy, no.31)
(MIRA 13:2)

(Siberia--Palynology)

ARKHIPOV, S.A.; KOREMEVA, Ye.V.; LAVRUSHIN, Yu.A.

Quaternary stratigraphy of the Yenisey Valley between the Bakhta and
Turukhan estuaries. Trudy GIN no.26:248-280 '60. (MIRA 13:12)
(Yenisey Valley--Geology, Stratigraphic)

BAKHMETEV, A. G., KRYZHEVSKIY, A. A., and KRYZHEVSKIY, N. S., Moscow State University, Physical Faculty, Chair of Marine Physics and Tectonic Waters - "On the calculation of rate of radioactivity spreading in depths" (Section VII.3.5)
 BAKHMETEV, A. G., Institute of Zoology - "The method of spicule analysis and possibilities of its use in paleogeographical studies of the Pacific Ocean" (Section VII.6)
 BAKHMETEV, A. G., Institute of Zoology - "Distribution of spores and pollen of zoogeographical plants in bottom sediments of the Pacific" (Section VII.4)
 BAKHMETEV, V. G., Director, Institute of Oceanology - "The heat exchange between the Atlantic waters and the adjacent oceanic waters" (Section VII.2.1)
 BAKHMETEV, N. S., Institute of Oceanology - "On the example of the cooperation of the deep currents in the northwestern Pacific" (Section VII.3)
 BAKHMETEV, N. S., and KRYZHEVSKIY, A. A., Institute of Oceanology - "The information about the variability, hydrodynamics and primary productivity of the waters of the Pacific Ocean" (Section VII.2)
 BAKHMETEV, N. S., Institute of Oceanology - "On the relation between water transparency and the character of currents in some areas of the Pacific Ocean" (Section VII.8)
 BAKHMETEV, N. S., P. A. FLYACHIN, A. M., KRYZHEVSKIY, N. S., KRYZHEVSKIY, A. A., and KRYZHEVSKIY, B. M., Institute of Earth Physics (Soviet Acad. Sci.), and OLYKHIN, B. M., Institute of Earth Physics (Soviet Acad. Sci.) - "Structure of the earth crust in the transition zone from the northwestern part of the Pacific to the Asiatic continent" (Section VII.2.2)
 BAKHMETEV, A. A., P. A. FLYACHIN, B. M., and SHCHERBA, A. M., Institute of Earth Physics (Soviet Acad. Sci.) - "Specific features of the sedimentary layer in the zone of the earth crust in the adjacent parts of the Pacific Ocean" (Section VII.2.2)
 BAKHMETEV, N. S., and SHCHERBA, A. M., Institute of Earth Physics (Soviet Acad. Sci.) - "On the relation between sedimentation and bottom topography in the northwestern part of the Pacific Ocean" (Section VII.2.1)
 BAKHMETEV, N. S., and SHCHERBA, A. M., Institute of Earth Physics (Soviet Acad. Sci.) - "The tectonic map of the Pacific Ocean and the current Pacific mobile belt (scale 1:10,000,000)" (Section VII.2)
 BAKHMETEV, N. S., and SHCHERBA, A. M., The Siberian Department of the Academy of Sciences USSR - "On the results of investigations of the Pacific Ocean" (Section VII.1.1)
 BAKHMETEV, A. A., Institute of Oceanology - "Hydrological data involved in the study of the Pacific Ocean and some problems connected with prospect research" (Section VII.1)
 BAKHMETEV, N. S., Institute of Oceanology - "Once more on the Alvin problem" (Section II.2)
 BAKHMETEV, A. A., Institute of Oceanology - "The composition of organic suspended material in the Pacific in connection with the problems of sedimentation" (Section VII.4.1)
 BAKHMETEV, A. A., Institute of Oceanology - "Bottom sediments in the Atlantic" (Section VII.2.1)
 BAKHMETEV, V. G., Institute of Oceanology - "Cyclonic activity and climatic trends in the northern part of the Pacific Ocean" (Section VII.2.1)
 BAKHMETEV, N. S., All-Union Scientific Research Institute of Marine Fishing and Oceanography - "Some results of ichthyological investigations in the part of Alaska" (Section II.2)
 BAKHMETEV, V. A., Moscow State University, Physical Faculty, Chair of Earth Crust - "Geophysical V and the problem of the origin of the Pacific Ocean" (Section VII.2.2)
 BAKHMETEV, V. G., Institute of Oceanology - "The specific features of beach formation in tidal seas" (Section VII.4.1)
 BAKHMETEV, G. B., Institute of Oceanology - "Qualitative-quantitative distribution of the littoral fauna and flora in the northwestern part of the Pacific" (Section II.2)
 BAKHMETEV, N. S., Institute of Oceanology - "The process of earth sedimentation in the areas of the North Atlantic" (Section VII.2.1)

KORENEVA, Ye.V.

Palynological analysis of two marine sediment cores from the Sea of Japan. Okeanologiya 1 no.4:651-657 '61. (MIRA 14:11)

1. Geologicheskii institut AN SSSR.
(Japan, Sea of--Submarine geology) (Palynology)

SHTERNBERG, L.Ye.; GORINA, K.S.; KANAKINA, M.A.; KORENEVA, Ye.V.

Iron occurrences in recent sediments of Lake Punnus-Yari.
Izv. AN SSSR. Ser.geol. 28 no.3:93-101 Mr '63. (MIRA 16:2)

1. Geologicheskii institut AN SSSR, Moskva.
(Krasnoye Lake (Leningrad Province)--Iron)

GITERMAN, R.Ye.; GOLUBEVA, L.V.; ZAKLINSKAYA, Ye.D.; KORENEVA, Ye.V.;
MATVEYEVA, O.V.

Features of the vegetation cover of Kazantseva Interglacial
Siberia. Dokl. AN SSSR 152 no.4:937-940 O '63. (MIRA 16:11)

1. Geologicheskii institut AN SSSR. Predstavleno akademikom
V.N. Sukachevym.

KORENEVA, Yelena Vasil'yevna; ZAKLINSKAYA, Ye.D., otv.red.; PEYVE, A.V., glavnyy red.; KUZNETSOVA, K.I., red.; MENNER, V.V., red.; TIMOFEYEV, P.P., red.

[Spores and pollen from the bottom sediments in the western part of the Pacific Ocean.] Spory i pyl'tsa iz donnykh otlozhenii zapadnoi chasti Tikhogo okeana. Moskva, Izd-vo "Nauka," 1964. 87 p. (Akademiia nauk SSSR. Biologicheskii institut. Trudy, no. 109) (MIRA 17:6)

1. Chlen-korrespondent AN SSSR (for Peyve).

GITERMAN, R.Ye.; GOLUBEVA, L.V.; KORENEVA, Ye.V.; MATVEYEVA, O.V.

Characteristics of the vegetative cover of the Zyryanka glacial
period in Siberia. Izv. AN SSSR. Ser. geol. 30 no.3:115-128
Mr '65. (MIRA 18:3)

1. Geologicheskii institut AN SSSR, Moskva.

KORENEVA-ZYBKOVA, O.P.; GRACHKOVA, R.B., kand.med.nauk

Effect of testicular extract on the growth of a transplanted carcinoma in a rabbit following intradermal injection. Medych. zhur. 20 no.5:82-85 '50.
(MIRA 11:1)

1. Z viddilu patofiziologii institutu klinichnoi fiziologii im. akad. O.O.Bogomol'tya AN URSS (direktor institutu i zav. viddilom - chlen-kor. AN URSS prof. R.Ye.Kavets'kiy)
(CANCER) (TISSUE EXTRACTS)

KORENEVAKA, V. Ye.

"Comparative Study of Soil Mechanical Analysis of Soils."
Sub 30 APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000824620004-5
Moscow Order of Lenin State U imeni M. V. Lomonosov.

Dissertations presented for science and engineering degrees in Moscow during 1951.

SO: Sum. No. 480, 9 May 55

KOMENEVICH, I.A.

Discussion of the anterior external vitreous layer as a method of the treatment of certain sequelae of intravitreal hemorrhages. Vest. oft. Moskva 32 no.2:36-38 Mar-Apr 1953. (GLML 24:4)

1. Docent. 2. Of the Eye Clinic (Director -- Prof. V. N. Arkhangel'skiy), Kiev Medical Institute.

ARKHANGEL'SKIY, V.N.; KORENEVICH, I.A.; PARKHOMENKO, M.Ye.

Practical significance of novocain block of the carotid sinus
sone in certain eye diseases. Vest. oft., Moskva 32 no. 4:26-32 July-
Aug 1953. (GLML 25:1)

1. Professor for Arkhangel'skiy; Docent for Korenevich; Candidate
Medical Sciences for Parkhomenko. 2. Of the Eye Clinic of Kiev Medical
Institute imeni A. A. Bogomolets.

KORENEVICH, I., dotsent; USTIMENKO, L., doktor

Report on the work of the Kiev Province Ophthalmological Society
for 1956. Oft.shur. 12 no.5:317-319 '57. (MIRA 13:7)

1. Predsedatel' pravleniya Kiyevskogo oblastnogo nauchnogo
obshchestva glasnykh vrachev (for Korenevich). 2. Sekretar'
Kiyevskogo oblastnogo nauchnogo obshchestva glasnykh vrachev
(for Ustimenko).
(KIEV PROVINCE--OPHTHALMOLOGICAL SOCIETIES)

KORNEVICH, I., dotsent; USTIMENKO, L., doktor

Work plan of the Kiev Province Ophthalmological Society for 1957.
Oft.zhur. 12 no.5:319 '57.
(MIRA 13:6)

1. Predsedatel' pravleniya Kiyevskogo oblastnogo nauchnogo obshchestva glasnykh vrachey (for Kornevich). 2. Sekretar' Kiyevskogo oblastnogo nauchnogo obshchestva glasnykh vrachey (for Ustimenko).
- (KIEV PROVINCE---OPHTHALMOLOGICAL SOCIETIES)

KORENEVICH, I., dotsent; USTIMENKO, L., kand.med.nauk; SMIRNOV, S., kani.med.nauk

Report on the work of the Kiev Ophthalmological Society for 1958.
Oft.zhur. 14 no.4:250-251 '59.
(MIRA 12:10)

1. Predsedatel' pravleniya Kiyevskogo oftal'mologicheskogo
obshchestva glaznykh vrachey za 1958 god (for Korenevich.).
2. Sekretari Kiyevskogo oftal'mologicheskogo obshchestva glaznykh
vrachey za 1958 god (for Ustimenko, Smirnov).
(KIEV--OPHTHALMOLOGICAL SOCIETIES)

FILATOV, Vladimir Petrovich, vrach, Geroy Sotsialisticheskogo Truda; SKORODIN-
SKAYA, V.V., otv. red.; KAVETSKIY, R.Ye., red.; DANILEVSKIY, I.A., red.;
KORENEVICH, I.A., red.; MAKARCHENKO, A.F., red.; MERKULOV, I.I., red.;
PUCHKOVSKAYA, N.A., red.; NEMCHENKO, Ye.M., red. izd-va; ROZENTSVEYG,
Ye.N., tekhn. red.

[Selected works in four volumes] Izbrannyye trudy v chetyrekh tomakh.
Kiev, Izd-vo Akad. nauk USSR. Vol.2. 1961. 446 p. (MIRA 14:7)
(EYE--DISEASES AND DEFECTS) (CORNEA--TRANSPLANTATION)
(TISSUE EXTRACTS)

FILATOV, Vladimir Petrovich, vrach, Geroy Sotsialisticheskogo Truda; KORE-
NEVICH, I.A., otv. red.; KAVETSKIY, R.Ye., red.; DANILEVSKIY, A.I.,
red.; MAKARCHENKO, A.F., red.; MERKULOV, I.I., red.; PUCHKOVSKAYA,
N.A., red.; SKORODINSKAYA, V.V., red.; NERUSH, A.I., red. izd-va;
GRUDZINSKAYA, O.S., red. izd-va; ROZENTSVAYG, Ye.N., tekhn. red.

[Selected works in four volumes] Izbraniye trudy v chetyrekh tomakh.
Kiev, Izd-vo Akad. nauk USSR. Vol.3. 1961. 368 p. (MIRA 14:7)
(EYE—DISEASES AND DEFECTS) (CORNEA—TRANSPLANTATION)
(TISSUE EXTRACTS)

FILATOV, Vladimir Petrovich, prof.; DANILEVSKIY, I.A., otv. red. toma;
KAVETSKIY, R.Ye., red.; KORENEVICH, I.A., red.; MAKARCHENKO,
A.F., red.; MERKULOV, I.I., red.; PUCHKOVSKAYA, N.A., red.;
SKORODINSKAYA, V.V., red.; BRAGINSKIY, L.P., red. izd-va;
GRUDZINSKAYA, O.S., red. izd-va; ROZENT'SVEYG, Ye.N., tekhn.
red.

[Selected works in four volumes] Izbrannye trudy v chetyrekh
tomakh. Kiev, Izd-vo Akad. nauk USSR. Vol.4. 1961. 431 p.
(MIRA 15:9)

(EYE--DISEASES AND DETECTS) (EYE--SURGERY)

RODASIN, N. Ye.: KORENIVICH, I. A.

Mr., Biological Institute , Leningrad State University (-1947-)

"Investigation of Substantial Adaption by Method of Vital Eyes," Dokl. AN,
57, No. 9, 1947.

1. KORENEVICH, L. A.
2. USSR (600)
4. Cells
7. Relation of the structure of fixated cell nuclei to their state in the living organism, Arkhiv. anat. gist. i embr., 29, No. 2, 1952.
9. Monthly List of Russian Accessions, Library of Congress, February 1953, Unclassified.

VELICHKO, V.M.; KORENEVICH, H.M.

Tumors of the glomus. Khirurgia 34 no.12:92-93 E '58. (MIRA 12:1)

1. Iz gosptal'noy khirurgicheskoy kliniki (zav. - prof. I.B. Oleshkevich) Vitebskogo gosudarstvennogo meditsinskogo instituta.
(GLOMANGIOMA, case reports
(Rus))

MEKLER, S.Z.; IVANOVA, A.M.; KORENEVICH, N.N.; RUD'KO, I.S.

Use of TSOLIPK protein hydrolysate in surgical diseases. Zdrav.
Bel. 7 no.8:57-58 Ag '61. (MIRA 15:2)

1. Iz Vitebskoy oblastnoy stantsii perelivaniya krovi (dir. -
S.Z.Mekler). (BLOOD PLASMA SUBSTITUTES) (SURGERY)

FREYMUNDI', Ye.N., dots.; KORENEVSKAYA, N.N., dots.; IL'CHENKO, S.P.;
SAMOYLOVA, A.A., dots.; GUROV, G.M., dots.; IVANOV, Yu.M.;
ZAYTSEVA, N.V., dots.; EYDEL'MAN, M.R., red.; KONIKOV, L.A.,
red.; PONOMAREVA, A.A., tekhn. red.

[Balance of the gross national product of a Union Republic;
problems in the theory and methodology of its preparation]
Balans obshchestvennogo produkta soiuznoi respublik; vop-
rosy teorii i metodiki sostavleniia. Moskva, Ekonomizdat,
1962. 326 p.
(MIRA 16:4)

1. Moscow. Ekonomiko-statisticheskii institut.
(Gross national product)

PETROV, L.K., otv. red.; BAZAYEVA, L.A., red.; ITSKOVICH, S.M.,
red.; KORENEVICH, N.P., red.; KOROBEYNIKOV, Yu.Ye., red.

[Agloporite and agloporite concrete] Agloporit i agloporito-
beton. Minsk, Nauka i tekhnika, 1964. 390 p.

(MIRA 18:5)

1. Minsk. Gosudarstvennyy nauchno-issledovatel'skiy institut
stroymaterialov.

RAKOVSKIY, V.Ye.; PETROV, L.K.; GUREYKO, V.S.; GALENCHIK, I.Z.; POZNYAK,
V.S.; KUNASHKEVICH, V.M.; BELYAY, K.I., red.; KORENEVICH, N.P., red.;
VERZAL, A.I., red.; KOROBENNIKOV, Yu.Ye., red.

[Technological arrangement for the production of mineral wool
sheets with sapropel binding material] Razrabotka tekhnologii
proizvodstva plit iz mineral'noi vaty s sapropel'evoi svyazko.
Minsk, Izd-vo "Zvezda," 1958. 14 p. (MIRA 12:2)
(Mineral wool) (Sapropels)

PETROV, L.K., otv. red.; BELYAY, K.I., red.; VERZAL, A.I., red.;
KORENEVICH, N.P., red.; KOROBEYNIKOV, Yu.Ye., red.;
MORGUNOVA, G.M., tekhn. red.

[Building materials made of local raw materials] Stroitel'-
nye materialy iz mestnogo syria. Minsk, Izd-vo M-va vysshego,
srednego spetsial'nogo i professional'nogo obrazovaniia BSSR,
1962. 199 p. (MIRA 16:4)

1. Minsk. Nauchno-issledovatel'skiy institut stroitel'nykh ma-
terialov UPS i SNKh BSSR.
(Building materials)

KORENEVKIN, D.; BELKIN, Ya.

Municipal and public service enterprises in cities of
Czechoslovakia. Zhil.-kom. khoz. 7 no.3:14-17 '57.

(MLRA 10:4)

(Czechoslovakia--Municipal services)

KORENEVKIN, D.

The Institute of Technical Training needs help. Zhil.-kom. khov. 12
no.2:24-25 P '62. (MIRA 15:7)

1. Direktor Instituta tekhnicheskogo obucheniya Ministerstva
kommunal'nogo khozyaystva RSFSR.
(Municipal services—Study and teaching)

KORENEVSKA, T. B.

"Observation of Patients Who Are Recovering From Coronary Thrombosis." Cand Med Sci, Central Inst for the Advanced Training of Physicians, 19 Oct 54. (VM, 24 Oct 54)

SO: Sum 432, 29 Mar 55

KHAZANOV, M.A., prof., KORENEVSKAYA, A.A.

Femoral neuritis of radioactive genesis. Sov.med. 22 no.10:116-118
O '58 (MIRA 11:11)

1. Iz kliniki nervnykh bolezney (zav. kafedroy - prof. M.A. Khazanov) Minskogo gosudarstvennogo meditsinskogo instituta.
(NEURITIS, etiol. & pathogen.
femoral nerve, caused by radiations (Rus))
(RADIATIONS, inj. eff.
femoral nerve neuritis (Rus))