

KOROLEV, A.I., inzh.

Devices for measuring temperature at the contacts of current
conducting components. Elek.sta. 32 no.8:85-86 Ag '61. (MIRA 14:10)

(Temperature measurement)

*
SHUNIN, T.G.; ~~KOROLEV, A.I.~~

Reducing idle time for open-hearth furnaces caused by cold or hot repairs. Metallurg no.5:14-17 My '56. (MIRA 9:9)

1. Nachal'nik tsekha remonta promyshlennykh pechey Magnitogorskogo metallurgicheskogo kombinata (for Shunin). 2. Zamestitel' nachal'nika tsekha remonta promyshlennykh pechey Magnitogorskogo metallurgicheskogo kombinata (for Korolev).
(Magnitogorsk--Open-hearth furnaces--Repairing)

* Aleksandr Ivanovich KOROLEV

137-58-6-11728

Translation from: Referativnyy zhurnal, Metallurgiya, 1958, Nr 6, p 73 (USSR)

AUTHOR: * Korolev, A.I.

TITLE: Improving Open-hearth Furnace Design (Uluchsheniye konstruktsiy martenovskikh pechey)

PERIODICAL: Tr. Nauchno-tekhn. o-va chernoy metallurgii, 1957, Vol 18, pp 199-207

ABSTRACT: Enlargement of the batch capacity of the open-hearth furnaces of the Magnitogorsk Metallurgical Kombinat was accomplished by lengthening and widening the bath, with simultaneous reduction in depth. The service life of the front wall was increased by 200 heats by reducing its angle to the horizontal, installing heat exchangers in its upper portion and employing iron plating. Reduction of the slope of the rear wall and increase in its thickness increased its life to levels corresponding to that of the roof. The main roofs were made smooth, and the number of hangers was increased. All this increased service life to up to ~500 heats, in the case of large furnaces. Injectors were mounted in the furnaces; their operation was coordinated with the delivery of liquid fuel for carbureting.

Card 1/2

* Aleksandr Ivanovich KOROLEV

137-58-6-11728

Improving Open-hearth Furnace Design

Inadequate port size is the cause of frequent overheating and short service life; this has made itself felt recently in particular in connection with the increase in thermal stress. The use of forsterite did not afford favorable results in view of the considerable clogging of the ports by flue dust.

M.M.

1. Open hearth furnaces--Design
2. Open hearth furnaces--Equipment

Card 2/2

KOROLEV, A.I.; KOKSHAROV, V.D.

Use of unfired magnesite-chromite refractories for the laying of
slag-pocket arches in open-hearth furnaces. Stal' 22 no.11:999-
1000 N '62. (MIRA 15:11)

1. Magnitogorskiy gornometallurgicheskiy institut i Vostochnyy
institut ogneuporov.

(Open-hearth furnaces--Design and construction)
(Refractory materials)

VORNOV, F.D.; BIGEYEV, A.M.; DIKSHEYN, Ye.I.; TRIFONOV, A.G.; KAZAKOV, A.I.; KOROLEV, A.I.; BORODIN, G.L.; ANTIPIN, V.G.; KULAKOV, A.M.; KOZHANOV, M.G.; GAZHUR, V.F.

Investigating the operation of 400-ton open-hearth furnaces following redesign. Stal' 22 no.10:904-907 0'62. (MIRA 15:10)

1. Magnitogorskiy metallurgicheskiy kombinat i Magnitogorskiy gorno-metallurgicheskiy institut.
(Open-hearth furnaces)

KOROLEV, A.I., kand. tekhn. nauk

Statistical analysis of the quality of neutral relays in their manufacture. Sbor. trud. LIIZHT no. 205:67-71 '63.

(MIRA 18:1)

Reliability of an electric switch and signal interlocking system.
Ibid.:72-78

Synthesis of the reliability of electric automatic control networks.
Ibid.:79-83

KOROLEV, A.I., kand.tekhn.nauk; MIRZOIEV, G.K.; SLYUDIKOV, I.D., kand.tekhn.nauk

Investigating the effect of the front suspension and steering
wheel drive on the wear of motor-vehicle tires. Avt.prom. 31
no.5:28-31 My '65. (MIRA 18:5)

1. Moskovskiy avtomekhanicheskiy institut i Moskovskiy shinnyy zavod.

PROCESSED AND PREPARED INDEX

4

cm

Electrolytic reduction of malic acid. B. N. RUTOVSKII AND A. I. KORIL'NY.
Trans. Sci. Chem. Pharm. Inst. (Moscow) No. 19, 177-9 (in German 190) (1928); Chem. Zentr. 1928, 11, 2353.—The electrolytic reduction of α -HOCH₂CO₂H according to Weil (C. A. 3, 540) and Tesh and Lowy (C. A. 18, 1615) was tested for its efficiency. The electrolysis according to Weil gave yields of α -HOCH₂CHO up to 33% of the theory. Only if all expl. conditions described were strictly observed. Strong stirring is of great importance. R. and K. tried to avoid the possibility of an electrostatic charge of the cath. and the danger of a spark formation and an explosion connected therewith by adding Mg butyrate. With addn. of Mg butyrate, however, the reaction took a different course and α -HOCH₂CH₂OH was obtained as the main product (up to 45% of the theory). The method of Tesh and Lowy did not give satisfactory results (34% of the theory instead of the 55% given by T. and L.). Also with this method the observation of the expl. conditions is of greatest importance. The properties of the diaphragm exert a great influence. The resistance increases greatly with repeated use of the diaphragm. Therefore, the diaphragm, after use, has to be kept in a 10% bisulfite soln.

G. SCHWACH

ADD-USA METALLURGICAL LITERATURE CLASSIFICATION

B-II-1

KOROLEV, A. I.
BC

Analysis of phenylacetamide. A. Korolev and N. Petrovskaya (Amikodron. Prom., 1954, 6, 408-409).—3 g. of mixture are dissolved in 10–15 c.c. of AcOH , and diluted to 250 c.c. $m\text{-Cl}_2\text{N}(\text{NH}_2)_2$ is determined by titration in presence of 50 c.c. of 20% NaOH , 5 g. of Na_2CO_3 and 100 c.c. of H_2O , with 0.1N- PhI_2 , and total $\text{C}_6\text{H}_5\text{NH}_2$ by titration with 0.1N- $p\text{-NO}_2\text{C}_6\text{H}_4\text{N}_2\text{Cl}$. The *o*-isomeride is determined by the Hunsberg method and the *p*-isomeride is calc. by difference. R. T.

AS 3-31A METALLURGICAL LITERATURE CLASSIFICATION

2

CA
KOROLEV, A. I.

Colloidal properties of methylenesulfonic acid solutions. I. A. Korolev, I. Bilik and A. Chuksanova. *Sovetskaya Khim. Prom.* 5, 322-5 (1935); cf. C. A. 30, 1400. Salts of 1,3,5-C₆H₃(SO₃H)₃ yield colloidal solns. in H₂O, and, acting as protective colloids, retard or prevent pptn. of the benzidine salts of 1,6- and 1,6-C₆H₄(SO₃H)₂. B. C. A.

ASAC-51A METALLURGICAL LITERATURE CLASSIFICATION

PROCESSES AND PROPERTIES INDEX


10

ca

Constitution of the dye Benzocopper Fast Brown ZGL.
 A. I. Kurshv and E. Rostovtseva. *Org. Chem. Ind*
 (U. S. S. R.) 4, 600-12(1937). The dye was freed from
 mineral matter and examd. by chem. analysis and the
 process of degradation. Its empirical formula is $C_{21}H_{14}O_4N_2S$ and it is 12-methyl-5-naphthyl-4-oxo-1,2,3,4-tetrahydropyridin-3-yl-3-sulfonate acid - acetylphenyl - 4-sulfonate acid - 3-methyl-5-pyrazolone.

Chas. Blanc

METALLURGICAL LITERATURE CLASSIFICATION



KOROLEV, A.

PROCESSES AND PROPERTIES INDEX

25

A study of dyes with asymmetric molecule. A. Korolev and I. Bilik. *Compt. rend. acad. sci. U. R. S. S. 29, 1665-6 (1940)* (in English).—The authors attempted to det. whether a difference in the adsorption of antipodes irrespective of whether the formation of salts between the dye and the protein does or does not take place on dyeing. Thus with antipodes of bis[5-hydroxy(2'-nitro-6,6'-dimethyl-2-biphenyl)amino]-7-sulfo-2-naphthylcarbamide (III) on repeated and careful testing the antipodes exhibited no difference in the rate of adsorption from soln. by silk, wool or vegetable fiber. III was prepd. from 6-amino-6'-nitro-2,2'-dimethylbiphenyl (I) and bis(5-hydroxy-7-sulfo-2-naphthyl)carbamide (II). I was prepd. as follows: 2-acetamidotoluene → 3-nitro-2-iodotoluene → 0,0'-dinitro-2,2'-dimethylbiphenyl → I. By means of *d*-tartaric acid I was resolved into antipodes with the following properties: *d*-rotatory form m. 122-3°; 0.1 g. in 2 cc. N HCl + 8 cc. H₂O (*l* = 1 dm.); $\alpha_D^{25} = +0.62^\circ$; $[\alpha]_D^{25} = +62^\circ$. The *l*-rotatory form m. 122-3° and similarly $\alpha_D^{25} = -0.62^\circ$; $[\alpha]_D^{25} = -62^\circ$. Both *d*- and *l*-I were diazotized and coupled with the azo component of II. Thus antipodes of III which were in agreement with the formula C₂₁H₁₆O₄N₄Na₂, with respect to N and S content were obtained. Both antipodes of III exhibit mutarotation in aq. soln. Addn. of certain electrolytes affected the rate of mutarotation. After a max. in angle of rotation in a dye soln. had been attained, no addn. of electrolytes could change it, the value remaining const. even after coagulation of dye, sepn. from liquid phase and again dissolving to det. whether the observed mutarotation was specific to III or whether it was a general phenomenon. Other dyes were investigated. These were prepd. from the diazonium salt of an optically active amine (I) with II acid, from the diazonium salt of the same optically active amine I with J acid, and from the diazonium compd. of the *d*-rotatory antipode of the optically active aminomandelic acid and azo component of II. With all such dyes, K. and B. observed considerably lower angles of rotation than those observed with the dye prepd. from I and azo component of II. Operations at higher concns. of the dye were hampered by lack of a powerful source of monochromatic light. Thus the authors were unable to answer the question raised above, or to attempt explaining the cause of the observed mutarotation. A probable reason for the mutarotation, suggested by K. and B., is the conversion of *cis* azo compds. into the *trans* form, which is obviously not in disagreement with any of the exptl. observations.

W. A. Cook

ASB-55A METALLURGICAL LITERATURE CLASSIFICATION

KOROLEV, A.I. 10

CA

Sulfonamide and its N¹-derivatives. A. I. Koroley, R. P. Lastovskii, V. A. Mikhalev, A. P. Skol'dinov, and D. D. Smolin. U.S.S.R. 69,091, Aug. 31, 1947. N¹-Carbalkoxy-sulfonamide or its N¹-deriv. are sapon. in an acid or alk. medium. M. Homb

ASS-SLA METALLURGICAL LITERATURE CLASSIFICATION

SEARCHED	INDEXED	SERIALIZED	FILED

KOROLEV, A. I.

PA 53114

USSR/Chemistry - Dyes
Chemistry - Intermediates

Dec 1947

"Institute of Intermediate Organic Products and Dyestuffs imeni K. Ye. Voroshilov," A. I. Korolev, Acting Dir, Inst Sci Matters, 3 pp

"Khim Prom" No 12

In 1915 Action Committee started first Russian dye factory, beginning of present day Institute. First named the Institute for Intermediate Organic Products and Dyestuffs in 1931. Mentions scientists currently employed in discovering new methods for increasing technical knowledge in field of dyestuffs and paints.

LC

53114


KOROLEV, A. I.

USSR/Academy of Sciences - Scientist

Nov 48

"In Honor of Academician Valdimir Mikhaylovich Rodionov," M. Shenyakin, A. Korolev, 20 1/2 pp

"Zhur Obshch Khim" Vol XVIII, No 11 p. 1877-97

Bibliographic resume of the life and works of noted scholar, engineer, and pedagogue, one of the organizers of the industries for the production of alkaloids, pharmaceutical preparations, organic intermediate products and dyes, and a laureate of the Stalin Prize, in honor of his 70th birthday. (See  Photo Accession No P-3466.) Submitted 2 Jun 48

PA 67/49T2

27

KOROLEV, A. I.

Asymmetric Synthesis of Cyclohexane Derivatives.
 (In Russian.) A. Korolev and V. Mur. *Zhurnal Obshchei Khimii* (Journal of General Chemistry), v. 18(80), Nov. 1948, p. 1977-1988.

Presents a thorough review of the above subject, covering investigations in the USSR and abroad. New compounds obtained and their physical and chemical constants are described. Optimum conditions for synthesis of these and previously described compounds are indicated. 25 ref.

Sci Res Inst. of Org. Intermediate Products & Dyes
St. Petersburg in K. Ye. Voroshilov

ASB-SLA METALLURGICAL LITERATURE CLASSIFICATION

FROM BOMBY

KOROLEV, A. I.
-A

10

Tetrahydrophthalic acids. A. Korolev and V. Mur.
Doklady Akad. Nauk S.S.S.R.: 59, 11-6 (1959).—Although

Baeyer (Ann. 258, 100(1880); 269, 193(1892)) assigned the structures of *cis*- and *trans*- Δ^8 -tetrahydrophthalic acids to the products of reduction of phthalic anhydride by Na-Hg (m. 173° and 218°, resp.), this structure has not been proved. In the present investigation was prepd. authentic *trans*- Δ^8 -tetrahydrophthalic acid (I), which gives a m.p. depression with Diels and Alder's (C.A. 24, 96) *cis* isomer. Butadiene was slowly passed into a suspension of 3 g. fumaric acid in 80 ml. hot AcOH; after completion of the reaction (40 hrs.), evapn. of the solvent and recrystn. from water gave 5.5 g. I, plates, m. 170°, sol. in MeOH, EtOH, hot H₂O, AcOH, less sol. in Et₂O and CCl₄. The same technique using fumaryl chloride and xylene as the solvent gave I *dichloride*, b. 114-15°, which on boiling with water readily gave I. Similarly prepd., the *mono-dl*-methyl ester of I, needles from petr. ether, m. 101-3°. Oxidation of I by KMnO₄ gave the *dianhydride of butano-1,2,3,4-tetracarboxylic acid* (II), m. 168-9° (from Ac₂O); on further heating above the m.p. it resolidifies and m. 244-5° (some decompn.). Heating the anhydride, m. 168-9°, with water gave the *free acid*, m. 235° (decompn.); boiling 0.25 hr. with Ac₂O gave the anhydride, m. 244-6°, identical with Diels-Alder's II. Heating I with Ac₂O leads to isomerization to the *cis* isomer; heating with Ac-Cl does not produce any change. It is concluded that Baeyer's acids are really *cis*- Δ^8 and *trans*- Δ^8 isomers, respectively.

G. M. Kosolapoff

ASAC-314 METALLURGICAL LITERATURE CLASSIFICATION

KOROLEV, A. I

PA 43/43T3

USSR/Chemistry - Organic
Chemistry - Synthesis

11 Jan 1948

"New Examples of Asymmetric Synthesis," A. Korolev,
V. Mur, Inst Org Intermediate Products and Dyes
Inst K. Ye. Voroshilov, 2 1/2 pp

"Dok Akad Nauk SSSR, Nova Ser" Vol LIX, No 2
p. 251-53

Presents new examples of asymmetrical induction in
conditions of diene synthesis. In one case, active
substance is phylloidiene (1-methyl ether of fumaric
and maleic acid) and the other, diene (1-methyl
ether of sorbic acid). Submitted by Academician V.
M. Rodionov, 30 Sep 1947.

KOROLEV, A. I.

USSR/Scientists - Chemistry

Card 1/1 : Pub. 151 - 37/37

Authors : Rodionov, V. M.; Vorozhtsov, N. N.; Smirnova, A. F.; Shchetinina, L. A.;
Shestov, A. P.; Korolev, A. I.; Lukashevich, V. O.; and Ufimtsev, V. N.

Title : In memory of Evgeniy Alekseevich Ivanov

Periodical : Zhur. ob. khim. 24/3, 579-580, Mar 1954

Abstract : Eulogy is presented honoring the passing of E. A. Ivanov, chief of the
Central Laboratory of the Dorogomilov-Frunze Chemical Plant, scientist
in the field of organic semi-products and dyes, recipient of Stalin
premium. Illustration.

Institution:

Submitted :

KOROLEV, A. I.

USSR/Scientists

Card 1/1 Pub. 151 - 37/37

Authors : Korolev, A. I.

Title : In memory of Robert Karlovich Eykhman

Periodical : Zhur. ob. khim. 24/10, 1893-1895, Oct 1954

Abstract : Eulogy honoring the death of Dr. of Techn. Sciences R. K. Eykhman (1879-1953), famous specialist and organizer of the Soviet Aniline-Dye Industry. List of works by Eykhman, is included. Illustration.

Institution : ...

Submitted : ...

USSR/Chemistry - Dyestuffs KOROLEV, A. I.

FD-252

Card 1/1 Pub. 50 - 2/14

Author : Prof. Korolev, A. I.

Title : The 100-th anniversary of the discovery of the first synthetic aniline dyestuff

Periodical : Khim. prom. No 4, 195-202, Jun 1955

Abstract : After a historical treatment in which an attempt is made to establish Russian priorities in work on synthetic dyestuffs, outlines briefly some contemporary achievements of dyestuff chemistry with particular attention to color fastness, especially fastness to light. Mentions some recent USSR work. Eleven references, 8 Russian and USSR, 7 prior to 1940, one 1940.

KOGAN, Iosif Mikhaylovich; KOROLEV, A.I., professor, redaktor; FODIMAN, I.V.,
redaktor; LUR'YE, M.S., tekhnicheskiy redaktor

[The chemistry of dyes] Khimiia krasitelei. Izd. 3-e. Pod red. A.I.
Koroleva. Moskva, Gos. nauchno-tekhn. izd-vo khim. lit-ry, 1956.
696 p. (MLRA 9:12)

(Dyes and dyeing--Chemistry)

Atomization of ...

FM ...

KOROLEV, A.I., prof.; FODIMAN, I.V., kand. tekhn. nauk.

Present state and trends in the development of the chemistry and
manufacture of synthetic dyes. Khim. nauka i prom. 3 no.2:138-145
'58. (MIRA 11:6)

(Dyes and dyeing)

KOROLEV, A.I., otv.red.; VUL'FSON, N.S., zam.otv.red.; BOGDANOV, S.V.,
red.; DOKUMIKHIN, N.S., red.; MASLENNIKOVA, Ye.V., red.; PODIMAN,
I.V., red.; KHOMSKIY, I.G., red.; ZITKIN, V.I., red.; SHPAK, Ye.G.,
tekhn.red.

[Organic intermediate products and dyes; collected articles]
Organicheskie poluprodukty i krasiteli; sbornik statei. Moskva,
Gos.nauchno-tekhn.isd-vo khim.lit-ry. No.1. 1959. 238 p.
(MIRA 13:7)

1. Nauchno-issledovatel'skiy institut organicheskikh polupro-
duktov i krasiteley.

(Dyes and dyeing)

(Aromatic compounds)

KOROIEV, A.I.; BELEN, I.I.

Mechanics of dyed animal fibers. Eng. polyhed. i kras.
no.1:113-117 '58. (TSA 14:11)
(Dyes and dyeing--Textile fibers)

NIKOLENKO, Leonid Nikolayevich; KOROLEV, A.I., prof., red.; STUKOVNIN,
N.D., red.izd-va; GOROKHOVA, S.S., tekhn. red.

[Practical laboratory work in intermediate products and dyes]
Laboratornyi praktikum po promezhutochnym produktam i krasi-
teliam. Moskva, Gos. izd-vo "Vysshaya shkola," 1961. 383 p.
(MIRA 15:3)

(Dyes and dyeing--Chemistry)
(Chemistry--Laboratory manuals)

KOROLEV, A.I.; MUR, V.I.

Investigation in the field of asymmetric synthesis. Org. poluprod.
i kras. no.2:77-87 '61. (MIRA 14:11)
(Chemistry, Organic--Synthesis)

ERKIKH, R.D.; DOBROVOL'SKIY, S.V.; KOROLEV, A.I.

Catalytic conversions of N,N-dialkylcyclohexylamines. Dokl. AN
SSSR 136 no.6:1357-1359 F. '61. (MIRA 14:3)

1. Nauchno-issledovatel'skiy institut organicheskikh poluproduktov
i krasiteley im K. Ye. Voroshilova. Predstavleno akademikom
B. A. Kazanskim.
(Cyclohexylamine)

MUR, V.I.; GORBUNOVA, Zh.A.; KOROLEV, A.I.

Description of reactive dyes. Zhur.VKHO 6 no.5:586-587 '61.

(MIRA 14:10)

1. Nauchno-issledovatel'skiy institut organicheskikh poluproduktov
i krasiteley imeni K.Ye.Voroshilova.
(Dyes and dyeing)

MUR, V. I.; GOBBUNOVA, Zh. A.; KOROLEV, A. I.

Study of the mechanism of hydrolysis of esters. *Zhur. VKHO* 8
no.2:232 '63. (MIRA 16:4)

1. Nauchno-issledovatel'skiy institut organicheskikh poluproduktov i krasiteley.

(Esters) (Hydrolysis)

MUR, V. I.; GOBBUMOVA, Zh. A.; KOROLEV, A. I.

Hydrolysis of esters of cyanuric acid and some of its derivatives. Zhur. V KHO 8 no.2:235 '63. (MIRA 16:4)

1. Nauchno-issledovatel'skiy institut organicheskikh poluproduktov i krasiteley.

(Cyanuric acid) (Hydrolysis)

KARPUKHIN, Petr Prokhorovich; KOROTENKO, Tamila Aleksandrovna,
inzh.; CHEKALIN, M.A., doktor khim. nauk, retsenzent;
KOROLEV, A.I., kand. khim. nauk, retsenzent; TSYBA, L.A.,
insh., red.izd-va; TERESHCHENKO, V.V., tekhn. red.

[Active dyes] Aktivnye krasiteli. Kiev, Gostekhizdat
USSR, 1963. 132 p. (MIRA 17:1)

1. Chlen-korrespondent AN Ukr.SSR (for Karpukhin).

KOROLEV, A.I.; MUR, V.I.; AVAKYAN, V.G.

Diels-Adler reaction in a partial asymmetrical synthesis. Zhur.ob.khim.
34 no.2:708 F '64. (MIRA 17:3)

1. Nauchno-issledovatel'skiy institut organicheskikh poluproduktov i
krasiteley.

ERLIKH, R.D.; DOBROVOL'SKIY, S.V.; KOROLEV, A.I.

Catalytic methylation of cyclohexanone with dimethylamine. Zhur.
VKFO 10 no.2:233-234 '65. (MIRA 18:6)

1. Nauchno-issledovatel'skiy institut organicheskikh poluproduktov
i krasiteley.

TSIMBALIST, L.I.; CHIRMEJIN, G.G., veter. vrach (Checheno-Ingushskaya ASSR); KURBIEV, S.I., veter. vrach (Checheno-Ingushskaya ASSR);
TUYSO, Ye.S., veter. vrach (Checheno-Ingushskaya ASSR)

Practices in the elimination of brucellosis in cattle.
Veterinariia 41 no.10:23-24 0 '64.

(NERA 18:11)

1. Glavnyy veterinarnyy vrach Volgodskogo oblasti
upravleniya proizvodstva i zsgotovki sel'skokhozyaystvennykh
produktov (for TSimbalist).

KHOMCHENKO, G.P.; KOROLEV, A.K.

Aleksandr Ivanovich Shlygin, 1905- ; on his sixtieth birthday. Zhur.
fiz. khim. 39 no.9:2328-2329 S '65. (MIRA 18:10)

PED'KO, A.I.; DERGINOV, V.I.; KARASIK, G.Ye.; KOROLEV, A.K.

Effect of the dimensions of bit-support elements on the jamming of cutters.
Izv. vys. ucheb. zav.; neft' i gaz. 8 no.5:101-104 '65. (MIRA 18:?)

1. Azerbaydzhanskiy institut nefti i khimii im. M.Azizbekova; zavod
neftyanogo oborudovaniya im. S.M.Kirova i upravleniye "Glavmorneft'".

ARBUZOV, Yu.A.; KOROLEV, A.M.

Diene synthesis involving acetoxymethyl vinyl ketone.
Zhur.ob.khim. 32 no.11:3674-3676 N '62. (MIRA 15:11)

1. Moskovskiy gosudarstvennyy universitet imeni M.V. Lomonosova.
(Ketone)
(Chemistry, Organic--Synthesis)

ARBUZOV, Yu.A.; KALINOV, Ye.M.; KOROLEV, A.M.

Diene synthesis involving 1-methoxy-4-penten-3-one and
1,4-pentadien-3-one. Zhur.ob.khim. 32 no.11:3681-3687
N '62. (MIRA 15:11)

1. Moskovskiy gosudarstvennyy universitet imeni
M.V. Lomonosova.
(Pentenone) (Pentadienone)
(Chemistry, Organic--Synthesis)

KOROLEV, Aleksandr Mikhaylovich

[Influenza and its prevention] Gripp i mery bor'by s nim. [Gor'kii]
Gor'kovskoe kn-vo, 1955. 23 p. (MIRA 9:11)
(INFLUENZA)

KOROLNY, A.M. (Kirov)

Expulsion of ascarids by oxygen. Fel'd. i akush. 21 no.7:44-45
J1 '56. (MLRA 9:10)

(ASCARIDS AND ASCARIASIS)
(OXYGEN--THERAPEUTIC USE)

KOROLEV, A.M.

Diabetes insipidus of traumatic origin. Vrach.delo no.7:741 J1'58
(MIRA 11:9)

1. Terapevticheskoye otdeleniye (zav. -T.N. Shubina) Kirovskoy
oblastnoy bol'nitsy.
(DIABETES)

KOROLEV, A.M.

Intravital diagnosis of lymphogranulomatosis of the stomach.
Kaz.-med.zhur. 40 no.2:67-69 Mr-Apr '59. (MIRA 12:11)

1. Glavnyy terapevt Kirovskogo obizdravotdela.
(HODGKIN'S DISEASE) (STOMACH--DISEASES)

KOROLEV, A.M. (Kirov-obl.)

Unilateral stasis in the lungs as a supplemental symptom of
myocardial infarct. *Mos. med. zhur.* no.5:70-71 S-0 '61.

(MIRA 15:3)

(HEART—INFARCTION)

KOROLEV, A.M.

Dispensary treatment for healthy persons and patients with
cardiovascular diseases in Kirov Province. Kardiologiya 4
no. 4:86 JI-Ag ' 64 (MIRA 19:1)

1. Glavnyy terapevt Kirovskogo oblastnogo zdravotdela.

Radiation

U S S R .

✓ Radiative capture of a fast neutron in hydrogen. A. M. Korolev. *Zhur. Ekspil. i Teoret. Fiz.* 31: 2418-2421. *Science Abstr.* 56A, 470(1953).—The cross section σ (capture) is calcd. by using a phenomenological short-range $n-p$ potential and nonrelativistic perturbation theory, and compared with σ (scattering). At ~ 349 m.e.v. σ (capture) $\sim 10^{-29}$ sq. cm. K. L. C.

Korolev A. M.

62 ✓ Photofission of a deuteron under higher energies of the γ -quantum. A. M. Korolev (P. N. Lebedev Phys. Inst., Moscow). *Zhur. Eksp. i Teor. Fiz.* 25, 188-96(1953).—
Math. The process of the photofission of a deuteron by higher energy γ -rays is considered from the viewpoint of the meson theory of nuclear forces. A good agreement between theory and exptl. findings is observed, if one uses the pseudoscalar meson theory with pseudovectorial bonds.
Werner Jacobson

Korolev, A.M.

USSR/Theoretical Physics

B-6

Abs Jour : Referat Zhur - Fizika, No 5, 1957, No 10948
Author : Korolev, A.M.
Inst : Institute of Physics, Academy of Sciences, Ukrainian SSR.
Title : Dynamic Magnetic Moment of the Deuteron.
Orig Pub : Zh. eksperim. i teor. fiziki, 1956, 31, No 2, 211-217

Abstract : The author considers the dynamic magnetic moment of the deuteron in the PS(PS) variant of the symmetric meson theory in the fifth approximation of the perturbation theory. Account is taken of the interaction between the meson currents in the deuteron with the electromagnetic field and from the energy of this interaction a term is separated, having the form of the energy of the magnetic moment, interpreted as the additional magnetic moment of the deuteron. It is shown that in the case of exchange

Card 1/2

USSR/Theoretical Physics

B-6

Abs Jour : Referat Zhur - Fizika, No 5, 1957, No 10948

with an odd number of mesons, the additional magnetic moment vanishes in this variant of the theory. An analytic expression for the dynamic magnetic moment is obtained in the non-relativistic approximation with an accuracy to terms on the order of $(k/M)^2$ inclusive. By way of an example, the author considers the application of the above expression for the magnetic moment of the deuteron to an examination of photofission of the deuteron in the Pauli approximation. The results obtained are in qualitative agreement with the experiment.

Card 2/2

KOROLOV, A.M. [Korol'ov, O.M.]; KONSTANTINOV, B.D.

Elastic neutron scattering in a spherical scatterer [with summary
in English]. Ukr. fis. zhur. 2 no.4:303-309 O-D '57. (MIRA 11:3)

1. Institut fiziki AN URSS.
(Neutrons--Scattering)

KOROLEV, A.M. [Korol'ov, O.M.].

Quasi-stationary states of the nucleus. Ukr. fiz. zhur. 2 no.4:369-
371 0-2 '57. (MIRA 11:3)

1. Institut fiziki AN URSR.
(Nuclei, Atomic)

KOROLEV, A. M.

4

✓4652

THE DYNAMICAL MAGNETIC MOMENT OF THE DEUTERON, A. M. Korolev (Academy of Sciences, Ukrainian SSR), Soviet Phys. JETP 4, 73-9(1957) Feb.

The dynamical magnetic moment of the deuteron is considered on the basis of the pseudoscalar meson theory with the pseudoscalar type of coupling. In the fifth order of perturbation theory. Exchange currents in the deuteron make an essential contribution to the dynamical magnetic moment. (autb)

Handwritten notes:
5/10/57
5/10/57

Handwritten notes:
autb ugc

37861 R
S/048/59/023/012/007/009
B102/B212

24.6110

AUTHOR: Korolev, A. M.

TITLE: Energy levels of weakly deformed nuclei

PERIODICAL: Akademiya nauk SSSR. Izvestiya. Seriya fizicheskaya,
v. 23, no. 12, 1959, 1492-1496

TEXT: The present paper was the topic of a lecture read at the 9th All-Union Conference on Nuclear Spectroscopy (Khar'kov, January 26 till February 2, 1959). In order to explain the nuclear energy level schemes, the surface interaction of nucleons has been used various times on the strength of the generalized nuclear model of Bohr and Mottelson. It has been applied for a strong interaction of an extra nucleon with the nuclear surface and also for a weak interaction. The rotational levels of strongly deformed nuclei, which have been discovered experimentally, are proof of the validity of this generalized nuclear model. A number of questions were not clarified in these papers, such as the influence of non-adiabatic terms on the position of the energy level and also the influence of two- and three-phonon states. The author is considering the steady states of odd

Card 1/7

Energy levels of weakly deformed nuclei

S/048/59/023/012/007/009
B102/B212

nuclei in intermediate coupling; he also utilizes the generalized nuclear model and takes into account single-phonon and two-phonon states. He analyzes a system consisting of an even-even core (near the magic nucleus) and an extra nucleon interacting with the core surface. The solution of this problem calls for determining the eigenfunctions and the eigenvalues of the bound extra nucleon. Due to surface interaction, the nucleus will be deformed; this deformation is assumed to be weak, i.e., the intermediate coupling approximation may be approached from the weak coupling. The collective excitations of the core are investigated with the help of the generalized Bohr model. The Hamiltonian of a system consisting of a spherical nucleus and an extra nucleon and interacting with its surface is set up as follows: $H = H_s + H_p + H'$, where

$$H_s = \sum_{\lambda\mu} \left\{ \frac{1}{2B_\lambda} |\pi_{\lambda\mu}|^2 + \frac{C_\lambda}{2} |\alpha_{\lambda\mu}|^2 \right\};$$

the Hamiltonian of the surface vibrations of the nucleus reads:

$$H_p = -\frac{\hbar^2}{2M} \frac{d^2}{dr^2} + \frac{\hbar^2 l(l+1)}{2Mr^2} + V(r),$$

Card 2/7

Energy levels of weakly deformed nuclei

S/048/59/023/012/007/009
B102/B212

and that of the free neutron: $H' = -kR_0 \delta(r - R_0) \sum_{\mu} \alpha_{2\mu}(\theta, \varphi)$; $\alpha_{\lambda\mu}$ represents the deformation parameter of the nuclear surface; $\alpha_{2\mu}$ denotes an operator acting on the wave function that describes the state of the nuclear surface; $\alpha_{2\mu} = \sqrt{\frac{\hbar}{2B\omega}} (b_{\mu} + (-1)^{\mu} b_{-\mu}^*)$, $\omega = \sqrt{C_{\lambda}/B_{\lambda}}$. b_{μ} and $b_{-\mu}^*$ denote the phonon annihilation and production operators. In the Schrödinger equation of the steady-state problem: $H\Psi = W_I^N \Psi$, where Ψ denotes the function describing the state of the system, N the number of phonons, and I the total momentum of the system, $\Psi = \sum_{NRkl} a_{NRkl}(\rho) \psi_l(x) \phi_N[Rs(k)lIM]$, where the wave function is given by

$$\begin{aligned} \Phi_N[Rs(k)lIM] = & \sum_m \sum_{m_s} \langle RsM - m - m_s m_s | RskM - m \rangle \times \\ & \times \langle klM - mm | klIM \rangle Y_{lm}(\theta, \varphi) \chi_s^{m_s} \Phi_{NR}^{M-m-m_s} \end{aligned} \quad (7).$$

Here, M denotes the projection of I on the z -axis, R the angular momentum of

Card 3/7

Energy levels of weakly deformed nuclei

S/048/59/023/012/007/009
B102/B212

the core, k the spin of the channel, l the orbital momentum of the extra nucleon, and s the particle spin. From this results:

$$\Psi = \sum_{NjIR} b_{NljR} \Psi_{1l}(r) \tilde{\phi}_N [R; sl(j) IM]$$

with

$$b_{NljR} = \sum_k (2k+1)^{1/2} (2j+1)^{1/2} W(RsIl; kj) a_{NRkl} \quad (8)$$

$$a_{NRkl} = \sum_j (2k+1)^{1/2} (2j+1)^{1/2} W(RsIl; kj) b_{NRjl} \quad (8')$$

where $W(abcd;ef)$ denotes the Racah coefficient. The amplitude equations are obtained from the Schrödinger equation; the following expression is obtained (in Tamm-Dancoff approximation) for the amplitudes of the phonon-free, single-phonon, and two-phonon states

$$(W - E_{l_0}) A_0 = \sum_n H_{0n} \psi_n^2 B_n;$$

$$(W - E_{l_1}) B_n = H_{n0} \psi_n^2 A_0 + \sqrt{2} \sum_r H_{nr} \psi_r^2 C_r;$$

$$(W - E_{l_2}) C_r = \sqrt{2} \sum_n H_{rn} \psi_n^2 B_n. \quad (12)$$

Card 4/7

S/048/59/023/012/007,009
 Э102/3212

Energy levels of weakly deformed nuclei

$$H_{0n} = -\tilde{g}[(2l+1)(2k+1)]^{1/2} (l\ 200 | l\ 2\ l_0\ 0) W(l_0\ 2lk; ls); \quad (13)$$

From $H_{rn} = -\tilde{g}[(2l+1)(2R+1)(2k+1)(2k'+1)]^{1/2} \times$ (13')

$$\times (l\ 200 | l\ 2\ l'\ 0) W(2k'R_s; k_2) W(k'\ 2\ l_l; k_l), \quad (13'')$$

где $\tilde{g} = kR_0 \left[\frac{\hbar}{2U_0} \cdot \frac{5}{4\pi} \right]^{1/2}$.

Используя (13) и (13'), можно решить систему уравнений (12). Амплитуды A_0 , B_n и C_r связаны условиями:

follow the solutions of (12) as

$$\psi_l(R_0) A_0 = \frac{1}{\sqrt{N}(W_l, l_0)}; \quad (14)$$

$$B_{kl} = -\tilde{g}[(2l+1)(2k+1)]^{1/2} (l\ 200 | l\ 2\ l_0\ 0) W(l_0\ 2lk; ls) \frac{\psi_l^2 A_0}{(W_l - E_{l_1} - 2\tilde{g}^2 \alpha_{l_2})}; \quad (14')$$

$$C_{Rkl} = \sqrt{2}\tilde{g}^2 [(2R+1)(2k+1)]^{1/2} W(kRl l_0; sl) \sum_l (2l'+1) W(2Rl' l_0; 2l) \times$$

$$\times \frac{(l'\ 200 | l'\ 2\ l_0) (l'\ 200 | l'\ 2\ l_0) \psi_{l'}^2 \psi_l^2 A_0}{(W_l - E_{l_2})(W_l - E_{l_1} - 2\tilde{g}^2 \alpha_{l_2})}, \quad (14'')$$

Card 5/7

S/048/59/023/012/007/009
B102/B212

Energy levels of weakly deformed nuclei

$$N(W_I, l_0) = 1 + \tilde{g}^2 \sum_i \frac{(l_0 200 | l_0 210)^2 \psi_i^2 \psi_i^2}{(W_I - E_{l_1} - 2\tilde{g}^2 \alpha_{l_2})^2} \left(1 + 2\tilde{g}^2 \sum_{l'} \frac{(l 200 | l 2 l' 0)^2 \psi_l^2 \psi_{l'}^2}{(W_I - E_{l_2})^2} \right) \quad (15) \quad (15)$$

$$\alpha_{l,1} = \sum_i \frac{(l_0 200 | l_0 210)^2 \psi_i^2 \psi_i^2}{W_I E_{l_1} - 2\tilde{g}^2 \alpha_{l_2} (W_I)}; \quad \alpha_{l,2} = \sum_{l'} \frac{(l 200 | l 2 l' 0)^2 \psi_l^2 \psi_{l'}^2}{(W_I - E_{l_2})} \quad (15')$$

The following expression holds for the eigenvalue of W_I , which determines the energy levels of the odd nucleon: $W_I = E_{l_0} + \tilde{g}^2 \alpha_{l_0 1}(W_I)$. This equation has to be solved to determine the energy levels of odd nuclei. This is done by assuming that the collective levels are located above the single-particle levels. For the case of a not very strong binding, the following expressions are obtained for the energy levels of single- and two-phonon states of the nucleus:

$$W_I^I = \bar{E}_{l_1} + \Delta W_0 + \frac{2[\tilde{g}^2 \psi_l^2 \psi_{l'}^2 + M]}{\bar{E}_{l_1} - \bar{E}_{l_2} + \Delta W_0}; \quad (18) \quad (18)$$

Card 6/7

85595

S/048/60/024/007/029/032/XX
B019/B056

24.4500

AUTHOR:

Korolev, A. M.

TITLE:

The Excitation of the Collective Levels of a Nucleus in
Stripping Reactions

PERIODICAL:

Izvestiya Akademii nauk SSSR. Seriya fizicheskaya, 1960,
Vol. 24, No. 7, pp. 903-911

X

TEXT: This paper was read at the 10th All-Union Conference on Nuclear Spectroscopy, which took place from January 19 to January 27, 1960 at Moscow. The author investigates the limiting case of stripping reactions, in which the spectrum of the collective oscillations has a vibrational character and where the initial nucleus is spherical. The residual nucleus is assumed to be weakly deformed after the capture of a neutron. Proceeding from the Hamiltonian of the collective interaction of nucleons with the surface of the nucleus (in agreement with the generalized Bohr atomic model), the author gives the wave function of the initial- and the final state of the system. For the transition matrix element he obtains $M = M_p + M_n$ in Born approximation, where M_p is the matrix element taking

Card 1/3

85595

The Excitation of the Collective Levels of a
Nucleus in Stripping Reactions

S/048/60/024/007/029/032/XX
B019/B056

the interaction of a proton with the nuclear surface into account, and M_n is the analogue for a neutron. An expression is obtained for M_n . From the discussion of this expression the author gathers that, in the stripping reaction both in case of a neutron capture on the ground state or the single-particle excited level, and also in the case of an excitation of the collective levels of a nucleus, the angular distribution of the protons is determined by the orbital momentum l_0 . A similar expression is obtained for M_p . In the final part of this paper, an expression is obtained for the angular distribution of protons in the (d,p) reaction. This expression consists of three terms, of which the first gives the proton angular distribution on the basis of the collective interaction of a proton with the nuclear surface. The latter agrees fully with the results obtained by Butler (Ref. 1). The third term characterizes the collective interaction of protons, and gives an angular distribution, which does not agree with the results obtained by Butler. The second term characterizes the interference between these processes. The expression obtained here is not only correct in the case of the excitation of the collective levels, but also for single-particle levels. There are 12 references: 4 Soviet, 4 US, 1 British, 1 Danish, and 1 Dutch.

Card 2/3

85597

S/048/60/024/007/031/032/XX
B019/B056

44.4500
AUTHORS:

Gurin, Yu. L., Korolev, A. M., and Konstantinov, B. D.

TITLE:

The Magnetic and Quadrupole Moments of Weakly Deformed Nuclei

PERIODICAL:

Izvestiya Akademii nauk SSSR. Seriya fizicheskaya, 1960,
Vol. 24, No. 7, pp. 920-923

TEXT: This paper was read at the 10th All-Union Conference on Nuclear Spectroscopy, which took place from January 19 to January 27, 1960 at Moscow. B. D. Konstantinov et al. (Ref. 2) derived the expressions for the magnetic and quadrupole moments for deformed nuclei. With respect to these nuclei it had been assumed that between the external nucleon and the nuclear surface an intermediate coupling existed. The nuclear radii were determined for the calculation of the moments by means of the formula $R_0 = (1.27A^{1/3} + 0.6) \cdot 10^{-13}$ cm. The potential well depth V_0 was determined from the coupling energy of the last nucleon of an even-even nucleus. The energy of the first collective level of an even-even nucleus was determined from experimental data, and the coupling constant of the extranucleon with

Card 1/5

The Magnetic and Quadrupole Moments of Weakly Deformed Nuclei

S/048/60/024/007/031/032/XX
B019/B056

the nuclear surface was selected so that the calculated energy of the ground state agreed with the experimental values. Under these assumptions, the magnetic quadrupole moments were calculated for nuclei with an odd neutron number (Table 1), as well as for nuclei with an odd proton number. As may be seen, the generalized model, when applied to weakly deformed nuclei, gives better results than the shell model.

Card 2/5

85597

The Magnetic and Quadrupole Moments of Weakly Deformed Nuclei

S/048/60/024/007/031/032/XX
B019/B056

Table 2 : Magnetic and Quadrupole Moments of Nuclei With Odd Proton Number

Таблица 2

Магнитные и квадрупольные моменты ядер, нечетных по протонам

Ядро	Z	N	A	Основное состояние	μ (н. м.) эксперим.	μ (н. м.) теорет.	μ (н. м.) эксперим.	Q, e × 10 ⁻²⁸ см ²		
								одночаст.	теорет.	эксперим.
Co	27	32	59	<i>f</i> _{7/2}	5,793	4,730	4,648	0,08	+0,456	0,500
Cu	29	34	63	<i>P</i> _{3/2}	3,793	2,759	2,226	-0,06	-0,563	-(0,13±
In	49	66	115	<i>g</i> _{7/2}	6,793	5,355	5,500	0,15	+3,651	±0,01)
Sb	51	70	121	<i>d</i> _{5/2}	4,793	4,993	3,360	-0,13	-0,205	1,161
Tl	81	122	203	<i>δ</i> _{5/2}	2,793	1,778	1,612	0	0	-(0,3±0,2)
Bi	83	126	209	<i>h</i> _{7/2}	2,623	1,824	4,082	-0,2	-0,994	0
										-0,4

Card 4/5

S/185/62/007/005/002/013
D407/D301

AUTHORS: Tsan Yu-t'ai and Korol'ov, O.M.

TITLE: On the theory of stripping reactions

PERIODICAL: Ukrayins'kyy fizychnyy zhurnal, v. 7, no. 5, 1962,
470 - 474

TEXT: The differential cross-section of the stripping reaction is calculated in the Born approximation, allowance being made for the D-wave contribution to the deuteron wave-function. The authors consider the effect of the tensor interaction of the deuteron nucleons on the angular distribution of protons in the stripping reaction; this is done for the case of large angles of escape of protons. In the references, this effect was assumed as small, owing to the small magnitude of the D-wave contribution. The (d, p)-reaction on even-even nuclei is considered. Formulas are given for the wave functions of the initial- and final state of the system. The formula for the effective differential cross-section of the stripping reaction contains radial integrals which are calculated by successive differentiation and by using recursion formulas for spherical Card 1/4

APPROVED FOR RELEASE: 06/14/2000

CIA-RDP86-00513R000824810013-4

S/185/62/007/005/002/013
D407/D301

On the theory of stripping reactions

Bessel functions; hence one obtains

$$\sigma(\theta) = (2j+1) \left(\frac{2MR^2}{h^2} V \right)^2 \frac{2M\gamma \epsilon_n N^2}{h^2 R \alpha^4} \left(\frac{1}{x_n^2 + k^2} \right)^2 \times \quad (6')$$

$$\times \left(k j_{l_n-1}(kR) - \kappa_n j_{l_n}(kR) \frac{K_{l_n-1}(\kappa_n R)}{K_{l_n}(\kappa_n R)} \right)^2 G_d^2(b) (1 + \delta^2(b)),$$

where M denotes the reduced mass of the proton and deuteron; θ - the angle of escape of the proton; γ - the reduced width of the one-particle nuclear level; ϵ_n - the coupling energy of the captured neutron; κ_n is related to M, ϵ and \hbar ; j and K are spherical Bessel- and MacDonal functions; G represents the momentum distribution of the relative motion in the S-state of the deuteron (G is a function of the parameters β , γ , b, being related to Hulthen's function W). Fig. 1 shows the distribution functions $G_d(b)$ and $\tilde{G}_d(b)$ for the D-wave in momentum space with the following parameter values: $\beta = 4.75$, $\gamma = 3$, and the effective deuteron-radius $\rho = 1.704 \cdot 10^{-13}$ cm. Another figure shows the corresponding functions $\delta(b)$ and $\tilde{\delta}(b)$, representing the relative contribution of the D-wave to the angular Card 2/4

Deuteron splitting under ...

S/185/62/007/006/004/014
D407/D301

ASSOCIATION: Instytut fizyki AN UkrRSR, Kyiv (Institute of Physics of the AS UkrRSR, Kiyev) †

SUBMITTED: January 3, 1962

Card 4/4

S/O48/62/026/008/027/028
B104/B102

AUTHOR: Korolev, A. M.
TITLE: Collective interaction of neutrons with spherical nuclei
PERIODICAL: Akademiya nauk SSSR. Izvestiya. Seriya fizicheskaya,
v. 26, no. 8, 1962, 1101-1112

TEXT: A quantum-mechanical system consisting of a neutron and a spherical nucleus with A nucleons is studied. It is assumed that collective degrees of freedom (surface vibrations) of the nucleus are excited in its interaction with a neutron. Using the method of H. Feshbach (Ann. of Phys., 5, 357 (1959)), the real and imaginary parts of the optical potential of the neutron are calculated and it is shown that intermediate quasisteady states of the system exist in the excitation of the first collective level. The inelastic scattering of neutrons from spherical nuclei is also studied. In the periodic system the spherical nuclei come close to the magic ones, and the energy of incident neutrons is near the isolated collective resonance. The possibility of a compound nucleus being formed is taken into account, but that of a direct interaction between the neutron and the

Card 1/2

S/O48/62/026/008/027/028
B104/B102

Collective interaction of ...
nucleus is not considered. There are 3 figures.

ASSOCIATION: Institut fiziki Akademii nauk USSR (Institute of Physics of
the Academy of Sciences. UkrSSR)

Card 2/2

KOROLEV, A.M.

Collective interaction between neutrons and spherical nuclei.
Izv. AN SSSR. Ser. fiz. 26 no.8:1101-1112 Ag '62. (MIRA 15:11)

1. Institut fiziki AN UkrSSR.
(Nuclear reactions) (Neutrons)

KOROLEV, A.M. [Korol'ov, O.M.]

Role of the Coulomb interaction in the (d, p) reaction.
Ukr. fiz. zhur. 8 no.5:523-531 My '63. (MIRA 16:8)

1. Institut fiziki AN UkrSSR, Kiyev.

KOROLEV, A.M.

Shape of the self-consistent potential. Izv. AN SSSR. Ser. fiz. 29
no.7:1151-1156 J1 '65.

Energy levels of even-even nuclei. Ibid.:1157-1159 (MIRA 18:7)

1. Institut fiziki AN UkrSSR.

KOROLEV, A.M. [Korol'ov, O.M.]

Bound states of a particle moving in a nonlocal potential.
Ukr. fis. zhur. 10 no.9:969-976 S '85. (MIRA 18:9)

1. Institut fiziki AN UkrSSR, Kiyev.

L 08719-67 EWT(m)/EWP(j) WW/JW/RM

ACC NR: AP6032593

SOURCE CODE: UR/0062/66/000/008/1436/144C

AUTHOR: Yeremenko, L. T.; Korolev, A. M.

29
8

ORG: Institute of Chemical Physics, Academy of Sciences, SSSR (Institut khimicheskoy fiziki Akademii nauk SSSR)

TITLE: Esterification of alcohols with nitric acid. Communication 2. Selective nitration of primary hydroxyl groups in polyhydric alcohols

SOURCE: AN SSSR. Izvestiya. Seriya khimicheskaya, no. 8, 1966, 1436-1440

TOPIC TAGS: mesoerythritol, esterification, ~~nitric~~-nitric acid, polyhydric alcohol, nitration, ALCOHOL

ABSTRACT: The results of an earlier study by the authors have indicated that esterification of polyhydric alcohols with nitric acid of a concentration below 80% yields only primary nitrates. To verify this indication, a study has been made of the esterification of mesoerythritol with excess 79% nitric acid. The esterification product was identified by elemental analysis as erythritol dinitrate. The structure of the product, determined by IR spectroscopy, was identical to that of the product of the oxidation of cis-2-butene-1,4-diol with potassium permanganate. As this product is known to be erythritol 1,4-dinitrate, it was concluded that selective esterification of normal polyhydric alcohols with nitric acid of a concentration below

Card 1/2

UDC: 542.958.1+662.232

Card 2/2 net

KOROLEV, A.N., inzh.

Method for determining deflections in circumferentially supported reinforced concrete slabs subjected to short-time loads. Bet. 1 shel.-bet. no.3:138-141 Mr '60.
(MIRA 13:6)

(Concrete slabs) (Strains and stresses)

KOROLEV, A. N., Cand. Tech. Sci. (diss) "Development of Method of Computation of Buckling of Reinforced Concrete Plates, Based on Shape and Span without Girders under Effect of Brief Loading," Moscow, 1961, 11 pp. (Acad. of Construc. and Architec. USSR, So. Res. Inst. Concrete and Reinf. Concr. "NIIZhB") 180 copies (IL Supp 12-61, 238).

KOROLEV, A.N., inzh.; KRYLOV, S.M., kand.tekhn.nauk

Method of calculating the flexures of reinforced concrete slabs supported along the edge and girderless roofs under the effect of brief loading. Trudy NII ZHB no.26:59-119 '62. (MIRA 15:7)
(Precast concrete--Testing)

KOROLEV, Aleksey Nikolayevich, kand.tekhn.nauk; SHUVALOV, S.I., spetsred.;
NIKOLAYEV, A.M., spetsred.; KORBUT, L.V., red.; PEREDERIY, S.P.,
tekhn.red.

[Technology of hard cheeses] Tekhnologiya tverdykh syrov.
Moskva, Pishchepromizdat, 1960. 58 p. (MIRA 14:6)
(Cheese)

KOROLEV, A.N.

DEMENT'YEV, I.V., inzh.; ZHERNAKOV, Yu.I., inzh.; NIKOLIN, V.I., inzh.;
KOROLEV, A.N., inzh. [deceased]; TOMAKOV, V.A., inzh.

Using sublevel caving systems in pillar extraction. *Bezop. truda v*
prom. 2 no.3:13-14 Mr '58. (MIRA 11:3)

1. Institut UNIPROMED'.
(Copper mines and mining)

KOROL'EV, A.N., kand.med.nauk

Course of pregnancy and labor in multiple pregnancy. Vop.okh. mat.
i det. 3 no.1:52-54 Ja-V '58. (MIRA 11:2)

1. Iz akushersko-ginekologicheskoy kliniki Gor'kovskogo meditsin-
skogo instituta imeni S.M.Kirova (zav. kafedroy - prof. K.G.
Cherepakhin)

(BIRTH, MULTIPLE) (PREGNANCY, COMPLICATIONS OF)

KOROLEV, A.N., kand.med.nauk

Effect of nephropathy in pregnant women on the fetus and newborn infants. Sbor. nauch. rab. Kaf. akush. i gin. GMI no.2:39-40 '60. (MIRA 15:4)

1. Iz akushersko-ginekologicheskoy kliniki (direktor prof. G.K. Cherepakhin) Gor'kovskogo meditsinskogo instituta im. S.M.Kirova. (KIDNEYS--DISEASES) (PREGNANCY, COMPLICATIONS OF)

KOROLEV, A.N., kand.med.nauk

Clinical evaluation of the method of anesthesia in labor using
hexenal. Sbor.nauch.rab. Kaf. akush. i gin. GMI no.1:92-93 '60.
(MIRA 15:4)

1. Iz akushersko-ginekologicheskoy kliniki (direktor - prof. G.K.
Cherepakhin) Gor'kovskogo gos.medsinskogo instituta.
(HEXOBARBITAL) (ANESTHESIA IN OBSTETRICS)

KOROLEV, A.N., kand.med.nauk

Disorder of cerebral circulation in newborn infants depending on the state of health of the gravida and the course of labor; its prevention and treatment. Sbor. nauch. rab. Kaf. akush. i gin. GMI no.1:120-123 '60. (MIRA 15:4)

1. Iz akushersko-ginekologicheskoy kliniki, direktor prof. G.K. Cherepakhin Gor'kovskogo gos.meditsinskogo instituta.
(BRAIN--BLOOD SUPPLY) (INFANTS (NEWBORN)--DISEASES)

TSYPKIN, Yakov Zalmanovich; KOROLEV, A.N., red.; RUTMAN, R.S., red.;
KRYUCHKOVA, V.N., tekh. red.

[Theory of linear pulse systems] Teoriia lineinykh impul's-
nykh sistem. Moskva, Fizmatgiz, 1963. 968 p. (MIRA 16:7)
(Pulse techniques (Electronics))

KOROLEV, A.N.

MORDVINKIN, N.A.; KOROLEV, A.N.

Forty years of the railroad car industry. Zhel.dor.transp. 39
no.11:46-50 N '57. (MIRA 10:10)

1.Glavnyy inzh. Glavnogo upravleniya vagonnogo khozyaystva Mini-
sterstva putey soobshcheniya (for Mordvinkin). 2. Zamestitel'
glavnogo inzhenera Glavnogo upravleniya vagonnogo khozyaystva
Ministerstva putey soobshcheniya (for Korolev). . .
(Railroads--Cars)

KOROLEV, A.N.

Over-all mechanization of car handling operations. Zhel.dcr.
transp. 43 no.6:33-38 Je '61. (MIRA 14:7)

1. Zamestitel' glavnogo inzhenera Glavnogo upravleniya vagonnogo
khozyaystva Ministerstva putey soobshcheniya.
(Railroads--Rolling stock)

KRIVORUCHKO, Nikolay Zakharovich, kand. tekhn. nauk; SLUSHAYENKO, A.M., dotsent, retsenzent; YELISEYEV, F.G., dots., retsenzent; LERNET, K.S., dots., retsenzent; GLUKHOV, V.A., dots., retsenzent; KIYANOV, P.I., inzh., retsenzent; TSMIDANOV, V.M., inzh., retsenzent; DOROFEYEV, V.G., inzh., retsenzent; KALEDENKOV, S.S., inzh., retsenzent; KOROLEV, A.N., inzh., retsenzent; LOKSHIN, Kh.A., inzh., retsenzent; FIRSOV, S.I., inzh., retsenzent; SHAKURSKIY, K.D., inzh., retsenzent; UTKIN, A.V., tekhn., retsenzent; VALETOV, A.I., inzh., red.; BOBROVA, Ye.N., tekhn. red.

[Operation, management, and repair of rolling stock] Vagonnoe khoziaistvo. Moskva, Vses.izdatel'sko-poligr.ob"edinenie M-va putei soobshchenia, 1961. 319 p. (MIRA 14:11)

1. Kafedra "Konstruktsiya, remont i ekspluatatsiya vagonov" Rostovskogo instituta inzhenerov zheleznodorozhnogo transporta (for all except Valetov, Bobrova).

(Railroads--Rolling stock)

BEZTSENNYI, V.I.; KOROLEV, A.N.

Further improvement of the rolling stock. Zhel.dor.transp.
44 no.1:32-37 Ja '62. (MIRA 14:12)

1. Glavnyy inzhener Glavnogo upravleniya vagonnogo khozyaystva
Ministerstva putey soobshcheniya (for Beztseennyi). 2. Zamestitel'
glavnogo inzhenera Glavnogo upravleniya vagonnogo khozyaystva
Ministerstva putey soobshcheniya (for Korolev).
(Railroads--Rolling stock)

KOROLEV, Aleksandr Nikiforovich; POPOV, Aleksandr Ivanovich; SIZOV,
K.P., inzh., retsenzent; YAKOVLEV, I.N., inzh., retsenzent;
SARANTSEV, Yu.S., inzh., red.; VOROTNIKOVA, L.F., tekhn. red.

[Economics, organization, and planning of railroad car operation] Ekonomika, organizatsiia i planirovanie vagonnogo khoziaistva. Moskva, Transzheldorizdat, 1962. 290 p.

(MIRA 15:12)

(Railroads--Rolling stock)

YEMEL'YANOV, N.P.; VEL'MIN, A.A.; KOLOMIYCHENKO, V.V.; KOROLEV,
A.N., inzh., retsenzent; BRAYLOVSKIY, H.G., inzh., red.;
KHITROVA, N.A., tekhn. red.

[Build-up welding of automatic-coupler parts using a laying
lamellar electrode under flux] Naplavka detalei avtostseпки
pod fliusom lezhachim plastinchatym elektrodom. Moskva,
Transzheldorizdat, 1963. 44 p. (MIRA 16:10)
(Car couplings--Maintenance and repair)

NAGIBINA, I.M.; KOROLEV, A.N.

Some characteristics of a Fabry-Perot etalon with a small
transparent aperture. Opt. i spektr. 15 no.3:421-423 S '63.
(MIRA 16:10)

BEZTSENNY, V.I.; KOROLEV, A.N.

Prospects for the development of the car fleet. Zhel.dor.transp.
46 no.3:67-71 Mr '64. (MIRA 17:3)

1. Glavnyy inzh. Glavnogo upravleniya vagonnogo khozyaystva
Ministerstva putey soobshcheniya (for Bezsenny). 2. Zamestitel'
glavnogo inzhenera Glavnogo upravleniya vagonnogo khozyaystva
Ministerstva putey soobshcheniya (for Korolev).

KOROLEV, A.P., kand.tekhn.nauk

New technological processes in machinery manufacture. Vest.AN
SSSR 31 no.3:128-130 Mr '61. (MIRA 14:3)
(Machinery industry)

KOROLEV, A.S.

SKOROKHOV, N.Ye., kandidat tekhnicheskikh nauk; ZAYKOV, M.A., kandidat tekhnicheskikh nauk; KOROLEV, A.S., inzhener; SKOROKHOVA, V.F., inzhener.

Measuring the pressures exerted in the cold rolling of thin sheets. Trudy Sib.met.inst. no.2:5-18 '55. (MLRA 9:12)

(Strains and stresses) (Rolling (Metalwork))

SKOROZHODOV, N.Ye., kandidat tekhnicheskikh nauk, dotsent; GOLUBEV, T.M., professor, doktor tekhnicheskikh nauk; ZAYKOV, M.A., kandidat tekhnicheskikh nauk; CHELYSHEV, N.A., kandidat tekhnicheskikh nauk, dotsent; KOROZEV, A.S., inzhener; OSHIN, V.I., inzhener.

Determining acting forces in friction and eccentric presses.
Trudy Sib.net.inst. no.2:19-29 '55. (MLRA 9:12)

(Strains and stresses) (Power presses)

SKOROKHODOV, M.Ye., dotsent; KUCHKO, I.I., inzhener; KOROLEV, A.S.;
SERKIN, M.G.; BUKHVOSTOV, I.G.

Investigation of the rolling of experimental rails. Trudy TSNII
MPS no.111:25-32 '55. (MLRA 9:5)
(Railroads--Rails)

KOROLEV, A.S.

Automatic pullers for set-in taper keys. Mashinostroitel' no.8:
15-16 Ag '57. (MIRA 10:8)
(Machine-shop practice)

KOROLEV, A.S.; BLYUMKIN, A.M.

Small stand for winding coils of measuring instruments. Torf.prom.
34 no.8:29 '57. (MIRA 11:1)

1.Varegovskoye torfopredpriyatiye.
(Electric coils)

KOROLEV, A.S.; BLYUMKIN, A.M.

Checking fuses and thermal relays at the Varegovo peat
enterprise. Torf.prom. 34 no.8:30 '57. (MIRA 11:1)

1. Varegovskoye torfopredpriyatiye.
(Electric fuses) (Electric relays)

SKOROKHODOV, N.Ye., dotsent; CHELYSHEV, N.A., kand.tekhn.nauk;
ZAYKOV, M.A., dotsent; FROLOV, N.P., insh.; KOROLEV, A.S.,
insh.; KRAVCHENKO, L.Ye., insh.; SKOROKHODOVA, V.F., insh.;
ABAKUMOV, V.A., dotsent [deceased]; KAPLANOV, M.P., insh.

Investigating conditions of rolling plain and shaped
sections on a medium-shape rolling mill. Trudy NTO
Chern.met. 15:24-55 '59. (MIRA 13:7)
(Rolling mills)

DEM'YANOV, I.K.; TAZIYEV, Zh.Sh.; KOROLEV, A.S.; LEBEDEV, B.N., prof.,
doktor; NOVIKOVA, Ye.I., assistant

Extraction of gold from rebellious carboniferous ore. Sbor. nauch.
trud. Kaz GMI no.19:14-22 '60. (MIRA 15:3)
(Gold ores) (Ore dressing)

KOROLEV, A.S., inzh.

Calculation of the final settling of an engineering structure on a peat
foundation bed. Izv.vys.ucheb.zav.;gor.zhur. 6 no.11:39-45
'63. (MIRA 17:4)

1. Kalininskiy torfyanoy institut. Rekomendovana kafedroy transporta
torfa.