

KREPKOGORSKIY, I.N., dots.

Some questions in hygienic aspects of surface runoff in central
Kazakhstan. [with summary in English]. Gig.i san. 23 no.6:6-10
Je '58 (MIRA 11:7)

1. Iz kafedry gigiyeny Kazanskogo instituta usoverhenstvovaniya vrachey
imeni V.I. Lenina.

(WATER SUPPLY,

in Russia, hyg. evaluation of surface water (Rus))

VYLEGZHANIN, N.I., dotsent (Kazan'); KREPKOGORSKIY, L.N., dotsent (Kazan')

"Pollution of the atmospheric air by carcinogenic substances"
by L.M. Shabad, P.P. Dikun. Reviewed N.I. Vylegzhanin. Kaz.
med. zhur. no. 4:93-96 J1-Ag '60. (MIRA 13:8)
(AIR—POLLUTION) (CARCINOGENS) (SHABAD, L.M.)
(DIKUN, P.P.)

KREPKOGORSKIY, L.N.

Fluorine in the surface waters of Kazakhstan. Gidrokhim. mat.
30:32-42 '60. (MIRA 13:9)

1. Kafedra gigiyeny Kazanskogo gosudarstvennogo instituta
usovershenstvovaniya vrachey im. Lenina.
(Kazakhstan--Water--Composition) (Fluorine)

KREPKOGORSKIY, L.N., otv. red.; EPSHTEYN, T.D., red.; MUKHUTDINOV, I.Z., red.; STANKEVICH, Ye.F., red.; PETUKHOV, N.I., red.; OVRUTSKIY, G.D., red.

[Transactions of the Conference on Problems in Studying the Water Resources of the Tatar A.S.S.R. and the Hygiene of Water Supply] Trudy Nauchnoi konferentsii po voprosam izucheniia vodnykh resursov TASSR i gigieny vodosnabzheniia. Kazan', Kazanskii in-t usovershenstvovaniia vrachei im. V.I.Lenina, 1964. 106 p. (MIRA 18:5)

1. Nauchnaya konferentsiya po voprosam izucheniia vodnykh resursov TASSR i gigieny vodosnabzheniya, Kazan', 1963.
2. Kazanskiy Gosudarstvennyi institut dlya usovershenstvovaniia vrachei im. S.M.Kirova (for Krepkogorskiy).
3. Zavedyushchiy Kafedroy terapevticheskoy stomatologii Kazanskogo meditsinskogo instituta (for Ovrutskiy).
4. Geologicheskii institut AN SSSR, gorod Kazan' (for Stankevich).
5. Kafedra obshchey gigieny Kazanskogo Meditsinskogo instituta (for Petukhov).

~~KREPKOSORSEY, S.S.,~~ inzh.; GOLOVANOV, A.L., inzh., red.; KHITROV, P.A.,
tekhn.red.

[Vertical vibrations in the truck structure of rolling stock and their
effect on the track] Vertikal'nye kolebaniia nadressornogostroeniia
podvishnogo sostava i vliianie ikh na put'. Moskva, Gos. transp.
shel-dor. izd-vo, 1958. 170 p. (Moscow. Vsesoiuznyi nauchno-
issledovatel'skii institut shelezнодорожного транспорта. Trudy,
no.152) (MIRA 11:7)

(Railroads--Rolling stock) (Railroads--Track)

ALEKSEYEV, M.V.; VERIGO, M.F., prof.; YERSHKOV, O.P.; KREPKOGORSKIY,
S.S.; FILIPPOVA, L.S., red.; GROMOV, Yu.V., tekhn. red.

[Evaluating the action of present-day diesel and electric locomotives on track] Otsenka vozdeistviia na put' sovremennykh elektrovozov i teplovozov. [By] M.V.Alekseev i dr. Moskva, Vses. izdatel'sko-poligr. ob"edinenie M-va putei soobshcheniia, 1961. 42 p. (MIRA 15:3)
(Railroad engineering)

ANDRIYEVSKIY, S.M., kand.tekhn.nauk; ZOL'NIKOV, S.S., kand.tekhn.nauk;
KISELEV, A.I., inzh.; KOROLEV, K.P., doktor tekhn.nauk, prof.;
KRYLOV, V.A., kand.tekhn.nauk; SHESTAKOV, V.N., kand.tekhn.nauk;
VERIGO, M.F., doktor tekhn.nauk; KREPKOGORSKIY, S.S., kand.
tekhn.nauk; IVANOV, V.V., doktor tekhn.nauk, rétsenzent;
ORLOVA, I.A., inzh.red.; VOROB'YEVA, L.V., tekhn.red.

[Truck-type locomotive underframes for high-speed traffic]
Telezhechnye ekipazhi lokomotivov dlia povyshennykh skorostei
dvizheniia. Moskva, Vses. izdatel'sko-poligr. ob"edinenie
M-va putei soobshcheniia, 1962. 303 p. (Moscow. Vsesoiuznyi
nauchno-issledovatel'skii institut zheleznodorozhnogo
transporta. Trudy, no.248).


(MIRA 16:2)

(Locomotives---Design and construction)
(Railroad engineering)

BOGOLYUBOV, R.A., Inzh., KRIPKOV, A.D., Inzh.

Friction welding of the connecting ends of metal pipes.
Svar.proliv. no.12320-22 D '65. (XIP-16412)

1. Azerbaydzhanskiy nauchno-issledovatel'skiy institut
nefteyanogo mashinostroyeniya.



KREPKOV, D.V.

ABDULLAYEV, M.A., kandidat tekhnicheskikh nauk; KREPKOV, D.V., kandidat tekhnicheskikh nauk; PETROSYAN, V.A., kandidat tekhnicheskikh nauk; KHAIME, F.G., kandidat tekhnicheskikh nauk; UDALYY, A.M., redaktor; MEKHRAIYEV, K.M., tekhnicheskii redaktor.

[New friction surface and its use in deep well pumps] Novaya poverkhnost' trenia i ee primeneniye v glubinnom nasose. Baku, Gos.nauchno-tekhn.izd-vo neftianoi i gorno-toplivnoi lit-ry, Azerbaidzhanskoe otd-nie, 1953. 28 p.

(MIRA 8:4)

(Surfaces) (Oil well pumps)

SOV/137-57-6-10914

Translation from: Referativnyy zhurnal, Metallurgiya, 1957, Nr 6, p 216 (USSR)

AUTHORS: Buzdakov, A. P. , Vlasova, T. Kh. , Krepkov, D. V. , Shanina, T. M.

TITLE: The Corrosion of Iron in Sea Water (O korrozii chuguna v morskoy vode)

PERIODICAL: Tr. Azerb. n.-i. in-t po dobyche nefti, 1955, Nr 2, pp 414-419

ABSTRACT: Results are presented of tests of several grades of iron (I) subjected to the action of sea water (Caspian) for the purpose of checking their corrosion strength. In all 11 samples were tested. Corrosion strength is determined by difference in weight before and after the experiment. The experiments are conducted with total immersion in sea water and in the splash zone above the water. The following conclusions are drawn from the tests: Austenitic I of the Ni-resist type shows the highest corrosion strength (13-14 times as high as that of steel); followed by 0.41% Ni I, having 5 times the corrosion strength of steel. Next comes I with small additions of Cu and Al which is 2-3 times as resistant as steel. Inoculated I is 50% more corrosion-resistant in sea water than steel. On total immersion in sea water, ordinary gray I displays the same corrosion resistance as carbon steel.

Card 1/1

Yu. R.

KREPKOV, D.V.

SUBJECT: USSR/Welding 135-5-13/14

AUTHORS: Krepkov D.V., Engineer, Khaime F.G., Engineer and Buzdakov A.P. Engineer.

TITLE: "ГОСТ 6996-54" and the "Rules for Examining Welders" Need Revision! (Peresmotret' ГОСТ 6996-54 i "Pravila ispytaniya svarshchikov!")

PERIODICAL: Svarochnoye Proizvodstvo", 1957, # 5, p 29 (USSR)

ABSTRACT: The standard "ГОСТ 6996-54"- "Methods for Testing Welding Seams" and the "Rules for Examining Welders" issued in 1954 by the "Gosgortekhnadzor" contradict each other in several points, contain many errors and by far do not satisfy all requirements of industrial testing welding seams. The contradictions cause great confusion in testing welded connections.

The article contains some examples of contradictions and some requirements which practically cannot be satisfied.

Comparing the "ГОСТ" standard with the "Rules" it may be found that according to "ГОСТ" butt welds of tubes with a wall thickness of 6 mm and less are to be tested as a whole, and accord-

Card 1/3

135-5-13/14

TITLE: "ГОСТ 6996-54" and the "Rules for Examining Welders" Need Revision! (Peresmotret' ГОСТ 6996-54 i "Pravila ispytaniya svarshchikov!")

ing to the "Rules", butt welded tubes of a wall thickness up to 6 mm are to be tested as a whole.

Actually the testing of butt welds of tubes is governed not by the wall thickness but by the diameter of the tubes. However, it must be admitted that butt welds of thin-walled tubes (4-5mm) of great diameters have to be tested, yet none of the available testing machines has grips for tubes with more than 70 mm diameter. At the same time the powerful testing machines permit to perform tests of butt welds of small-diameter tubes with any wall thickness. In addition there are tubes of small diameter with a wall thickness exceeding 6 mm. According to the "Rules", samples must be cut from the butt welds of these tubes (because of the wall thickness requirement) which have to be machined to rectangular shape according to the test specifications which is practically impossible.

The editors of "Svarochnoye Proizvodstvo" support the statements made by the authors and ask the readers to give

Card 2/3

135-5-13/14

TITLE: "POCT 6996-54" and the "rules for Examining Welders" Need
Revision! (Pereamotret' POCT 6996-54 i "Pravila ispytaniya
svarshchikov")
their views.

ASSOCIATION: Azerbaydzhani Research Institute for Exploitation of Oil Fields.

PRESENTED BY:

SUBMITTED:

AVAILABLE: At the Library of Congress.

Card 3/3

AKHUNDOV, B.M.; BERKOVICH, S.Sh.; BUZDAKOV, A.P.; KREPKOV, D.V.;
MANAKHOVA, T.Kh.; NEGREYEV, V.F.

Industrial testing of lift well tubing zinc coated by the thermal
diffusion process. Trudy AzNII DN no.6:240-246 '57.
(Zinc) (Pipe) (MIRA 12:12)

AUTHORS: Buzdakov, A.P., ~~Zrepkov, D.V.~~ SOV-126-58-8-16/21

TITLE: The State Standard for Casting Gray and Modified Iron (O
GOSTe na otlivki iz serogo i modifitsirovannogo chuguna)

PERIODICAL: Liteynoye proizvodstvo, 1958, Nr 8, pp 22-23 (USSR)

ABSTRACT: The State Standard, GOST 1412-54, for gray and modified
iron, is based on the resistance values obtained in stretch-
ing and bending tests. The checking of the test results
has shown that the bending resistance in cast iron type
SCh 21-40 is 7-13 kg/mm² higher than in the State standard,
in type SCh 24-44 - 510, in SCh 28-48 - 46 kg/mm².

1. Cast iron--Specifications 2. Cast iron--Properties

Card 1/1

BUZDAKOV, A. P.; KHEPKOV, D. V.

Causes of the breakdown of a bucket-crane bridge. TSement 26 no. 4:21-
25 J1-Ag '60. (MIRA 13:11)

(Cranes, darricks, etc.)

L 48582-65 EWT(m)/EPF(c)/EPF(n)-2/T/EMP(t)/ETP(h)/EIA(c) Pr 4/Fu 4 LJP(c)
 JD
 ACCESSION NR: AP5008653 S/0064/65/000/003/0201/0203
 AUTHOR: Kurdyumov, G. M.; Molochko, V. A.; Krepkov, P. N. 36
 TITLE: Study of the distribution of admixtures of arsenic²⁷ and phosphorus²⁷ in the case of the directional crystallization of germanium tetrachloride²⁷ B
 SOURCE: Khimicheskaya promyshlennost', no. 3, 1965, 201-203
 TOPIC TAGS: arsenic, phosphorus, crystallization, germanium, germanium compound, directional crystallization
 ABSTRACT: The distribution of phosphorus and arsenic impurities in directional crystallization of germanium tetrachloride (freezing point -49.5°C) was studied using the radioactive tracer method. The selection of these impurities was based first of all on their effect on the semiconductor properties of germanium and also on the probability of their presence in noticeable amounts in the initial product, this being especially true of arsenic. The radioactive tracers used were phosphorus-32 (half-life of 14.3 days) in the trichloride form and arsenic-76 (half-life of 26.8 hours) in the form of arsenic anhydride. Germanium tetrachloride containing P³²Cl₃ or As⁷⁶Cl₃ was poured into a polyethylene container which was then
 Card 1/2

L 48582-65

ACCESSION NR: AP5908653

sealed. The container was lowered at a rate of 2.5 cm/hr into a narrow copper beaker filled to the top with acetone and placed in a Dewar flask containing a mixture of dry ice and acetone. In order to create the nucleus for crystallization the lower part of the container was immersed in liquid nitrogen before conducting the directional crystallization. Upon completion of the process the ingot of germanium tetrachloride in the container was extracted from the refrigerating agent, cooled again in liquid nitrogen, and cut into equal parts. The latter were placed in fluoroplastic vessels; after the germanium tetrachloride melted and reached room temperature, the activity was measured; In the test the phosphorus and arsenic were forced into the upper end of the ingot, this being the case especially with the phosphorus (and also of a series of other impurities including the chlorides of Ca, Mg, Fe, and Al). Orig. art. has: 2 figures, 7 equations.

ASSOCIATION: none

SUBMITTED: 00

ENCL: 00

SUB CODE: 88, IC

NO REF SOV: 005

OTHER: 002

Card 2/2

KREPL, A.

DPX 4 hydraulic brake. p. 196.

Improvement and adjustment of combines. p. 197.

Vol. 6, no. 10, May 1956

SBOBNIK. RAD A MECHANISACE A ELETRIFIKACE ZEMEDLSTVI A LESNICTVI

Czechoslovakia

Source: EAST EUROPEAN LISTS

Vol. 5, no. 11

Nov. 1956

USSR / General Problems of Pathology. Shock.

U-4

Abs Jour : Ref Zhur - Biol., No. 10, 1958, No 46759

Author : Krepogorskiy, A. S.; Balandina, A. I.

Inst : Stalingrad Institute of Medicine.

Title : Traumatic Shock and Its Control in the Light of I. P. Pavlov's Teachings.

Orig Pub : Sb. nauchn. rabot teor. i klinich. kafedr Stalingr.
med. in-ta, Stalingrad, 1956, 110-123.

Abstract : No abstract.

Card 1/1

27

KREPOSTYAK, N.S. (Sokolovka, Vinnitskoy obl.)

Reflected pains in suppurative processes of the lungs. Vrach.
delo. no.5:533 My'58 (MIRA 11:7)
(LUNGS-ABSCESS)

KREPOV, D.V., inzhener; KHAIME, F.G., inzhener; BUZDAKOV, A.P., inzhener.

The All-Union State Standard 6996-54 and "Rules for testing welder" should be revised. Svar. proizv. no.5:29 My '57. (MLRA 10:6)

1. Azerbaydzhanskiy nauchno-issledovatel'skiy institut po dobyche nefti.
(Electric welding--Equipment and supplies--Standards)

KREPOV, M., kapitan

Composition and organization of an American infantry division; survey
of the foreign military press. Voen.vest. 33 no.4:77-81 Ap '54.

(MIRA 12:3)

(United States--Army--Infantry)

STUCHEVSKIY, M.; KREPS, A.S., otvetstvennyy redaktor; SAL'MONT, I.P.,
redaktor; FRUMKIN, P.S., tekhnicheskiy redaktor

[Estimating costs in ship building] Planirovanie sebestoimosti
v sudostroenii. (Leningrad) Gos. izd-vo sudostroitel'noi lit-ry,
1951. 90 p. (MLRA 8:7)
(Shipbuilding—Costs)

KREPS, Abram Samoylovich; DORMIDONTOV, F.K., redaktor; KANOLOVA, V.M.,
tekhnicheskii redaktor

[Economics of shipbuilding] Ekonomika sudostroitel'noi pro-
myshlennosti. Leningrad, Gos.soiuznoe izd-vo sudostroitel'noi
promyshl, 1955. 227 p. (MLRA 9:2)

(Shipbuilding--Costs)

KRAPS, Abram Semoylovich; BORKHERT, V.V., kand.ekonom.nauk, nauchnyy red.;
MISHKEVICH, G.I., red.; SHISHKOVA, L.M., tekhn.red.

[Economics of the shipbuilding industry] Ekonomika sudostroitel'noi
promyshlennosti. Izd.2., perer. pod red. V.V.Borkherta. Leningrad.
Gos.soiuznoe izd-vo sudostroit.promyshl., 1959. 235 p.

(MIRA 13:3)

(Shipbuilding)

(Economics)

KREPS, B.A.

Universal electrocardiographic ruler. Vrach.delo no.8:857-859 Ag '59.
(MIRA 12:12)

1. Baltskaya rayonnaya bol'nitsa Odesskoy oblasti i fakul'tetskaya
terapevticheskaya klinika (zav. - zasluzhenny deyatel' nauki, prof.
M.A. Yasinovskiy) Odesskogo meditsinskogo instituta.
(ELECTROCARDIOGRAPHY--EQUIPMENT AND SUPPLIES)

KREPS, B. I.

✓USSR/Metals - Plating, Testing

Dec 50

"Measuring the Thickness of Electroplated
Coatings by Electrical Method," S. S. Palley,
B. I. Kreps

"Zavod Lab" No 12, pp 1442-1445

Describes new electromagnetic thickness-measuring instr based on measuring secondary emf with application of control plate. Device permits highly precise detn of any thickness of coating (except nickel) from 2 to 60 microns. Error does not exceed 2 microns. Each measurement takes 1-2 sec.

182T87

KREPS, B.L.

KALASHNIKOV, V.P., professor; KREPS, B.L., kandidat farmatsevticheskikh nauk

"Factory-compounded pharmaceuticals" by P.V.Ogorodnikov, A.M. Preobrazhenski [deceased]. Reviewed by V.P.Kalashnikov, B.L.Kreps.
(MIRA 10:11)

Apt.delo 6 no.5:91-94 S-O '57.

(PHARMACY) (OGORODNIKOV, P.V.)
(PREOBRAZHENSKII, A.M.)

KREPS, E.; KYHLICKA, E.; PROCHAZKA, J.

The relocation of a road in the area of Lipno Dam.

P. 4, (Silnice) Vol. 6, no. 7/8, July/Aug. 1957, Praha, Czechoslovakia

30: Monthly Index of East European Accessions (MEAI) Vol. 6, No. 11 November 1957

KREPS, E.M.

Science and prosperity of mankind. Mir nauki
37 '60.
(Science and civilization)

no.3/4:31-
(MIRA 14:10)

AKAIO, S. K.

36354 O morozoboya shirokolistvennykh derev'yev zimoye 19'0-40 god nauch.
Metod rapiski (Soviet ministrov rsfsr, rsfsr, Glav. Ver. po zapovednikam.)
Vyp. 12, 1949, S. 248-65

CC: Dato: 12 Zhurnal'nykh Statey, No. 49, 1949

K. P. Rodionov
KRSPS, Grigoriy Rodionovich; MYASHNIKOV, A.A., spets.red.; KVELCH, N.Ye.,
red.; TSIRUL'NITSKIY, N.P., tekhn.red.

[The technology of chemical cleaning and dyeing of clothes] Tekhno-
logiya khimicheskoi chistki i perekrashivaniia odevzhd. Moskva,
Vses.koop.isd-vo, 1957. 315 p. (MIRA 11:2)
(Cleaning) (Dyes and dyeing)

LASAR, L.; MAROS, T.; KREPS, I.

Structural changes of the nerve fibers and endings under the influence
of roentgen rays. Rev. sci. med. 5 no.3/4:195-198 '60.
(PERIPHERAL NERVES radiation eff.)
(RADIATION EFFECTS experimental)

AUNAPU, I. F. (KREPS-AUNAPU, I. F.)

AUNAPU, I. F. (KREPS-AUNAPU, I. F.) "Prognosis of the Anticipative Development of Diseases of Potatoes and of Cabbage," in Prognosis of the Anticipative Development of the Most Prominent Pests and Diseases Expected to Damage Field Crops and Forests in 1935 Institute of Plant Protection, Leningrad, 1935, pp. 123-129. 464 L54

SO: SIRA, SI 90-53, 15 Dec. 1953

KUMKO-AUMAPU, I. P.

Prognosis of the Anticipative Development of Diseases of Potatoes and of
Cabbages

Bibliography from
(Soviet Publications in Plant Pathology and Closely Related Fields)

MO: Institute of Plant Protection, Leningrad, No. 159, P. 105, 1935

AUNAPU, I. F. (KREPS-AUNAPU, I. F.)

AUNAPU, I. F. (KREPS-AUNAPU, I. F.) "Vegetable Diseases in 1935," in

The Principal Pests and Diseases of Crop Plants in the U.S.S.R., Institute of

Plant Protection, Lenin Academy of Agricultural Sciences, Leningrad, 1936

pp. 297-313 464 L542

SO: SIRA, SI 90-53, 15 Dec. 1953

KREPS-ANNA, I. F.

Kreps-Anna, I. F. - "The comparative frequency of the vowels of some sentences of the
alphabetic series of ethyl acetate" In cyprion: Isolation of ethyl acetate
toxicology, Leningrad, 1942, p. 122-27 - Bibliog: 9 items

SO: U-3690, 10 July 55, (Letopis 'Zhurnal' Leningrad, No. 2, 1955).

KRMFC-AMMAU, I. P.

KRMFC-AMMAU, I. P. - "Local effect of certain ketones of the allyl series on ethyl acetate," In: Izvestiya: Issledovaniya v oblasti prom. toksikologii, Leningrad, 1968, p. 19-23 - Bibliog: 2 items

SO: U-3402, 10 July 68, (Letopis 'Zhurnal 'nykh Stetov, No. 1, 1968).

KREPS, I. F.

Chemical Abstracts
Vol. 48 No. 5
Mar. 10, 1954
Biological Chemistry

Action of antimony trioxide on the organism. I. D.
Gadastina, N. S. Dobryakova, I. F. Krep, E. I. Lyubina,
and Z. K. Pavlova (Sci. Research Inst. Ind. and Professional
Hyg., Leningrad). *Gigiena i Sanit.* 1953, No. 10, 26-7.
Expts. with rabbits and observations on human cases show
that Sb_2O_3 is a toxic substance whose concentration in the atm.
cannot exceed thousandths of mg. per/l. or less. Toxic ef-
fects are evident after prolonged inhalation of air contg.
hundredths of mg./l. Skin deformations are among the
symptoms of intoxication. G. M. Kosolapoff

LAZAREV, N.V.; ALEKSANDROV, I.S.; LYUBLINA, Ye.I.; AKKERBERG, I.I.; ZAKA-
BUNINA, M.S.; GADASKINA, I.D.; DOBRYAKOVA, N.S.; KREPS, I.F.; KARASIK,
V.M.; LEVINA, E.N.; DANISHEVSKIY, S.L.; YEGOROV, N.M.; RYLOVA, M.L.,
starshiy nauchnyy sotrudnik; KAPOV, B.D.; ANDREYEV, V.V.; LYKHINA,
Ye.T.; ZAMESHAYEVA, G.I.; ANISIMOV, A.N.; FRIDLYAND, I.G.; DANETSKAYA,
O.L.; BOGOVSKIY, P.A.; TIUNOV, L.A.; MIKHEL'SON, M.Ya.; ABRAMOVA, Zh.I..
GRIGOR'YEVA, L.M.; KLINSKAYA, K.S.

Third Leningrad conference on the problems of industrial toxicology.
Farm. i toks. 16 no.2:59-62 Mr-Apr '53.

(MLRA 6:6)
(Poisons)

AUTHOR: Kreps, L.I., Candidate of Technical Sciences and Dotsent.

TITLE: Investigation of the operation of a free-piston diesel-compressor. (Issledovaniye raboty svobodnoporshnevogo dizel'-komplessora.) 114-6-5/11

PERIODICAL: "Energomashinostroenie" (Power Generation Machinery Construction) 1957, Vol.3, No.6, pp. 15 - 19 (U.S.S.R.)

ABSTRACT: Free-piston engines are classified into two types: diesel compressors and gas generators. The usual applications and principles of operation are described with diagrams. A Soviet-produced free-piston diesel compressor type DK-2 is described. It is a horizontal four-stage compressor with an output of 8 litres/minute (related to a compressed air temperature of 30 °C and an output pressure of 230 kg/cm²). The fuel consumption is 8.8 kg/hour. The overall dimensions are length 2 630 mm, width 890 mm, height 860 mm. The dry weight is 650 kilograms. The construction is described and illustrated with a sketch. The engine is started by compressed air. The main conditions of the working process are tabulated.

The main test conditions are tabulated. Two independently controlled parameters were selected to determine the operating conditions of the diesel compressor. These were the amount of fuel supplied to the cylinder and the final pressure of compressed air. It is shown that the length of

Card 1/2

Investigation of the operation of a free-piston diesel-compressor. (Cont.)

114-6-5/11

stroke of the pistons is determined by the fuel supply and hardly depends on the air pressure. The rate of working (number of strokes a minute) is determined by the air pressure and hardly depends on the fuel supply. The output of the compressor reduced to n.t.p. is mainly governed by the fuel supply and hardly depends on the pressure. A graph is given of the change in piston travel and output of the compressor as a function of fuel supply. A graph is given of the relationship between the number of strokes per minute and the output pressure for all stable load conditions. Speed/time curves are given for the piston. Finally, a graph is given of the combined output characteristics of the compressor for various speed and load conditions as a function of the fuel consumption.

There are 6 figures and no literature references.

AVAILABLE:

Card 2/2

KREPS, L.I., kand. tekhn. nauk, dots.

Kinematics and dynamics of free-piston engines. Vest. mash, 37 no.8:
8-14 Ag '57. (MLRA 10:9)
(Compressors) (Gas turbines) (Diesel engines)

105-55, 1, 1
LENNIN, Igor' Mikhaylovich, prof., doktor tekhn. nauk; BOLTINSKIY, N.V., prof.,
retsenzent; D'YACHENKO, N.Kh., dots., kand. tekhn. nauk, retsenzent;
GRIBANOV, V.I., dots., kand. tekhn. nauk, retsenzent; KREPS, L.I.,
dots., kand. tekhn. nauk, retsenzent; NARBUT, M.V., dots., kand.
tekhn. nauk, retsenzent; ALEKSEYEV, V.P., kand. tekhn. nauk, red.;
NAKHIMSON, V.A., red. izd-va; MODEL' B.I., tekhn. red.

[Theory of automobile engines] Teoriya avtomobil'nykh dvigatelei.
Moskva, Gos. nauchno-tekhn. izd-vo mashinostroit. lit-ry, 1958.
270 p. (MIRA 11:10)

1. Deystvitel'nyy chlen Akademii sel'skokhozyaystvennykh nauk (for
Boltinskiy).

(Automobiles—Engines)

KREPS, L.I., kand.tekhn.nauk

Parameters of the working cycle of a free-piston engine.

Energomashinostroenie 4 no.3:1-5 Mr '58.

(MIRA 11:5)

(Free piston engines)

KREPS, L.I., kand. tekhn. nauk

Investigating the pressure process, power balance, and efficiency
in free-piston diesel compressors. Energomashinostroenie 4
no.10:18-23 0 '58. (MIRA 11:11)

(Compressors)

KOSHKIN, V.K., doktor tekhn. nauk, prof.; MAYZEL', L.M., kand. tekhn. nauk; CHERNOMORDIK, B.M., kand. tekhn. nauk; KREPS, L.I., kand. tekhn. nauk, retsenzent; CHAMOV, A.N., inzh., red.; SMIRNOVA, G.V., tekhn. red.

[Free-piston gas producers for gas-turbine units] Svobodnoporshnevye generatory gaza dlia gazoturbinnykh ustanovok. Moskva, Mashgiz, 1963. 289 p. (MIRA 16:10)
(Gas turbines) (Gas producers)

(A) L 8503-66

ACC NR: AP5028550

SOURCE CODE: UR/0286/65/000/020/0163/0163

AUTHORS: Borisoglebskiy, A. I.; Bulychev, F. V.; Kreps, L. I.; Ryvkin, L. S.;
Tsentsiper, M. L.

36
B

ORG: none

TITLE: Accumulating fuel pump. Class 46, No. 166199

SOURCE: Byulleten' izobreteniy i tovarnykh znakov, no. 20, 1965, 163

TOPIC TAGS: engine fuel pump, engine fuel system, engine component, internal combustion engine

10,44,55

ABSTRACT: This Author Certificate presents an accumulating fuel pump for internal combustion engines (such as free piston engines). The pump contains a case with coaxially placed cartridges, each of which carries a plunger with curved dosing and conveying rims and a counterplunger connected to the piston of the accumulator. To lower the cost and improve the performance, the counterplunger is provided with an internal cutoff duct connecting the aperture between the plungers to the low pressure zone through a duct in the plunger. The plunger may also contain a duct for feeding fuel to the atomizer.

SUB CODE: 21/ SUBM DATE: 16Jun62

Card 1/1

UDC: 621.43.038.5

2

L 24004-66 ENT(1)/ENT(m)/EPF(n)-2/T/ETC(m)-6 WW/DJ/WE

ACC NR: AP6009921

(A)

SOURCE CODE: UR/0413/66/000/004/0116/0117

AUTHOR: Shneyerov, V. S.; Kreps, L. I.

ORG: none

TITLE: An accumulative fuel pump for internal combustion engines. Class 46, No. 179123 [announced by Central Scientific Research and Design Institute of Fuel Systems for Automotive and Stationary Engines (Tsentral'nyy nauchno-issledovatel'skiy i konstruktorskiy institut toplivnoy apparatury avtotraktornykh i statsionarnykh dvigateley)]

SOURCE: Izobreteniya, promyshlennyye obraztsy, tovarnyye znaki, no. 4, 1966, 116-117

TOPIC TAGS: engine fuel system, engine fuel pump, internal combustion engine component


ABSTRACT: This Author's Certificate introduces an accumulative fuel pump for internal combustion engines based on Author's Certificate No 166199. The pump contains coaxial sleeves with a piston and a counterpiston which has a metering channel and a washer located between the sleeves with a connecting channel. The design is simplified and the reliability is improved by provision for a metering valve in the connecting channel. The counterpiston has throttling slots for connecting the accumulation cavity to the metering channel so that the cross sections of the damping slots are gradually reduced as the counterpiston is seated.

Card 1/2

UDC: 621.43.038.5

L 24004-66

ACC NR: AP6009921



1--sleeves; 2--piston; 3--counterpiston;
4--metering channel; 5--washer; 6--connect-
ing channel; 7--metering valve; 8--throttling
slot; 9--accumulation cavity; 10--piston
seat.

SUB CODE: 21/

SUBM DATE: 04Jun63/

ORIG REF: 000/

OTH REF: 000

Card 2/2

L 06337-67 EWP(c)/EWP(k)/EWT(d)/EWT(m)/EWP(h)/EWP(l)/EWP(f)/EWP(v)/EWT(t)/ETI
 ACC NR: AR6013844 (A, N) SOURCE CODE: UR/0276/65/000/011/B168/B168

AUTHOR: Kreps, M. S. IJP(c) DJ/JD

TITLE: Increasing the geometric accuracy of bearing parts

SOURCE: Ref. zh. Tekhnologiya mashinostroyeniya, Abs. 11H1192

REF SOURCE: Tr. Seminara po vopr. progressivn. metodov shlifov. i dovodki detaley, obespech. vysok. i stabil'n. tochnost' i dolgovechn. podshipnikov kacheniya. M., 1964, 44-45

TOPIC TAGS: ball bearing, metal grinding, metal finishing

ABSTRACT: The causes of geometric inaccuracies originating during the different grinding operations in the production of ball bearing races are considered (ring grinding, grinding of the external cylindrical surface, grooves and internal surfaces); these include: inaccuracies in the machine tool, in the clamping devices, and in the set-up operation. It was established that the method of machining and the set-up procedure during grinding are not sufficiently well established and do not provide the required high accuracy. The geometric accuracy of the rings can be increased by grinding the races and running surfaces on immovable, rigid supports (excluding the effects of clamping devices on the accuracy) and also by using the same mounting base for all operations of the grinding process. The sequence of grinding

Card 1/2

UDC: 621.923:621.822.001.5

L 06337-67

ACC NR: AR6013844

operations on the external and internal ball bearing rings and the mounting methods which will provide the required accuracies are presented. 10 illustrations, 3 tables. L. Romancheva [Translation of abstract]

SUB CODE: 13

Card 2/2 mLE

KREPS, N., Sud'ya vsesoyuznoy kategorii

The requirements increased. Voën. znan. 41 no.6:39 Je '65. (MIRA 18:5)

KREPS, N.

Lessons of the Spartakiada. Voen.znan. 39 no.10:31 0 '63.

(MIRA 16:11)

1. Starshiy trener Tsentral'no-sportivnogo kluba Dobrovol'nogo
obshchestva sodeystviya armii, aviatsii i flotu.

1945, 4/1.

KREMS, R. L.

Ekspperimental'noe issledovanie udara o vodu. Moskva, 1939.
32 p., illus., tables, diags. (TSAGI. Trudy, no. 438)

Bibliography: p. 31-32.

Title tr.: Experimental investigation of impact in landing on
water.

INACA

SO: Aeronautical Sciences and Aviation in the Soviet Union, Library of
Congress, 1955.

22/07/87
KREPS, R. L.

Udar o vodu tel klinoobraznoi formy. (Akademiia Nauk SSSR. Institut mekhaniki. Inzhenernyi sbornik, 1947, v. 4, no. 1, p. 177-187, diagrs.)

Summary in English.

Bibliography: p. 187.

Title tr.: Impact of wedge-shaped bodies in landing on water.

TAH.A37 v. 4

SO: Aeronautical Sciences and Aviation in the Soviet Union, Library of Congress, 1955.

3 (7)

AUTHOR: Kreps, R. L.

SOV/50-52-3-12/24

TITLE: V. G. Andreyanov "Hydrological Calculations in Projecting Small and Medium-sized Hydraulic Power Stations". Gidrometecizdat Publishing House. Leningrad 1957 (V. G. Andreyanov "Gidrologicheskiye raschety pri proyektirovanii mal'kikh i srednikh gidroelektrstantsiy." Gidrometecizdat. L. 1957)

PERIODICAL: Meteorologiya i gidrologiya, 1952, Nr 3, pp 56 - 57 (USSR)

ABSTRACT: A. M. Gavrilov (Chapter 2) and A. K. Proskuryakov (Chapter 3) co-operated in this book. It consists of 7 chapters and enclosures, and deals with all problems arising when carrying out hydrological calculations. All characteristics connected with projecting hydraulic power stations for agricultural economy are dealt with as well. The sources of hydrological data are shown and recommendations are given for the analysis and evaluation of such data. The book further deals with the influence exerted by physical and geographical factors and by the economic activity of man upon the economic conditions of rivers. Another subject discussed regards the main procedures to be followed for the generalization and calculation of characteristics in the dis-

Card 1/2

V. G. Andreyanov "Hydrological Calculations in Project-
ing Small and Medium-sized Hydraulic Power Stations".
Gidrometeoizdat Publishing House. Leningrad 1957

SSR/50-50-3-10/24

changes of rivers. Also new methods devised by the author are mentioned. A description is given regarding new methods of calculating rain- and high water rivers, that have been developed by G. A. Alekseyev in the GGI, and which are described by V. G. Andreyanov in a better understandable and more convenient form to serve for working out projects. The book also shows the applicability of other formulas for the calculation of the maximum spring tide, depending on the length of the courses and the characteristics of the respective area. The problem of high water hydrographs is also thoroughly dealt with. Hydrological analogy is recommended as the basic method for hydrological calculations on unexplored rivers. Finally, some deficiencies contained in the book are pointed out. For example, mountain rivers are found to be devoted too little attention in the book.

Card 2/2

BELYAKOV, I.S.; KREPS, S.Ye.; SURIN, P.D.; BARINOVA, O.N., red.;
GORBATKIN, B.G., tekhn. red.

[Clock and watch repairing] Remont chasov. Moskva, Gosmestprom-
izdat, 1962. 240 p. (MIRA 16:3)
(Clocks and watches--Repairing and adjusting)

GAPEYEV, Loris Mikhaylovich; KREPS, Solomon Yevseyevich; MURIN,
Pavel Dmitriyevich; IOPINOVA, TS.B., red.

[Cleaning of clocks] Chistka chasov. Moskva, Legkaia
industriia, 1965. 86 p. (MIRA 18:4)

KREPS, Ye.

Objectives and tasks of the "Zhurnal evoliutsionnoi biokhimi
i fiziologii". Zhur. evol. biokhim. i fiziol. 1 no.1:3-6 Ja-F
'65. (MIRA 18:6)

1. Glavnyy redaktor "Zhurnala evolyutsionnoy biokhimi i fizi-
ologii."

KREPS, Yevgeniy Mikhaylovich; PROKHODTSEVA, S.Ya., red.;
CHERNYKH, M.P., red.; KISELEVA, Z.A., red. kart;
KOSHELEVA, S.M., tekhn. red.

[The "Vitiaz'" in the Indian Ocean] "Vitiaz'" v Indiiskom
okeane. Moskva, Geografiz, 1963. 275 p. (MIRA 16:6)
(Indian Ocean—Oceanographic research)

1ST AND 2ND ORDERS																										3RD AND 4TH ORDERS																									
PROCESSES AND PROPERTIES INDEX																										1ST AND 2ND ORDERS																									
Chemical processes accompanying the activity of muscle. <i>E. M. Krebs. J. Physiol. (U. S. S. R.) 15, 258-75</i> (1932).--A summary. B. C. A.																																																			
ASB-SLA METALLURGICAL LITERATURE CLASSIFICATION																																																			
1ST AND 2ND ORDERS																																																			

KREPS, E. M.

"Peculiarities of physiology of plunging animals." (p. 454) by E. M. Kreps

SO: Advances in Modern Biology (Uspekhi Sovremennoi Biologii) Vol. XIV, No. 3, 1941

KREPS, E.M.

"Recent contributions to the physiology of the pituitary." (p.385) by A.A. Danilov (deceased), Rev. by E.M. Krepis

SO: Advances in Modern Biology (Uspekhi Sovremennoi Biologii) Vol. XV, 1942, No.3

COMMON ELEMENTS																										COMMON VARIABLES																									
1ST AND 2ND ORDER																										3RD AND 4TH ORDER																									
AC a-4 Respiratory function of blood of insects. E. M. Krupa and E. J. Tachenikaeva (Compt. rend. Acad. Sci. U.R.S.S., 1963, 84, 143-145).—The blood of Crickets has no effect on the reaction $H_2CO_3 \rightarrow CO_2 + H_2O$ but the reverse reaction is strongly inhibited. The inhibiting substance is not an enzyme, is thermostable, is not inactivated by heat, and is insensitive to most enzyme poisons. From the above it is concluded that CO_2 is dissolved gas mole. and favours formation of H_2CO_3 from the organs. C. T. C. H.																																																			
ASB-ELA METALLURGICAL LITERATURE CLASSIFICATION 120M 120M 120M 120M 120M 120M 120M 120M 120M																																																			

KREPS, Ye. M.

"Carbon Anhydrase in Crustaceans," Dokl. AN SSSR 34, No.3, 1942

Pavlov Phys. Inst., AS USSR and Karadog Biol. Station, Ukr A S SSR

ca 11 F Evolution of the respiratory function of blood. R. M. Kautsky. <i>J. Gen. Physiol.</i> (U. S. S. R.) 4, 150-71 (in English, 171-2) (1943); C. A. 37, 17841. A review based on reptil. findings. T. Laanes																									
ASH-SLA METALLURGICAL LITERATURE CLASSIFICATION																									
SECTION, SYMBOL, TITLE, AUTHOR, JOURNAL, YEAR, VOLUME, PAGE, ABSTRACT, INDEX, CROSS-REFERENCE, etc.																									

11 H

Carbonic anhydrase, as a respiratory enzyme in physiology and pathology. R. M. Knepp. *Advances Modern Biol. (U. S. S. R.)* 17, 125-30 (1944). — Review with many references. G. M. Knevelapoff

ASTM-ILA METALLURGICAL LITERATURE CLASSIFICATION

CIA-RDP86-00513R0008264100

CIA-RDP86-00513R0008264100

COMMON ELEMENTS		PROCESS AND PROPERTIES INDEX		COMMON ELEMENTS	
CA	11A	Variations in activity of enzymes as a means of regulation of functions in the animal body. R. M. Auer. <i>Hull. acad. sci. U.R.S.S., Ser. biol.</i> 1948, 107-208 (in English, 204-9).—In healthy animals and men the carbonic anhydrase (I) activity in blood and tissues is maintained on a surprisingly const. level, which can, however, be shifted through exptl. interference. Among the procedures that cause a shift in I level, administration of ephedrine, exposure to low atm. pressure, oxygen respiration and, especially, return to normal air may be mentioned. Erythrocyte counts and detns. of red-cell vol. in a hematocrit, and, particularly, expts. on splenectomized animals show that the above shifts in the I level cannot be accounted for by a change in the red-cell no. per unit blood vol. The zinc content of the erythrocytes has been followed up concurrently to observations on the enzymic activity of I level. Data obtained point to the conclusion that the changes in I level cannot be accounted for by the variations in the amt. of the enzyme per unit blood vol. Hence, the other alternative remains that it is the activity of the enzyme that is responsible for the above changes. This conclusion is supported by the fact that there is no paralleling between the changes in activity of the I with regard to hydration and dehydration. This fact is incompatible with the suggestion as to the change in the amt. of the enzyme. The study of different animal groups provides very demonstrative illustrations of the fact that		I of the blood may be very active, when judged by one phase of the reaction, and of a very low activity as judged by the other phase. Thus, the blood of rats is extremely active both as indicated by the hydration and dehydration reactions, whereas the blood of geese is very active, according to the latter and extremely inactive according to the former. It may be suggested from the above evidence that the activity of I in the organism is not a const. value. It may vary according to the conditions present. These changes may involve either one or the other phase of the reaction. They appear to be of an adaptive nature. The idea is suggested that the control of enzymic activity (this concerns different enzymes, not only I) is one of the mechanisms of the adaptive regulation of the organism, which is effected by neurohumoral means, in which the sympathetic nervous system undoubtedly plays an important role.	
ADDITIONAL LITERATURE CLASSIFICATION		ADDITIONAL LITERATURE CLASSIFICATION		ADDITIONAL LITERATURE CLASSIFICATION	

CA

Physiological regulation of the activity of carbonic anhydrase in the blood and tissues. E. M. Kreps (Pavlov Physiol. Inst.). *J. Physiol. (U.S.S.R.)* 32: 220-28 (1946) (in Russian).—Literature on carbonic anhydrase is reviewed and some preliminary studies are reported. Carbonic anhydrase in the stomach mucous membrane apparently is associated with HCl secretion, and its concentration is significantly increased in cases of cancer or ulcers. In each animal species there is a definite topography of carbonic anhydrase content of sections of the brain, which is well correlated with the level of physiol. development. Embryonic brains show a much more diffused, unoriented picture in this respect than is shown by the adult brain. Carbonic anhydrase in both the brain and blood is readily affected by physiol. stimuli, such as anemia, asphyxia, etc. The enzyme is believed to consist of 2 components: thermostable high-mol.-wt. component and a thermostable low-mol.-wt. component which acts as an activator or a coenzyme. The sympathetic nervous system also enters the mechanism of the changes of carbonic anhydrase activity in the central nervous system and the blood; this is shown by preliminary expts. with sympathicomimetic substances.

G. M. Kosolapoff

KREPS, Ye. M.

"Present Day Physiology and Living," Nauka i Zhizn', No.12, 1947

141. Krens E. M. T. P. Pavlov Physiol. Inst. of the Acad. of Sciences, U. S. S. R.
Variations in carbonic anhydrase for body regulation American Review of Soviet Medicine
1947, 4/5 (426-435) Tables 5

So: Physiology, Biochemistry & Pharmacology, Section II, Vol. 1, No. 1-6

KREPS, E. M.

"Leon Abramovich Osteli (The 65th Anniversary Of Birth)". (p. 243) by Academician Pavlovsky, E.M.; Hymacinsky, A.G.; Duhayevsky, E.R.; Kreps, E.M.; Mikelson, F.I.; Masenov, D.K.

SO: Journal of General Biology, Vol. VIII, No. 4 (Issues 1-6 for 1947)

CIA-RDP86-00513R0008264100

KREPS, YE. M.

USSR/Medicine - Physiology

Jan/Feb 1947

Medicine - Nervous System, Sympathetic

"An Re-evaluation of Several Physiological Factors," V. N. Borsuk, N. A. Verzhbinskaya, Ye. M. Drep's, N. I. Mikhel'son, V. V. Strel'tsov (Deceased), Physiol Inst imeni Academician I. P. Pavlov, Acad Sci, USSR, 2 pp

"Fiziol Zhur SSSR" Vol XXXIV, No 1

Authors discuss the question of the sympathetic nerve on the chemical processes in the skeletal muscles. Two series of experiments were conducted. In the first, an electrical current was used to irritate the motor nerves of the hind leg of a frog. In the second, an electrical current was applied to the sympathetic nerves which had been deadened with nicotine. Submitted, 12 May 1947.

FM 41784

155T35

USSR/Medicine - Nervous System
Brain, Physiology

Jan/Feb 50

"Carbonic Anhydrase in the Nervous System," Ye. M. Kreps, Physiol Inst Imeni I. P. Pavlova, Acad Sci USSR, Inst of Evolutionary Physiol and Path of Higher Nervous Activity Imeni I. P. Pavlov, Acad Med Sci USSR, 14 pp

"Fiziol Zhur SSSR" Vol XXXVI, No 1

Investigates carbonic anhydrase of the brain for each group of animals with central nervous system. Describes that in all classes of vertebrates maximum activity of carbonic anhydrase occurs in parts of the

155T35

USSR/Medicine - Nervous System (Contd) Jan/Feb 50

brain having greatest functional activity. Finds acute asphyxiation increases activity of carbonic anhydrase in the brain. Suggests this enzyme's physiological role in the brain is most probably concerned with maintenance of acid-base equilibrium in tissues. Includes two tables of data. Submitted June 49.

KREPS, Ye. M.

155T35

KREPS, Ye.M.;PIGAREVA, Z.D.;CHET-VERNIKOV, D.A.;POMAZANSKAYA, L.F.

Biochemical development of the brain in ontogenesis and nervous function. Zh. vysshei nerv. deiat. 2 no. 1:46-57 Jan-Feb 1952.
(CJML 23:3)

1. Institute of Physiology imeni I. P. Pavlov of the Academy of Sciences USSR.

KREPS, Ye. N.

USSR/Medicine - Oxygen Concentration in the Blood Mar 52

New Method of Determining the Saturation of Blood with Oxygen," Ye. M. Kreps, Cor. Mem, Acad Sci USSR "Priroda," Vol 41, No 3, pp 75-79

States that a new perfected cathodic photooxyhemometer has been designed by Engr Ye. A. Bolotinskii at the Leningrad Exptl Workshops, Acad Med Sci USSR. Bolotinskii continued work started by Ye. M. Kreps and M. S. Shipalov during World War II (cf. Kreps, Shipalov, Bolotinskii, "Byul Ekspert

230T6

Biol i Med" No 7, 1951). According to Kreps, extensive exptl work on arterial hypoxemia has already been done with the use of the new instrument. Author states that it is very important for use in control of respiration during surgery of the chest, for the soln of a number of practical problems connected with work and exercise, etc.

230T6

KREPS, Ye.M.

Study of the individual characteristics of the experimental animal.
Trudy fiziol. lab. 1 no.1/3:98-117 '53 (MLRA 9:5)

(CONDITIONED RESPONSE)

Kreps, E.M.

MD

✓ Effect of hypoxia on content of nucleoproteins in cells of cerebral cortex in rats as studied by the method of ultraviolet microscopy. E. M. Kreps and E. Yu. Chemykaeva (I. P. Pavlov Physiol. Inst., Moscow). *Doklady Akad. Nauk S.S.S.R.* 104, 276-9 (1955).—Ultraviolet microscopy was employed for following the concn. of nucleoproteins in rat cerebral cortex under conditions of hypoxia induced either by brief evacuation to 100 mm. or prolonged maintenance at 240 mm. Prolonged moderate hypoxia lowers the absorption of ultraviolet caused by nucleoproteins more definitely than does the short term severe hypoxia. Particularly severe is the depletion in the V layer of the cortex. C. M. Kowlapoff

①

1955, Vol. 1

"THE TISSUE ADAPTATION TO CHRONIC HYPOXIA IN A
SERIES OF GENERATIONS"

11. 357, Reports given at the 34th International
Congress of Physiologists, Brussels, 29 Jul-4 Aug 55

Translation E- 5360

Kreps, Ye. M.

KREPS, Ye. M.

Carbonic anhydrase in secretory organs. Mat. po evol. fiziol. 1:
164-173 '56. (CARBONIC ANHYDRASE) (GLANDS) (MIRA 11:1)

USSR/Human and Animal Physiology. Respiration.

V

Abs Jour: Ref. Zhur-Biol., No 6, 1958, 26948.

with the difference in spectral properties of Hb and HbO₂. The emf developed by the photoelements is determined by the O₂ saturation of arterial blood and is measured by comparison with a voltage taken from a calibration chart (compensation method). Both voltages are fed periodically at a frequency of 50 cps into the input of an electronic amplifier connected at the output with a reversing asynchronous motor. The direction of rotation of this motor depends on the predominance of one of the voltages, and for each value of difference in the voltages there is a definite corresponding position of the indicator arrow and pen on a scale graduated in units representing O₂ saturation of arterial blood.

Card : 2/2

EXCERPT MEDICA Sec.2 Vol.10/10 Phy.Biochem. Oct 57
KREPS/E.M.

4255. KREPS E.M. Leningrad. *Phosphatides in the nervous system (Russian text) USP.SOV. BIOL. 1956, 41/3 (261-283) Tables 11
A concise review of the present state of knowledge of the phospholipids in the CNS.
The list of references includes most of the recent American and European contributions and a full account of Russian papers on the subject.

KREPS. Ye M.

EXCERPTA MEDICA Sec.2 Vol.10/4 Physiology, etc. Apr 57

1587. KREPS E.M., VERJBINSKAYA N.A., TSHENIKAYEVA E.Yu., TSHIR-KOVSKAYA E.V. and GABURINA Ts K. Lab. of Comp. Biochem., 'I.P. Pavlov' Inst. of Physiol., AN, SSSR, Leningrad. *Adaptation of animals to chronic hypoxia (Russian text) FIZIOL. Ž. 1956, 42/2 (149-158) Tables 5
Rats were kept in hypoxic conditions (10.5% O₂) through 4 generations. The first generation showed a highly significant increase of Hb, erythrocyte count, colour index, and carboanhydrase in the blood, and of myoglobin, without significant

1587 CONT

changes through the 2nd to 4th generation. The cytochrome content in the heart and the cytochrome oxidase activity were not changed through 3 generations, but there was a tendency to lower activity in the 4th generation.

Simonson - Minneapolis, Minn.

KREPS, Ye.; NASONOV, D.; TONKIKH, A.; BRESTKIN, M.; ZHUKOV, Ye.

60th anniversary of birth of Aleksandr Grigor'evich Ginet'sinskii.
Fiziol.zhur. 42 no.3:325-326 Mr '56. (MLRA 9:7)

(BIOGRAPHIES,

Ginet'sinskii, Aleksandr G. (Rus))

KREPS, YEM ~~K. Kaya, E. K~~ Kreps, E. M.

Adaptation of animals to chronic hypoxia. E. M. Kreps, N. A. Verzhbinskaya, E. Yu. Chenukaeva, B. V. Chukovskaya, and Ts. K. Gavrilina (I. P. Pavlov Physiol. Inst., Leningrad). *Fiziol. Zhur. S.S.S.R.* 42, 450-63 (1966).
 Rats after 4 generations under reduced O supply (10.5% O₂) show signs of gradual change of brain metabolism. The changes are difficult to detect owing to their small magnitude. For example, adenosinetriphosphate and creatine phosphate breakdown occurs more readily. Anaerobic glycolysis becomes less active and the cytochrome system tends to decline in activity. The general trend is to degradation and weakening of the activity of the organism. G. M. Kosolapoff

5
 Mex

KREPS E.M.

EXCERPTA MEDICA Sec.2 Vol.9/9 Physiology, etc. Sept 56

4045. KREPS E.M., VERZJBINSKAYA N.A., TSHENIKAYEVA E.Yu. and GABURINA Ts.K. Lab of comparat. Biochem., 'I.P. Pavlov' Inst. of Physiol., Leningrad, SSSR. *Adaptation of animals to chronic hypoxia (Russian text) FIZIOL. Ž. 1956, 52/1 (69-77) Graphs 2 Tables 2 Illus. 2

In atmospheric air, the oxygen consumption of white rats acclimatized to chronic hypoxia (10.5 to 12% O₂) was not significantly different from that of controls (1.57 ± 0.06 and 1.48 ± 0.05 per g. and hr. respectively). At simulated altitude (12% O₂), however, the oxygen consumption of the acclimatized animals (1.44 ± 0.05) was significantly higher than that of the controls (1.22 ± 0.03).

Simonson - Minneapolis, Minn.

ELMPS, D. M.

"The oxidative phosphorylation in cerebral tissue in the evolution of vertebrates," a paper submitted at the International Conference on Radioisotopes in Scientific Research, Paris, 9-20 Sep. 57.

KREPS, Y.G.M.

The 20th International Physiological Congress. Izv. AN SSSR, Ser. biol.
no. 2:258-261 Mr-Apr '57. (MLRA 10:4)

(BRUSSELS--PHYSIOLOGY--CONGRESSES)

USSR/Human and Animal Physiology (Normal and Pathological)
Nervous System. Metabolism.

T

Abs Jour : Ref Zhur Biol., No 6, 1959, 26981

Author : Kreps, Ye.M.

Inst :

Title : On the Biochemical Characteristics of the Activity of
the Cortex of the Large Hemispheres of the Brain.

Orig Pub : Zh. vyssh. nervn. deyat-sti, 1957, 7, No 1, 75-82

Abstract : The speed of restoration of phosphorus (SRP), phospholipids and RNA in the cortex of large hemispheres in dogs under normal conditions, under conditions of irradiating excitement and inhibition - natural and narcotic sleep were studied. Penetration of phosphates from blood into the substance of the cortex occurred 3-4 times faster than into the substance of diencephalon. In cortical terminals of motor and optic analyser, SRP was 1½ times higher than in the auditory. In auditory stimulations,

Card 1/2

USSR/Human and Animal Physiology (Normal and Pathological)
Nervous System. Metabolism.

CIA-RDP86-00513R00082 100

T

Abs Jour : Ref Zhur Biol., No 6, 1959, 26981

combined with nutritional reenforcement, SRP in the auditory analyser increased. At the time of sleep, SRP decreased on the average by 25%, in stimulation - increased by the same amount. -- D.Ye. Ryvkina

Card 2/2

KREPS, E.M.

AUTHOR: None Given

25-12-18/39

TITLE: Isotopes Serve Science (Izotopy sluzhat nauke)

PERIODICAL: Nauka i Zhizn', 1957, # 12, pp 25-29 (USSR)

ABSTRACT: The international conference on the use of radioactive isotopes was held in Paris in September 1957. The Soviet delegation of 61 Soviet scientists was headed by A.V. Topchiyev, Senior Scientific-Secretary of the USSR Academy of Sciences. The Soviet scientist A.M. Kuzin lectured on radio isotopes and biological research. Of a total of 206 reports, 49 were delivered by Soviet scientists. The report by Member-Correspondent of the USSR Academy of Science, E.M. Kreps on the protein metabolism rate in the nervous system in different stages of evolution by means of phosphorus isotopes was met with great interest. Several reports dealt with radioactive carbon entering into the compound of radioactive carbon dioxide which aided to clarify the question of photosynthesis. Academician V.M. Klechkevskiy of VASKhNIL, and I.V. Gulyakin lectured on problems of radioactive contamination. It has been established that special attention must be given to strontium 90 and cesium 137, which as a result of fission, form heavy nuclei and show prolonged radiation activity. Ruthenium and zirconium were mentioned as other radioactive elements of importance.

Card 1/3

Isotopes Serve Science

25-12-18/39

Candidate of Technical Sciences, V.I. Serenkov reported on the work of the physical section pertaining to the production of radioisotopes. The reports of M.S. Petrova and other Soviet scientists about new methods of producing alpha, beta and gamma sources, as well as the report of V.I. Spitsyn on the method of extracting and concentrating cesium 137, met with great interest. K.K. Aglintsev and other Soviet scientist lectured on the results of investigations of electronic spectrums in dosimetry of beta and gamma radiation. The French scientists Benar and Loran together with the Soviet scientist A.N. Murin lectured on new processes of ion diffusion in polar crystals and the movability of ions depending on their charge. The studies of V.S. Vavilov and other Soviet scientists on the activity of nuclear radiation of semi-conducting materials are of great importance for solving the problem of transforming energy from nuclear radiation into electrical energy. The Soviet scientist V.I. Kuznetsov read a report on the use of organic reagents as catalyzing precipitators for the elimination of small quantities of admixtures, which is of paramount importance for controlling the purity of semiconductors. The Soviet scientist V.I. Spitsyn spoke on the use of isotopes for analyzing the structures and properties of inorganic substances,

Card 2/3