

LEVINSON, Ye.S.; VISHVANYUK, I.M.

Effect of tempering heat-treated carbon steel on the temperature
level of transition to the brittle state. Sbor.trud.TSNIICHM
no.27:179-188 '62. (MIRA 15:8)
(Steel—Brittleness) (Tempering)

LEVINSON, YE.S., VYSHVANYUK, I.M.

Tempering of thermally hardened carbon steel and its effect on the level of the transition temperature to a brittle state.

SPECIAL STEELS AND ALLOYS (SPETSIAL'NYE STALI I SPLAVY), Collection of Studies, Issue 27, 240 pages, published by the State Scientific and Technical Publishing House for Ferrous and Non-Ferrous Metallurgy, Moscow, USSR, 1962.

LEVINSON, Ye.S.

Refinement of coarse-grain recrystallization structure in low-carbon rimmed steel by annealing with use of medium frequency induction heating (from "Iron and Steel," no. 8, 1961). Stal' 22 no.6:556 Je '62. (MIRA 16:7)

(Steel—Metallography)

LEVINSON-ALEXANDROV, Fedor L'vovich; DAVDOV, Sergey L'vovich; ZHERETSOV,
IVAN Petrovich; VLADIMIROV, V.T., podpolkovnik, redaktor; SOLOMONIK,
R.L., tekhnicheskii redaktor

[Radio engineering; a manual for sergeants in the signal corps]
Radiotekhnika; uchebnoe posobie dlia serzhantov voisk svyazi.
Izd. 2-oe, ispr. 1 dop. Moskva, Voen. izd-vo Ministerstva obor.
SSSR, 1956. 370 p. (MLRA 9:10)
(Radio)

LEVIOVA, B.S., starshiy inzh.

Women workers of the nation's main railroad line. Avtom., telem.
i sviaz' 6 no.3:43 Mr '62. (MIRA 15:3)

1. Sluzhba signalizatsii i svyazi Moskovskoy dorogi.
(Railroads--Employees)

INDRIUNAS, Juozas; GRICIUVIENE, S., red.; LEVISAUSKAITE, V., red.;
ANAITIS, J., tekhn. red.

[Wool spinning] Vilnu verpimas. Vilnius, Vasltybine politines
ir mokalines literaturos leidykla, 1961. 314 p. (MIRA 15:3)
(Woolen and worsted spinning)

LEVISHCHEV, A.N., inzh.; ZHENISHEK, V.Ye., inzh.; KAVERZIN, V.A., inzh.

Filter press IIF72-1000/45 with a hydraulic discharge of residue for
the filtration of monochromic solutions. Khim. mash. no. 4:41-44
J1-Ag '61. (MIRA 14:8)

(Filters and filtration)

NIKITIN, B.I.; LEVISHCHEVA, L.I.; SHARASHKINA, N.S.

Determination of fuel expenditures in the comparison of power
system alternatives with different types of electric power
plants. Obshch. energ. no.6:39-57 '63. (MIRA 16:10)

(Electric power distribution)
(Electric power plants)

KAZAK, S.A., kand.tekhn.nauk; KIRPICHNIKOV, V.M., kand.tekhn.nauk;
LEVISHKO, O.A., inzh.

Using mathematical models for the analysis of Knocking in
mechanisms of excavators and cranes taking into account
elasticity and free play. Izv.vys.ucheb.zav.:gor.zhur. 7
no. 1:162-173. '64. (MIRA 17:5)

1. Ural'skiy politekhnicheskiy institut imeni S.M.Kirova.
Rekomendovana kafedroy elektroprivoda i avtomatizatsii
promyshlennykh ustanovok.

BLINOVSKIY, K.V.; BASHKIRTSEVA, A.V.; LEVISHKO, P.A.

Principal pests of ornamental plants in the towns of Turkmenistan
and measures for controlling them. Izv. AN Turk. SSR no. 4: 117-120
'57. (MIRA 10:10)

1. Botanicheskiy sad AN Turkmenskoy SSR i Gosudarstvennaya
inspektsiya po karantinu sel'khoz. rasteniy po Turkmenskoy SSR.
(Turkmenistan--Insects, injurious and beneficial)
(Plants, Ornamental--Diseases and pests)

LEVISHKO, P.A.

Outbreak of grape mildew in Central Asia. Zashch.rast.ot vred.i
bol. 4 no.6:55 M-D '59. (MIRA 15:11)

1. Direktor Turkmenskoy karantinnoy laboratorii.
(Grapes--Diseases and pests) (Mildew)

LEVISHKO, P.A.

Simple method for controlling the pomegranate moth *Europhera ligella* L. Zashch.rast.ot vred.i bol. 5 no.2:38 P '60.

(MIRA 15:12)

1. Direktor Turkmenskoy karantinnoy laboratorii.
(Turkmenistan--Pomergranate--Diseases and pests)
(Turkmenistan--Moths--Extermination)

LEVISHKO, P.A.

Desert locust in Turkmenistan. Zashch. rast. ot vred. i bol.
7 no.12:54-55 D '62. (MIRA 16:7)

1. Direktor laboratorii po karantinu rasteniy Turkmenskoy SSR.
(Turkmenistan--Locusts--Extermination)

"Composition of viscose and its spinning characteristics," a paper presented at the 9th Congress on the Chemistry and Physics of High Polymers, 28 Jan-2 Feb 57, Moscow, Polymer Research Inst.

B-3,004,395

LEVIT, A. A.

"Typhoid and Para-Typhoid Bacteria Found in Stagnant Waters, Soils and Vegetables from Irrigated Fields," Gig. i San., No. 12, 1949.

Mbr., Chair Hygiene, Moscow Med. Inst., Min. Public Health RSFSR, -1949-.

LEVIT, A. A.

Comparative evaluation of the sanitary aspects of vegetables growing on irrigated- and non-irrigated fields with sewage. Gig. sanit., Moskva No. 7, July 50. p. 37-9

1. Of the Department of Hygiene, Moscow Medical Institute of the Ministry of Public Health RSFSR.

CML 19, 5, Nov., 1950

GERMAN-PROZOROVA, Lyutsiya Pavlovna; VINOGRADOVA, Nina Ivanovna; KREYTSER,
V.L, prof. doktor tekhn.nauk, red.; GOS, M.M., kand.tekhn.nauk, red.;
KARPOV, V.G., kand.tekhn.nauk, red.; MALAKHOV, I.K., inzh., red.;
~~IMVIT, A.B.~~, inzh.red.; LEPESHINSKAYA, Ye.V., red.; BRUDNO, K.F.,
tekhn.red.

[English-Russian radiotechnical dictionary] Anglo-russkii radio-
tekhnicheskii slovar'. Pod obshchey red. V.L.Kreitsera. Red.
kollegiya: M.M.Gos i dr. Moskva, Gos.izd-vo tekhniko-teoret.
lit-ry, 1957. 524 p. (MIRA 11:2)
(Radio-Dictionaries)
(English language--Dictionaries--Russian)

GERMAN-PROZOROVA, Lyutsiya Pavlovna; VINOGRADOVA, Nina Ivanovna; KREITSER, V.L., prof., doktor tekhn.nauk, red.; GOS, M.E., kand.tekhn. nauk, red.; KAPOV, V.G., kand.tekhn.nauk, red.; LEVIT, A.B., insh., red.; MALAKHOV, I.K., insh., red.; LEPESHINSKAYA, Ye.V., red.; BRUDNO, K.F., tekhn.red.

[English-Russian radio engineering dictionary] Anglo-russkii radiotekhnicheskii slovar'. Pod obshchei red. V.L.Kreitsera. Red. kollegia: M.E.Gos i dr. Moskva, Glav.red.inostr.nauchno-tekhn. slovari, 1960. 524 p. (MIRA 13:7)

(Radio--Dictionaries)

(English language--Dictionaries--Russian language)

31940
S/187/62/000/001/001/003
D053/D114

16,8100 (1183,1329,1031)

AUTHOR: Levit, A.B.

TITLE: Television technique in the automatic control systems of industrial processes

PERIODICAL: Tekhnika kino i televideniya, no. 1, 1962, 23-31

TEXT: The author studies automatic control systems of industrial processes in which television (TV) equipment is used for obtaining information on the state of the controlled object. The purpose of this study is to work out a general approach to the design and planning of automatic control systems using TV equipment as information pickup devices and to derive a general relationship between the parameters of the TV equipment, the parameters of the control system units and the control program. There are two basic types of automatic control systems shown in Fig. 1 and Fig. 2. Both systems employ a TV unit (Fig. 3) for picking-up information on the state of the controlled object and a logic unit (Fig. 4). An analysis of these systems showed that it is futile to design TV information pickup equipment without a concrete

Card 1/6

Television technique in the ...

31940

S/187/62/000/001/003

D053/D114

automatic control system, due to limitations in the intercoupling between the program control and the parameters of the control system units. There are 4 figures and 4 Soviet-bloc references.

4

Card 2/6


Television technique in the ...

31940
S/187/62/000/001/001/003
D053/D114

Fig. 1. Block diagram of the type I automatic control system.

Legend:

- 1 - machined product;
- 2 - pickup device transmitting information on the state of the machined product;
- 3 - logic unit;
- 4 - actuating mechanism.



Card 3/6

Television technique in the ...

31940
S/187/62/000/001/001/003
D053/D114

Fig. 2. Block diagram of the type II automatic control system.

Legend:

- 1 - observed object;
- 2 - pick-up device transmitting information on the state of the observed object;
- 3 - logic unit;
- 4 - holding unit.



Card 4/6


Television technique in the ...

31940
S/187/62/000/001/001/003
D053/D114

Fig. 3. Block diagram of the T.V. pick-up device transmitting information on the state of the object.

Legend:

- 1 - TV camera;
- 2 - video amplifier;
- 3 - coding unit;
- 4 - vertical-scanning generator;
- 5 - horizontal-scanning generator;
- 6 - timing frequency generator;
- 7 - line frequency divider;
- 8 - timing frequency divider;
- 9 - divider of the master-oscillator frequency;
- 10 - master oscillator;
- 11 - to the logic unit;
- 12 - to the actuating mechanism.



Card 5/6


Television technique in the ...

31940
S/187/62/000/001/001/003
D053/D114

Fig. 4. Block diagram of the logic unit.

Legend:

- 1 and 4 - sampling units;
- 2 and 3 - operational storage units;
- 5 - timing generator;
- 6 - computer;
- 7 - programming unit;
- 8 - shaping unit;
- 9 - to the actuating mechanism;
- 10 - from the information pick-up unit.



Card 6/6

LEVIT, A.B.; CADALIN, Yu.I.; DEM'YANOV, M.G.

Use of polychlorpinene for airplane spraying of large forest areas against Ixodes persulcatus ticks in the Kuybyshev region in 1959-1960. Med.paraz.i paraz.bol. no.3:315-317 '61.

(MIRA 1489)

1. Iz Kuybyshevskoy oblastnoy sanitarno-epidemiologicheskoy stantsii (glavnyy vrach N.A. Popova).

(TICKS)

(PINENE)

(KUYBYSHEV PROVINCE—AERONAUTICS IN PUBLIC HEALTH)

GRAGEROV, I.P.; LEVIT, A.F.

Mechanism of the oxidation of aromatic amines and nitroso compounds by Caro's acid. Zhur. ob. khim. 30 no.11:3762-3731 N'60. (MIRA 13:11)

1. Institut fizicheskoy khimii Akademii nauk USSR.
(Amines) (Nitroso compounds) (Peroxymonosulfuric acid)

GRAGEROV, I.P.; REKASHEVA, A.F.; TARASENKO, A.M.; LEVIT, A.F.; SAMCHENKO, I.P.

Syntheses of certain organic compounds labeled with O^{18} .
Zhur. ob. khim. 31 no.4:1113-1119 Ap '61. (MIRA 14:4)

1. Institut fizicheskoy khimii imeni L. V. Pisarshevskogo
Akademii nauk Ukrainskoy SSR.
(Oxygen—Isotopes)

GRACEROV, I.P.; LEVIT, A.F.

Mechanism of oxidation of diphenyl sulfide by Caro's acid.
Zhur.ob.khim. 33 no.2:543-544 P '63. (MIRA 16:2)

1. Institut fizicheskoy khimii imeni L.V.Pisarshevskogo AN UkrSSR.
(Phenyl sulfide) (Peroxymonosulfuric acid)

GRAGEROV, I.P.; LEVIT, A.F.

Isotopic exchange of iodoso- and iodo compounds with H_2O^{18} .
Zhur.ob.khim. 33 no.2:544 P '63. (MIRA 16:2)

1. Institut fizicheskoy khimii imeni L.V.Pisarshevskogo
AN UkrSSR.

(Iodine compounds) (Oxygen isotopes)

GRAGEROV, I.P.; LEVIT, A.F.; ZONOV, Yu.A.; TURKINA, M.Ya.

Benzene oxidation mechanism studied by means of isotopes and mass spectroscopy. Dokl. AN SSSR 150 no.1:109-112 My '63. (MIRA 16:6)

1. Institut fizicheskoy khimii im. L.Ye.Pisarshevskogo AN UkrSSR i Gosudarstvennyy institut prikladnoy khimii, Kiyev. Predstavleno akademikom M.I.Kabachnikom.

(Benzene) (Oxidation) (Isotopes) (Mass spectrometry)

LEVIT, A. I. and GOL'DENSHTEYN, Ye. I.

LEVIT, A. I. and GOL'DENSHTEYN, Ye. I. "Analysis of the urea-separating function of the kidney in internal alcohol narcosis", Trudy Kishinevsk. gos. med. in-ta, Vol. 1, 1949, p. 368-70.

SO: U-3261, 10 April 53 (Letopis - Zhurnal 'nykh Statey No. 11, 1949)

LEVIT, A.M.

Protection of personnel in radiological departments working
with closed gamma emitters. Med.rad. 5 no.3:56-61 '60.

(MIRA 13:12)

(RADIATION PROTECTION)

"APPROVED FOR RELEASE: 07/12/2001

CIA-RDP86-00513R000929620006-7

APPROVED FOR RELEASE: 07/12/2001

CIA-RDP86-00513R000929620006-7"

CA

1

A piston device for regular loading of needles. A. M. Lavit and L. Kh. Prokhn (Acad. Sci. U.S.S.R., Moscow). *Knowledge Lab.* 10, 244-5 (1960). -- The app. is a pressure-operated barrel or syringe, the plunger of which carries a substantial wt., which is uniformly lowered by means of clockwork. C. M. Kozlovskii.

CA

2

Kinetics of dehydration of formic acid on phosphate catalysts and on aluminum oxide. L. Kh. Prekhar and A. M. Levit (Inst. Org. Chem., Acad. Sci. S.S.S.R., Moscow). *Izv. Akad. Nauk S.S.S.R., (Ser. Khim. Nauk)* 1951, 625-628; cf. *Zhur. Obshch. Khim.* (J. Gen. Chem.) 21, 1233 (1951). Flow expts. were made at a feed rate of 0.16 ml. HCOOH (82 or 100%)/min., on 20 ml. catalyst (wt. 9.11 g., length of column 8 cm.), with analysis of the gas for CO. The exptl. data (temp., ml. gas evolved per ml. HCOOH, degree of decompn. in %) are: on $\text{Ca}(\text{H}_2\text{PO}_4)_2$ with 82% HCOOH: 167°, 39.2, 8.4; 182°, 82.0, 17.7; 198°, 150.0, 31.7; 201°, 184.0, 40.4; 210°, 243.0, 50.2; 218°, 312.0, 57.8%; on $\text{Ca}(\text{PO}_3)_2$ with 82% HCOOH: 172°, 20.0, 4.2; 190°, 49.8, 10.7; 200°, 63.7, 13.7; 220°, 121.0, 26.1; 230°, 190.0, 40.9; 248°, 260.1, 56.1; 256°, 308.2, 66.4%; on $\text{Ca}(\text{PO}_3)_2$ with 100% HCOOH: 172°, 39.4, 6.6; 256°, 301.0, 100.0%. The gas evolved, in all cases, is 100% CO. The activation energies E (kcal./mole) and preexponential factors A_0 are (with 82% HCOOH), on $\text{Ca}(\text{H}_2\text{PO}_4)_2$, 17.6 and 4.8×10^6 , and on $\text{Ca}(\text{PO}_3)_2$, 15.2 and 3.2×10^6 . These catalysts are, consequently, highly selective in the sense of dehydration of HCOOH as against dehydrogenation, and highly active. At a feed rate of 0.22 ml./min., at 276°, 201 ml. pure CO were evolved for 1 ml. HCOOH, as against 93.8% decompn., with only 94.8% CO in the gas, obtained by Graeber and Cryder (C.A. 20, 8590) on his best catalyst, TiCl_3 on silica gel at 280°. The phosphates retain undiminished activity after 20 hrs. service. The data for $\text{Ca}(\text{PO}_3)_2$ fired 5 hrs. at 280° (with 82% HCOOH) are: 201°, 31.0, 6.7; 240°, 125.1, 26.1; 254°, 157.0, 31.9; 278°, 263.2, 63.2%; CO content in gas 90.0 on 82%. $E = 15.2$, $A_0 = 3.8 \times 10^6$. For $\text{Ca}(\text{H}_2\text{PO}_4)_2$ heated 1 hr. at 250° and 107°, 26.8, 5.6; 187°, 80.0, 16.8; 170°, 104.0, 22.4; 178°, 168.1, 36.3%; CO in gas 100%, $E = 22.7$, $A_0 = 3.2 \times 10^6$.

The firing results in a decrease of the rate by one half, with unchanged E . Preliminary heating to 250-280° increases the rate very considerably, despite some increase of E . The activity of Al_2O_3 is both lower and less selective than that of the Ca phosphates. Exptl. data with Al_2O_3 (conc. of HCOOH, temp., ml. gas evolved/ml. HCOOH, degree of decompn. of HCOOH in %, CO content in gas in %) are: 180°, 201°, 112.1, 18.8, 94; 210°, 494.0, 53.2, 93; 220°, 201°, 79.1, 20.2; 210°, 302.0, 92.3; 220°, 201°, 62.5, 21.0; 210°, 261.0, 98.2; 230°, 201°, 42.5, 21.2, 93; 210°, 187.5, 91.2, 80. Treatment of Al_2O_3 by impregnation with K_2O lowers the selectivity still further, with 75% K_2O , at 253°, the activity was decreased by 30%, and the amt. of CO in the gas from 91 to 72%. Firing of Al_2O_3 for 24 hr. at 280° lowers its activity by about one half. N. Thun

CH

Determination of the relative adsorption coefficients of water and of formic acid on silica gel. L. Kh. Erekhlin and A. M. Lark (Inst. Org. Chem., Acad. Sci. U.S.S.R., Moscow). *Izvest. Akad. Nauk S.S.S.R. Khim. Khim. Nauk* 1951, 790-805. HCOOH in aq. soln., at mol. concn. M from 10 to 100%, was passed over SiO_2 gel (4 g., 10 ml., length 3 cm.), treated 2 hrs. with HNO_3 , washed and dried at 120-30°, at feed rates varying with M , and so calc'd. that the molar feed rate was the same in all cases; if the feed rate of anhyd. (100%) HCOOH is = 1.00, the feed rates equal with $M = 64, 80, 90$, and 10 mol. % HCOOH were, resp., 0.81, 0.77, 0.65, and 0.54. At 285°, the gas consists entirely of CO . The captl. rates of evolution of CO , in ml./min. , with HCOOH of $M = 100, 80, 90, 10\%$, were: on untreated SiO_2 gel, 22.1, 16.2, 8.3, 3.0; on SiO_2 gel promoted with 5% K_2O , 64.0, 39.0, 25.5, 10.0; on SiO_2 gel fired 4 hrs. at 800°, 16.5, 6.2, 2.9, 1.0. The ratio s of the relative adsorption coeffs. of H_2O and of HCOOH on the catalyst were calc'd. from the rate m_0 of evolution of CO from anhyd. HCOOH, and the rate m with HCOOH of M mol. %, by $s = [(m_0/m) - 1]/[(100/M) - 1]$. On the above 3 samples of SiO_2 gel (untreated, promoted, and

ignited), s (av.) = 1.1, 0.6, and 1.8, resp. Promotion of the SiO_2 gel with K_2O increases the adsorbability of the acid (igniting lowers the adsorbability of HCOOH even more strongly than of H_2O). The catalyst is more active, the lower is s , i.e. the smaller the adsorbability of H_2O as compared with HCOOH. On untreated SiO_2 gel, with $M = 100, 80, 90, 10$ mol. %, the rates of evolution of CO at different temps. are: at 200°, 41.7, 20.7, 10.8, 4.2; at 225°, 33.1, 16.2, 8.3, 3.0; at 245°, 15.3, 7.0, 3.7, 2.3; the av. values of s , at 200, 225, and 245°, are, resp., 1.1, 1.1, and 2.5. On the promoted SiO_2 gel, the corresponding rates are, at 205°, 64.2, 39.1, 25.5, 10.0; at 245°, 44.4, 28.3, 17.6, 5.7, 29.5°, 10.4, 7.8, 4.6, 1.5; the av. $s = 0.6, 0.7$, and 1.1. On ignited SiO_2 gel, at 265°, 16.5, 6.3, 2.9, 1.0; at 245°, 5.9, 1.3, 0.8, —; av. $s = 1.8$ and 3.1. With decreasing temp., the preferential adsorbability of H_2O increases on all 3 SiO_2 gel specimens. N. Thon

LEVIT, A. M.

USSR/Chemistry - Catalysts

Sep/Oct 51

"Investigation of the Kinetics of Dehydration of Formic Acid on Phosphate Catalysts and on Aluminum Oxide," I. Kh. Freydlin, A. M. Levit, Inst of Org Chem, Acad Sci USSR

"In Ak Nauk SSSR, Otdel Khim Nauk" No 5, PP 625-630

Investigated kinetics of dehydration of HCOOH in presence of $\text{Ca}_3(\text{PO}_4)_2$ (I), $\text{Ca}(\text{H}_2\text{PO}_4)_2$ (II), and Al_2O_3 (III); effect of diln of HCOOH ; and effect of heat treatment of catalysts on kinetics of process. Found I to be most sp, highly

19724

USSR/Chemistry - Catalysts (Contd) Sep/Oct 51

productive, and stable of known catalysts for dehydration of HCOOH , total decomp of HCOOH being attainable at 276°C . Obtained gas is 100% CO . I is cheap, available, and unlike FeSO_4 requires no acid-resistant material for reactor. Thus I is recommended for lab and exptl use. III is less active, less sp than I and II.

19724

PA 195T24

LEVIT, A. M.

USSR/Chemistry - Catalysts

Nov/Dec 51

"Determination of the Relative Adsorption Coefficients of Water and Formic Acid on Silica Gel," L. Kh. Freydlin, A. M. Levit, Inst Org Chem, Acad Sci USSR

"Iz Ak Nauk SSSR, Otdel Khim Nauk" No 6, PP 797-805

In view of the fact that dehydrated SiO_2 gel exhibits sharply lowered catalytic activity in dehydration of HCOOH , vapor phase hydrolysis of aromatic Hal deriva, etc, a study of relative adsorption of water and HCOOH seemed advisable. This study was carried out on untreated (I), calcined (II), and promoted (III) SiO_2 catalyst from the Voskresensk Chem Combine. Below 300° , HCOOH on I is adsorbed less strongly than water. With II, the relative adsorbability of HCOOH drops still lower. It rises sharply on silica gel promoted with K_2CO_3 . The coeff of relative adsorption varies with temp. At low temps, the relative adsorbability of water rises.

FA 197T15

191723

LEVIT, M.M.

USSR/Chemistry - Catalysts

Jul 51

"Investigation of the Kinetics of Dehydration of Formic Acid on Silica Gel," L. Kh. Freydlin, A. M. Levit

"Zhur Obshch Khim" Vol XXI, No 7, pp 1255-1264

Investigated kinetics of dehydration of HCOOH at 200-300° C on differently treated silica gel specimens, whose apparent activation energies were in the order: thermally deactivated > active > promoted with inorg admixts. Gas product was 98-99% CO. Reached conclusions as to uniformity, location of active centers,

191723

USSR/Chemistry - Catalysts (Contd)

Jul 51

effectiveness of different inorg admixts. Calcd number of active centers per 1 g silica gel, found it to be 10 times as great for 1 mol HCOOH as for 1 mol EtOH.

191723

USSR/Chemistry - Hydrocarbons

Jan/Feb 52

"The Kinetics of the Dehydration of Alcohols in the Presence of Three-Substituted Calcium Phosphate,"
L. Kh. Freydlin, A. M. Levit, Inst of Org Chem,
Acad Sci USSR

"Is Ak Nauk, Otdel Khim Nauk" No 1, pp 163-171

Dehydration of alcs in presence of 3-substituted calcium phosphate proceeds highly selectively, with the gas contg 98-99% unsatd compds. Secondary alcs are most easily dehydrated by this method, iso-alcs less easily, and normal alcs least. The rate of

208714

USSR/Chemistry - Hydrocarbons
(Cont'd)

Jan/Feb 52

dehydration of normal alcs decreases with increasing mol wt. Calcination of the phosphate catalyst decreases its activity. On substitution of the hydrogen at the α and β carbon atoms of ethanol, the activation energy is reduced, as was found also with the use of other catalysts. K_2CO_3 , which acts as promoter for phosphate catalyst in dehydration of $HCOOH$, poisons this catalyst in the dehydration of alcs.

208714

LEVIT, A. M.

FREYDLIN, L.Kh.; LEVIT, A.M.

Kinetics of the dehydration of alcohols in the presence of trisubstituted calcium phosphate. Bull. Acad. Sci. U.S.S.R., Div. Chem. Sci. '52, 177-84 [Engl. translation].
(CA 47 no.19:9920 '53)

LEVIT, A.M.

Origin of hydrogen in gases extracted during water-gas and gas core surveys, and during gas logging. Geokhim.net.poisk.nefti i gaza no. 2:26-33 '54. (MLRA 9:10)

(Gas, Natural) (Hydrogen)

LEVIT, A.M.

Origin of hydrogen recovered during degasification of water and
drilling fluid. Rasved.1 prom. geofiz. no.12:11-16 '55.(MLRA 9:7)
(Hydrogen) (Oil well logging)

LEVIT, A.M.

Effect of temperature on the degree of recovery of hydrocarbon
gases from water and drilling fluid in a vacuum. Rasved. i prom.
geofiz. no. 12:16-20 '55. (MIRA 9-7)
(Hydrocarbons)

LEVIT, A.M.

Initial concentration of combustible gases in gas logging. Rasved.
i prem.geofiz. no.13:44-46 '55. (MIRA 9:7)
(Oil well logging)

LEVIT, A.M.

Evaluation of degasifiers used in periodic gas logging. Razved. i
prom.geofiz. no.13:47-52 '55. (MIRA 9:7)
(Gas, Natural)(Oil well logging)

15-57-3-3503

Translation from: Referativnyy zhurnal, Geologiya, 1957, Nr 3,
p 149 (USSR)

AUTHOR: Levit, A.M.

TITLE: The Formation of Carbon Monoxide During Heating of
Cores and Drilling Muds at Various Temperatures (Ob
obrazovanii okisi ugleroda pri degazatsii kerna i
shlana pri razlichnykh temperaturakh)

PERIODICAL: Tr. Vses. n.-i. geol-razved. neft. in-ta, 1956, Nr 7,
pp 245-250

ABSTRACT: The author ascertained that the oxidation of organic
substances in rocks, with the formation of carbon mon-
oxide, occurs at temperatures of general heating of
cores and drilling muds (100° to 107°).

no initials

Card 1/1

LEVIT, A.M.

Effect of various factors on the gas logging data. Rasved, i prom.
geofis. no.19:55-57 '57. (MIRA 10:11)
(Oil well logging) (Gas, Natural)

KAMINSKIY, E.Z.; KOGAN, L.I.; NECHVOLODOV, V.V.; LEVIT, A.M.

Exchange of experience. Zav.lab. 27 no.6:769 '61. (MIRA 14:6)

1. Tsentral'nyy nauchno-issledovatel'skiy institut chernoy metallurgii imeni I.P. Bardina (for Kaminsky, Kogan).
 2. Vsesoyuznyy nauchno-issledovatel'skiy institut geofizicheskikh metodov razvedki (for Levit).
- (Scientific apparatus and instruments)

LEVIT, A.M.

Effect of the presence of carbon dioxide and hydrogen sulfide
on the results of a general analysis and an analysis of the
components of hydrocarbon gases. Razved. i prom. geofiz. no.40:
72-75 '61. (MIRA 15:7)
(Hydrocarbons) (Carbon dioxide) (Hydrogen sulfide)

LEVIT, A.M.

Comparative evaluation of degassers for mud and cores. Razved.
1 prom. geofiz. no.40:76-81 '61. (MIRA 15:7)
(Oil wells--Equipment and supplies)

LEVIT, A.M.

Calibration of chromatographs having thermochemical detectors. Zav.
lab. 29 no.12:1497-1499 '63. (MIRA 17:1)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut yadernoy geofiziki
i geokhimii.

LEVIT, A.M.

Use of carbohydrate gases in calibrating thermochemical detectors.
Razved. i prom. geofiz. no.50:109-111 '63.

(MIRA 18:3)

LEVIT, A.M.

Complex of protective devices for radiological units using closed
 γ -emitters. Med. rad. 8 no.11:67-73 N '63.

(MIRA 17:12)

1. Iz rentgenoradiologicheskogo tsentra (zav. L.Ye. Kishinevskiy)
Respublikanskoy klinicheskoy bol'nitsy (glavnyy vrach T.V. Mozhnyaga)
i rentgenodiagnosticheskogo i luchevogo otdeleniya (starshiy nauchnyy
sotrudnik N.Ya. Mil'man) Moldavskogo nauchno-issledovatel'skogo insti-
tuta onkologii, Kishinev.

LEVIT, A.M.

Reply to the observations of V.V. Izakhtovskii and A.P. Bluman
on the article "Complex of protective devices for radiologic
units using closed γ -emitters". Med. rad. 8 no.11:75-76 11:63.
(MIRA 17:12)

LEVIT, G.V.

Morphology of the fowl tick *Argas persicus* Oken, 1818. Trudy Inst.
sool AN Kazakh.SSR 1:37-50 '53. (MLRA 10:1)
(Ticks) (Parasites--Poultry)

LEVIT, A.B.

Results of work carried out by the Kuybyshev Province Malaria Control Station in controlling malaria and helminthiasis within the construction area of the Kuybyshev hydroelectric power plant. Med.paraz.1 paraz.bol. no.2: 172-175 Mr-Apr '53. (MLRA 6:6)

1. Kuybyshevskaya oblastnaya protivomalyariynaya stantsiya.
(Kuybyshev Province--Malarial fever) (Kuybyshev Province--Worms,
Intestinal and parasitic)

LEVIT, A.V. kand.biologicheskikh nauk, GALUSO, I.G., otv.red.; USHAKOVA, G.V.,
kand.biologicheskikh nauk, red.; VOZHDEV, I.V., red.; BOROKINA, E.P.
tekhn.red.

[Mites infesting fowl and their control] Ptich'i kleshchi i bor'ba
s nimi. Alma-Ata, Izd-vo Akad. nauk Kazakhskoi SSR, 1954. 29 p.
(MIRA 11:9)

1. Deyatvitel'nyy ohlen Akademii nauk Kazakhskoi SSR (for Galuso).
(Poultry--Diseases and pests)

USSR/Medicine - Insect Control

FD-2610

Card 1/1 Pub. 148 - 21/25

Author : Yu. I. Gadalin; N. L. Gershkovich; N. N. Gorchakovskaya; A. B. Levit; and V. A. Nabokov

Title : The results of the use of insecticidal smokes to control *Ixodes persulcatus* ticks

Periodical : Zhur. mikro. epid. i immun. 4, 92-97, Apr 1955

Abstract : The results of the work of the multipurpose expedition of the Institute of Malaria, Parasitology and Helminthology, Ministry of Health USSR; the Institute of Virology imeni D. I. Ivanovskiy, Academy of Medical Sciences USSR; and the Kuybyshev Oblast Antimalaria Station during 1954 are reported. Experiments with hexachlorane smoke aerosols produced by burning a special cartridge NPK (G-17) indicated that 95-98.5 percent of *Ixodes persulcatus* ticks in the treated area were killed. The results of the experiments are presented on two charts. No references are cited.

Institution :

Submitted : December 31, 1954

Translation D 300831

Levit, A. B.

AID P - 2894

Subject : USSR/Medicine

Card 1/2 Pub. 37 - 11/20

Authors : Rakhmanova, P. I., Gadulin, Yu. I., Geminov, N. V.,
Kubatkin, V. I., Levit, A. B., Martensen, V. N.,
Popova, N. A.

Title : Use of zooprophylaxis against malaria in building new
populated localities

Periodical : Gig. i san., 9, 48-49, S 1955

Abstract : Discusses preventive measures against mosquitoes in
Pecherskiye Vyselki, a new development in the Kuybyshev
Oblast'. The editorial office considers the material
of this article insufficient for sanitary evaluation,
and recommends further studies. Chart.

Institutions: Institute of Malaria, Medical Parasitology and
Helminthology, Ministry of Health, USSR; State
Sanitary Inspection for the Kuybyshev Hydroelectric

AID P - 2894

Orig. 1 san., 9, 48-49, S 1955

Card 2/2 Pub. 37 - 11/20

Power Plant, Kuybyshev Regional Antimalaria Station,
and "Kuybyshevsel'proyekt" Planning Office.

Submitted : J1 22, 1954

GADALIN, Yu.I.; GERSHKOVICH, N.L.; GORCHAKOVSKAYA, N.N.; ~~LEVIT, A.B.~~

An experiment in destroying *Ixodes persulcatus*, the carrier of tick-borne encephalitis in its natural environment [with summary in English]
Biol.MOIP. Otd. biol. 61 no.3:35-41 My-Je '56. (MLRA 9:10)
(TICKS) (DDT (INSECTICIDE))

USSR/Zooparasitology - Mites and Insects as Disease Vectors.

G-3

Abs Jour : Ref Zhur - Biol., No 10, 1958, 43426

Author : Levit, A.V.

Inst :

Title : Ticks of the Superfamily Ixodoidea of Northern Caspian Sea Region.

Orig Pub : Tr. In-ta zool. AN KazSSR, 1957, 7, 15-58.

Abstract : The following 16 tick species of Ixodoidea were found on wild and domestic animals in Western Kazakhstan and Gur'ev districts: *Argas persicus* Oken, 1818, *A. reflexus* Fabr., 1794, *A. vesportilionis* Latr., 1796, *Ornithodoros chlodkovskyi* Pavl., 1930, *Ixodes laguri laguri* Ol., 1929, *I. crenulatus* Koch, 1835, *I. lividus* Koch, 1844, *Haemaphysalis punctata* Can. et Fanz., 1877, *H. numidiana turanica* Posp.-Str., 1946, *Dermacentor marginatus* Sulz., 1776, *D. daghestanicus* Ol., 1929, *Rhipicephalus punilio* P. Sch., 1935, *Rh. schulzei*, Ol., 1929, *Hyalomma asiaticum asiaticum*

Card 1/2

Card 2/2

- 9 -

USSR/Zooparasitology - Mites and Insects as Disease: Vectors.

G-3

Abs Jour : Ref Zhur - Biol., No 10, 1958, 43429

Author : Levit, A.V.

Inst : -

Title : Tick Fauna of Superfamily Ixodoidea in Southern Kazakhstan

Orig Pub : Tr. In-ta zool. AN KazSSR, 1957, 7, 59-71.

Abstract : Near Biyli-Kul Lake and in the Kara-Tau mountains 16 species of Ixodoidea ticks were identified on wild and domestic animals: *Argas persicus* Oken, 1818, *A. vespertilionis* Latr., 1796, *Ornithodoros lahorensis* Neum., 1908, *Ixodes* sp., *Haemaphysalis numidiana turanica* Posp.-Str., 1946, *H. punctata* Can. et Fanz., 1877, *Dermacentor marginatus* Sulz., 1776, *D. daghestanicus* Ol., 1929, *Rhipicephalus turanicus* B. Pom., 1940, *R. punilio* P. Sch., 1935, *Rh. schulzei* Ol., 1929, *Hyalomma asiaticum asiaticum* Sch. et Schl., 1929, *Hyal. detritum* P. Sch., 1919, *Hyal.*

Card 1/2

USSR/General Biology - Individual Development. Embryonal
Development.

B

Abs Jour : Ref Zhur Biol., No 6, 1959, 23609

Author : Levit, A.V.

Inst : Institute of Zoology, Academy of Sciences KazSSR

Title : A Case of Monstrosity in Ixodes acaride.

Orig Pub : Tr. In-ta zool. AN KazSSR, 1957, 7, 287-288

Abstract : No abstract.

Card 1/1

LEVIT, A.V.

USSR/Zooparasitology. Ticks and Insects as Disease Vectors.
Mites.

G

Abs Jour: Ref Zhur-Biol., No 17, 1958, 77027.

Author : Gadlin, Yu. I.; Geshkovich, N. L.; Gorchakovskaya,
N.N.; Levit, A.V.

Inst :
Title : On the Problem of the Destruction in Nature of the
Carrier of Tick Encephalitis of the Tick Ixodes per-
sulcatus Sch.

Orig Pub: Dyul. Mosk. o-va ispyt. prirody. Otd. biol., 1957, 62,
No 2, 43-49.

Abstract: Results of investigations during 1952-1955 in the
deciduous forests of the Kuybyshevskaya oblast are
presented. The duration was studied of the effect
of a single anti-tick treatment of the forest floor

Card : 1/3

USSR/Zoopaarasitology. Ticks and Insects as Disease Vectors.
Mites.

G

Abs Jour: Ref Zhur-Diol., No 17, 1958, 77027.

creased to 0.2-0.3 g/m², or it can be replaced
by OKhTsG in the same dosage.

Card : 3/3

LEVIT, A. V.

COUNTRY : USSR

CARD NO. Y : Zooparasitology. Parasitic Protozoa. Flagellata

ASS. JOUR. : RZhBiol., No. 2 1959, No. 567L

AUTHOR : Levit, A. V.; Rappoport, A. S.

INST. : Institute of Zoology, AS KazSSR

TITLE : On Utilization of the Complement-Fixation Test
in the Diagnosis of Trypanosomiasis (Su-Auru)
in Cattle

ORIG. PUB. : Tr. In-ta zool. AN KazSSR, 1956, 9, 243-244

ABSTRACT : A complement-fixation test performed on 420
samples of the blood serum of cattle from regions
infected with su-auaru revealed the presence of
specific antibodies in animals which did not
exhibit clinical symptoms.

CARD: 1/1

3

REMENTSOVA, M.M.; LEVIT, A.V.

Brucellosis in the hare *Lepus tibetanus* in the southern
part of the Balkhash region. Trudy Inst.zool.AN Kazakh.
SSR 12:57-63 '60. (MIRA 13:7)
(Balkhashskiy District--Brucellosis)
(Hares as carriers of disease)

LEVIT, A.V.

Serum diagnosis of toxoplasmosis. Trudy Inst.sool.AN
Kazakh.SSR 12:75-77 '60. (MIRA 13:7)
(Toxoplasmosis) (Serum diagnosis)

LEVIT, A.V.

Isolating a strain of *Toxoplasma Gondii* Nicolle et Manceaux, 1908
from the polecat *Mustela eversmanni* Lesson; preliminary communica-
tion. Trudy Inst. zool. AN Kazakh. SSR 14:187-188 '60.

(MIRA 13:12)

(Toxoplasmosis)

GALUZO, I. G.; LEVIT, A. V.

Toxoplasma in wild animals of Kazakhstan. Trudy Inst. zool.
AN Kazakh. SSR 16:3-8 '62. (MIRA 15:10)

(Kazakhstan--Toxoplasmosis)

LEVIT, A.V.; VUSTINA, U.D.

Isolation of Toxoplasma strains from rodents. Trudy Inst. zool. AN
Kazakh. SSR 19:43-44 '63. (MIRA 16:9)
(Toxoplasma)

GALUZO, I.G.; LEVIT, A.V.; NOVINSKAYA, V.F.; GOLDOV, V.I.; GORBUNOVA, Z.I.;
KUZOVKIN, Ye.M.

Epizootiological foundations of the natural foci of toxoplasmosis.
Trudy Inst. zool. AN Kazakh. SSR 22:27-33 '64. (MIRA 17:12)

LEVIT, A.V.; VUSTINA, U.D.; GUBENKO, L.N.

A new Toxoplasma-like organism in laboratory white mice. Trudy
Inst. zool. AN Kazakh. SSR 22:34-43 '64.

(MIRA 17:12)

LEVIT, B.M., inzh.

Results of testing the model of an icebreaker with a vibration
system in pure water. Trudy LIVT no.50:53-59 '63.

(MIRA 17:11)

LEVIT, B.M., inzh.

Selecting the basic characteristics of the "vibration unit" of an icebreaker and evaluating its ice-breaking capacity. Trudy LIT no.62:52-57 '64.

(MIRA 18:11)

24.1200

S/258/62/002/002/017/018
1028/1228

AUTHOR: Levit, D. E. (Moscow)

TITLE: Determination of the pressure field at diffraction by an angle

PERIODICAL: Inzhenernyy zhurnal, v. 2, no. 2, 1962, 379-383

TEXT: Particular cases of the problem of the diffraction of a plane wave by an angular region, which was solved independently by Sobolev and Keller-Blanck, are considered in detail. A general solution of the wave equation is obtained, and a formula for p determined for the two particular cases of plane wave perpendicular to the angle bissectrice, and wave front parallel to the side. An effective method for calculating and plotting the isobars is indicated. The diffraction fields are plotted for the cases of acute, right, and obtuse angles. There are 6 figures

VB

ASSOCIATION: Institut mekhaniki AN SSSR (Institute of Mechanics AS USSR)

SUBMITTED: January 10, 1962

Card 1/1

TIMOKHINA, M.A., dotsent; TALLERCHIK, V.A., oblastnoy akusher-ginekolog;
LEBEDEVA, Ye. N., Vrach; LEVIT, D.O.; SHERYSHEVA, Z.G.; MALENKOVA,
N.A.

Cause and prevention of incomplete pregnancy. Sbor. nauch. trud.
Ivan. gos. med. inst. no. 28:330-339 ' 63 (MIRA 19:1)

1. Iz kafedry akusherstva i ginekologii (ispolnyayushchiy obyazannosti zav. kafedroy-dotsent M.A. Timokhina) Ivanovskogo gosudarstvennogo meditsinskogo instituta (rektor-dotsent Ia. M. Romanov) i Ivanovskogo oblastnogo zdravotdela (zav. N.N. Vavulina).

1971, D. K.

Monography (Mathematics)

Monogram for determining fractions of two complex numbers $a + jb$ and $c + jd$.
Elektrichestvo No. 5. 1952.

Monthly List of Russian Accessions. Library of Congress. November 1952. UNCLASSIFIED.

LEVIT, D. S.

Monography (Mathematics)

Monogram for raising a number to a degree less than "one." Elektrichestvo No. 2, 1952.

MONTHLY LIST OF RUSSIAN ACCESSIONS. Library of Congress, December 1952. UNCLASSIFIED.

PAVLOV, F.F., professor, doktor tekhnicheskikh nauk; LEVIT, D.Ye.,
inzhener.

[Atlas of nomograms for surveying calculations] Atlas nomogrammi dlia marksheiderskikh vychislenii. Moskva, Ugletekhnizdat, 1953. 67 p. (MLRA 7:2)
(Surveying--Tables, etc.)

LEVIT, D.Ye.

Nomogram for the solution of a complete cubic equation. Elektrichestvo no.8:
p.3 of cover. Ag '53. (MIRA 6:8)

(Nomography (Mathematics))

LEVIT, D. YE.

AID P - 631

Subject : USSR/Electricity
Card 1/1 Pub. 27 - 35/35
Author : Levit, D. Ye.
Title : A Nomogram for the Solution of an Equation of the
Fourth Degree
Periodical : Elektrichestvo, 8, 96-97, Ag 1954
Abstract : Explanatory text and a diagram.
Institution : Not given
Submitted : No date

LEVIT, D. YE.

Subject : USSR/Electricity AID P - 1046
Card 1/1 Pub. 27 - 23/23
Author : Levit, D. Ye.
Title : Nomographic solution of a three-member equation of
 n^{th} degree
Periodical : Elektrichestvo, 11, 96-97, N 1954
Abstract : The author gives general formulas, two numerical examples
and a nomogram.
Institution : None
Submitted : No date

ABRAMOV, S.K., kand.tekhn.nauk; AVERSHIN, S.G., prof., doktor tekhn.nauk;
 AMOSOV, I.I., doktor geol.-min.nauk; ANDRIYEVSKIY, V.D., inzh.;
 ANTROPOV, A.N., inzh.; APANAS'YEV, B.L., inzh.; BEROMAN, Ya.V.,
 inzh.; BLOKHA, Ye.Ye., inzh.; BOGACHEVA, Ye.N., inzh.; BUKRINSKIY, V.A.,
 kand.tekhn.nauk; VASIL'YEV, P.V., doktor geol.-min.nauk; VINOGRADOV,
 B.G., inzh.; GOLUBEV, S.A., inzh.; GORDIYENKO, P.D., inzh.; GUSEV, N.A.,
 kand.tekhn.nauk; DOROKHIN, I.V., kand.geol.-min.nauk; KALMYKOV, G.S.,
 inzh.; KASATOCHKIN, V.I., doktor khim.nauk; KOROLEV, I.V., inzh.;
 KOSTLIVTSEV, A.A., inzh.; KRATKOVSKIY, L.F., inzh.; KRASHENINNIKOV, G.F.,
 prof. doktor geol.-min.nauk; KRIKUNOV, L.A., inzh.; LEVIT, D.Ye., inzh.;
 LISITSA, I.G., kand.tekhn.nauk; LUSHNIKOV, V.A., inzh.; MATVEYEV, A.K.,
 dots., kand.geol.-min.nauk; MERKISHVILI, O.Ye., inzh.; MIRONOV, K.V.,
 inzh.; MOLCHANOV, I.I., inzh.; NAUMOVA, S.N., starshiy nauchnyy sotrudnik;
 MEKIPHELOV, V.Ye., inzh.; PAVLOV, F.F., doktor tekhn.nauk; PANYUKOV, P.N.,
 doktor geol.-min.nauk; POPOV, V.S., inzh.; PYATLIN, M.P., kand.tekhn.
 nauk; RASHKOVSKIY, Ya.E., inzh.; ROMANOV, V.A., prof., doktor tekhn.
 nauk; RYZHOV, P.A., prof., doktor tekhn.nauk; SEL'YATITSKIY, G.A., inzh.;
 SPERANSKIY, M.A., inzh.; TEREHT'YEV, Ye.V., inzh.; TITOV, N.G., doktor
 khim.nauk; GOKAREV, I.P., inzh.; TROYANSKIY, S.V., prof., doktor geol.-
 min.nauk; FEDOROV, B.D., dots., kand.tekhn.nauk; FEDOROV, V.S., inzh.
 [deceased]; KHOMENTOVSKIY, A.S., prof., doktor geol.-min.nauk; TROYANOV-
 SKIY, S.V., otvetstvennyy red.; TERPIGOREV, A.M., red.; KRIKUNOV, L.A.,
 red.; KUZNETSOV, I.A., red.; MIRONOV, K.V., red.; AVERSHIN, S.G., red.;
 BURTSOV, M.P., red.; VASIL'YEV, P.V., red.; MOLCHANOV, I.I., red.;
 RYZHOV, P.A., red.; BALANDIN, V.V., inzh., red.; BLOKH, I.M., kand.
 tekhn.nauk, red.; BUKRINSKIY, V.A., kand.tekhn.nauk, red.; VOLKOV, K.Yu.,
 inzh., red.; VOROB'YEV, A.A., inzh., red.; ZVONAREV, K.A., prof. doktor
 tekhn.nauk, red.

(Continued on next card)

ABRAMOV, S.K.-- (continued) Card 2.

ZDANOVICH, V.G., prof., doktor tekhn.nauk, red.; IVANOV, G.A., doktor geol.-min.nauk, red.; KARAVAYEV, N.M., red.; KOROTKOV, G.V., kand.geol.-min.nauk, red.; KOROTKOV, M.V., kand.tekhn.nauk, red.; MAKHAYEV, A.A., doktor geol.-min.nauk, red.; OMEL'CHENKO, A.N., kand.tekhn.nauk, red.; SENDERZON, E.M., kand.geol.-min.nauk, red.; USHAKOV, I.N., dots., kand.tekhn.nauk, red.; YARLOKOV, V.S., kand.geol.-min.nauk, red.; KOROLEVA, T.I., red.isd-va; KASHALIKINA, Z.I., red.isd-va; PROZOROVSKAYA, P.L., tekhn.red.; NADINSKAYA, A.A., tekhn.red.

[Mining; an encyclopedia handbook] Gornoe delo; entsiklopedicheskiy spravochnik. Glav. red. A.M.Terpigorev. Moskva, Gos.nauchno-tekhn. izd-vo lit-ry po ugol'noi promyshl. Vol.2. [Geology of coal deposits and surveying] Geologiya ugol'nykh mestorozhdenii i marksheiderskoe delo. Redkolegiia toz S.V.Troianskiy. 1957. 646 p. (MIRA 11:5)

1. Chlen-korrespondent AN SSSR (for Karavayev)
(Coal geology--Dictionaries)

RASHMATULIN, Kh.A. (Moskva); LEVIT, D.Ye. (Moskva)

Method for numerical integration of elastic equilibrium equations.

Insh.sbor. 28:224-240 '60.

(MIRA 13:10)

(Differential equations)

(Elasticity)

LEVIT, D.Ye. (Moskva)

Determining pressure field due to the diffraction by a wedge.
Inzh.zhur. 2 no.2:379-383 '62. (MIRA 15:6)

1. Institut mekhaniki AN SSSR.

(Diffraction)

L 18037-62 EWT(1)/BDS AFFTC/ASD
ACCESSION NR: AP3000726

3/0258/63/003/002/0103/0109

AUTHOR: Levit, D. Ye. (Moscow)

TITLE: Diffraction of pressure pulse from truncated wedge and strip

SOURCE: Inzhenernyy zhurnal, v. 3, no. 2, 1963, 403-409

TOPIC TAGS: diffraction, pressure, plane wave, superposition, semi-infinite region, truncated wedge

ABSTRACT: The method of superposition has been used to obtain expressions defining the pressure field from plane wave diffractions on a truncated wedge and a semi-infinite strip. The method used is an adaptation of existing wedge solutions. Pressure contours are obtained for a wedge angle of 60° and at the edge of a semi-infinite strip. "The author expresses his gratitude to N. V. Zvolinskiy and V. A. Maslanyev for their influence and valuable advice." Orig. art. has: 4 formulas, 4 figures, and 4 tables.

Card 1/2

L 18037-63

ACCESSION NR: AP3000726

ASSOCIATION: Institut mekhaniki AN SSSR (Institute of Mechanics, Academy of
Sciences, USSR)

SUBMITTED: 11Oct62

DATE ACQ: 21Jun63

ENCL: 00

SUB CODE: AI

NO REF SOV: 002

OTHER: 001

Card 2/2

L 16739-66

ACC NR: AR6000468

SOURCE CODE: UR/0299/65/000/017/R036/R036

AUTHOR: Levit, Dzh.

TITLE: The role of SH- and SS-groups in cell resistance to high and low temperatures

SOURCE: Ref. zh. Biologiya, Abs. 9R217

REF SOURCE: Sb. Kletka i temperatura sredy. M.-L., Nauka, 1964, 180-184. Diskus., 204

TOPIC TAGS: high temperature effect, low temperature effect, plant metabolism, plant catabolism, PLANT SENSIBILITY

ABSTRACT: An hypothesis is presented to explain the resistance (R) of plants to the injurious effect of temperature. It is noted that, in the presence of noninjurious cooling, the volume of SH-groups does not change, but in the presence of lethal chilling it diminishes markedly. The reduction in volume of SH-groups responds to an equivalent increase in SS-bonds. Analogous results are obtained by heating. A similar phenomenon is observed in isolated albumins, but at higher temperatures than those which kill the plant. This argues in favor of a concept according to which the transition of SH-groups into SS-bonds precedes the injury, even evokes the latter, and is not a result of it. The resistance of many plants to the effect of low temperatures increases with the increase in volume of SH-groups at various stages of hardening. Consequently, stability is explained by the high resistance of SH-groups to oxidation. The oxidation of SH-groups under dehydration of protoplasm is

Card 1/2

UDC: 577.3

L 46739-66

ACC NR: AR6000468

explained by the proximity of albumins and by their reaction to each other. This leads to the development of molecules under rehydration at the time of thawing. The protective role of sugars and other carbohydrates is examined within the framework of the proposed hypothesis. L. Danilova [Translation of abstract]

SUB CODE: 06

sum
Card 2/2

BTR LEVIT, G. A.

5

8489* Dynamometer for Measuring Cutting Forces in the
der to Determine Lather Efficiency. (In Russian) G. A.
Levit, Stanki i Instrument, v. 22, Dec. 1951, p. 25-27.
Equipment for the above is described. Test results are tabu-
lated and discussed.

LEVIT G. A.

LEVIT. G. A. -- "Friction Loss in the Driving Gears of Machines With Pinion Gear Housing of Gears." Sub 1 Jun 52, Moscow Machine-Tool and Tool Inst imeni I. V. Stalin. (Dissertation for the degree of Candidate in Technical Sciences).

SO: Vechernaya Moskva, January-December 1952

LEVIT, G. A.

AID P - 5160

Subject : USSR/Engineering

Card 1/1 Pub. 103 - 1/19

Authors : Levit, G. A., and M. M. Tsyrlin

Title : Increasing performance efficiency of circular guides in vertical boring and turning machines.

Periodical : Stan. 1 instr., 6, 1-9, Je 1956

Abstract : The authors describe the research undertaken jointly by the Experimental Scientific Research Institute of Metal-Cutting Machines (ENIMS) and Machine-tool Construction Bureau No. 4 at the Kolomna Heavy Machine-tool Plant, in order to eliminate the formation of scorings on friction surfaces of the circular guides of vertical turning machines (the 1532-model was used). A few practical suggestions are given. Five drawings, 16 graphs, 2 tables.

Institutions: As above

Submitted : No date

LEVIT, G.A., kand. tekhn. nauk; PROKOPOVICH, A.Ye., red.; STUDENITSKAYA, V.A.,
tekhn. red.

[Antifriction spindle supports for high-speed lathes, turret lathes,
and milling machines] Shpindel'nye opory kachenia bystrokhodnykh
tokarnykh, revol'vernykh i frezernykh stankov. Izd.2. Moskva,
TSentr. biuro tekhn. informatsii, 1957. 49 p. (MIRA 11:8)

1. Moscow. Eksperimental'nyy nauchno-issledovatel'skiy institut
metalloreshushchikh stankov.

(Machine tools--Attachments)

LEVIT, G. A.

PHASE I BOOK EXPLOITATION

1136

Eksperimental'nyy nauchno-issledovatel'skiy institut metallorazhishchikh stankov

Modernizatsiya tokarno-karusel'nykh stankov (Modernization of Vertical Turning Lathes) Moscow, Mashgiz, 1958. 265 p. 6,000 copies printed.

Authors: Gladkov, B.A., Grachev, L.N., Levit, G.A., Lapidus, A.S., Leshchenko, Yu.A., and Kudinov, V.A.; Ed.: Prokopovich, A.Ye.; Ed. of Publishing House: Ivanova, I.A.; Tech. Ed.: Tikhonov, A.Ya.; Managing Ed. for Literature on Metal Working and Tool Making (Mashgiz): Beyzel'man, R.D., Engineer.

PURPOSE: This book is intended for production personnel employing machine tool equipment, for designers of engineering departments, engineers and technicians.

COVERAGE: Vertical turning lathes in an actual operation are reviewed and basic trends and methods of modernizing them are discussed. Design examples and solutions of various design problems in

Card 1/6

Modernization of Vertical (Cont.)

1136

modernizing the main drive, feed drives, table rests, and spindles are presented, and various devices for reducing the auxiliary operation time and increasing the versatility of operations are described. The problems of vibration stability of machines and safety measures are also discussed. No personalities are mentioned. There are 69 references, 66 of which are Soviet and 3 English.

TABLE OF CONTENTS:

Ch. I. Brief Survey and Analysis of the Engineering Level of Machine Tools in Actual Operation	5
Ch. II. Analysis of the Utilization of Machine Tools and Requirements for Modernization	40
Ch. III. Design and Modernization of the Main Drive	51
1. Procedure for developing a design for modernizing the main drive	51
2. Determining the possibility of increasing table RPM	54
3. Determining the possibility of transmitting the required power	55

Card 2/6

1136

4. Calculation of friction losses in the main drive	61
5. Example of the main drive design in modernizing the model 153 machine	62
6. Recommended design solutions for modernization of the main drive	70
Ch. IV. Modernization of Table Rests	90
1. Brief analysis of various types of circular ways	91
2. General trends in increasing the efficiency of circular ways	93
3. Recommendations on modernizing circular ways of the most widely used types of vertical machine tools	95
4. Practical recommendations on modernization of circular ways	118
Ch. V. Modernization of the Feed Drive	135
1. Changing the feed series	135
2. Increasing the life of way rests	139
Ch. VI. Increasing the Rigidity and Vibration Stability of Machine Tools	141

Card 3/6