

POLICZER, M., dr.; MARTON, M.; BAZSO, Emma

On the I-131 treatment of hyperthyroidism. Acta med. acad. sci.
Hung. 21 no.1:59-77 '65.

1. II. Medizinische Abteilung (Chefarzt: Dr. M. Policzer) des
Balassa-Krankenhauses, Budapest.

HUNGARY

SZABO, Istvan, MARTON, Maria, BUTI, Irma, and NITAI, Geza, Institute of Soil Research and Agrochemistry at the Hungarian Academy of Sciences [original-language version not given] in Budapest (Director: SZABOLCS, I.).

"Intestinal Microflora of the Larvae of *Bibio Marci* L. Part 1: A Comparative Study of *Streptomyces* Strains Belonging to the *Griseus* Group Isolated in the Intestinal Canal"

Budapest, Acta Microbiologica Academiae Scientiarum Hungaricae, Vol 13, No 1. 2 Jun 1966, pp 47-52.

Abstract: [English article] The *Streptomyces* strains isolated from the intestinal canal and excrement of *Bibio marci* L. (St. Mark's Fly) larvae included *Actinomyces vulgaris* Nikitina et al 1960 and *Actinomyces citreofluorescens* Koreniako et al. 1960. These were different from the *griseus* strains isolated from the A_H level. 11 references, including 2 Russian, 2 German, 2 Hungarian, and 5 Western. (Manuscript received 1 Nov 1965).

1/1

DIMITROV-SZOKODI, Daniel, dr.; POLICZER, Miklos, dr.; PIROTH, Karoly, dr.;
MARTON, Mihaly, dr.

Indications for the surgical treatment of hyperthyroidism, with special
reference to modern diagnostic and therapeutic methods. Magy. sebesz.
15 no.6:347-353 D '62.

1. A Budapest Fov. VIII. Tanacs V.B. Balassa Janos Korhaz II. sz.
Sebeszeti Osztaly (Foorvos: Dimitrov-Szokodi Daniel dr., az orvostudo-
manyok kandidatusa) es a II. sz. Belgyogyaszati Osztaly (Foorvos:
Policzer Miklos dr., as orvostudomanyok kandidatusa) kozlemenye.
(HYPERTHYROIDISM)

POLICZER, Miklos, dr.; BAZSO, Emma, dr.; MARTON, Mihaly, dr. |

Disorders associated with increased thyroid uptake and storage capacity of I-131. Orv. hetil. 103 no.20:930-933 20 My '62.

1. Fovarosi VIII ker. Tanacs V. B. Balassa Janos Korhas, II sz.
Belosztaly.

(THYROID GLAND metab) (IODINE metab)

FULOP, Tamas, dr.; PETER, Ferenc, dr.; MARTON, Mihaly, dr.

Data on the morbidity of children cared for in day nurseries.
Gyermekgyógyászat 14 no.6:184-189 Je '63.

1. Debreceni Orvostudományi Egyetem Egészségügyi Szervezési Intézet.
(SCHOOLS, NURSERY) (MORBIDITY)

FULOP, Tamas, dr.; MARTON, Mihaly, dr.; GYARMATI, Janos, dr.

Morbidity resulting from industrial accidents in agricultural cooperatives in the Hajdu-Bihar County. Népegészségügy 44 no.12: 370-371 D '63.

1. Közlemény a Debreceni Orvostudományi Egyetem Egészségügyi Szervezési Intézetéből.

(AGRICULTURAL WORKERS' INJURIES)

(ACCIDENT PREVENTION)

(DISABILITY EVALUATION)

(REHABILITATION) (STATISTICS)

POLICZER, Miklos, dr.; MOUSSONG-KOVACS, Erzsebet, dr.; BAZSO, Emma, dr.;
MARTON, Mihaly, dr.

EEG and the neuropsychiatric examination of patients with
hyperthyroidism. Orv. hetil. 104 no.48:2261-2266 1 D '63.

1. Fovarosí VIII ker. Tanács V. B. Balassa János Korház, II
Belosztály és Budapesti Orvostudományi Egyetem, Pszichiatriai
Klinika.

(HYPERTHYROIDISM) (GOITER, EXOPHTHALMIC)
(NEUROLOGIC MANIFESTATIONS) (THYROID FUNCTION TESTS)
(ELECTROENCEPHALOGRAPHY) (BASAL METABOLISM)
(PSYCHIATRY)

FULOP, Tamas, dr.; GYARMATI, Janos, dr.; MARTON, Mihaly, dr.

Experimental study on the actual morbidity of the rural population. Nepegeszsegugy 45 no.1:111-117 Ap'64

1. Kozlemenye a Debreceni Orvostudomanyo Egyetem Egeszsegugyi Intezetebol.

*

Distr: 4E3c/4E3d

19

70. The first Hungarian nuclear reactor. D. Du. Gy.
K. Cs. J. Murányi, P. Marton, E. Székely.
K. B. k. Magyar Értéktár, Vol. 7, 1958, No. 3, pp. 80-88,
3 figs.

The edifice containing the reactor is T-shaped and situated in the centre of the experimental plant with the secondary buildings (cooling tower, ventilating engine room, transformer station etc.) built around it. The 60 m long, 5-storey transversal part accommodates the laboratories, the power distribution room, the room containing switchgears for dosimetric instruments, the switchboards for plant control, the research workers' studies. The stem of the T is constituted by the 30 x 21.5 m base, 23 m high two-storey reactor room incorporating the 7 m dia., 12 m high bulk of the reactor and the experiment chambers requiring a higher degree of protection against radiation. This protection was ensured by a 2.5 m thick "heavy" concrete (weighing 3.2-4.5 t per cu.m, containing haematite, limonite and iron scrap as aggregates) wall directly around the reactor and a 1 m thick wall between the reactor room and the laboratories. The required jointless continuity of the floors is ensured in general by rubber flooring and, in rooms subject to heavy contamination, by stainless steel sheeting. The installation of the numerous pipelines (for various types of sewage, water supply, gas, ventilation etc.) which had to be perfectly sealed and yet be conveniently serviced and supervised constituted a special problem.

JW
YI

7
2

RMP

MARTON, Pal

Proposal for supplementing the sewerage statute in accordance
with the requirements for radioactive sewages. Épületgépészet
11 no.1:33-34 F '62.

MARTON, Peter, dr.

Modification of the combined therapy of vein dilatation in order to obtain a more even effect and to protect the deep veins.

Magy, sebészet 9 no.3:159-162 June 56

1. A Belügyminisztérium Egészségügyi Szolgálatának közleménye.
(VARICOSE VEINS, surg.
technic for protection of deep veins in ther. with
sclerosing solutions (Hun))

KOVACS, Endre; MARTON, Piroska

Rapid quantitative determination of lipid content by the perchloric acid butyrometer method. Kiserl. orvostud. 14 no.4:447-448 S '62.

1. Szegedi Orvostudományi Egyetem Vegytani és Biokémiai Intézete.
(LIPIDS) (TECHNOLOGY, MEDICAL) (PERCHLORIC ACIDS)

MT Fundamental considerations on the chemistry of various straw cooks: kraft, monosulfite, and bisulfite. R. Marton, P. Lengyel, and G. Kollai (Research Inst. Paper-Tech-Budapest). *Aspe. tech. ind. papiera, Bull.* 1955, 120-129.— Following a general discussion on the various chem. components of wheat straw (I), rice straw (II), and of wood (*Picea excelsa*), the authors give results of cooks with I and II. The effects of liquor compn. and temp. were noted and are discussed. Kraft cooks were made at 100°, 140°, and 170° with 15% chemicals and a sulfidity of 15%. The removal

of lignin was a function of the temp., but was practically complete in 1 hr. However, the removal of carbohydrates continued with time, and graphs indicate that beyond a cooking period of 1 hr. at 140° (or about 0.5 hr. at 170°) cellulose losses occur. The spent liquors from these cooks gave characteristic lignin ultraviolet absorption max. at 280 mμ, but not the 2nd max. at 310 mμ shown by "native lignin" extd. from I by dioxane. In studying the action of Na₂SO₃ on I, reference is made to the "degree of sulfitation" (III) which is the ratio of SO₃ to Na₂O in the cooking liquors. Cooks made at 170° for 2 hrs. in which III was varied showed that the removal of lignin rose slightly from the initial III = 0 (i.e., a soda cook) up to III = 0.7, dropped to a min. at 1.5, and then rose again to III = 2. Both the highest pentosan and cellulose losses occurred when III was 0, and the lowest when III = 1.5, rising again when III reached 2. Optimum conditions for pulping I were at III = 0.75. Because of its high ash content (15.5% ± 3.0), II required a different cooking schedule. The lowest per-

centage ash (largely SO₃) in both bleached and unbleached II-pulps was reached when III did not rise above 0.25. An excessive amt. of ash lowered the strength properties of the pulp. An attempt has been made to formulate (empirically) the optimum compn. of Na₂SO₃ cooking liquors, based on both the lignin and the ash contents of the straws. In general the percentage of Na₂SO₃ should be 0.6 (the percentage of lignin) and the percentage of NaOH 1.4 + 0.8 (percentage of ash) in the original straw. In the case of CaHSO₃ cooks, the effects of temp., cooking time, and total SO₃ in the liquors were studied. The cooks should not extend beyond 8 hrs., nor should the temp. exceed 115°. The total SO₃ should not rise above 4.3%. The possible mechanism of bisulfite pulping is discussed especially from the standpoint of changes of the C:S ratio in the lynosulfonates formed under varying cooking conditions. 16 references.

Louis E. Wise

(2)

MANTON, S.

"On the Snow-Covered Slopes of Javorniky."

p. 42 (Krasý Slovenska, Vol. 34, No. 2, Feb. 1987, Bratislava, Czechoslovakia)

GEOGRAPHY & GEOLOGY Periodicals

Monthly Index of East European Accessions (E.A.A.), Vol. 7, No. 11,
Nov. 1956

MARTON, S.

~~XXXXXXXXXXXXXXXXXXXX~~

Successful penicillin therapy of primary pulmonary actinomycosis
of 13 years duration. Orv. hetil. 93 no. 4:124-127 27 Jan 1952.

(CLML 23:3)

1. Doctor, Departmental Head Physician. 2. Szabadsaghegy State
Tuberculosis Sanatorium (Director -- Dr. Imre Vas).

MARTON, S.

Modification of the preparation of pneumoperitoneum; determination of peritoneal pressure. Orv. hetil. 94 no.6:141-144 8 Feb 1953. (CMLL 24:3)

1. Doctor. 2. Koranyi State Tuberculosis Institute (Director -- Dr. Pal Dessauer).

MARTON, S.

~~Simple~~ Simple method of gastric aspiration in adults for detection of tubercle bacilli. Orv. hetil. 94 no. 46:1285-1286 15 Nov 1953. (CML 25:5)

1. Doctor. 2. Koranyi State Tuberculosis Sanatorium (Director -- Dr. Pal Dessauer).

MARTON, Sándor, dr.

The significance of bacteriological examination in the evaluation of working capacity. Tuberk. kérdései 7 no.1:10-14 Feb 54.

1. Az Állami Koranyi Tudobeteggyogyintezet (igazgato: Dessauer Pál dr.) II. osztalyanak (osztalyos foorvos: Marton Sándor dr.) kozlemenye.

(TUBERCULOSIS, diag.
bacteriol.)

MARTON S.

FARENCSI, Gyorgy, dr.; MARTON, Sandor, dr.; VANDRA, Edith, dr.

The importance of eight-week culture of Mycobacterium tuberculosis.
Tuberk. kerdesei 7 no.5:66-69 Oct 54.

1. Az Országos TBc. Intezet (igazgato-foorvos: Sebok Lorand dr.)
Mikrobiologiai Osztalyanak (osztalyvezeto: Kertay Nandor dr.
candidatus) es az Allami Koranyi Tudobeteggyogyintezet (igazgato-
foorvos: Dessauer Pal. dr.) II. osztalyanak (osztalyvezeto-foorvos:
Marton Sandor dr.) kozlemenye.

(TUBERCULOSIS, PULMONARY, dis.
bacteriol., length of culture)

MARTON, Sandor, dr.,; KALLOS, Zsuzsa, dr.

Lobectomy in tuberculosis with diabetes mellitus. Orv. hetil.
96 no.19:523-526 8 May 55

1. Az Allami Koranyi Tudobeteggyogyintezet (igazgato: Dessauer Pal
dr. II. Osztalyanak (foorvos: Marton Sandor dr.) kozlemenye.
(TUBERCULOSIS, PULMONARY, complications,
diabetes mellitus, lobectomy in)
(DIABETES MELLITUS, complications,
tuberc., pulm., lobectomy in)

VITEL, Istvan, dr.,; MARTON, Sandor, dr.,; CSILLAG, Anna, dr.

Pulmonary cryptococcosis (torulosis). Orv. hetil. 96 no.25:
683-685 19 June 55.

1. A Budapesti Orvostudományi Egyetem Kózegezésügyi Intézet
(igazgató: Dabis László dr. egyet. tanár) az Állami Koranyi
Tudományintézet (igazgató: Deszauer Pál dr.) II. osztálya
(osztályvezető főorvos: Marton Sandor dr.) és Országos Kózegezésügyi
Intézet (főigazgató: Tóth József dr.) közleménye.
(CRYPTOCOCCOSIS,
pulm.)
(LUNGS, diseases,
cryptococcosis)

MARTON, Sandor, dr.

Pathological and therapeutic data on thrombopenic purpura
connected with tuberculosis. Tuberk. kerdesei 9 no.3:139-
142 June 56.

1. Az Orszagos Koranyi TBC. Intezet (Igazgato foorvos:
Dessauer, Pal, dr.) II. osztalyanak (foorvos: Marton, Sandor, dr.)
kozl.

(PURPURA, THROMBOPENIC
relation to pulm. tuberc., immunol., pathol. & ther.
(Hun))

(TUBERCULOSIS, PULMONARY
relation to thrombopenic purpura (Hun))

Marton
KALLIOS, Zsuzsa; MARTON, Sandor; SZANTO, Endre

ACTH and cortisone in pulmonary tuberculosis. Tuberkulozis 10 no.5-6:
123-128 May-June 57.

I. Az Orszagos Koranyi TBC Intezet (tudomanyos vezeto: Sebok Lorant dr.)
II. belosztalyanak (foorros: Marton Sandor dr.) es I. V. belosztalyanak
(foorros: Szanto Endre dr.) kozlemenye.

(TUBERCULOSIS, PULMONARY, ther.

ACTH & cortisone combined with antituberculous drugs,
indic. & clin. evaluation (Run))

(ACTH, ther. use

tuberc., pulm., combined with antituberculous drugs, indic.
& clin. evaluation (Run))

MARTON, Sandor

BANYASZ, Tibor; MARTON, Sandor

Data on the diminishing effect of dionin on tuberculin reaction.
Tuberkulozis 10 no.7-9:188-192 July-Sept 57.

1. Az Orszagos Koranyi TBC Intezet (m.b.ig.: Seri Istvan, tud. vez.:
Sebok Lorant) IX. osztalyanak (foorvos: Marton Sandor) kozlemenye.

(TUBERCULIN REACTION, eff. of drugs on

ethylmorphine, diminishing eff. (Hun))

(ETHYLMORPHINE, eff.

diminishing eff. on tuberculin reaction (Hun))

MARTON, Sandor, dr.

~~Tuberculosis and diabetes.~~ Orv. hetil. 98 no.20:509-518
19 May 57.

1. Az Országos Koranyi Tbc. Intezet (mb. igazgató-foorvos:
Seri, Istvan, dr.) IX. Osztalyanak (foorvos: Marton, Sandor, dr.)
közleménye.

(DIABETES MELLITUS, compl.
tuberc., pulm. (Hun))

(TUBERCULOSIS, PULMONARY, etiol. & pathogen.
diabetes mellitus (Hun))

EXCERPTA MEDICA Sec 15 Vol 12/5 Chest Diseases May 59

1196. EXPERIMENTS WITH SULPHONYLUREA IN THE TREATMENT OF
TUBERCULOTIC DIABETICS - Tapasztalatok a tuberkulotikus cukorbeteg
sulfonylurea kezelésével - Marton S., Bányász T. and Medvecz-
ky E. Országos Korányi Tuber. Intezet Közl. - ORV. HETIL. 1958, 19, 26
(878-884) Tables 3

Sulphonamides (carbutanude and 'bucarban') were effective in about 1/3 of 34 dia-
betics with tb. Dosage and side-effects are as in subjects free from tb. Exudative
forms of tb react less favourably. Mosonyi - Budapest (VI, 15)

MARTON, Sandor, Dr.; BANYASZ, Tibor, Dr.; MEDVECZKY, Endre, Dr.

Experiences with sulfonylurea therapy in tuberculosis of diabetic patients. Orv. hetil. 99 no.26:878-884 29 June 58.

1. Az Orszagos Koranyi Tuberkulozis Intezet (igazgato: Boszormenyi Miklos dr. kandidatus, tudomanyos vezeto: Foldes Sandor dr. Kandidatus)
IX. Osztalyanak (foorvos: Marton Sandor dr.) kozlemenye.

(ANTIDIABETICS, ther. use

diabetes mellitus with pulm. tuberc. (Hun))

(TUBERCULOSIS, PULMONARY, compl.

diabetes mellitus, ther. value of sulfonylurea antidiabetics
(Hun))

MARTON, Sandor, dr.; UNGAR, Imre, dr.; LACZKO, Ede, dr.

Indications for pulmonary resection in diabetics. Tuberkulozis 14
no.1:6-12 Ja '61.

1. Az Orszagos Koranyi Tbc Intezet (igazgato foorvos: Boszormenyi
Miklos dr. kandidatus, tudomanyos igazgato: Foldes Istvan dr. kandi-
datus) kozlemenye.

(PNEUMONECTOMY) (DIABETIC PATIENTS surg)

MARTON, Sandor, dr.; UNGAR, Imre, dr.; LACZKO, Ede, dr.

Nature of the regulation of metabolic processes after pulmonary resection in diabetic patients. Tuberkulozis 14 no.2:33-36 F '61.

1. Az Országos Korányi Tbc Intézet (igazgató főorvos: Boszormenyi Miklós dr. kandidatus, tudományos igazgató: Foldes István dr. kandidatus) közleménye.

(PNEUMONECTOMY) (DIABETIC PATIENTS surg)

MARTON, Sandor, dr.; UNGAR, Imre, dr.; LACZKO, Ede, dr.

Results of resectional surgery in diabetic tuberculous patients.
Tuberkulozis 14 no.4:109-114 Ap '61.

1. Az Orszagos Koranyi Tbc Intezet (igazgato: Boszormenyi Miklos dr.
kandidatus, tudomanyos vezeto: Foldes Istvan dr. kandidatus) kozlemenye.

(TUBERCULOSIS, PULMONARY surg)
(DIABETES MELLITUS compl)
(PNEUMONECTOMY compl)

BOSZORMENYI, Miklos, dr.; FAUSZT, Imre, dr.; BARABAS, Mihaly, dr.; BARATH,
Iren, dr.; MARTON Sandor, dr.; SERI, Istvan, dr.

Contribution to the choice of the most effective doses of streptomycin
in pulmonary tuberculosis. Tuberkulozis 14 no.9:264-267 S '61.

(STREPTOMYCIN ther)

KERTAY, Nandor, dr.; MARTON, Sandor, dr.; Technikai munkatársak: PAZSITKA,
Jozsef; VITALYOS, Tibor

Comparative bacteriological examination of bronchial secretions for
tubercle bacilli with the aid of Marton's apparatus. Orv. hetil. 103
no.12:553-555 25 Mr '62.

1. Orszagos Koranyi TBC, Intezet.

(TUBERCULOSIS PULMONARY diag)
(SPUTUM microbiol)

HUNGARY

MARTON, Sandor, Dr., GYULA, Dr., NAGY, Gyorgy, Dr., PALFTY, Gyula, Dr.; National TB Hospital, Ambulant TB Station of Szolnok Medical Institute, Intezet, Janos Korhaz, Szolnok Medical Institute.

"The Evaluation of the Tuberculin Screening Tests on Diabetics."

Budapest, Orvosi Hetirol, 1964, Vol. 88, pages 970-974.

Abstract: [Abstract] The morbidity of diabetics is possibly [Abstract] population in Hungary as well. Inactive tuberculosis is more frequent among diabetics and non-diabetics. Diabetic men showed more frequent tuberculosis. No significant difference was seen in the tuberculosis reaction of diabetics who had no active tuberculosis and healthy individuals. Mass tests among diabetics showed that 15 Western, 3 Eastern, and 1 Southern had a positive tuberculin reaction.

1/1

MARTON, Sandor, dr.; KALLÓS, Zsuzsa, dr.

Use of thiosemicarbazone (Conteben) aerosols in pulmonary tuberculosis. Tuberkulózis 19 no.2:47-50 1964.

1. Az Országos Korányi TBC Intézet igazgató főorvos: Beszörményi Miklós dr. kandidatus, tudományos igazgató: Földes István dr. kandidatus; IX osztály főorvos: Marton Sandor dr. kandidatus; közle-
menye.

MARTON, T.

"The Poplar Committee in Somogy County." p. 153.

AZ ERDO. (Orszagos Erdeszeti Egyesulet). Budapest, Hungary, Vol. 11,
No. 6, June 1959.

Monthly list of East European Accessions (EEAI), LC, Vol. 8, No. 8,
August 1959.
Uncla.

MARTON, T.; FEUER, I.

Experimental gastro-esophageal anastomosis. Magyar. sebészeti 5 no.
1:19-22 Mar 1952. (CLML 22:4)

1. Doctors. 2. Third Surgical Clinic (Director -- Prof. Dr. Pal
Rubanyi), Budapest Medical University.

MARTON, T.

Surgical case of cardiaturor. Magyar. sebészeti 5 no. 4:279-282
Nov 1952. (CIML 24:1)

1. Doctor. 2. Third Surgical Clinic (Director -- Prof. Dr. Pál
Rubanyi), Budapest Medical University.

MARTON, T.; FEUER, I.

Experimental and clinical application of a new esophagogastrostomy.
Acta med. hung. 6 no.3-4:335-353 1954.

1. III. Chirurgische Klinik der Medizinischen Universitat,
Budapest.

(ESOPHAGUS, surg.
esophagogastrostomy)
(STOMACH, surg.
esophagogastrostomy)

EXCERPTA MEDICA Sec 9 Vol 13/10 Surgery Oct. 50

5950. CLOSURE OF A DEFECT OF THE DIAPHRAGM BY USING SYNTHETIC MATERIAL. MESH - Rekeszhiány zártása műanyaghálójával. Marton L., Budapesti Orvostud. Egyet. III. sz. Sebészeti Klin., Budapest - MAG. SEBESZ, 1958, 11:1 (38-42) Illus. 5

A case is presented in which a large post-traumatic defect of the diaphragm with retraction of the margins was successfully closed by interposition of a periton mesh. A follow-up of one year showed a very satisfactory anatomical and functional result.

Aleksic - Belgrade (IX, 19)

EXCERPTA - IMA Sec 9 Vol 13/9 Surgery Sept. 50

5137. COVERING OF A DIAPHRAGMATIC DEFECT WITH A NETWORK OF
ARTIFICIAL RESIN - Ersatz eines Zwerchfeldefektes mittels Kunststoff-
netz - Marton T. III. Chir. Univ.-Klin., Budapest - ZBL. CHIR. 1958,
83/33 (1614-1618) Illus. 5

Operative treatment of rupture of the diaphragm due to blunt trauma is described
on the basis of a case. The defect in the left diaphragm was about the size of the
palm of a hand and was repaired with a perlon network. Follow-up examination
after one year showed that the operation had been successful. (IX, 19)

AMBRUS, Matild, Dr.; MARTON, Tibor, Dr.

Closed retroperitoneal injuries. Magyar. sebeszet 12 no.1:56-61 Mar 59.

1. A Budapesti Orvostudományi Egyetem III. sz. Sebeszeti Klinikájának (Igazgató: Rubanyi Pál dr. egyetemi tanár) és a Jászberényi Városi Kórház Sebeszeti Osztályának (Főorvos: Ambrus Matild dr.) közleménye.

(RETROPERITONEAL SPACE, wds. & inj.
closed inj., case reports (Hun))

MARTON, Tibor, Dr.

A case of operated duodenal diverticula of unusual size. *Magy. sebeszet*
12 no.2:129-131 Mar 59.

1. A Budapesti Orvostudományi Egyetem III. sz. Sebeszeti Klinikájának
közleménye igazgató: Fubanyi Pal dr. egyetemi tanár.
(DUODENUM, diverticula
large, surg. (Hun))

MARTON, Tibor, dr.

Spontaneous internal biliary fistula. Magy.sebeszet 13
no.1:16-22 F '60.

1. Budapesti Orvostudományi Egyetem III. sz. Sebeszeti
Klinikájának közleménye Igazgató: Rubanyi Pal dr. egyetemi
tanár.

(BILIARY FISTULA case reports)

MARTON, Tibor, dr.

On some problems of surgery of the large intestine
17 no.4:246-50 Ag. Med.

1. A Kozponti Állami Kórház (igazgató: Fenyvesi
beszeti osztályának főorvosa: Marton Tibor dr. Kérelme

MARTON, Tibor, dr.; SANDOR, Tamas, dr.; IZINGER, Endre, dr.

Treatment of thrombophlebitis using intracutaneous heparin injection. Orv. hetil. 106 no.32:1505-1508 8 Ag'65.

1. Kozponti Allami Korhaz, Sebeszeti Osztaly (foorvos: Marton, Tibor, dr.).

MARTON, Tibor

The long-range plan for the afforestation in Szolnok County.
Erdo 12 no.5:193-199 My '63.

1. Szolnok megyei Allami Erdogazdasag igazgatoja, Szolnok.

MARTON, Tiber, dr.; IZINGER, Endre, dr.

Cancer of the common bile duct causing obstruction of the colon and stomach. Magy. sebesz. 17 no.2:102-104 Ap'64.

1. A Kozponti Allami Kórház (igazgató: Fenyvesi, József, dr.)
Sebeszeti Osztályának (f. orvos: Marton, Tiber, dr.) közleménye.

*

MARTON, V.

"Some aspects of railway Diesel engine construction." p. 162. (KOZLESHB
ESTUDOMANI SEEMLE, Vol. 3, no. 3, May 1953. Budapest.)

SO: Monthly List of East European Accessions, Vol. 2, #8, Library of Congress
August, 1953, Uncl.

EXCERPTA MEDICA Sec 9 Vol 13/8 Surgery August 59

4411. COMPARATIVE HISTOLOGICAL AND HISTOCHEMICAL EXAMINATION
OF THE CORRELATION OF MASTOPATHY AND BREAST CANCER -
Mastopathia és emlőcarcinoma közti összefüggésekre vonatkozó összehason-
lító histológiai és histochemiai vizsgálatok - Márton Z. and Berk E.
1. sz. Sebészeti Klin., Pécs - MAG.ONKOL. 1958, 2/1 (28-33)
The correlations of mastopathy and breast cancer are discussed on the base of
histological and histochemical data. From breasts removed for cancer large frozen
sections were prepared using Christeller's procedure. In 75% of all cases, masto-
pathy was associated with the cancer, and transitional structures were found in

EXCERPTA MEDICA Sec 16 Vol 7/1 Cancer Jan 59

395. *Comparative histological and histochemical examination of the correlation of mastopathy and breast cancer* Mastopathia és emlőcarcinoma közti összefüggésekre vonatkozó összehasonlító histológiai és histochemiai vizsgálatok. MÁRTON Z. and BERKI E. I. sz. Sebészeti Klin., Pécs Mag. Onkol. 1958; 11 1 (28-33)

From breasts removed for cancer large frozen sections were prepared using Christeller's procedure. In 75% of all cases, mastopathy was associated with the cancer,

3 / 5

and transitional structures were found in several cases. Thus, mastopathy occurring with cancer must not be regarded as an inconsiderable secondary alteration. In breasts taken from non-cancerous corpses mastopathy displaying some atypia was most frequently found at the menopausal age. This fact is undoubtedly related to the greater frequency of breast cancer at this period of life. In pronounced epithelial proliferations of mastopathies the alkaline phosphatase reaction was negative as in cancerous tissue, whereas the stroma exhibited a positive reaction, a sign of the pre-cancerous biological potencies of the papillary form of mastopathy. The alkaline phosphatase reaction may be considered the biological sign of correlations between the two alterations.

MARTON, Zoltan, dr.

Some more important acute contagious diseases in Hungary.I.
(To be contd.). Stat szemle 37 no.3:250-273 Mr '59.

*

MARTON, Zoltan, dr.

Some more important acute contagious diseases in Hungary.
Stat szemle 37 no.4:362-372 Ap '59.

*

MARTON, Zoltan, dr.

Current questions relating to the statistics of industrial accidents. Munkavedelem 6 no.1/3:1-9 '60.

MARTON, Zoltan, dr.

Statistics of diseases and mortality due to leukemia.
Stat szemle 41 no.1972-988 O-N '63.

1. Kozponti Statisztikai hivatal osztalyvezetoje.

MARTONFI, Istvan, dr.; BALTA, Gyula, dr.

Phenol therapy in alleviation of nervous pains of different origin and type (neuralgia, neuritis, radiculitis). Orv. hetil. 97 no.32: 887-888 5 Aug 56.

1. A Simleul-Silvanei (Szilagysomlyo) Allami Kozkorhaz es a Budapesti XXI. ker. Rendelointezetenek kozlemenye.

(NEURALGIA, ther.

phenols (Hun))

(PHENOLS, ther. use

neuralgia (Hun))

RUMANIA / Chemical Technology, Chemical Products and Their
Application. Pharmaceuticals. Vitamins. Antibiotics.

E-17

Abs Jour : Ref Zhur - Khimiya, No 5, 1959, No. 16515

Author : Martonfi, L.; Fulop, L.; Sarudi, L.; Szantho, E.

Inst : Not given

Title : Problems in the Preparation and Stabilization of Oily
Contrasting Preparations

Orig Pub : Rev. mod. (R.P.R.), 1956, 2, No 3, 73-74

Abstract : The investigation covers possibilities of substitution of
poppy seed and sesame oils in the contrasting prepara-
tions (CP). A method of obtaining CP from sunflower
seed oil is reported. The obtained CP preparation
conforms with the requirements of the VIII Soviet
Pharmacopoeia in the matter of iodine content, impurities,
and stability. -- E. Natkhan

Card 1/1

H-58

RUMANIA/Chemical Technology. Pharmaceuticals. Vitamins.
Antibiotics.

R

Abs Jour: Ref Zhur-Khim., No 24, 1958, 82706.

Author : Martonfi L., Sarudi L., Giacomuzzi J.

Inst :

Title : A New Method for the Quantitative Determination of
Sulfur in Solutions of Calcium Polysulfide and Sodium
Thiosulfate.

Orig Pub: Rev. Med. (RPR), 1957, 3, No 4, 92-96.

Abstract: A new method for the quantitative determination of
sulfur in "Solutio calcii Sulfurati" is developed.
The preparation is oxidized with a neutral solution
of H_2O_2 in the presence of a known amount of 0.1 N
Na OH, the excess is titrated with 0.1 N HCl and the
amount of alkali consumed by sulfur, which was oxi-

Card : 1/2

RUMANIA/Chemical Technology. Pharmaceuticals. Vitamins.
Antibiotics.

H

Abs Jour: Ref Zhur-Khin., No 24, 1958, 82706.

dized to H_2SO_4 , is determined. The method is more simple and exact than the one recommended by Rumanian Pharmacopeia VII. In the same way, by the consumed alkali the sulfur was determined in sodium thiosulfate. The advantage of the method depends on the fact that the presence of sulfites does not interfere with the determination.

Card : 2/2

MARTONFI, L.

27
5
Quantitative analysis of calcium polysulfide and of sodium thiosulfate. László Mártonfi, Lili Barudi, and János Glacovics. Orvosi Szemle 8, No. 4-5, 224-7 (1957).—The Ca polysulfide soln. listed in the Romanian Pharmacopoeia contains CaS_2 and Ca thiosulfate in a 2:1 mole ratio. Its therapeutic value is due to the unstable polysulfide-S content, 8.86% when the soln. is freshly prepd., which decreases steadily during storage. The new test for the quant. analysis of the soln. provides for its oxidation by H_2O_2 in the presence of a known quantity of NaOH and subsequent titration of the excess NaOH by HCl soln. The test can also be applied to an analysis of Na thiosulfate. The presence of Na sulfite impurities does not impair the remarkable accuracy of the test.

Velicitas D. Goodman

129

RUMANIA/Chemical Technology - Chemical Products and Their
Application - Medicinals, Vitamins, Antibiotics.

H-17

Abs Jour : Ref Zhur - Khimiya, No 3, 1958, 8983

Author : Martonfi L.

Inst :

Title : Development of Vegetable Oil Rancidity and Problems of
Pharmaceutical Practice Associated Therewith.

Orig Pub : Farmacia (Romin.), 1957, 5, No 1, 24-30

Abstract : Concerning the mechanism of development of rancidity and
the results of experiments on determination of the degree
of rancidity of sunflower seed oil.

Card 1/1

COUNTRY : ROMANIA
 CATEGORY : Chemical Technology. Chemical Products and Their Applications. Pharmaceuticals. Vitamins. Antibiotics.
 ABS. JOUR. : RZhKhim., No 18, 1959, No. 68770
 AUTHOR : Antoniu, I.; S. Radu, I.; Popov, I.
 INSTITUTE :
 TITLE : Study of rollers applied to the production of Surfactant for insecticides
 ORIG. PUB. : Rev. Med. URSS, 1959, 3, No 3-4, 106-107

ABSTRACT : With the purpose of developing more complete characteristics of surfactant oil used for insecticides, it is proposed to introduce some modifications into the Romanian Pharmacopoeia that involve modification of the Kreyss test and the establishment of a procedure for the determination of such an oil. It has been established that there is no relationship between the molecular weight and the degree of oil esterification. -- A. Marin

Card: 1/1

MARTONNE-ZAGONYI IREN

KISS, Ferenc, Dr.; MARTONNE-ZAGONYI, Iren

The role of granules in the morphology of tuberculosis. Tuberkulozis
10 no.10-12:209-211 Oct-Dec 57.

1. A Budapesti Orvostudományi Egyetem Anatómiai Intézetének (I. igazgató:
Kiss Ferenc dr. egyetemi tanár) közleménye.

(TUBERCULOSIS, pathol.

morphol. role of hematogenic biol. granules (Hun))

MARTONOSI A. and ISSEKUTZ B.

Physiol. Inst. Med., Univ. Szeged. in vitro-Versuche bezüglich der Zuckerabgabe des Muskels. In-vitro experiments on sugar release from muscle ACTA PHYSIOL. ACAD. SCIENT. HUNG. (Budapest) 1954, 5/suppl. (26-27)

SO: ~~Excerpta~~ Medica Section II Vol 7 N. 12

MARTONOSI, A.; ISSREKUTZ, B., Jr.

Effect of 2,4-dinitrophenol on sugar absorption by isolated rat diaphragm. Acta physiol. hung. 7 no.3:265-272 1955.

1. Physiologisches Institut der Medizinischen Universitat, Szeged.

(GLUCOSE, metabolism,

diaphragm, eff. of 2,4-dinitrophenol on absorp. by isolated rat diaphragm)

(NITROPHENOLS, effects,

2,4-dinitrophenol, on glucose absorp. by isolated diaphragm)

(DIAPHRAGM, metabolism,

glucose absorp., eff. of 2,4-dinitrophenol on isolated diaphragm)

MARTONOSI, Antal

Effect of 2,4-dinitro-o-cresol on glucose and amino-nitrogen turnover in isolated rat diaphragm and brain slices. Kiserletes orvostud. 8 no.4:371-379 July 56.

1. Orszagos Munkaegeszsegugy Intezet.

(CRESOLS, eff.

2,4-dinitro-o-cresol, on amino acid & glucose turnover in isolated rat diaphragm & brain tissues (Hun))

(DIAPHRAGM, metab.

amino acid & glucose turnover, eff. of 2,4-dinitro-o-cresol in isolated rat diaphragm (Hun))

(BRAIN, metab.

amino acid & glucose turnover, eff. of 2,4-dinitro-o-cresol in rat tissue slices (Hun))

(GLUCOSE, metab.

diaphragm & brain tissue, eff. of 2,4-dinitro-o-cresol on turnover in rats (Hun))

(AMINO ACIDS, metab.

same)

MARTONOSI, A.; SZABO, E.P.

Comparative studies on glucose, fructose, galactose, mannose and sorbose absorption in isolated rat intestines. Acta physiol. hung. 11(Suppl):61-62 1957.

1. Physiologisches Institut der Medizinischen Universitat, Szeged.
(HEXOSSES, metab.

intestinal absorp. comparative study in isolated rat intestines (Ger))

- (INTESTINES, physiol.

absorp. of hexoses, comparative study in isolated rat intestines (Ger))

11/11/58
SEPP, Jozsef; FEKETE, Marton; KERENYI, Tamas; MARTONOSI, Antal

Mechanism of action of adenosine triphosphoric acid in isolated frog heart. Kiserletes orvostud 9 no.5-6:476-481 Oct-Dec 58.

1. Szegedi Orvostudományi Egyetem Elettani Intézete.

(ADENYLPHOSPHATE, physiol.

mechanism of inotropic action in isolated frog heart (Hun))

(MYOCARDIUM, physiol.

inotropic action of ATP in isolated frog heart, mechanism (Hun))

P. MARTONCSI.

"Remarks on the Problem of the New Loan Proceedings and the Protection
of Books." p. 27

"The Second Issue of the Hungarian Edition of Slavia Orientalis Published."
(A Konyvtaras. Vol3, no. 5 May 1955 Budapest.)

Vol. 2, no. 9

SO: Monthly List of East European Accessions./Library of Congress, Sept 1959, Uncl.

GALYAMA, D.V. [Halama, D.V.]; ~~MARTONOVA, Ye.Y.~~ [Martonova, E.J.]

Formation of 6-aminopenicillanic acid by strains of *Penicillium chrysogenum* Wis 51-20 and Novyi gibrid on various media without precursors. Antibiotiki 7 no.5:398-404 My '62. (MIRA 15:4)

1. Kafedra tekhnicheskoy mikrobiologii i biokhimii, tekhnicheskii fakul'tet, Bratislava, Chekhoslovakiya.

(PENICILLANIC ACID) (PENICILLIN) (PENICILLIUM)

MARTONOVA, E J

GALYAMA, D.V. [Halama, D.V.]; MARTONOVA, Ye.Y. [~~Martanova, E.J.~~]

Dynamics of the production of 6-aminopenicillanic acid and penicillin;
the effect of a precursor. Antibiotiki 7 no.5:404-410 My '62.

(MIRA 15'4)

1. Kafedra tekhnicheskoy mikrobiologii i biokhimii, tekhnicheskiy
fakul'tet, Bratislava, Chekhoslovakiya.

(PENICILLIN) (PENICILLANIC ACID)

VONDRACEK, V.; MARTONOVA, F.

Gustatory perception of thiourea. Cas. lek. cesk. 95 no.41:
1136-1138 12 Oct 56.

1. Psychiatricka klinika prof. Myslivecka a oddeleni pro
lekarskou psychologii prof. Vondracka, Praha 2, Ke Karlovu 11.

(THIOUREA,

loss of taste sensation in diag. of ment. disord. (Cz))

(MENTAL DISORDERS, diag.

loss of taste sensation to thiourea & phenylthiocarbamide
(Cz))

(THIOCARBAMATES,

phenylthiocarbamide loss of taste sensation, in diag. of
ment. disord. (Cz))

(TASTE

phenylthiocarbamide & thiourea taste sensation, loss in
diag. of ment. disord. (Cz))

ROUBICEK, Jiri; MARONOVA, Frantiska

Psychopathology of ulcerative colitis. II. Cesk. psychiat. 53 no. 2
1957-1958 p. 7.

1. Psychiatricka klinika KU v Praze.

COLITIS, ULCERATIVE, psychol.

psychol. factors in etiol. (127)

VONDRACEK, V.; MARTONOVA, F.

Effect of ritalin on certain psychic functions with special reference to attention. Cesk. psychiat. 55 no.2:65-73 Apr 59.

1. Psychiatricka klinika Karlovy university v Praze.

(METHYLPHENYLIDYLACETATE, eff.

on psychomotor activity (Cz))

(CENTRAL NERVOUS SYSTEM,

psychomotor funct., eff. of methylphenylidylacetate (Cz))

MARTONOVA, F.

Suicide attempt Psychiat. 10 no. 2: 7-101 Ad'6/

1. Psychiatricka klinika fakulty vseobecneho lekarstvi KU
v Praze.

*

1 11024-66

ACC NR: AP6004969

SOURCE CODE: CZ/0083/65/000/002/0118/0120

AUTHOR: Plzak, M.; Martonova, F.

ORG: Psychiatric Clinic, Faculty of General Medicine, Charles University, Prague
(Psychiatricka klinika fakulty vseobecneho lekarstvi KU)

TITLE: Question of responsibility in prevention of suicides and suicidal attempts

SOURCE: Ceskoslovenska psychiatrie, no. 2, 1965, 118-120

TOPIC TAGS: psychiatry, medical personnel, psychoneurotic disorder, psychotherapy

ABSTRACT: The moral and legal responsibilities of a psychiatrist for the life of his patients are discussed. Less than 30% of those who attempt suicide are psychiatric patients. Individual responsibility for definite cases should not be accepted; however, psychiatry as a science should study the problem of suicides. Usually talking about suicides is a good guidance. Guidance to the the probability is a result of talking to the patient. Only 7% of those who commit suicide do not talk about it at the guidance time. Probability of attempting suicide in endogenous depression in reaction disturbances, and under the influence of outside pressure is evaluated. The authors thank Professor-Dr. V. Vondrack, Doctor of Sciences, for reading of the manuscript and for valuable remarks. [JPRS]

SUB CODE: 06, 05 / SUBM DATE: none / ORIG REF: 002 / OTH REF: 005

HW
Card 1/1

PLZAK, M.; MARTONOVA, F.

The problem of responsibility in the prevention of suicide
and suicidal attempts. Cesk. psychiat. 61 no.2:118-120
Ap '65

1. Psychiatricka klinika fakulty vseobecneho lekarstvi
Karlovy University v Praze.

MARTONOVA, F.

Suicidal attempts in younger age groups. Cesk. psychiat. no. 61
no.6:414-416 D ' 65.

1. Psychiatricka klinika fakulty vseobecneho lekarstvi Karlovy
University v Praze.

SNABL, P.; MACHALEK, M.; POKORNY, J.; LEJSEK, J.; KLEINHAMPLOVA, J.
Statisticky zpracoval prom. statistik Vl. Kracik, as.VSS Liberec -
technicka spoluprace diplom. sestra MARTONOVA, M.

Clinico-statistical analysis of occlusive arterial diseases of the
lower extremities. Cas.lek.cesk 100 no.40:1269-1276 6 0 '61.

1. Interni oddeleni a Ustredni laborator MUNZ Liberec, prednosta MUDr.
P. Snabl, Interni oddeleni KUNZ Liberec, prednosta MUDr. Vl. Munzar,
ocni oddeleni MUNZ Liberec, prednosta MUDr. J. Lejsek.

(VASCULAR DISEASES PERIPHERAL)

TOPCIU, Vl.; BARCARU, Elena; BÄR, Fr.; FERENCZY, St.; MARTONY, A.

Methods of preparing the phagoresistant stems of *Clostridium acetobutylicum* Weitzmanni, and results obtained from the laboratory and factory tests. *Studii chim Timisoara* 9 no.1/2:141-160 Ja-Je '62.

1. Fabrica de butanol-acetona "Solventul" si Institutul de Igiena, Timisoara.

MARTONYI, Janos, okleveles gepeszmernok

Average or maximum decelerating value. Jarmu mezo gep 9 no.11:416-419
N '62.

1. Autokozlekedesi Tudomanyos Kutato Intezet tudomanyos kutatoja.

MARTONYI, Janos az állam- es jogtudományok kandidátusa

The Vienna International Congress of the Science of Public
Administration. Magyar tud 69 no.10:658-660 0 '62.

BOBKOVA, T.P., prepodavatel' kursov kroyki i shit'ya; GURBO, A.I., prepodavatel' kursov kroyki i shit'ya; ZHIVAYEVA, Ye.I., prepodavatel' kursov kroyki i shit'ya; ZEMSKOVA, O.V., prepodavatel' kursov kroyki i shit'ya; LYSENKO, A.V., prepodavatel' kursov kroyki i shit'ya; MARTYNOVA, MARTOPLYAS, L.V., prepodavatel' kursov kroyki i shit'ya; F.V., prepodavatel' kursov kroyki i shit'ya; PANOVA, V.P., prepodavatel' kursov kroyki i shit'ya; POMINOVA, M.G., prepodavatel' kursov kroyki i shit'ya; RYZHICHKINA, M.I., prepodavatel' kursov kroyki i shit'ya; SYCHEVA, T.A., prepodavatel' kursov kroyki i shit'ya; FILANOVICH, O.F., prepodavatel' kursov kroyki i shit'ya; BRUNEVSKAYA, M., red.; TRUKHANOVA, A., tekhn. red.

[Practical handbook on garment cutting and sewing] Prakticheskoe posobie po kroike i shit'iu. 4. izd. Minsk, Gos.izd-vo BSSR Red. (MIRA 14:12)
nauchno-tekhn.lit-ry, 1961. 607 p.

1. Minskiy Okruzhnoy Dom ofitserov im. K.Ye.Voroshilova i klub im. F.E.Dzerzhinskogo (for all except Brunevskaya, Trukhanova).
(Dressmaking—Pattern design) (Sewing)

MARTORELLI, Viktorio, brazil'skiy zhurnalist

Oppression by American capital and the condition of Brazilian
workers. Sov. profsoiuzy 6 no.2:81-84 P '58. (MIRA 11:3)
(Brazil--Investments, American)
(Brazil--Economic conditions)

KOPPANY, Gy.; HILLE, Alfred; KAKAS, Jozsef; FUTO, Jozsef; KERI, Menyhert; PECZELY, Gyorgy; KOZMA, Bela; SZAPPANOS, Andras, AMBROZY, Pal; GOTZ, Gusztav; PAPP, Laszlo; BELL, Bela; MARTOS, Andras; BACSO, Nandor; HAJOSY, Ferenc; CSAPOLY, Istvan; NAGY, Laszlo, igazgato foorvos; DONASZY, Erno, BORONKAI, Pal; ANTAL, Emanuel; TANCZER, Tibor; OZORAI, Zoltan

The 10th itinerant meeting of the Hungarian Meteorological Society in Sopron. Idojaras 68 no.4:249-250 J1-Ag '64.

1. President, Hungarian Meteorological Society (for Hille).
2. Editor. "Idojaras" (for Kakas).
3. Editorial Board Member, "Idojaras", Budapest (for Ambrozy, Bell, Keri, Ozorai).

MARTOS, Bela (Budapest)

Hyperbolic programing. Mat kut kozl MTA 5 no.4:383-406 '60.
(KEAI 10:8)

1. Koho- es Gepipari Miniszterium, Magyar Tudomanyos Akademia
Szamitastechnikai Kozpontja.
(Linear programing)

MARTOS, F.

Use of make-shift roofs in timbered shafts of thick coal seams; also, remarks by V. Sillay and V. Korompay. p. 449. (Bányászati Lapok, Budapest, Vol. 9, no. 9, Sept. 1954)

30: Monthly list of East European Accessions (EEAL), IC Vol 4, no. 6, June 1955 Und

MARTON, F.

hydraulic coal production. p. 8. MOSKVA SNT. Budapest Vol. 9,
No. 18, Dec. 1954

SOURCE: East European Accessions List (EEAL) Library of Congress
Vol. 5, No. 6, June 1956

MAFTOS, F

MAFTOS, F

Work of our Association after the 15th General Assembly and our tasks on the basis of resolutions of the Central Committee of the Hungarian Working People's Party. 1. 134

Vol. 10, No. 7/8, July/Aug., 1956 Budapest, Hungary AMTC 10000P

SC: Monthly List of East European Accessions, (FEAI), IC, Vol. 5
No. 3, March, 1956

MARTOS, F.

53. New data on the computation of surface deformations.
F. Martos. *Bányászati Lapok*, Vol. 10 (88), 1955.
No. 10, pp. 538-544, 4 figs.

The object of scientific investigations on rock movements is to obtain numerical data on surface deformations caused by winning, the characteristic values of which are the extent, location and range of the subsidence, the horizontal movement, the angle of rupture and the critical angle, and the specific variations of length. The author determines these values by computation. Even before winning is started the danger threatening the buildings on the surface and the extent to which they are threatened may be ascertained on this basis. For computation the author deduces — based on the findings of Polish researchers — the equations of the curves of stress and of subsidence (since the equations of the curve of stress are indispensable in determining the specific inclination), the inflexion and the variations of length. The results obtained by computation and by measurements effected at a specified shaft are rather divergent nevertheless the computed values can serve at least as a basis for the solution of the problems in question.

Mar 60, 1

68. Stowing experiments with loess. P. Martos.
Bdnydsati Lapok. Vol. 11 (89), 1956, No. 3, pp. 147-
154, 14 figs., 2 tabs.

In the coal mines of Ajka-Padrag the almost horizontal coal seam, having a total thickness of 14.7 m, is worked in four sections limited by thick intercalations. One part of the workings is executed by retreating longwall workings with caving. In these workings the spontaneous fires and the continuous draining of top

waters causes serious losses in coal reserves. In consequence thereof the room and pillar method has been introduced. Loess found on the surface has been used as a stowing material. In consequence of the slow settlement and marked compression of the loess this method involves many difficulties. The investigations were aimed at finding a possibility whereby — after separating the clayey and silty fraction of the loess by hydrocyclones — the remaining material could be converted into a stowing material entirely suitable from the viewpoints of settlement (dehydration) and compression. If the loess still contains a considerable quantity of clay after separation its settlement can be substantially speeded up by a relatively slight mechanical action (secondary settlement). The paper contains a description of the laboratory experiments and half-scale tests. The favourable results obtained are evaluated by their analyses on the curves of their granulometric composition and those of compression. The preparatory work for full-scale test is in progress.

MARTOS, F.

Contact of the Hungarian Mining and Metallurgic Society with the industry. p. 13. Vol. 11, No. 17 Sept. 1956. MUSZKAI ELET. Budapest, Hungary.

SOURCE: East European List, (EEAL) Library of Congress Vol. 6, No. 1 January 1956.

SZELE, Mihaly, egyetemi tanar; MARTOS, Ferenc; CLAUS, Alajos; HARGITTAY, Sandor; VERO, Jozsef, dr.

An account of the Executive Committee session held on May 24, 1957.
Koh lap 12 no. 4/5 199-208 Ap-May '57.

1. Orszagos Magyar Banyaszati es Kohaszati Egyesulet elnoka
(for Szele).
2. Orszagos Magyar Banyaszati es Kohaszati Egyesulet fotitkara
(for Martos).

MARTOS, F.

Freiberg and the Academy of Freiberg.

P. 503. (Baryaszati Lapok. V 1. 12, no. 9, 1957, Budapest, Hungary)

Monthly Index of East European Accessions (FVAI) LC. Vol. 7, no. 2,
February 1958

MARTOS, F.; HUSZ, N.

"Analytic investigation of mine openings." p. 225.

BANYASZATI LAPOK. (Magyar Banyaszati es Kohaszati Egyesulet). Budapest, Hungary, Vol. 12, No. 13, July 1959.

Monthly list of East European Accessions (EEAI), LC, Vol. 8, No. 8,
August 1959.
Unclass.

MARTOS, Ferenc, dr, mining engineer, cand. techn.sc.

Parameters of the displacements of the earth surface.
Izvestiia Bany KI no.3/4:12-15 '59/60.

MARTOS, Ferenc, dr., mining engineer, candidate of technical sciences

Possibilities of reducing mine damages caused by subsidence.
Izvestiia Bary KI no.3/4:99-106 '59/60.

MARTOS, Ferenc, dr.

Rock mechanics is the youngest branch of mining sciences. Musz
elet 15 no.19:4 S '60. (EEAI 9:12)

(Mining engineering) (Rocks)

MARTOS, Ferenc, okleveles bányamernok, a muszaki tudomanyok kandi-
datusa

Possibilities for reducing mine damages. Bany lap 93 no.2:
73-80 F '60.

1. Bányászati Kutató Intézet, Budapest; "Bányászati Lapok"
szerkesztő bizottsági tagja.