MICKA, V.; DVORAKOVA, R.

Treatment of congenital dislocation of the hip by means of Hilgenreiner's method. Analysis of the material and findings on the treatment of congenital dislocation of the hip. Acta chir. orthop. traum. cech. 27 no.1:79-84 F '60

1. Ortopedicke oddeleni OUNZ v Havlickove Brode, prednosta prim. MUDr. V Micka.
(HIP fract. & disloc.)

MICKA, V.

Paralysis in tuberculosis of the spine. Cesk. neur. 24 no.2:97-103 Mr '61.

1. Oddeleni tuberkulozy a nemoci pohybovoho ustroji, OUNZ, Havlickuv Brod Pracoviste Vyzkumneho ustavu organizace zdravotnictvi v Praze, prednosta MUDr. V. Micka.

(TUBERCULOSIS SPINAL compl) (PARAPLEGIA etiol)

MICKA, V.

On the morphological picture of hip tuberculosis. Acta chir. orthop. trauma. Cech. 28 no.6:513-518 D '61.

1. Oddeleni tuberkulozy a nemoci pohyboveho ustroji, OUNZ Havlickuv Brod, prednosta MUDr. Vilem Micka.
(HIP dis) (TUBERCULOSIS OSTEOARTICULAR pathol)

MICKA, V.

On the clinical morphology of tuberculosis of the locomotor system. Acta chir. orthop. traum. cech. 30 no.4:307-314 Ag '63.

1. Oddeleni tuberkulozy pohyboveho ustroji OUNZ v Havlickove Brodu, vedouci MUDr. V. Micka.
(TUBERCULOSIS, OSTEOARTICULAR) (OSTEITIS)
(SYNOVITIS) (OSTEOARTHRITIS) (TENOSYNOVITIS)
(MYOSITIS) (BURSITIS) (SARCOIDOSIS)
(RHEUMATISM)

MICKA, V., MUDr. CSc.

New findings in the clinical morphology of tuberculosis of the locomotor system. Acta chir. orthop. traum. Cech. 32 no.2:123-125 Ap'65.

1. Oddeleni tuberkulozy a nemoci pohybového ustrojí Ústředního ustavu narodního zdravi v Havlickově Brode (vedoucí: MUDr. V. Micka, CSc.).

KAMENSKY, Robert; MICKERTS, Ervin

Increasing the mold drying intensity by overpressure. Slevarenstvi 10 no.11:407-409 N '62.

1. Vitkovicke zelezarny Klementa Gottwalda, n.p., Ostrava - Vitkovice.

MICKEVIC, N.

Epidemiology of ascariasis in the city of Kaunas and measures for its control. Sveik. apsaug. 8 no.10:32-36 O'63.

1. Kauno SES parazitologijos skyrius.

MISKIEWICZ, Bronislaw, mgr inz.

Studies on the influence of water raising structures on the hydrological conditions and biocenotic changes of the adjacent territories. Gosp wodna 25 no.1: Suppl: Biul gosp wodn 6 no.1:37-38 Ja '65.

1. Department of Water Circulation Control of the Institute of Water Management, Warsaw.

MICKIEWICZ, J.

Estimation of the common mean from samples from normal populations with different variances. Zastos mat 6 no. 1:119-126 '61.

MICKIEWICZ, Leonid D.

Certain indications for figure-or-8 suture in ophthalmology. Klin. ocznn 30 no.1:75-77 '60.

1. Z Kliniki Ocznej Kursow Doskonalenia Lekarzy. Kierownik: doc. L.D. Mickiewicz przy Katedrze Olulistyki Panstwowego Kazachskiego Instytutu Medycznego. Kierownik: prof. W.P. Roszczin.
(SUTURES)
(EYELIDS surg.)

MICKIEWICZ, Leonid; LEONTJEWA, Marija

A case of a live parasite in the crystalline lens in man. Klin. oczna 32 no.1:59-62 '62.

1. Z Kliniki Kursow Doksztalcajacych dla Lekarzy Kierownik: doc. L. Mickiewicz przy Katedrze Chorob Oczu Kazachskiego Instytutu Lekarskiego Kierownik: prof. W.Roszczin.
(FILARIASIS case reports) (LENS CRYSTALLINE parasitol)

D

MICKIEWICZ, Leonid; LEONTJEWA, Marija

Contribution to the surgical technic of shortening the muscle by means of folding in strabismus. Klin. oczna 32 no.4:341-344 '62.

1. Z Kliniki Okulistycznej Kursow Specjalizacji Lekarzy Kierownik: doc. L. Mickiewicz przy Klinice Chorob Oczu Kazachskiego Instytutu Lekarskiego Kierownik: prof. W. Roszczin.
(STRABISMUS) (OCULOMOTOR MUSCLES)

MICKIEWICZ, Leonid; MICKIEWICZ, Swietlana

Contribution to the diagnosis and surgical therapy of eversion and stenosis of the lower lacrimal punctum. Klin. oczna 33 no.1:57-61 '63.

1. Z Kliniki Okulistycznej Kursow Doksztalcania Lekarzy Kazachskiego Instytutu Medycznego Kierownik: doc. L. Mickiewicz.
(LACRIMAL APPARATUS) (OPHTHALMOLOGY)
(SURGERY, OPERATIVE) (DIAGNOSIS)

MICKIEWICZ, Leonid. doc.

Apropos of an external dacryorhinostomy technic. Klin. oczna 34 no.2:197-200 '64.

1. Z Katedry Chorob Oczu Instytutu Dokształcania Lekarzy w Alma-Acie (Kierownik: doc. L. Mickiewicz).

MICKIEWICZ, M; CIECHANSKI, S.

Utilizing open mines; digging and piling clay. p. 154 , Vol. 10, no. 6, June 1955, MATERIALY BUDOWLANE

SO: MONTHLY LIST OF EAST EUROPEAN ACCESSIONS, (EEAL), Vol. 4, LC, No.9, Sept. 1955, Uncl.

M. MICKIEWICZ

"Possibilities of Practical Application of Geomorphological Research," by M. Mickiewicz. Przeglad Geologiczny, No 5, Warsaw, May 56.

LEDOCHOWSKI, Andrzej; LEDOCHOWSKI, Zygmunt; RADZIKOWSKI, Czeslaw; WYSOCKA-SKRZELA, Barbara; KOZINSKA, Barbara; CZECHLOWSKA, Teresa; MICKIEWICZ, Olcha; PAC-POMARNACKA, Elzbieta

Research on tumor inhibiting compounds. XI. Rocz chemii 36 no.5:827-833 '62.

1. Department of Technology of Medicaments, Technical University, Gdansk, Laboratory No.8. Institute of Organic Synthesis, Polish Academy of Sciences, Gdansk, Department of Pathological Anatomy, Medical Academy, Gdansk.

MICKIEWICZ, Leonid; MICKIEWICZ, Swietlana

Contribution to the diagnosis and surgical therapy of eversion and stenosis of the lower lacrimal punctum. Klin. oczna 33 no.1:57-61 '63.

1. Z Kliniki Okulistycznej Kursow Doksztalcania Lekarzy Kazachskiego Instytutu Medycznego Kierownik: doc. L. Mickiewicz.
(LACRIMAL APPARATUS) (OPHTHALMOLOGY)
(SURGERY, OPERATIVE) (DIAGNOSIS)

MICHIEWICZ, T.

Electric switchboards of the PB type. Pt. 9. p. 80.

PRZEGLĄD KOLEJOWY ELEKTROTECHNICZNY. (Wydawnictwa Komunikacyjne) Warszawa, Poland, Vol. 11, No. 3, Mar. 1959.

Monthly List of East European Accessions (EEAI) LC, Vol. 8, No. 8, Feb. 1959. Uncla.

MICKIEWICZ, T., and others

THE COB-58 system of automatic switching and signaling. Pt. 2. p. 283.

PRZEGLAD KOLEJOWY ELEKTROTECHNICZNY. (Wydawnictwa Komunikacyjne) Warszawa, Poland, Vol. 11, no. 10, Oct. 1959.

Monthly list of East European Accessions (EEAI) LC, Vol. 9, no. 1, Jan. 1960.

Uncl.

MICKIEWICZ, T., mgr inz.

Directives for systems and equipment of electric centers of switches and signaling. Przegl kolej elektrotech 13 no.1:22-24 Ja '61.

MICKIEWICZ, Tadeusz, mgr.

Automatic train. Przegl kolej electrotechn 13 no.10:316-318 '61.

MITSKEVICH, T., [Mickiewicz, T.] inzh. (Varshava)

Device for setting-up switch and signal routes. Avtom., telem. i sviaz' 6 no.7:45-47 Jl '62. (MIRA 16:2)

(Railroads—Signaling)

MICKIEWICZ, Tadeusz, mgr inz.

Influence of traction current on track circuits of the automatic block system with constant feed. Przegl kolej elektrotech 14 no.2:58-61 F '62.

MICKIEWICZ, Tadeusz, mgr inz.

Elements of the track circuits of the automatic blocking system. Przegl kolej elektrotech 14 no.4:122-128 Ap '62.

MICKIEWICZ, Tadeusz, mgr. inz.

Influence of the electrification of the railroads upon the modernization of the safety installations of the railroad traffic. Przegl kolej elektrotech 14 no.5:156-3 of cover My '62.

MICKIEWICZ, Tadeusz, mgr inz.

New technology in automatic safety control. Przegl. kolej elektrotech 14 no.9 265-275 S '62.

MICKIEWICZ, Tadeusz, mgr inz.

Application of electronic elements in automatic railroad signaling. Pt.1. Przegl kolej elektrotech 14 no.10:289-293 O '62.

MICKIEWICZ, Tadeusz, inż.

Application of electronic elements in railroad signaling. Pt. 2.
Przegl kolej elektrotech 14 no.11:321-325 N '62.

MICKIEWICZ, Tadeusz, mgr inż.

Automatic CNJJ type [illegible] clinking. Pt.1. Przegl. elektrotechn. 10 [illegible] [illegible] 3/c [illegible] 8'63.

MICKIEWICZ, Tadeusz, mgr inz.

CNJJ type automatic code blocking system. Przegl kolej elektrotech 10 [1.e. 15] no.12:340-342 D'63.

MICKIEWICZ, Tadeusz, mgr inz.

Automatic code blocking system CNJJ type. Pt. 3. Przegl kolej elektrotech 11 [i.e. 16] no.3:71-75 Mr '64.

MICKIEWICZ, Tadeusz, mgr inz.

Devices for inspecting the operation of signaling relays of the automatic code blocking system. Przegl kolej elektrotech. 11 (1.9. 16) no.5:142-145 My '64.

MICKIS, A.

USSR / Cultivated Plants. Ornamental Plants.

Abs Jour : Ref Zhur - Biol., No 8, 1958, No 34903

Authors : Kanopka, V.; Mickis, A.
Inst : Not given
Titl : Arum maculatum, Araceae Family

Orig Pub : Svaikstos apsauga, 1956, 38, 41-42

Abstract : No abstract

Card 1/1

149

USSR / C[illegible] Plants. Medicinal Plants. Essen- [illegible]
[illegible] Plants. Poisonous Plants.

Abs Jour: [illegible], No 8, [illegible] 1958.

Author : [illegible], A., [illegible], A.
Inst : [illegible].
Title : Poisonous Plants - [illegible] (Aconitum L.) [illegible] (Chelidonium L.).

Orig Pub: [illegible] 19[illegible], No 8, [illegible].

Abstract: No abstract.

Card 1/

166

MICKO, Igor

Experience with the use of dimethylaminophenyldimethylpyrazolone in certain postoperative complications. Cesk.gyn.25[39] no.10: 764-768 D '60.

1. Porod.-gynek. odd. OUNZ v Rimavskej Sobote, prednosta MUDr. I. Micko.

(AMINOPYRINE ther)
(GYNECOLOGY surg)

23668
Z/014/61/000/002/003/005
A205/A126

9.6110

AUTHOR: Micko Karel, Candidate of Science

TITLE: Soviet analyzers of mercury vapors in the air

PERIODICAL: Sdělovací technika, no. 2, 1961, 72

TEXT: The article describes instruments for the detection of mercury vapor in the air, installed at Soviet research sites, which were observed by the author during his stay in Moscow. The most advantageous instrument is the "UGA 2" universal gas absorber. It operates on the principle of air being forced by an electric blower at a rate of 18 lit/min through an absorber filled with a suitable solution (iodine and potassium iodide). The air stream atomizes the absorbent, so that the poison is entirely trapped and samples can be taken within 6 minutes. The "UGA 2" can also be used for detection of other poisonous pollutions of the atmosphere: hydrogen sulfide, chlorine, sulfuric acid, tetraethyllead by subsequent colorimetric analysis. The light-weight instrument is self-contained in a wooden box and can be purchased at a price of 1 800 Rubles at the "Institut gigieny truda i profbolezney Ministerst-

Card 1/2

23668

A/014/61/000/002/003/005
A205/A126

Soviet analyzers of

va zdravookhraneniya RSFSR Institute for Work and Occupational-Disease Hygiene of the USSR Health Ministry in Gorkiy no. 20 Semashko Street The workshops of the Physical Technical Institute in Leningrad produce on order an ultra-violet analyzer, which operates on the principle of photoelectric measuring of ultra-violet light (2 537 Angström) absorption in Hg vapor and accomplishes one analysis within 1/2 - 1 minute The instrument employs semiconductor diodes and triodes Its scale is calibrated in 0 - 12 mercury standards One "mercury standard", (according to GOST 5607-50) is the maximum permissible content of Hg vapor in the air, which is [illegible] mg/liter The instrument has an accuracy of ± 5% at full deflection It is fed from a built in "ZMT-7" 6 v battery and weighs [illegible] kg There is a figure.

Card 2/2

MICKO, Karel

How to realize a preventive care of quality? Podn org 18 no. 6:263-264 Je '64.

1. Technical Control Section of the Zavody V.I.Lenina National Enterprise, Plzen.

23775

S/[illegible]/003/006/018/019
B[illegible]/B[illegible]

15 8102

AUTHORS: Lazar, M., [illegible], Malasek, Z., Miško, M., Berek, D.

TITLE: Oz[illegible] polypropylene

PERIODICAL: Vysokomolekulyarnye soyedineniya, No. 6, no. 6, 1964, 943 - 947

TEXT: One type of polymer [illegible] an incorporation of functional groups which are [illegible] the principal chain. The peroxides or hydrogenperoxides [illegible] may be important for the production of grafted [illegible] polypropylene by means of functional hydrogenperoxides [illegible] temperature. After five-fold ozonization carried [illegible] precipitation of [illegible] dissolved colorless in [illegible] decaline, 25°C). To attain a [illegible] were mounted on cylindrical glass frames. At [illegible] was poured into low-boiling benzine [illegible]

Card 1/8

Ozonization of a[illegible]

the water in the frame [illegible] and were evaporated. [illegible] mg ozone were formed per [illegible] and a flow rate of O_2 of [illegible]. The [illegible] were determined [illegible], the viscosities in [illegible] samples of different thickness were studied [illegible] per xylene [illegible] depending on their thickness over [illegible] mm thick films were tested [illegible] required mechanical strength. Fig. 2 shows the effect [illegible] per xylene at [illegible]. Fig. 3 illustrates the per xylene [illegible] between [illegible] C. Viscosity tests [illegible] indicate a partial destruction of the material [illegible]. The samples were found to be incompletely soluble. Fig. 4 compares the [illegible] viscosities and the peroxide concentration during [illegible] oxidation. The content of insoluble components depends on time and temperature of ozonization. Ozone acts as an initiator. The increased reaction rate as compared with those of air or oxygen at low temperatures increases the difference between oxidation- and diffusion rate in the film. Surface and thickness considerably affect the rate of per xylene [illegible]. As it is approximately proportional [illegible] the increase of the portions

Card 2/[illegible]

insoluble after ozonization; the latter represent the oxidation initiator. Their oxidation rate is higher from the beginning of the reaction. They are probably formed by cross linking of polymer chains by peroxide groups, hydrogen peroxides and polymeric peroxides which are formed particularly on the film surface. At a certain temperature a maximum concentration of peroxide oxygen cannot be exceeded at arbitrary oxidation time. (Fig.3). Contrary to atmospheric oxidation, it does not decrease in the case of ozonization, the peroxide decomposition rate being equal to the formation rate. This maximum concentration approximately corresponds to the peroxide concentration in the insoluble part of the film. A dynamic equilibrium is assumed to be present in the system because of the destruction of the macromolecules. At a larger sample thickness the maximum peroxide concentration is attained more slowly. A 10 % content of insoluble fractions corresponds to a surface layer of 0.[illegible] mm [illegible] a 0.[illegible] mm thick sample. As in this case the formation of insoluble fractions sets in at once at beginning ozonization, the maximum concentration in small samples is attained more rapidly. At higher oxidation temperatures (59°C, [illegible]°C) the insoluble fractions decrease. Presumably hydroperoxides are formed at the expense

24775

Ozonization of atactic polypropylene S/190/61/003/004/018/019
B110/B208

of the formation of unstable peroxides at equal total amount of peroxide oxygen, as the latter are exposed to a higher thermal stress. After 1000 hr at room temperature the hydrogenperoxide content decreases by 20 %, all peroxides, however, are already decomposed. There are 5 figures and 6 references: 2 Soviet-bloc and 4 non-Soviet-bloc. The reference to the English-language publication reads as follows: Ref. 1: Natta, J. Polymer Sci., 34, 696, 1959.

ASSOCIATION: Chemical Institute of the Slovakian AS, Bratislava

SUBMITTED: December 30, 1960

Card 4/4

158061

25271

S/190/61/003/007/018/021
B101/B230

AUTHORS: Maňásek, Z., Berek, D., Mičko, M., Lazar, M., Pavlinec, J.

TITLE: Formation and decomposition of hydroperoxides of atactic polypropylene

PERIODICAL: Vysokomolekulyarnyye soyedineniya, v. 3, no. 7, 1961, 1104 - 1109

TEXT: Reference is made to the fact that grafting of side chains and thus modification of polymers is possible by formation of macroradicals. Such macroradicals may be formed by decomposition of peroxides formed in the oxidation of polymers. The target of the present paper was therefore to study the conditions of the formation and decomposition of peroxides on the example of atactic polypropylene. Polypropylene was purified by repeated precipitation from an alcohol and isooctane solution by methanol and heating to 160°C in a nitrogen atmosphere. From a 5 % solution of polypropylene in isooctane, films 0.1 mm thick were produced on glass plates and oxidized by heating in air at 90 - 120°C. Determination of peroxides took place in nitrogen atmosphere. To the polymer dissolved in chloroform a saturated acetic acid KI solution was added

Card 1/5

and the iodine released titrated with hyposulfite. The change in molecular weight caused by oxidation was determined viscosimetrically in a decalin solution. Decomposition of peroxides took place at 90 - 120°C in nitrogen atmosphere in sealed ampuls. A study of the oxidation showed that the same was depending on the diffusion of oxygen in the film, herewith on the thickness of the film. At rising temperature oxidation was faster than the rate of diffusion of O_2 in the film. Optimum film thickness was found to be 0.[illegible] mm. Fig. 2 shows the kinetic course of oxidation as a function of reaction time. For the initial phase of the reaction the equation: $d[ROOH]/dt = [illegible][ROOH]$ (4) is put down, where [illegible] is the auto-catalytic factor, [ROOH] is the concentration of peroxides determined experimentally after termination of time t. In the subsequent phases of oxidation q is not constant any longer. The empirical equation: $[ROOH]_t = [illegible]/(\beta - \gamma)[\exp(-\gamma t) - \exp(-\beta t)] + [ROOH]_{init}\exp(-\gamma t)$ (5) is quoted. α, β, γ are constants. For 100°C, and assuming $\gamma = 0.078$, $\beta = 0.11$, $\alpha = 0.038$, $[ROOH]_{init} = 0.385$, the curve was calculated and drawn into Fig. 2 as a dash line. From the linear dependences $\log \alpha = f(1/T)$; $\log \gamma = f(1/T)$

where w is the rate of oxidation, the activation energy of the accumulation of peroxides in the polymer was calculated to be 24 - 25 kcal per mole. The induction period observed may be reduced or entirely eliminated by previous accumulation of peroxides, e. g., by treating the polymer with ozone. It was found that the intrinsic viscosity (and therefore also the molecular weight) decreases with increasing concentration of peroxides, regardless to temperature, following the same rules. Decomposition of the peroxides in inert atmosphere takes place as a reaction of second order (Fig. 5). Dependence 1/ ROOH = f(T) is a linear function. Activation energy calculated from the constant of destruction rate amounts to 27 kcal per mole. The same value results from the function log $1/t_{max}$ = f(1/T), where t_{max} is the time in which maximum concentration of peroxides is attained. V. B. Miller and M. B. Neyman are mentioned. There are 7 figures and 5 references: 2 Soviet-bloc and 3 non-Soviet-bloc. The reference to English-language publication reads as follows: G. Natta, E. Beati, F. Severini, J. Polymer Sci., 34, 685, 1959.

ASSOCIATION: Chemical Institutes of the Slovakian Academy of Sciences, Bratislava

Card 3/5

RUMANIA / Virology--Viruses of Man and Animal; Viruses of Transmission Infections E

Abs Jour: Ref Zhur-Biologiya, No 21, 1958, 94862

Author : Mickolczy, Dezso, Csiky, Kalman, Vendeg, Vince, Abraham, Sandor

Inst : Not given

Title : Epidemic of Virus Encephalitis in the Summer-Autumn Period in Tirgu-Muresh in 1955 (the So-called Tick Encephalitis)

Orig Pub: Rev. med. (RPR), 1956, 8, No 4, 11-19

Abstract: No abstract.

Card 1/1

MC KOV , [illegible]; SYROV , [illegible]

[illegible]
[illegible] 104.

1. Research [illegible] Moscow.

APPROVED FOR RELEASE: 03/13/2001 CIA-RDP86-00513R001033820006-8"

MICKOVA, St.

HAVA, Milos; JELINEK, Jiri; SYRUCEK, Lubomir; PRUZEK, Frantisek; Mickova, St.

Dynamics of hemolytic action of streptolysin O. Cesk. hyg. epidem. mikrob. 2 no.2:120-125 Apr '53.

1. Z farmakologickeho ustavu Karlovy university a ustavu epidemiologie a mikrobiologie v Praze.

(STREPTOLYSIN, effects, hemolysis in rabbits)
(HEMOLYSIS, by streptolysin O in rabbits)

MICKOVA, STANISLAVA

ZAHRADNICKY, Jiri, MUDr; SYRUCEK, Lubomir, MUDr; BRUCKOVA, Marie; JELINKOVA, Jarmila; MICKOVA, Stanislava, ROTTA, Jiri, RNDr SALACOVA, Jitka

Experience with serologic identification of beta hemolytic Sterptococci during the period of 1950-1952. Cesk. hyg. epidem. mikrob. 2 no.4:291-300 Aug '53.

1. Ustav epidemiologie a mikrobiologie v Praze, red. doc. Dr Karel Raska.

(STREPTOCOCCUS,
hemolytic B, serol. typing)

YUGOSLAVIA/Human and Animal Physiology - Internal Secretion. I-7
Hypophysis.

Abs Jour : Ref Zhur - Biol., No 18, 1959, 84325

Author : Lerc, Jovanka; Mickovic, Ljilja

Inst : -

Title : Effects of Extracts and Hormones Derived from Posterior Hypophysical Lobes upon Glycemia.

Orig Pub : Arkhiv farmats., 1956, 6, No 1, 13-14

Abstract : Rabbits were hypodermically injected with one unit of oxytocin per each kg of their live weight. After 60-90 minutes symptoms of hyperglycemia were observed, which increased gradually and then subsided after 3 hours to initial level. Pregnant women suffering from diabetes should be given injections of pure oxytocin in preference to pituitrin, which may cause an even greater increase in glycemia. -- Y.A. Dudkin.

Card 1/1

YUGOSLAVIA

I. MICKOVIC, Department of Pharmacodynamics, School of Pharmacy (institut za farmakodinamiju Farmaceutskog fakulteta) University of Belgrade.

"Oral Antidiabetics."

Belgrade, Arhiv za Farmaciju, Vol 12, No 4, 1962; pp 272-278.

[illegible] Review of the literature on sulfonylureas and biguanides: [illegible], metabolism, mode of action, clinical data, tolerance; [illegible] formulae; 6 Yugoslav and 15 Western references.

YUGOSLAVIA

BOGOJEVSKI, D. and MICKOVIC, M. [Affiliation not given.]

"Content of Vitamin C and Carotene in Some Species of Indigenous Edible Plants,"

Belgrade, Arhiv za farmaciju, Vol 12, No 6, 1963; pp 525-528.

Abstract : Vitamin C and carotene were determined in 35 species of Yugoslav wild-growing plants. Usually, both compounds were either present in either high or low quantity in the same plant. Conclusion is that many wild plants may usefully be employed to complement cultivated food plants, especially during the winter and early spring seasons. Three tables; 2 Western and 2 Yugoslav references.

1/1

GAVRILESCU, S.; MICLAUS, V.

Hydro-electrolytic changes in the course of certain neurological and neurosurgical affections. Rumanian M Rev. no.4:50-54 O-D '60.
(WATER-ELECTROLYTE BALANCE) (NEUROLOGY complications)
(NEUROSURGERY complications)

APPROVED FOR RELEASE: 03/13/2001 CIA-RDP86-00513R001033820006-8"

FABIAN, A. (Cluj); MICLE, F. (Cluj)

Biology of the white water lily Victoria regia. Natura Biologie 16 no.4:79-81 Jl-Ag '62.

MICLE, S.; POPA L.; DUICA, S.

Electrophoretic study of the variation of proteic fractions in the blood serum of twin lambs in relation to the age and phenotypic aspect. p. 917

COMUNICARILE. Bucuresti, Rumania. Vol. 8, no. 9, Sept. 1958

Monthly list of European Accessions (EEAI) LC, Vol. 8, no. 8, Aug. 1959

Uncl.

TEODOREANU, N.; MICLE, S.; DUICA, S.; CIUREA, V.

Research on the histological modifications of the endocrine glands of gray albinic lambs. Studii cerc biol anim 13 no.1: 111-132 '61. (EEAI 10:7)

1. Membru corespondent al Academiei R.P.R.(for Teodoreanu)
(SHEEP) (GLANDS,DUCTLESS)

TEODOREANU, N.; DUICA, S.; MICLE, S.

Genetic methods of the evaluation of sires based on the progeny of the ovine species. Studii cerc biol anim 13 no.2:155-171 '61.

1. Membru corespondent al Academiei R.P.R. (for Teodoreanu).

(SHEEP BREEDING) (GENETICS)

1/1

ROMANIA

NICOLE, S., Dr, of the "Tr. Savulescu" Institute of Biology (Institutul de Biologie "Tr. Savulescu") of the Academy of the Socialist Republic of Rumania (al Academiei Republicii Socialiste Romania).

"Genetic and Physiologic Aspects of the Dynamics of Serum Protein Levels in Young Cattle."

Bucharest, Revista de Zootehnie si Medicina Veterinara, Vol 16, No 12, Dec 66, pp 16-22.

Abstract [Author's English summary modified]: The author used paper electrophoresis to study blood serum protein levels in newborn to 90-day old cattle, and reports the dynamics of the various fractions in terms of age. The time when the calf organism starts its own immunoglobulin synthesis is determined and shown to be hereditarily determined. The possibility of a transient physiological hypogammaglobulinemia is suggested as a partial explanation for the greater sensitivity to infectious diseases of calves at certain ages.

Includes one table, one figure and 15 references, of which 10 Russian, one German and 4 English-language.

VICLEA, A.; CONSTANTINESCU, I.

Determining the dimensions of metallic grains of the stone. P 14

REVISTA MINELOR. (Ministerul Minelor, Ministerul Industriei Petrolului si Chimiei, Directia Exploatarilor Miniere si Asociatia Stiintifica a Inginerilor si Tehnicienilor din Romania) Bucuresti, Romania. Vol. 1, no. 1, Apr. 1966.

Monthly List of East European Accessions (EEAI) LC, Vol. 5, no. 9, Sept. 1966.

Uncl.

MICLEA, Alexandru, ing.; OLARU, Gheorghe, ing.

Device for checking the safety brake of extracting machines.
Rev min 12 no.5:216-218 My '61.

RIMNICEANU, C.; MICLEA, C.; LUNGULESCU-DRAGAN, M.

Glycogenesis during development of the chick embryo. Bul. stiint., sect. med. 7 no.3:960-980 July-Sept 55

(EMBRYO
develop. of chick embryo, glycogenesis in)
(GLYCOGEN
glycogenesis during develop. of chick embryo)

MICEA, C

RUMANIA/General Biology. General Histology. B-3

Abs Jour : Ref Zhur-Biol., No 16, 1958, 71557

Author : Riminiceanu, C.; Miclea, C., Dragan, M., Covaci, L., Dinca, C.

Inst : Rumanian Academy, Timisoara Base.

Title : Morphological Changes of the Chondriome of Embryonic Chicken Liver Cells under the Influence of Morphine Introduction.

Orig Pub : Studii si cercetari stiint. Acad. RPR, Baza Timisoara, Ser. stiinte med., 1956, 3, No 1-2, 39-48

Abstract : By investigating the quantitative and qualitative changes of the chondriome of embryonic chicken liver cells under the influence of daily (from the 4th to 15th day of incubation)

Card : 1/2

B-4

RUMANIA/General Biology - Individual Development.

Abs Jour : Ref Zhur - Biol., No 15, 1958, 66742

Author : Rimniceanu, C., Miclea, C., Dragan, M.

Inst : Academy RPR.

Title : The Effect of Morphine Upon the Metabolism of Chick Embryo.

Orig Pub : Studii si cercetari stiint. Acad. RPR., Baza Timisoara, Ser. stiinte med., 1956, 3, No 1-2, 49-53.

Abstract : The authors studied the effect of morphine upon the glycogenesis of liver in chick embryos, introducting morphine every day in a dose of 0.05 ml, starting from the fourth to the fifteenth day of the incubation, or just once during the same period in a dose of 0.1 ml. A histo-chemical determination of glycogen in the liver of the experimental and control embryos showed that the morphine does not effect the liver glycogenesis in the first period of

Card 1/2

MICLEA, C.

RUMANIA/General Biology. Individual Development B-4

Abs Jour : Ref Zhur - Biol., No 22, 1958, No 98912

Author : Ramniceanu C., Micloa C., Dragan M., Joju M.
Inst : Rumanian Academy, Baza Timisoarz
Title : Effect of Morphine, Adrenalin and Sodium Luminal on Carbohydrate Metabolism During the Embryonic Period of Ontogenesis

Orig Pub : Ser. stiinte med., 1956, 3, No 3-4, 63-72

Abstract : In an experiment with chicken embryos in 4 to 5 day incubation periods after the administration into the chorioallantois of morphin (1), adrenalin (11) and Na Luminal III the content of glycerin was determined. Administration of I showed in the first half of embryonic development a weak and in the second half a strong anabolising effect. Administration of II and III during earlier periods of ontogenesis produced catabolising effect (provoking complete glycogenolysis)

Card : 1/2

MICLEA, C., ed.

Indreptar de lucrari practice de histologie. Redactat de C. Miclea (et al.)

Timisoara, Rumania, Litografia Institutului de Medicina, 1957. 3 pts. in 1 v.

Monthly List of East European Accessions (EEAI) LC Vol. 8, no. 8, August, 1959

Uncl.

MICLEA, C.

RUMANIA/Cultivated Plants. Cereals.

Abs Jour: Ref Zhur-Biol., No 19, 1958, 77574.

Author : Ianagi A.; Dalas, V.; Cretan, I.; Cotesanu, I.; Dumitrescu, M.; Miclea, C.; Pop, C.; Marcu, D.; Nicolova, V.; Gradinaru, N.; Tismaru, A.; Stanescu, Z.; Ghescu, S.; Soldea, E.; Grecescu, E.

Inst :

Title : On the Problem of Dividing Varieties of Winter Wheat and of Winter and Spring Barley and Oats into Districts.

Orig Pub: An Inst. cercetari agron., 1957, 26, No 5, 213-279.

Abstract: Results of a comparative study at experimental stations of the Scientific-Research Agronomy Institute of varieties divided into districts and those newly obtained for 1949-1952. In regard to winter

Card : 1/3

5

wheat, good results were shown of the variety divided into districts "Chenad" 117 and the new varieties "Tyrgu Frumos" 16, divided into the steppe and forest-steppe regions of Moldavia, and "Deregan" 77. In the forest zones of bot. slopes of the Carpathian and Western Mountains (Muntely Apuseni) the variety "Chenad" 117 prevailed. In the steppe and forest-steppe regions of the western part of Oltseniya, Banat and the central part of Transylvania - "Ovdem" 241, divided into districts in Deregan. As regards a barley variety, "Chenad" 395 is the most early maturing and frost resistant, is divided into all zones of cultivation of winter barley. As regards

Card : 2/3

spring barley, the best variety - "Tyrgu Frumos" 240, is divided into districts in the steppe and forest-steppe regions of Moldavia, Dobrudzha, Muntenia and Oltseniya, and "Dann Margin", which is divided into districts in all regions of Transylvania and Banat and in the forest zone of Moldavia. As regards oats, the best variety - "Tyrgu Frumos" 3, is divided into districts in the steppe and forest-steppe regions of Moldavia, in Dobrudzha, Muntenia and Oltseniya, and DAAD 878, which is divided into districts in the central part of Transylvania. -- A. F. Khlystova.

Card : 3/3

6

RUMANIA

GLUHOVSCHI, N., Prof Dr, PINTEA, V., Dr, MICLEA, [illegible], Dr, of the Agronomic Institute (Institutul Agronomic, Timisoara, and JICMAN, L., Radiologist, of the Bega Hospital (Spitalul Bega), Timisoara.

"Gestation Anomalies Seldom Found in Domestic Animals."

Bucharest, Revista de Zootehnie si Medicina Veterinara, Vol 13, No 6, Jun 63, pp 60-66.

Abstract [Authors' English summary modified]: Reports on 2 pig fetuses resulting from an extra-uterine gestation that were 2 to 4 months above the usual gestation period. Radiological investigation showed numerous malformations of the members. Also reports an analysis of 3 cases of over-gestation in cattle, with a 3-1/2 month age difference of the fetuses, and a case of Acardius amorphous twins of Holstein-Friese calves. Remains of the sacrum, the lumbar vertebrae and a rib fragment were identified radiologically. The monster's body consisted of [illegible], fibrous and striated muscular tissue. Contains 1 [illegible], figures and 9 references - which 2 French, 2 German and [illegible] Russian.

1/1

ROMANIA

[illegible]

Abstract: [illegible] September [illegible] the merits of their breed of cattle were evaluated in terms of the milk yield for the various farms and in various countries.

Includes [illegible] tables and 1 Russian, 1 Hungarian, 5 German and 3 Rumanian references.

1/1

PARHON-STEFANESCU, Constanta; RODIN, Z.; MICLEA, Elena; HUHULEA, Teodora; MIHAI, Elena.

Considerations on the relation between endocrine diseases and asthenic neurosis. Stud. cercet. endocr. 14 no.4/5/6:579-584 '63.

RUMANIA

BAIES, I., Dr, Prof, CONTIU, I., Dr, MICLEA, E., Dr, ONET, E., Dr, POP, M., Dr, and MOLDOVAN, A., Dr, of the Faculty of Veterinary Medicine (Facultatea de Medicina Veterinara) Cluj.

"Epizootiologic and Anatomic-Clinical Studies on Outbreaks of Aujeszky and Atypical Hog-Cholera Diseases."

Bucharest, Revista de Zootehnie si Medicina Veterinara, Vol 16, No 8, Aug 66, pp 42-48.

Abstract [Authors' English summary modified]: A study of two outbreaks of Aujeszky's disease in young and suckling pigs. The atypical nature of the symptoms is described; the anatomic-pathologic changes were characterized by inconsistent hemorrhagic diathasis. Economic losses as a result of a failure to reach a correct diagnosis promptly are pointed out, on the basis of one of the two described outbreaks in which hog cholera was also found.

Includes 6 figures and 5 references, of which 3 Rumanian and 2 French.

1/1

PANUNESCU-PODEANU, A.; BERINDEI, L.; MICLEA, F.; DANCAU, G.; FALCOIANU, A.; SGAVIRDIA, C.; LAZAR, G.

Reactive episodic hypertension during the initial period of myocardial infarct. Med. int., Bucur. 10 no.4:541-546 Apr 58.

(MYOCARDIAL INFARCT, manifestations
episodic hypertension, in early infarct)
(HYPERTENSION, etiol. & pathogen.
myocardial infarct, early stages)

PAUNESCU-PODEANU,A.,Prof.; UDROIU,V.,dr.; CORCANU,G.,dr.; MICLEA,F.,dr.

Pathological correlations between the sella trucica and the pituitary gland. Med. intern.,Bucur. 11 no.12:1819-1824 '59.
(SELLA TURCICA, pathology)
(PITUITARY GLAND,pathology)

PAUNESCU-PODEANU, A., prof.; GEORGESCU, I., dr.; HAMMER, A., dr.; MICLEA, F., dr.; ROTH, L., dr.; DANCAU, G., dr.

Phenylbutazone in the treatment of phlebothrombosis. Some new data on the mechanism of action. Med. int., Bucur. 12 no.1: 151-157 Ja '60.

1. Lucrare efectuata in Clinica a II-a medicala, I.M.F. Timisoara.
(THROMBOSIS, therapy)
(PHENYLBUTAZONE, therapy)

PAUNESCU-PODEANU, A., prof.; DINU, I.; MICLEA, F.

Conditioned reflex allergic urticaria. Rumanian M Rev. no.3:27-29 '61.
(REFLEX, CONDITIONED) (ALLERGY case reports)

PAUNESCU-PODEANU, A., prof.; ROTH, L., dr.; MICLEA, F., dr.; BALTACEANU, O., dr.

Larval pulmonary forms of rheumatic infection in patients with mitral valve disease. Med. intern., Bucur 12 no.10:1513-1522 O '61.

1. Lucrare efectuata in Clinica a II-a medicala, Timisoara.
(RHEUMATIC FEVER case reports) (MITRAL VALVE dis.)

PAUNESCU-PODEANU, A., prof.; GEORGESCU, I., dr.; HAMMER, A., dr.; MICLEA, F., dr.; MUNTEANU, M., dr.; RODULA, P., dr.; DINU, I., dr.; DANCAU, G., dr.; CHIRITA, P.

Phenylbutazone as an adjuvant in the therapy of myocardial infarct. Med. intern., Bucur 13 no.4:533-539 Ap '61.
(MYOCARDIAL INFARCT therapy) (PHENYLBUTAZONE therapy)

PAUNESCU-PODEANU, A., prof.; MICLEA, F., dr.; CHIRTA, P., dr.

Methods of stimulating the action of corticoids in case of cortico-resistance. Importance of shock methods, especially of pyretic shock. Med. intern., Bucur 13 no.4:553-558 Ap '61.
(ADRENAL CORTEX HORMONES therapy)
(SHOCK THERAPY, INSULIN) (FEVER THERAPY)

PAUNESCU-PODEANU, A., prof.; HARAS, I., dr.; MICLEA, F., dr.

Cholelithiasis and cancer of the gallbladder, with special reference to cholecystectomy as a means of preventing gallbladder cancer in lithiasic patients. Med. intern. 14 no.6:759-765 Je '62.
(CHOLELITHIASIS) (GALLBLADDER NEOPLASMS)
(CHOLECYSTECTOMY)

ZOSIN,P., conf.; MICLEA,F., dr.; MUNTEANU,M., dr.

Allergic myocardial infarct. Med. intern. (Bucur.) 16 no.12: 1477-1479 D '64

1. Lucrare efectuata in Clinica a II-a medicala, Institutul Med., Timisoara (director: prof. A. Paunescu-Podeanu).

ZOSIN, P.; MICLEA, F.; MUNTEANU, M.

Allergic myocardial infarction. Rumanian med. rev. 19 no.3: 26-28 Jl-S '65.

RUMANIA

VARTIC, Dr. N.; GEOROCEANU, Dr. P.; and MICLEA, M., Veterinary Physician (Faculty of Veterinary Medicine) (Facultatea de medicina veterinara,) Cluj.

"Treatment of Anthrax Abscesses"

Bucharest, Revista de Zootehnie si Medicina Veterinara, Vol 16, No. 5, May 66; pp 70-73.

Abstract: [English summary modified]: Direct injection of antibiotics (streptomycin and penicillin in saline) was found more effective when injected directly into the abscess cavity than the standard parenteral treatment with the same drugs in several cases in large domestic animals. 5 Rumanian references.

1/1

MICLEA, Mircea

How we support the canteen activity. Munca sindic 7 no.6: 47-49 Je '63.

1. Membru al comitetului sindicatului de la Schela Baicoi, responsabilul comisiei de cantina.

MICLEA, P., ing.; DIACONESCU, A., ing.

Technical and economic efficiency of fluorescent illumination in salt mines. Rev min 14 no.5:210-214 My '63.

CARIADI, Lelia, dr.; MICLEA, Vasile, ing., PODAR, Onofir, ing.

Installation for the automatic classification and determination of the abrasive used in glass polishing. Industria usoara 9 no.2:48-52 F '62.

Country : RUMANIA
Category : Cultivated Plants. General.

Abs Jour : RZhBiol., No 6, 1959, No 24792

Author : Cilniceanu, S.; Miclea, Ye.
Inst : -
Title : Measures for the Increase of Agricultural Production in the Plain of Baragan.
Orig Pub : Probl. agric., 1958, no, No. 6, 22-35

Abstract : No abstract.

Card : 1/1

MICLES, A., BIRSAN, T.

Mechanization applied in the Jiu River valley mines. p. 413

REVISTA MINELOR. (Ministerul Minelor, Ministerul Industriei Petrolului se Chimiei, Directia Exploatarilor Miniere si Asociatia Stiinfifica a Inginerilor si Tehnicienilor din Rominia) Bucuresti, Rumania, Vol. 10, No. 10, Oct. 1959

Monthly List of East European Accessions (EEAI) LC, VOL. 9, No. 2, Feb. 1960
Unclassified.

MICLESCU, I.

Rational methods of operating quarries. I p. 606

INDUSTRIA CONSTRUCTILOR SI A MATERIALELOR DE CONSTRUCTIL, Bucuresti, Vol 6, No. 11, Nov., 1955

SO: East European Accessions List (EEAL) Library of Congress, Vol 5, No. 7, July, 1956

MICLESCU, I.

Rational methods for the operation of quarries. II. p. 102.
(INDUSTRIA CONSTRUCTIILOR SI A MATERIALELOR DE CONSTRUCTII. RUMANIA. Vol. 7, no. 2, Feb. 1956.)

SO: Monthly List of East European Accessions (EEAL) LC, Vol. 6, no. 7, July 1957, Uncl.

MIHLBACH, I. ; GEORGESCU-GORJAN, S.

The bucket loader; a new apparatus for construction yards. T. p. 22.

REVISTA CONSTRUCTIILOR SI A MATERIALELOR DE CONSTRUCTII. (Asociatia Stiintifica a Inginerilor si Tehnicienilor din Romania si Ministerul Constructiilor si al Materialelor de Constructii) Bucuresti, Rumania. Vol. 10, no. 6, June 1958

Monthly List of East European Accessions (EEAI) LC, Vol. 7, no. 9, June 1958

Uncl.

MICLESCU, [illegible].

MECHANICAL

Periodicals: [illegible] Vol. [illegible], No. [illegible], [illegible]

MICLESCU, [illegible]. The bucket loader; a new apparatus for [illegible] yards II. [illegible] 1959

Monthly List of East European Accessions (EEAI) LC, Vol. [illegible], No. [illegible], February 19[illegible], Unclass.

ICLESCU, L; GEORGESCU, S.

Equipment for mixing concrete and mortar. p. 246.

REVISTA CONSTRUCTIILOR SI A MATERIALELOR DE CONSTRUCTII. (Asociatia Stiintifica a Inginerilor si Tehnicienilor din Romania si Ministerul Constructiilor si al Materialelor de Constructii) Bucuresti, Rumania. Vol. 11, no. 5, May 1959.

Monthly list of East European Accessions (EEAI) LC, Vol. 8, no. 9, Sept. 1959.

Uncl.

RUMANIA

BARHAD, B., Dr; GRADINA, C., Dr; MIHAILA, I., Dr; DECULESCU, F., Dr; MARINESCU, V., Ing; CRISTESCU, Iulia, Dr; MICLESCU, S., Dr.

Institute of Hygiene and Protection of Labor in Bucharest, and SMS /Sindicatul Muncitorilor Sanitari; Union of Health Workers/ 23 August Plants (Institutul de igiena si protectia muncii din Bucuresti si SMS Uzinele "23 August") - (for all)

Bucharest, Igiena, No 5, 1963, pp 419-426

"Studies of the Effect of Noise and Vibrations on the Body in Industry"

(7)

MICLESCU, Teodor

Scientific activity of the General Power Engineering Division. Rev electrotechn energet 5 no.1:238-239 '60. (EEAI 10:4)
(Rumania--Water) (Rumania--Power resources)

~~MIKLESKU, Teodor~~ [Miclescu, Teodor]

Exactness of the forecast. Rev electrotechn energet 5 no.2:359-366 '60. (EEAI 10:5)

(Electric power)
(Mathematical statistics)

MIKLESKU, T.[Miclescu, T.]

Considerations on the problem of the prospective electric power balance. Rev electrotechn energet 6 no.1:171-176 '61.

(Electric circuits)

MICLESCU, Teodor

RUMANIA

[illegible]

"[illegible]
I. [illegible]."

[illegible] hor:

[illegible]

MICLESCU, Teodor; PAP, Alexandru

On the possibility of using computing machines for determination of the power balance of optimum prospects. Studii cerc energet A 12 no.4:677-686 '62.