

POLAND

MISZTAL, Tadeusz [Affiliation not given]

"Treatment of Infectious Rhinitis in Birds with Cryopallavine."

Warsaw-Lublin, Medycyna Weterynaryjna, Vol. 13, No. 12, Dec
62, pp 743-744.

Abstract: Author reports the successful control of an outbreak of rhinitis in a chicken farm in the Hrubieszów area with intramuscular injection of one-percent cryopallavine solution for 7-10 days. Subsequent examination revealed no ill effects on the chicken meat. No references.

1/1

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R001134700036-6

MISEAL, Stanislaw; JAKUBIK, Teodor

Report on the activities of the Institute of Government of the Polish
Academy of Sciences for 1949. Printed from 0004:70-210-161.

SUPNIEWSKI, J.; MISZTAL, S.;

Andrenoglomerulotrophine and its derivatives. Bul Ac Pol
biol 11 no.6:309-312 '63.

1. Institute of Pharmacology, Krakow, Polish Academy of
Sciences, Presented by J. Supniewski.

SUPNIEWSKI, J.; MISZTAL, S.; MARCZYNSKI, T.

Pharmacological properties of melatonin. Acta physiol. polon. 11
no.5/6:892-893 '60.

1. Z Zakładu Farmakologii PAN i A.M. w Krakowie. Kierownik:
prof.dr J.Supniewski.
(INDOLES pharmacol)

SUPNIEWSKI, J.; MARCZYNSKI, T.; MISZTAL, S.

Biological properties of melatonin (5-methoxy-N-acetyltryptamine).
Bul Ac Pol biol 8 no.10:483-487 '60. (EEAI 10:9)

1. Laboratory of Pharmacology, Cracow, Polish Academy of Sciences.

(Methoxy group) (Acetyl group) (Tryptamine)

SUPNIEWSKI, Janusz; MISZTAL, Stanislaw; KRUPINSKA, Jolanta

Selenium and sulfur derivatives of chloromycetin. Arch.
immun. ter. doz. 3:531-553 1955.

1. Zaklad Farmakologii Akademii Medycznej w Krakowie
(Kierownik: prof. dr. J. Supniewski).
(CHLORAMPHENICOL, related compounds,
selenium & sulfur deriv. (Pol))

MS 217-5

6

POLON

Polon and analogues derivatives of chloramphenicol. J. Krupinski, J. Kozlowski, and J. Krupinski Bull. Acad. Polon. Sci., 1954, 1, 185-190. Rept. of Pharmacol. Beh. of Acad. Cracow, Poland. — The synthesis of the Se and S deriv. of chloramphenicol is described. Both are of low toxicity for mice and have strong antibacterial activity especially against Gram-positive and acid-fast bacilli, the Se being 10 times stronger than the S deriv. The lactone deriv. of these compounds are weak antibiotics and have no bacteriostatic effect against fungi.

A. ACKERMAN

Mr. Jones

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R001134700036-6

MISZTAL, Stanislaw

Geography in Switzerland. (Presumably) 20. 10. 1944-1945

MISZTAL, S.

Changes in the structure and distribution of industries in Warsaw Volvodeship and in the city of Warsaw. p.587.

PRZEGLAD GEOGRAFICZNY. Warszawa, Poland. Vol.30, no.4, 1958.

Monthly List of East European Accessions Index (EEAI), LC. Vol. 8, No. 9, September 1959
Uncl.

MISZTAL, M.

More about the scalding of slaughtered hogs. n. 8. GASPODARKA
MIESNA, Warszawa Vol. 8, no. 4, Apr. 1956

SOURCE: East European Accessions List (EEAL) Library of Congress
Vol. 5, no. 8, August 1956

MISZTAL, MARIAN

Poland/Chemical Technology. Chemical Products and Their Application -- Food Industry, I-28

Abst Journal; Referat Zhur ~ Khimiya, No 2, 1957, 6703

Author: Misztal, Marian

Institution: None

Title: Raw Material Problems in the Polish Meat Industry

Original

Publication: Przem. spozywczy, 1955, 9, No 12, 497-500

Abstract: A characterization of the raw materials of the meat industry and of the principal requirements which they must meet. Difficulties and defects in the operation of the meat industry are described and means are proposed for their elimination.

Card 1/1

MISZAL, M.

Does the salting of bristles give the same results as drying? p. 21.
Vol 7, no. 12, Dec. 1955. GOSPODARSTWA WIESNA. Warsaw, Poland.

So: Eastern European Accession. Vol 5, no. 4, April 1956

MISZTAL, P.

Making use of mandolin-shaped cans for cooking dressed hen. p. 17.

GOSPODARKA MIESNA, Vol. 7, No. 11 Nov. 1955

(Polskie Wydawnictwa Gospodarcze) Warszawa

SOURCE: EAST EUROPEAN ACCESSIONS LIST Vol. 5, No. 1

Jan. 1956

ILLEGIBLE

MUSICAL, H.

"Incorporation of the Y.M.C.A. in the United States", p. 17;
"The Nationalization of the Y.M.C.A. in America", p. 17, *Journal of
Y.M.C.A.*, Vol. 7, No. 3, Feb. 1951, New York, 1951.

CC: Monthly List of Free Persons Association, (1955), 10, No. 1, p. 5,
May 1955, Encl.

MISZTAL, M.

"More attention to planning the construction of rest-packing houses", p. 24, (GOSPODARSTWA
PIESNA, Vol. 5, No. 1, January, 1953 Warszawa, Poland)

SO: Monthly List of East European Accessions, L.C., Vol. 3, No. 4, April 1954

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R001134700036-6

MISZTAL, Franciszek (Warszawa)


Characteristics of the state of Technological Sciences. Nauka
polska 12 no.2:82-135 '64.

MISZTAL, F., prof. dr inz.; WISZDON, W., prof. dr inz.

The eightieth anniversary of the birth of Professor Bohdan Stefanowski. Archiw bud masz 10 no. 3. 215-218 '63.

1. Sekretarz Wydziału IV, Polska Akademia Nauk, Warszawa (for Misztal).
2. Dziekan Wydziału Mechanicznego Energetyki i Lotnictwa, Politechnika, Warszawa (for Wiszdon).

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R001134700036-6




APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R001134700036-6

MISZTAL, Franciszek

Research trends in the technical sciences. Review Pol Academy 6
no.3:1-14 J1-S '61.

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R001134700036-6



APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R001134700036-6

MIKUL, J.

Diffusion of concentrate mixed and lower into cytodifferent with concentration
constant strength. 171.

MIKUL, J. Warsaw.

Vol. 3, no. 2, 1955. In English.

So. East European Acquisitions Unit Vol. 3, no. 2, 1955. 1955.

POL.

246/116

629.13.012.113 :624.073.1

Diffusion of Axial Concentrated

Arch. Budowy Maszyn

End-Loads in Cylindrical

2(1), 3-54

Thin-Walled Structures through

1955

Elements of Constant StrengthP. Misztal

Poland

The method of determining the diffusion of the above loads is discussed for different types of flat and cylindrical panels and a system of differential equations of the second order is given, defining the distribution of the internal forces in the axial element of the panel, as exemplified in thin-walled aircraft structures. A simple method of solving these equations is given which determines the diffusion of internal loads in the form of a simple function. When the same method is applied to thick-walled self-supporting structures, a partial differential equation of the second order is obtained determining the distribution of normal stresses over the whole area of the structure. This equation is solved by expanding it into a Fourier series and by the analytic-diagrammatical method. (Bibl. 4.)

MISZKIEWICZ, BRUNON

GEOGRAPHY & GEOLOGY

MISZKIEWICZ, BRUNON. Crania Polonica; neolityczne cmentarzysko w Złotej. Wrocław, 1958. 66 p. (Polska Akademia Nauk. Zakład Antropologii. Materiały i prace antropologiczne, nr. 16)

Monthly List of East European Accessions (EEAI), LC, Vol. 8, No. 5,
May 1959, Unclass.

MI SZKIEWICZ, BRUNON.

Struktura antropologiczna Mazurów. (Wyd. 1.) Wrocław (Państwowe Wydawn.
Naukowe) 1956. 63 p. (Polska Akademia Nauk. Zakład antropologii. Materiały
prace antropologiczne, nr. 23) (Anthropological structure of the Mazurians.
1st ed. chiefly tables, map)

CLU MIDW

SC: Monthly Index of East European Accession (MIEA) LC Vol. 7, No. 5, 1958

MISZKIEWICZ, BRUNON.

Fragmenta craniologica. Cmentarzyska z Polski ziem osiennych.
The cemeteries from Poland and neighboring countries. Wyd. 1.
Wroclaw, Panstwowe Wydawn. Naukowe, 1954. 154 p. Materiały i
prace antropologiczne, nr. 4 1st ed. English and Russian sum-
maries. illus., map, footnotes, tables.

SOURCE: East European Accessions List (EEAL), LC, Vol. 5, no. 3, March 1956

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R001134700036-6

MISZKIEL, Jadwiga

"Artificially induced vernalization need in summer annual plants" by Kaus Napp-Zinn. Reviewed by Jadwiga Miszkiel. Kosmos biol 12 no. 4:396-399 '63.

MISZKE, Andrzej; ZUB, Konrad.

Tumors of the parotid gland. Otolaryng. Pol. 19 no.2:241-247
'65.

1. Z Kliniki Laryngologicznej Akademii Medycznej w Krakowie
(Kierownik: p.o. doc. dr. H. Gans).

MISZKE, Andrzej

Relation of labyrinth injury and vision disturbance (Dandy's phenomenon). Pol. tyg. lek. 20 no.9:320-322 1 Mar 65.

1. Z Kliniki Laryngologicznej Akademii Medycznej w Krakowie (kierownik: prof. dr. Jan Hlodunski [deceased]).

M. SZKE, Andrzej

On toxic effects of streptomycin on the internal ear. Pol.
tyg. lek. 19 no.35:1327-1329 31 Ag '64.

1. Z Kliniki Laryngologicznej Akademii Medycznej w Krakowie
(p.c. kierownika: doc. dr Henryk Gans).

MISZKE, Andrzej

Wpisywane, nie wydrukowane w oryginalnym tekście

Post-streptomycin deafness. Otolaryng. pol. 17 no.4:497-498 '63.

1. Z Kliniki Laryngologicznej w Krakowie. Kierownik: prof. dr.
J.Miodonski.

4-

MISZKE, Andrzej

Complications in anesthesia according to data of the Krakow
Laryngological Clinic. Otolaryng. Pol. 17 no.3:319-326 '63.

1. 2 Kliniki Laryngologicznej AM w Krakowie; kierownik:
prof.dr. J.Miodonski.

*

MAD, Tadeusz; MISZKE, Andrzej

Cases of mouth disease. *Chirurgia*, vol. 13 no. 2/3-4, 1964.

1. Z Kliniki Laryngologicznej Akademii Medycznej w Krakowie
(Kierownik: prof. dr. J. Miodowski [deceased]).

MISZKE, Andrzej

Anesthesia in the Krakow Laryngological Clinic. Otolaryng.
pol. 17 no. 1277-83 '63.

1. Z Kliniki Laryngologicznej AM w Krakowie Kierownik: prof.
dr J. Miodonski.

(OTORHINOLARYNGOLOGY) (ANESTHESIA, GENERAL)
(ANESTHESIA, LOCAL) (EPHEDRINE) (CODEINE)
(SCOPOLMINE)

MISZKE, Andrzej

Lightning injuries in laryngology. Otolaryng. pol. 16 no.3:527-534
'62.

1. Z Kliniki Laryngologicznej AM w Krakowie Kierownik: prof. dr
J. Miodonski.
(LIGHTNING) (DEAFNESS) (EAR)

MIODONSKI, Jan; MISZKE, Andrzej

Eucodamine with myccoran as a basic anesthetic method in otolaryngology.
Otolaryngologia 15 no.2:191-193 '62.

1. Z Kliniki Otolaryngologicznej AM w Krakowie Kierownik: prof. J. Miodonski

(ORHINOLARYNGOLOGY anesth & analg)
(ANESTHETICS)

MISZKE, Andrzej; LACH-ZAJQCOWA, Maria; NOWICKI, Jerzy

A case of esophageal stenosis after streptococcal septicemia. Otolaryngologia polska 15 no.1:103-106 '61.

1. Z Kliniki Laryngologicznej AM w Krakowie Kierownik: prof. dr med. J. Miodonski Z Kliniki Chorob Zakaznych AM w Krakowie Kierownik: prof. dr med. J. Kostrzewski [deceased] Z Kliniki Radiologicznej AM w Krakowie Kierownik: prof. dr med. S. Januszkiewicz.

(ESOPHAGEAL STENOSIS etiol)
(STREPTOCOCCAL INFECTIONS compl)
(SEPTICEMIA compl)

MISZKE, Andrej; TRETER, Aleksander

A case of hypersensitivity to pantocaine with mental disorders.
Otolaryngologia 14 no.1:131-136 '60.

1. Z Kliniki Laryngologicznej A.M. w Krakowie, Kierownik: prof.
dr med. J. Miodonski; z Kliniki Psychiatrycznej A.M. w Krakowie,
Kierownik: prof. dr med. E. Brzezicki.
(ANESTHETICS LOCAL toxicol.)
(ALLERGY etiol.)
(NEUROLOGICAL MANIFESTATIONS)

CZAPNICKA, Maria; MISZKE, Andrzej; SOKOLOWSKI, Stefan; WILCZYNSKA, Janina

On the value of tomography of the larynx in cases of malignant tumors and its comparison with laryngological examination.
Otolaryngologia 14 no.1:73-80 '60.

1. Z Kliniki Laryngologicznej A.M. w Krakowie. Kierownik: prof. dr med. J. Miodonski; i z Kliniki Radiologicznej A.M. w Krakowie, Kierownik: prof. dr. med. S. Januszkiwicz.
(LARYNX neopl.)

WISZNE, ANDRZEJ

Wisnka, Andrzej

Application of scopolamine for basic anesthetic in otorinolaryngological surgery. Otolaryng. polska 11 no.2:187-190 1957.

1. Z Kliniki Otolaryngologicznej A. M. w Krakowie. Kierownik: prof. dr J. Miodonski.

(OTORINOLARYNGOLOGICAL DISEASES, surg.

eucodal-scopolamine prep. as basic anesthetic (Pol))

(SCOPOLAMINE, ther. use

eucodal-scopolamine prep. as basic anesthetic in
otorinolaryngol. surg. (Pol))

(CODEINE, related cpds.

same) (Pol))

MISZKE, Andrzej

Controlled decrease of blood pressure during fenestration.
Otolar. polska 10 no.2:163-168 1956.

1. Z Kliniki Laryngol. A.M. w Krakowie Kier. prof. dr.
J. Miodonski.

(FENESTRATION

pendiomide controlled hypotension in (Pol))

(AUTONOMIC DRUGS. effects

pendiomide controlled hypotension in fenestration (Pol))

(HYPOTENSION

controlled, with pendiomide, in fenestration (Pol))

GANS, H; MIODONSKI, J.: MISZKE, A.

Audiometric data on stethoscopes. Polskie arch.med.wewn. 25
no.3:389-400 '55.

1. Z Kliniki Otolaryngologicznej A.M. w Krakowie. Kierownik:
prof. dr Med. J. Miodonski. Klinika Laryngologiczna A.M. w
Krakowie, ul. Kopernika 23a.
(STETHOSCOPES,
audiometric aspects)

MISZKE, Andrzej

Effect of antrotomy on hearing. Otolaryng. polska 9 no.4:321-333 1955.

1. Z Kliniki Laryngologicznej A M w Krakowie. Kierownik: prof. dr. J. Miodonski.

(MASTOIDITIS, surgery,
antrotomy, eff. on hearing (Pol))

(HEARING,
eff. of antrotomy in mastoiditis (Pol))

MISZERAK, Janusz; SIKORA, Jan

A case of operative treatment of prostatic sarcoma. Pol. przegl. chir. 37 no.4:Suppl:425-427 Ap'65.

1. Z Oddziału Urologicznego Szpitala Miejskiego im. L. Rydygiera w Częstochowie (Ordynator: dr. J. Miszerak) i z Pracowni Histopatologicznej przy Szpitalu Miejskim im. dr. T. Chalubinskiego w Częstochowie (Kierownik: dr. J. Sikora).

MISZERAK, Janusz; ORLOWSKI, Tadeusz

Two unusual cases of foreign nodules in the bladder. Pol. przehl.
chir. 35 no.11: Supplement: 1233-1238 N°63

1. Z Oddzialu Urologicznego Szpitala im. L.Rydygiera w Czes-
towic (ordynator: dr. J.Miszerak) i z Oddzialu Chirurgicznego
Wojskowego Szpitala Okregowego we Wroclawiu (ordynator: dr.
T.Orlowski).

*

ORLOWSKI, Tadeusz, MISZKRAK Janusz

Case of renal sarcoma. Polski przegl. chir. 30 no.1:65-68 Jan 58

1. Z Oddziału Chirurgicznego Szpitala Wojskowego we Wrocławiu.
(KIDNEYS, neoplasms
surg. & follow-up (Pol))

MISZERAŁ, Janusz

Analysis of 87 cases of cancer of the bladder treated during 3 years. Polski tygod. lek. 11 no.8:348-353 20 Feb 56.

1. Z. Oddziału Urolog. Wojewod. Szpitala Spec. w Stalinogrodzie;
ord. dr. med. Antoni Szczerbo. Stalinogrod, Zacisze 1.
(BLADDER, neoplasms,
surg., analysis of cases. (Pol))

MISZERAK, Janusz.

Primary sarcoma of the bladder in a 2-year-old child. Polski
przegl.chir. 27 no.5:473-475 May '55.

1. Z Oddzialu Urologicznego Wojew. Szpitala Spec. w Stalinogrod-
zie Ordynator: dr. Med.A.Szczerba. Stalinograd. Zacisze 1 m. 5.

(BLADDER,neoplasms,
sarcoma in inf.)

(SARCOMA,
bladder, in inf.)

MISZERAŁ, Janusz (Stalinograd, ul. Zacisze 1/5)

Cytologic examination in urologic diagnosis. Polski tygod. lek. 9
no.43:1379-1382 25 Oct 54.

1. Z Oddziału Urologicznego Szpitala Miejskiego nr 2 w Stalinogrodzie; Ordynator dr med. A.Szczerbo.
(UROGENITAL SYSTEM, diseases,
diag., cytol.)

MISZERAK, Janusz.

Cytodiagnosis of urogenital neoplasms. Urol. polska 7:181-188
1954.

1. Z Oddziału Urologicznego Wojewodzkiego Szpitala Specja-
listycznego w Stalinogrodzie; Ordynator: dr.med. z Szczerbo
(UROGENITAL SYSTEM, neoplasms,
diag.,cytol.)

MISZEL, Leon, (Głwice, pl. Wolności 1 m. 4.)

Case of hydropericardium in myxedema. Polski tygod. lek. 12 no.21:
800-803 20 May 57.

1. Z II Oddziału Wewnętrznego Szpitala Miejskiego w Głwicach;
ordynator oddziału: dr. L. Miszel; dyrektor szpitala: dr. K. Bienkowski.
(PERICARDIUM, diseases.
hydropericardium in myxedema (Pol))
(MYXEDEMA, complications.
hydropericardium (Pol))

MISZEL, Leon; FOKS, Brunon

New laboratory appliance blood taking from the finger. Polski
tygod. lek. 9 no.41:1332 11 Oct 54.

1. Ze Szpitala Miejskiego w Gliwicach, oddz. wewn. II, ordynator:
dr Leon Miszel, dyrektor Szpitala: dr Wladyslaw Orlewski.

(BLOOD,

taking from finger, appar.)

(HEMATOLOGY, apparatus and instruments,
for blood taking from finger)

L 5000-66

ACC NR: AP5027192

3.3% during the same period. Orig. art. has: 1 figure.

ASSOCIATION: None

SUBMITTED: 00

NO REF SOV: 000

ENCL: 00

OTHER: 000

SUB CODE: GO

OC
Card 2/3

L 5000-66 EWT(d)/EWP(h)/EWP(1)

ACC NR. AP5027192

PO/0086/65/000/032/0001/0001

AUTHOR: Miszczyk, Z. (Master engineer)

TITLE: Statistics of railroad transportation in the Soviet Union


SOURCE: Sygnaly, no. 32, 1965, 1

TOPIC TAGS: railway transportation, transportation system, railway network, railway vehicle data

ABSTRACT: This article was written on the occasion of the Railroadman's Day in the Soviet Union. It notes that recently Soviet publications have presented statistical data on the performance of Soviet railroads. In 1964 Soviet railroads transported 2274 million tons of freight, or 130.2 million more tons than in 1963. The amount of freight carried in 1964 in ton-km was 1850 billion; passenger transportation was 195 billion passenger-km. Electricity was installed on 2142 km of track and diesel engines introduced on more than 6000 km. By the end of 1964 electric engines operated on 22,500 km and diesel engines on 48,500 km of track. The relative loads carried by electric and by diesel trains are given, as well as the mean daily number of electric and diesel engines in operation, and the mean daily gross weight of a freight train. Data on investments and major overhauls made in 1964, data on automatic signals (2100 km) and semi-automatic signals (8000 km) installed are also presented. Data concerning the modernization of Soviet railroads in 1964 are given. It is noted that labor productivity increased in 1964 by 4.9% compared with 1963, and that the cost of transportation decreased by

Card 1/2

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R001134700036-6



APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R001134700036-6

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R001134700036-6

KINER, DIASIA, 410 1st St. N. W.

Office of Japan Affairs, U.S. State Dept.
Room 1000, Washington, D.C. 20520

1. Telephone: 202-456-1111

MISZCZERSKI, Jerzy; NAZAREWICZ, Teresa

Primary retroperitoneal tumors. Gin.Polska 31 no.2:203-212 Mr-Apr
'60.

1. Z I Kliniki Poloznictwa i Chorob Kobietych A.M. w Gdansk.
Kierownik: doc.dr med. S. Metler i z Zakladu Anatomii Patolo-
gicznej A.M. w Gdansk. Kierownik: prof.dr med. W. Czarnocki.
(TUMORS)

NIKLEWICZ-RODKIEWICZ, Jadwiga; WIERZBIŃSKA-ZAROWNY, Danuta; BEISTER,
Alicja; MISZCZANSKI, Tadeusz

Physical exercises in early stages of rheumatic fever in
children. Reumatologia (Warsz.) 1 no.3-4:275-280 1963.

1. Z Wojewodzkiego Ośrodka Reumatologicznego w Sopocie
(Dyrektor: dr J. Titz-Kosko).

MISZCZAK-LOCH, T.; MURAWSKI, K.; ZAKRZEWSKI, K.

Haptoglobin types in Poland. Folia biol 10 no.3/4:321 '62.

1. Institute of Nuclear Investigations, Polish Academy of Sciences,
Warsaw.

*

POLAND/Chemical Technology. Chemical Products and H
Their Uses, Part III. Fermentation Industry.

Abs Jour : Ref Zhur-Khimiya, No 15, 1953, 51748

Author : Miszczak, Wiktor
Inst : -
Title : Alcohol from Flour.

Orig Pub : Frzem. rolny PGR, 1957, 2, No 3, 16-19

Abstract : Practical instructions for the preparation of mash from flour were given. Plant testing made apparent the superiority of the method of flour treatment in a mash cooker. The latter method assures, all other conditions being constant, fermentation of the ripe strain 0.9-1.2° instead of 1.3-1.5°, upon direct treatment of flour in the brewing vat. -- G. Oshmyan

Card : 1/1

MISZCZAK, WIKTER

POLAND/Chemical Technology - Chemical Products and Their
Application. Fermentation Industry.

H-27

Abs Jour : Ref Zhur - Khimiya, No 6, 1958, 26733

Author : Miszczak Wikter

Inst : -

Title : Processing of Grain to Alcohol.

Orig Pub : Przem. rolny PYR, 1957, 2, No 6, 15-18

Abstract : Description of the fundamentals of the processes of
cooking, saccharification and fermentation of grain
raw materials, in the manufacture of alcohol.

Card 1/1

MISZCZAK, Teresa; MURAWSKI, Krzysztof

Serum haptoglobin content in normal subjects. Polskie arch. med. wewn.
31 no.6:847-851 '61.

1. Z Zakladu Biochemii Kierownik: doc. dr med. K. Zakrzewski Instytutu
Hematologii w Warszawie Dyrektor: doc. dr med. A. Trojanowski.

(GLYCOPROTEINS blood)

MISZCZAK, Stanislaw, mgr inz.

Design of the Central Radio and Television Broadcasting
Station in Warsaw. Przegl telekom 35 [i.e. 36] no.3:100-102
Mr '63.

DABROWSKI, Tadeusz, mgr inż.; MISZCZAK, Stanisław, mgr inż.; DOMAŃKA,
Alicja, mgr inż.

Analysis of ambiophony. Przegl telekom 35 [i. e. 36] no.2:
47-54 F '63.

MISZCZAK, Stanislaw, mgr inz.

Equipment for broadcasting control by listening. Przegi
telekom 34 no.3:71-79 Mr '62.

MISZCZAK, Stanislaw

Exposition of the most recent achievements of the radiophoric
industry of Czechoslovakia at the international fair in Brno.
Biul techn Polskie Radio i Telew 6 no.4:25-27 O-D '61.

MARKS, Eugeniusz; SZEWCHYKOWSKI, Jerzy; MISZCZAK, Jan

A case of late familial amaurotic idiozy. Neurol. neurochir.
psychiat. Pol. 14 no. 2:257-259 Mr. Ap '64.

1. Z Oddziału Neurologicznego Wojskowego Instytutu Medycyny
Lotniczej (Konsultant naukowy: prof. dr med. J. Hausmanowa-
Petrusewicz).

NOVIKOV, I. I.; KOGAN, L. B.; MISYUTIN, A. Ye.

Hot shortness of copper alloys for the casting of fittings.
Lit. proizv. no.10:39-40 0 '62. (MIRA 15:10)

(Brass founding)
(Copper alloys--Brittleness)

KOROLEV, V.G.; MISYUS, P.

Types of Lower Paleozoic cross sections in the eastern part
of the Tien Shan. Biul. MOIP. Otd. geol. 40 no.2:73-87
Mr-Ap '65. (MIRA 12:5)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R001134700036-6

MISYUE, P.; ZIMA, M.B.

Materials on the stratigraphy of Ordovician sediments of the
Nura-Tau. Mat po geol. Tian'-Shania no.1:15-22 '61.(MIRA 17:2)

KURITSKIY, A. L.; MISYUROVA, E. P.

Complexometric method of determining calcium content of
woodpulp. Trudy VNIIB no.47:95-102 '61. (MIRA 16:1)

(Calcium---Analysis) (Woodpulp)

KAPULKIN, N.A., inzhener; MISTUROV, I.P., inzhener; FILIPPOV, A.I., inzhener

Plate material for GOST 2523-51 electrode testing. Svar.proizv.
no.3:29 Mr 55. (MLRA 8:9)
(Electrodes--Testing)

MINYUKHIN, Ivan Vasil'yevich; MEDVEDEV, T.V., red.

[problems and exercises using methods of mathematical
physics] Sbornik zadach i uprazhnenii po metodam mathe-
maticheskoi fiziki. Moskva, Izdatel'stvo, 1964. 144 p.
U.S. 11-21

890L6

S/044/60/000/009/017/021
C111/C222

On the Continuity of a Nonlinear Operator

For the proof the author uses the completeness of the set G without saying so. A more detailed consideration of the operator f acting from C in C , among it also this result, is contained in the paper of I.V. Shragin (R.zh.Mat., 1960, 7878). X

[Abstracter's note: The above text is a full translation of the original Soviet abstract.]

89046
S/044/60/000/009/017/021
C111/C222

/6.2600

AUTHOR: Misyurkeyev, I.V.

TITLE: On the Continuity of a Nonlinear Operator

PERIODICAL: Referativnyy zhurnal. Matematika, 1960, No.9, pp.127-128
Abstract No.10579. Tr.Seminara po funkts.analizu.Voronezhsk.
un-t, 1958, vyp.6, p.93

TEXT: The author considers the operator $fu(x) = f[x, u(x)]$ ($x \in G$), where G is a bounded closed set of the n -dimensional space, $f(x, u)$ is a real function defined for $x \in G$ and $-\infty < u < \infty$ (R.zh.Mat., 1957, 3310, 5737). The author proves the theorem: Let the operator f transform every function $u(x)$ of the sphere $T \{ \|u\| \leq R \}$ of the space C of the functions continuous on G into a continuous function. Then the operator f is continuous on T .

Reviewer's remark: This theorem is valid only under the additional assumption that the set G is complete. Indeed: Let x_0 be an isolated point of the set G , and let the function $f(x, u)$ be continuous in every point (x, u) , where x is an accumulation point of G , $|u| \leq R$, while for $x = x_0$ it is discontinuous in u ($|u| \leq R$). Then evidently the operator f of

T acts in C but on C it is not continuous.

Card 1/2

MAL'TSEV, A.A.; KORYAZHKIN, V.A.; MISYUREVICH, M.Ye.; TATEVSKIY, V.M.

Some modifications in the design of the recording system of the DFS-4 spectrophotometer to detect the isotope shift in the resonance line of lithium. Fiz.sbor. no.4:195-197 '58. (MIRA 12:5)

1. Khimicheskiy fakul'tet Moskovskogo ordena Lenina gosudarstvennogo universiteta imeni M.V.Lomonosova.
(Lithium--Spectra) (Spectrophotometer)

MAL'TSEV, A.A.; MISTUREVICH, M.Ye.; KORYAZHKIN, V.A.; TATEVSKIY, V.M.

Changes in the design of the DSI-4 spectrograph recording system.
Prib.1 tekhn. eksp. no. 2:124-128 S-O '56. (MLRA 10:2)

1. Khimicheskiy fakul'tet Moskovskogo gosudarstvennogo universiteta.
(Spectrograph) (Photoelectric measurements)

RAUTENSHTEYN, Ya.I.; MISYUREVA, N.G.; KHACHATRYAN, L.S.

Lysogenicity of *Bac. cereus* var. *Galleriae* cultures and the characteristics of phages contained in them. *Microbiologiya* 33 no. 1980-986 N-D '64. (MIRA 38:4)

1. Institut mikrobiologii AN SSSR, Moskovskiy zavod bakterial'nykh preparatov i Institut mikrobiologii AN Armganskoy SSR.

ACCESSION NR: AP4022476

ASSOCIATION: Pervyy moskovskiy zavod bakterial'nykh preparatov i
institut mikrobiologii AN SSSR (First Moscow Plant of Bacterial
Preparations and Microbiology Institute AN SSSR)

SUBMITTED: 09Apr63

DATE ACQ: 09Apr64

ENCL: 00

SUB CODE: 18

NR REF SOV: 006

OTHER: 003

Card 3/3

ACCESSION NR: AP4022476

temperature (18°) to find free phage particles. The other flask was kept on a rocker for 24 hrs to produce favorable conditions for bacteriophage reproduction on *Bac. megaterium* cultures present in the soil. A filtrate was prepared from the contents of each flask and several drops were applied to test culture growths of various *Bac. megaterium* strains in cups containing an agar and a corn-molasses medium. Presence of bacteriophages in test cultures was determined by absence of growth in sections where filtrate was applied. Results for the soil samples showed they contained a significant number of bacteriophages active against *Bac. megaterium*, especially the samples of soil closest to the plant. *Bac. megaterium* bacteriophages isolated from the soil samples proved to be highly heterogeneous in their lytic action spectra. Bacteriophages with different lytic action spectra can be found in the same soil sample. Soil isolated bacteriophages have different lytic action spectra than bacteriophages isolated from industrial cultures. Industrial cultures of *Bac. megaterium* var. *phosphaticum* vary in their sensitivity to bacteriophages isolated from soil and industrial cultures. Orig. art. has: 4 tables.

Card 2/3

ACCESSION NR: AP4022476

S/0220/64/033/001/0056/0063

AUTHOR: Misyureva, N. G.; Rautenshteyn, Ya. N.

TITLE: Occurrence of Bac. megaterium bacteriophages in certain soils

SOURCE: Mikrobiologiya, v. 33, no. 1, 1964, 56-63

TOPIC TAGS: Bac. megaterium var. phosphaticum, Bac. megaterium bacteriophage, phagolysis, lytic action spectrum, soil isolated bacteriophage, industrial culture bacteriophage, Bac. megaterium culture sensitivity

ABSTRACT: This study was prompted by the problem of phagolysis occurring in industrial fertilizer bacterial preparations, based on Bac. megaterium cultures, at the First Moscow Plant of Bacterial Preparations. Twenty soil samples taken from areas adjacent (10 to 500 m) to the plant were investigated to determine the number of bacteriophages active against Bac. megaterium and their lytic activity. Each soil suspension sample was introduced into two flasks filled with 100 ml of a corn-molasses medium. One of the flasks was thoroughly shaken and then was let stand for 15 to 20 min at room

Card 1/3

RAUTENSHTEYN, Ya.I.; MISYUREVA, N.G.; KRONGAUZ, Ye.A.; FILATOVA, A.D.

Lysis of *Bacillus megatherium* caused by phages in the production
of phosphorobacterin. Mikrobiologiya 29 no. 4:571-580 J1-Ag '60.
(MIRA 13:10)

1. Institut mikrobiologii AN SSSR i Pervyy moskovskiy zavod
bakterial'nykh preparatov.
(BACILLUS MEGATHERIUM) (BACTERIOPHAGE)

L 2819-66

ACCESSION NR: AP5016181

duced moving edge dislocations play the principal role in the mechanical de-excitation of the crystal, since the shape of the rosette corresponded to the picture of motion of edge dislocations crossing the investigated plane. A similar phenomenon was observed also in NaCl-Eu, KBr-Eu, and KI-In crystals, but the luminescence intensity was lower. 'The authors thank E. M. Nadgorhyy for interest in the work and for valuable critical remarks.' Orig. art. has: 2 figures.

ASSOCIATION: None

SUBMITTED: 13Feb64

ENCL: 00

SUE CODE: SS, OP 0

NR REF SOV: 002

OTHER: 000

PC
Card 2/2

L 2819-66 EWT(1)/EWT(m)/EPF(c)/EPF(n)-2/T/EWP(t)/EWP(b)/EWA(c) IJP(c) JD/JG/GG
 ACCESSION NR: AP5016181

UR/0051/65/018/006/1072/1073
 535.373.1

AUTHORS: Mikhail'chenko, G. A.; Misyurev, Yu. A.; Toropov, N. A.
Udalov, Yu. P.

TITLE: On the topography of radiation under mechanical de-excitation
 of alkali-halide crystal phosphors preirradiated by beta rays

SOURCE: Optika i spektroskopiya, v. 18, no. 6, 1965, 1072-1073

TOPIC TAGS: crystal dislocation, crystal dislocation phenomenon,
 crystal optic property, luminescent crystal, luminescence, beta
 bombardment

ABSTRACT: The authors checked the shape of the light pulse produced
 when a single crystal CsI (grown by the Stockbarger method and doped
 with 0.005 wt. per cent InI) is exposed to beta radiation and then
 mechanically de-excited by pricking. The form of the light pulse was
 observed visually under a magnifier and also photographed. The shape
 of the produced impact rosette confirmed the hypothesis that the pro-

Card 1/2

L 5345-66 EWP(d)/EWP(m)/EWP(v)/T/EWP(t)/EWP(k)/EWP(h)/EWP(b)/EWP(l)/EWA(c) ID/IM
 ACC NR: AP504382 SOURCE CODE: UR/0286/65/000/015/0066/0066

INVENTOR: Dudko, D. A.; Rublevskiy, I. N.; Misyurenko, M. A.

ORG: none

TITLE: Resistance-slag welding machine. Class 21, No. 173357

SOURCE: Byulleten' izobreteniy i tovarnykh znakov, no. 15, 1965, 66

TOPIC TAGS: welding, automatic welding, resistance slag welding, welding unit

ABSTRACT: This Author Certificate introduces an automatic welder for resistance-slag, butt welding of large sections. The welder has an auxiliary nonconsumable electrode for making a slag bath and for heating the lower element being welded which is connected to a mechanism for lifting and turning the electrodes. A programming device ensures an automatic welding cycle. [MS]

SUB CODE: IE/ SUBM DATE: 13Apr62/ ORIG REF: 000/ OTH REF: 000/ ATD PRESS: 4/13/

Corr 1/1

UDC: 621.791.793.037

MISYUREV, Mikhail Alekseyevich; VINOCRAOV, R.M., red.; BOCHAROVA,
Yu.F., red.izd-va; VORONINA, R.K., tekhn. red.

[Methodology of problem solution in theoretical mechanics]
Metodika reshenia zadach po teoreticheskoi mekhanike. Mo-
skva, Vysshiaia shkola, 1962. 306 p. (MIRA 16:1)
(Mechanics, Analytic---Problems, exercises, etc.)

KOTEL'NIKOV, N.M.; ZUDINA, A.A.; MISYURENKO, A.T.; YATCHENKO, M.G., red.;
MARKOVA, S.M., red.

[Area under cultivation and the number of cattle in Khabarovsk Territory; a statistical manual] Posevnye ploshchadi i pogolov'e skota v Khabarovskom krae; statisticheskii sbornik. Khabarovsk, Khabarovskoe knizhnoe izd-vo, 1958. 167 p. (MIRA 12:12)

1. Khabarovskiy kray. Statisticheskoye upravleniye. 2. Nachal'nik Statisticheskogo upravleniya Khabarovskogo kraya (for Yatchenko).
(Khabarovsk Territory--Agriculture--Statistics)

MISYURENKO, A.T.
SILKINA, Ye.2.; MISYURA, K.R.; KRYNO, N.E.; TYNIAKINA, Ye.V.; SIRIDOVA, A.G.;
ZUDINA, A.A.; MISYURENKO, A.T.; YATCHENKO, M.G., red.;

[Economy of the Khabarovsk Territory; a statistical manual] Narodnoe
khoziaistvo Khabarovskogo kraia; statisticheskii sbornik. [Khabarovsk]
Khabarovskoe knizhnoe izd-vo, 1957. 127 p. (MIRA 11:3)

1. Khabarovskiy kray. Statisticheskoye upravleniye. 2. Statisti-
cheskoye upravleniye Khabarovskogo kraya (for all, except Yachenko).
3. Nachal'nik Statisticheskogo upravleniya Khabarovskogo kraya
(for Yachenko)
(Khabarovsk Territory--Statistics)

L 01255-67

ACC NR: AP6032688

0




Fig. 1. Electron density vs. altitude

1 - Kosmos-11, Oct. 1962, 6:30—10:00 am;
 2 - Elektron-1, Feb.—Mar. 1964, 12:30 pm —
 8:00 pm; 3 - Elektron-3 Aug.—Sept. 1964,
 4:00 pm - 1:30 am (Moscow Standard Time).

to periods of low or minimum solar activity. The authors speculate on the nature of the pronounced dip in the profile, noted in the 400—500 km altitude region. They suggest that their data may indicate the existence of a previously unidentified additional ionospheric layer above the F2 layer which varies either sporadically or regularly. Orig. art. has: 2 formulas and 6 figures. [SH]

SUB CODE: ~~04~~ SUBM DATE: 02Aug65/ ORIG REF: 013/ OTH REF: 002/ ATD PRESS: 5097

04, 22
 Card 2/2 hs

L 01255-67 EWT(1)/FSS-2/FCC GW/TT
ACC NR: AP6032688

SOURCE CODE: UR/0203/66/006/005/0852/0857

AUTHOR: Misyura, V. A.; Solodovnikov, G. K.; Migunov, V. M.

54
B

ORG: none

TITLE: Electron concentration in the upper ionosphere, measured by observing coherent signals from the Kosmos and Elektron satellites

SOURCE: Geomagnetizm i aeronomiya, v. 6, no. 5, 1966, 852-857

TOPIC TAGS: ionospheric electron density, satellite data analysis

ABSTRACT: Radio signals from the Kosmos-11, Elektron-1, and Elektron-3 satellites have been used to calculate the electron density of the upper ionosphere. The calculation method is that used in earlier Kosmos studies, which is based on measuring the relative Doppler shift between two r f signals simultaneously received from the satellite. The following frequencies were used: Kosmos-11, 20.0048 and 90.0216 mc; Elektron-1, 20.005 and 30.0075 mc; and Elektron-3, 20.005, 30.007, and 90.022 mc. Receiving stations were widely enough separated to permit simultaneous recording of signals at high elevation and near-horizon line-of-sight angles, and thereby measure the effect of different transmission paths through the ionosphere. The electron density profiles with altitude were determined independently at each receiving station, and agreed tolerably well. A comparison of daily and seasonal concentration profile variation is given in the figure; all three curves corresponded

Card 1/2

UDC: 550.388.2:629.195.2

L 2467-56

ACCESSION NR: AP5021253

validity of the proposed diversity reception method. Orig. art. has: 5 figures,
13 formulas, and 2 tables. [WC]

ASSOCIATION: none

SUBMITTED: 19Oct64

ENCL: 00

SUB CODE: ES,

NO REF SOV: 008

OTHER: 001

ATD PRESS: 4106

BVK

Cord 2/2

L 2467-66 ISS-2/BWT(1)/FCC/EWA(h)
 ACCESSION NR: AP5021253

GW

UR/0293/65/003/004/0604/0613
 350.388.1:629.195.2

AUTHOR: Misyura, V. A.; Osipov, D. D.; Krokhmal'nikov, Ye. B.; Solodovnikov, G. K.

TITLE: Some possibilities and results of ionospheric measurements obtained by oblique observation of the Faraday effect of signals from geophysical rockets

SOURCE: Kosmicheskiye issledovaniya, v. 3, no. 4, 1965, 604-613

TOPIC TAGS: ionosphere, geophysical rocket, Faraday effect, diversity reception

ABSTRACT: A method is proposed for determining the vertical distribution of electron concentration and the electron content in a unit ionospheric column, and also their horizontal gradients. The method consists in the diversity reception of radiowaves transmitted by satellites and geophysical rockets. It was used in the observation of the Faraday effect of coherent radio emission on 48 and 144 Mc from a rocket launched on 18 October 1962 to an altitude of 500 km. The smooth, vertical, ionospheric profiles obtained are closely approximated in the F₂ region by the parabolic-exponential model. The concept of ionospheric contraction during decreased solar activity also was confirmed. The agreement of these results with those obtained by vertical sounding of the ionosphere and by the dispersion interferometer method confirmed the

Card 1/2

L 2472-66

ACCESSION NR: AP5021252

the existence of a second maximum at 150—180 km. Orig. art. has: 9 figures and
7 formulas. [WC]

ASSOCIATION: none

SUBMITTED: 21Jul64

NO REF SOV: 014

ENCL: 00

OTHER: 002

SUB CODE: ES, SV

ATD PRESS: 4105

BVR
Card 2/2

L 2472-66 FSS-2/ENT(1)/FS(v)-3/FCC/EMA(d)EMA(h)
 ACCESSION NR: AP5021252

TT/GW
 UR/0293/65/003/000/0595/0603
 350.388.1:629.195.2

AUTHOR: Misyura, V. A.; Solodovnikov, G. K.; Migunov, V. M.

TITLE: Measurement of electron concentration in the upper ionosphere by Kosmos satellites

SOURCE: Kosmicheskiye issledovaniya, v. 3, no. 4, 1965, 595-603

TOPIC TAGS: upper atmosphere, electron density, satellite/Kosmos satellite

ABSTRACT: The electron concentration in the upper ionosphere was measured in October 1962 by determining the phase difference of two coherent signals transmitted from Kosmos II on 20.005 and 90.0225 Mc and received by stations at two different locations in the USSR. Data from 46 observation periods were collected and graphs were plotted of the local electron concentration as a function of time along the satellite path. It was found that local electron concentration N_p increased by a factor of 3-4 at the same altitude during passage of the satellite from night to day. For several consecutive days, N_p values repeated themselves within a 20% deviation. Pinching of the upper ionosphere was noted during the transition from maximum to minimum solar activity. Analysis of spectra of ionospheric inhomogeneities showed

Card 1/2

L 1546-66

ACCESSION NR: AT5023575

plotted for various phases of the solar activity and at different times of the day. From these, two stable maxima in the 15--30 and 150--190 km regions were observed. The vertical profiles of the ionospheric electron concentration obtained by means of geophysical rockets at 48 and 144 Mcs during 18 October 1962 are shown for the middle latitudes of the USSR. Also shown are the normed profiles obtained during different cycles of the solar activity. Orig. art. has: 9 figures and 12 formulas.

[YK]

ASSOCIATION: none

SUBMITTED: 02Sep65

ENCL: 00

SUB CODE: ES, SV

NO REF SOV: 011

OTHER: 002

ATD PRESS: 4048

Card 2/2 30 4

L 1546-66 BMT(1)/PCG/EWA(h) GS/W
 ACCESSION NR: AT5023575

UR/0000/65/000/000/0138/0147

AUTHOR: Misyura, V. A.; Solodovnikov, G. K.; Krokhaal'nikov, Ye. B.; Migunov, V. M.

TITLE: Ionospheric observations by artificial earth satellites and rockets

SOURCE: Vsesoyuznaya konferentsiya po fizike kosmicheskogo prostranstva. Moscow, 1965. Issledovaniya kosmicheskogo prostranstva (Space research); trudy konferentsii. Moscow, Izd-vo Nauka, 1965, 138-147

TOPIC TAGS: artificial earth satellite, geophysical rocket, Kosmos 11, Elektron 1, Doppler effect, Faraday effect, ionosphere, ionosphere profile, electron concentration

ABSTRACT: Results are presented of radiophysical observations of the outer ionosphere by means of the Kosmos-11 and Elektron-1 artificial earth satellites and geophysical rockets. Two methods were used for this purpose: the Doppler frequency shift at coherent frequencies and the rotational Doppler effect (Faraday effect) at fixed frequencies, simultaneously at one or several points. The Kosmos-11 and Elektron-1 observations yielded the value of the local electron concentration along the satellite orbit with satisfactory accuracy. From these, a profile of the ionosphere up to 2000 km was plotted. The histograms of ionospheric inhomogeneity layers were

Card 1/2

...the difference of the integral electron concentration along the orbit of an artificial earth satellite makes it possible to determine the changes in the entire ionosphere from day to day as well as at different times of the day. The data obtained by the observations of the Kosmos-11 artificial earth satellite have been presented by the author. That satellite was equipped with a Mayak transmitter which transmitted waves of 20, 40 and 60 MHz megahertz. There were considerable differences in the structure of the ionosphere, below the satellite, during its "daytime" and "night" flights. The authors express their gratitude to Ya. L. Al'pert for his

1/2

...the difference of the integral electron concentration along the orbit of an artificial earth satellite makes it possible to determine the changes in the entire ionosphere from day to day as well as at different times of the day. The data obtained by the observations of the Kosmos-11 artificial earth satellite have been presented by the author. That satellite was equipped with a Mayak transmitter which transmitted waves of 20, 40 and 60 MHz megahertz. There were considerable differences in the structure of the ionosphere, below the satellite, during its "daytime" and "night" flights. The authors express their gratitude to Ya. L. Al'pert for his

...the difference of the integral electron concentration along the orbit of an artificial earth satellite makes it possible to determine the changes in the entire ionosphere from day to day as well as at different times of the day. The data obtained by the observations of the Kosmos-11 artificial earth satellite have been presented by the author. That satellite was equipped with a Mayak transmitter which transmitted waves of 20, 40 and 60 MHz megahertz. There were considerable differences in the structure of the ionosphere, below the satellite, during its "daytime" and "night" flights. The authors express their gratitude to Ya. L. Al'pert for his

...the difference of the integral electron concentration along the orbit of an artificial earth satellite makes it possible to determine the changes in the entire ionosphere from day to day as well as at different times of the day. The data obtained by the observations of the Kosmos-11 artificial earth satellite have been presented by the author. That satellite was equipped with a Mayak transmitter which transmitted waves of 20, 40 and 60 MHz megahertz. There were considerable differences in the structure of the ionosphere, below the satellite, during its "daytime" and "night" flights. The authors express their gratitude to Ya. L. Al'pert for his

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R001134700036-6

ABSTRACT: The gradient of the integral electron content in the ionosphere is determined from the data of the ionospheric sounding. The results of the calculations are presented. The results of the calculations are presented. The results of the calculations are presented.

KEYWORDS: Ionosphere, VLF, Radio waves, O.R., Moscow, U.S.S.R.

1. The gradient of the integral electron content in the ionosphere is determined from the data of the ionospheric sounding.

2. The results of the calculations are presented. The results of the calculations are presented.

3. The results of the calculations are presented. The results of the calculations are presented. The results of the calculations are presented.

4. The results of the calculations are presented. The results of the calculations are presented. The results of the calculations are presented.

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R001134700036-6

MISTURA, V.

Instructions requiring explanations. Muk.-elev.prom. 25 no.3:30
(MIRA 12:6)
Mr '59.

1. Zamestitel' direktora po kachestvu Novgorod-Volynskoy realiza -
tsionnoy bazy. (Grain--Storage)