

PAPEZ, Antonin

Mass of water vapor in the atmosphere. *Věsta zpravy* 18 no.1:3-5
F '65.

1. Institute of Atmospheric Physics of the Czechoslovak Academy
of Sciences, Prague.

I 10596-66 FGG
ACC NR AP8000386

SOURCE CODE: CZ/0085/65/000/001/0003/0005

AUTHOR: Papez, A.
44.5

ORG: UFA

TITLE: Mass of Water Vapor in the Atmosphere
12,44,56

SOURCE: Meteorologicke zpravy, no. 1, 1965, 3-5

TOPIC TAGS: lower atmosphere, atmospheric humidity, water vapor

ABSTRACT: This article indicates methods of determining amounts of moisture in the atmosphere. Data on moisture in atmospheric strata are unreliable due to imperfect equipment and faulty readings; measurements by radiosondes have often proved worthless. Careful evaluation of isometric dew-point areas on topographic maps has proved more reliable, particularly in tracing the movement of atmospheric fronts. This led to determining the mass of vapor in the atmosphere through radiosonding and applying the basic equation for hydrostatic equilibrium at various altitudes, pressures, and air densities. Vapor mass was found to depend upon specific moisture in the air between two isometric regions, on pressure differences over such regions, and also on gravitational acceleration. Dew-point readings were then drawn for isometric regions on topographic maps, as illustrated by four such maps of Europe. One map shows isometric lines based on litres of water in a column of atmosphere one meter square and standing from 350 to 1000 meters altitude at noon GMT on June 28, 1962. Another map gives high and low atmospheric pressure centers over Europe

UDC: 551.571.7

Card 1/2

L 10596-66

ACC NR: AP6000386

at the same date and hour. Data on actual moisture content were then compared with maximum possible content at average air temperatures at various altitudes and expressed in percentages on a third map. Areas with 80 and 90% moisture content at noon that day coincide with areas on the fourth map where it rained that day. This ratio, called the "relative mass of water vapor," is given as an illustration of how atmospheric dew points, obtained by radiosondes, can be used. Orig. art. has: 5 formulas and 5 figures.

SUB CODE: 08/ SUBM DATE: none/ ORIG REF: 001/ SOV REF: 003

Card

YUGOSLAVIA / Chemical Technology, Chemical Products H
and Their Application, Part 3. - Drugs,
Vitamins, Antibiotics.

Abs Jour: Ref Zhur-Khimiya, No 18, 1958, 61964.

Author : J. Kolsek, M. Perpar, ~~I. Papoz.~~

Inst : Not given.

Title : Quantitative Determination of Salicylic Acid.

Orig Pub: Farmac. vest., 1957, 8, No 3 - 4, 25 - 36.

Abstract: A review of analytic methods of salicylic acid, Na salisylate and aspirin quantitative determination is presented. Based on performed experiments, the applicability of these methods to the determination of the above substance in pure state and in various pharmaceutical preparations was studied in detail, and the error limits of individual methods were determined. Bibliography with 78 titles.

Card 1/1

57

L1688
S/123/62/000/019/007/010
A006/A101

71.4700

AUTHORS: Bischof, Rudolf, Papez, Karel

TITLE: Electrolytical application of radioactive coatings

PERIODICAL: Referativnyy zhurnal, Mashinostroyeniye, no. 19, 1962, 39,
abstract 19B221P (Czechosl. Patent, cl. 48a, 14/04, no. 99982,
of April 15, 1961)

TEXT: A patent was issued for a method of applying radioactive layers, in particular strontium 90 and radium. A characteristic feature of this method is that the deposition of these elements is analogous to conventional electrolysis, but is performed from molten salts in organic solvents at high voltages. To obtain thicker coatings (determined by the weight of the deposited salt, and equal to tens of mg per 1 mm² of the cathode surface) and to maintain the current density at the required level (not below 10 mamp per 1 cm²) it is suggested to increase the voltage gradually from 100 v to 10 kv. So, for instance, to obtain a radiation source with a strontium 90 layer, strontium sulfocyanate is selected, and acetone is taken as a solvent. As a result, a layer of strontium 90

Card 1/2

Electrolytical application of...

S/123/62/000/019/007/010
A006/A101

carbonate is deposited on the cathode. The radiation activity of one surface unit is a function of the initial salt concentration and initial voltage. It is noted that it is most convenient to obtain in such a manner radioactive layers on the radiation sources in the form of needles. Emitters produced by the patented method can be used as radiation sources in contactless measurement of thickness, levels, concentrations, for neutralization of electrostatic charges in the emitter range (air ionization by β -radiation), and in many other cases (e.g. sterilization). The patented method can also be used to prepare layers emitting α or γ -particles and to apply emission layers of non-radioactive strontium or barium on electrodes of electron tubes.

B. Yakovlev

[Abstracter's note: Complete translation]

Card 2/2

S/081/62/000/017/044/102
B162/B101

AUTHORS: Bischof, Rudolf, Papež, Karel

TITLE: Method of producing emissive layers and emitters, in particular strontium and radium emitters for instance for dosimetric purposes, no-contact measuring, neutralization of electrostatic charges, and therapeutic purposes, by means of electrolysis from organic solution

PERIODICAL: Referativnyy zhurnal. Khimiya, no. 17, 1962, 147, abstract 17E47 (Czechoslovak patent 9982, April 15, 1961)

TEXT: The method suggested is distinguished by the fact, that with electrolysis the voltage is gradually increasing to 100 - 10000 v.
Example: Production of emitters containing Sr^{90} . Sr is converted into a compound dissolvable in a chosen organic solvent (for example Sr sulfo-cyanide in acetone). In the electrolysis of this solution, a layer of $\text{Sr}^{90}\text{CO}_3$ is deposited on the cathode owing to a gradual increase in voltage up to several kv. The activity obtained per unit area is a function of

Card 1/2

Method of producing emissive...

S/081/62/000/017/044/102
B162/B101

the initial concentration of the salt and of the voltage. In a similar way it is possible to produce emitters of various types (particularly in the form of needles), containing Ra or active Ca and Ba isotopes. [Abstracter's note: Complete translation.]

Card 2/2

CECH, E.: PAPEZ, L.: SKRIVAN, J.; STRIBNY, J. Laboratorni cast: SPONAROVA, J.:
STASTNY, J.; STOKLASOVA, H.

Estrogen level in the urine of women with threatened abortion.
Cesk. gynek. 29 no.4:276-280 My'64

1. I gyn.-por. klin. fakulty vseobecneho lek. KU [Karlovy uni-
versity] v Praze; prednosta: prof. dr. K.Klaus, DrSc.

PAPEZ, L.

Crystallization patterns of mammary secretions. Sborn.lek. 62
no.11:327-331 B'60.

1. I. porodnicka a gynekologicka klinika fakulty vseobecneho
lekarstvi university Karlovy v Praze, prednosta prof.dr. K.Klaus.
(BREAST)

PAPEZ, L.; MUDr.; VACHA, Fr., MUDr.; FRIEDMAN, B., MUDr.; MALY, Vl., Mg. Mat.

Extrauterine pregnancy with special reference to abdominal blood transfusions. Cesk. gyn. 23[37] no.3:170-176 Apr 58.

1. I. gyn. klin., prednosta prof. Dr. K. Klaus -- I. int. klin., prednosta prof. Dr. M. Netousek OUNZ lek. fakulty KU, prednosta prof. Dr. V. Prosek. L. P., Praha II, Karlovo nam. 499.

(PREGNANCY, ECTOPIC, surg.

with abdom. blood transfusions, statist. (Cz))

(BLOOD TRANSFUSIONS

abdom. blood transfusions in surg. of ectopic pregn.,
statist. (Cz))

PAVROVSKY, J.; PAPEZ, I.; AUJEZDSKY, Z.; FABIANOVA, J.; STIXOVA, G.

Early diagnosis of breast diseases. Rozhl. chir. 44 no.2:142-144
F'65.

1. I. Chirurgická klinika (Prednosta: prof. dr. J. Pavrovsky);
I. gynekologická klinika (prednosta: prof. dr. K. Klaus);
Radiologická klinika (prednosta: prof. dr. V. Svab) fakulty
všeobecného lékařství Karlovy University v Praze.

KOBIKOVÁ, J.; KALOUSKOVÁ, J.; PAPEZ, L.; MALÝ, V.

Is it possible to evaluate disorders of labor activity in advance?
Sborn. lek. 64 no.6:184-187 Je '62.

1. I. porodnicko-gynekologicka klinika fakulty vseobecneho lekarstvi
University Karlovy v Praze, prednosta prof. dr. K.Klaus Ustav
organizace zdravotnictvi fakulty vseobecneho lekarstvi University
Karlovy, prednosta prof. dr V. Prosek.
(LABOR compl)

KALOUSKOVA, J.; PAPEZ, L.; KOBILKOVA, J.

Practical value of the crystallization method of cervical mucus
in the evaluation of the ovarian cycle. Cesk. gynek. 28 no.9:
599-603 N°63.

1. I. gyn. klin. fak. vseob. lek. KU v Praze, prednosta prof.
dr. K.Klaus, DrSc.

x

SKRIVAN, J.; CECH, E.; CERVENKA, J.; GREGAROVA, M.; PAPEZ, L.; STRIBERNY, J.

Our experiences with Trypsin retard in the treatment of inflammations of the uterine adnexa. Cesk. gynek. 29 no.3: 205-207 Ap'64

Our experiences in the treatment of gynecological diseases with prednisone. Ibid.:210-212

1. I. gyn.-por. klin.fak. vseob.lek. KU v Praze; prednosta: prof.dr. K.Klaus, DrSc.

CECH,E.; GREGAROVA,M.; PAPEZ,L.; SKRIVAN,J.; STRIBNY,J.

Clinical problems in gynecological inflammations. Cesk. gynek.
29 no.3:163-169 Ap'64.

Our experiences with the chemical extirpation of Bartholin's
glands. Ibid.:243-245

1. I. gyn.-por. klin.fak. vseob.lek. KU v Praze; prednosta:
prof.dr. K.Klaus, DrSc.

*

KALOUSKOVA, J.; PAPEZ, L.; KOBILKOVA, J.; MALY, Vl.

Possibilities of the practical use of crystallization of the secretion of the breast. Sborn. lek. 44 no.4:109-114 Ap '62.

1. I porodnicka a gynekologicka klinika fakulty vseobecneho lekarstvi University Karlovy v Praze, prednosta prof. dr. K. Klaus. Ustav organizace zdravotnictvi, prednosta prof. dr. V. Prosek.

(MILK HUMAN chemistry) (COLOSTRUM chemistry)

PAPEZ, L.; KALOUSKOVA, J.; KOLILKOVA, J.; MALY, Vl.

Illustration of biological events at the time of delivery in the
crystallization picture of mammary gland secretion. Sborn. lek.
63 no.7/8:225-230 .

1. I porodnika a gynekologicka klinika fakulty vseobecneho lekarstvi
University Karlovy v Praze prednosta prof. dr. K.Klaus Ustav organizace
zdravotnictvi fakulty vseobecneho lekarstvi University Karlovy v Praze,
prednosta prof. dr V.Prosek.
(MILK HUMAN chemistry) (DELIVERY)

=

BOZDECH,V.; BRESTAK, M.; CECH,E.; PAPEZ,L.; SUK, J.

Our experiences with the diagnosis of toxoplasmosis using
an intradermal test and complement fixation reaction. Cesk.
gynek. 30 no.1:139-141 Mr'65.

1. Zoolog. ustav prirodoved. fakulty Karlovy University (pred-
nosta: akademik O. Jirovec) a I. gyn.-por. klinika fakulty
vseobecneho lekarstvi Karlovy University v Praze (prednosta:
prof. dr. K.Klaus, DrSc.).

ZITKA, Miroslav, MUDr.; PAPEZ, Ladislav, MUDr.

Electrocardiography in newborn infants during change of fetal to infantile metabolism. Cesk. pediat. 10 no.10:750-756 Dec 55.

1. Z III. int. kliniky v Praze, predn. akademik J. Charvat.
- Z I. gynekol. porod. kliniky v Praze, predn. prof. Dr. K. Klaus.
(ELECTROCARDIOGRAPHY,
in newborn inf., during change of fetal to inf. metab.)
(INFANT, NEWBORN, physiology,
ECG during change of fetal to inf. metab.)

ZITKA, Miroslav, MUDr.; PAPEZ, Ladislav, MUDr.

Electrocardiography in newborn infants during change of fetal to infantile metabolism. Cesk. pediat. 10 no.10:750-756 Dec 55.

1. Z III. int. kliniky v Praze, predn. akademik J. Charvat.

Z I. gynkol. porod. kliniky v Praze, predn. prof. Dr. K. Klaus.

(ELECTROCARDIOGRAPHY,

in newborn inf., during change of fetal to inf. metab.)

(INFANT, NEWBORN, physiology.

ECG during change of fetal to inf. metab.)

ZITKA, Miroslav, MUDr.; PAPEZ, Ladislav, MUDr.

Electrocardiography in newborn infants during change of fetal to infantile metabolism. Cesk. pediat. 10 no.10:750-756 Dec 55.

1. Z III. int. kliniky v Praze, predn. akademik J. Charvat.
- Z I. gynkol. porod. kliniky v Praze, predn. prof. Dr. K. Klaus.
(ELECTROCARDIOGRAPHY,
in newborn inf., during change of fetal to inf. metab.)
(INFANT, NEWBORN, physiology,
ECG during change of fetal to inf. metab.)

PAPEZ, Ladislav, MUDr.

Suture of the perineum after birth with intradermal sutures.
Cesk. gyn. 21 no.5:341-342 Sept 56.

1. 1. gyn. por klinika, prednosta prof. Dr. K. Klaus.
(PERINEUM, surgery
postpartum perineorrhaphy with intradermal sutures (Cz))
(SUTURES
intradermal in postpartum perineorrhaphy (Cz))

PAPAZ, Ladislav, MUDr.

Postnatal care of nipples in prevention of mastitis. Cesk. gyn. 22/36
no.8:572-574 Dec 57.

1. I. gyn. klinika KU v Praze, prednosta prof. Dr K. Klaus.

(MASTITIS, prev. & control

dichloroquinolinol swabbing of nipples during lactation (Cz))

(QUINOLINES, ther. use

dichloroquinolinol in mastitis, prev. postnatal swabbing
of nipples (Cz))

(PUERPERIUM, compl.

mastitis, prev., swabbing of nipples with dichloroquinolinol
(Cz))

Papez L. 499
PAPEZ, Ladislav, MUDr.; MALY, Vladimir, Mg Mat.

First menstruation after delivery and the end of lactation. Cesk. gyn.
22[37] no.1/2:93-96 Jan 58.

1. I. por.-gyn. klinika v Praze, prednosta prof. Dr K. Klaus. Ustav
organisace zdravotnictvi, prednosta prof. Dr V. Prosek. L. P., Praha 2,
Karlovo nam. 499.

(LACTATION,

end, in relation to first menstruation after delivery (Cz))

(MENSTRUATION,

first after delivery in relation to end of lactation (Cz))

1416-1
| SNAID, Vojtech, Doc. Dr.; PAPEZ, Ladislav, MUDr.

Fixation of vaginal stump after abdominal & vaginal hysterectomy.
Cesk. gyn. 22[37] no.1/2:128-131 Jan 58.

1. I. gyn. klinika KU v Praze, prednost. prof. Dr K. Klaus. V. S. Praha
2, Karlovo nam. 499.

(HYSTERECTOMY,

fixation of vaginal stump after abdominal & vaginal
hysterectomy (Cz))

KOTASEK, Alfred, prof., dr.sc.; PAPEZ, Ladislav, C.Sc.; KALOUSKOVA, Jarmila;
BOUSKA, Vladimir

Diagnosis of late gestoses with the aid of crystallization of
nasal secretion. Cesk. gyn. 26 [40] no.6:429-431 J1 '61.

1. I por. klin. KU, prednosta prof. Karel Klaus, Dr. Sc. Mineralog.
ustav KU, prednosta prof. dr. J. Novak.
(PREGNANCY DOXEMIAS diagn.) (NOSE)

PAPEZ, Stanislav; BERANEK, Miroslav

The vacuum removal of zinc from lead. Sbor chem tech 4 no.2:119-140
'60. (EEAI 10:9/10)

1. Katedra chemické technologie kovů, Vysoká škola chemicko-techno-
logická, Praha.

(Zinc) (Lead)

PAPEZ, Stanislav; BENYSEK, Zdenek, inz.

Note on some present problems of planning. Podnik organizace 17
no.1:4-8 Ja '63.

1. Technicko-organizacni vyzkumny ustav strojirensky.

~~PAPEZ, Václav~~, inz.

General repair and maintenance, an important branch of building operations. Poz stavby 11 no.7:345-347 '63.

1. USMAH Praha.

PAPEL, Václav, 1921.

Technical and economic views on the durability of houses.
Poz stavby 12 no. 6-244-250 1964.

PAPEZ, Vladimir

New technology from the German Democratic Republic; bituminous
pavement mixture equipment SSM-20. Siln doprava 11 no.11:
5-8 N '63.

1. Ministerstvo dopravy.

PAPEZ, Vladimir

Te'tomat I, a unit for making bitumen sheeting mixtures.
Siln doprava 13 no.3:8-9 F '65.

PAPEZ, Z.

The 100th anniversary of the Kavalier Glass Works. p.20h.
(Sklar A Keramik, Vol. 7, No. 7, July 1957, Praha, Czechoslovakia)

SO: Monthly List of East European Accessions (EEAL) LC. Vol. 6, No. 9, Sept. 1957. Uncl.

PAPEZ, Z.

To a higher level of glass manufacture with technical development.

p. 309 (Sklar A Keramik) Vol. 7, no. 10, Oct. 1957, Praha, Czechoslovakia

SD: MONTHLY INDEX OF EAST EUROPEAN ACCESSIONS (EEAI) LC, VOL. 7, NO. 1, JAN. 1958

PAPÉZH, L., [Papež, L.]; SHNAYD, V. [Schneid, V.]; SHTEPANOVSKIY, Ya.
[Štěpanovský, J.]

Modification of tubal sterilization with a single suture.
Akush. i gin. 35 no.2:72-73 Mr-Apr '59. (MIRA 12:5)

1. Iz 1-y ginekologicheskoy kliniki (zav. - prof. K.Klauss)
Karlova universiteta v Prague.

(STERILIZATION, SEXUAL

fallopian tube ligation, modified technic (Rus))

(FALLOPIAN TUBES, surg.

ligation in sexual sterilization, modified
technic (Rus))

HRBEK, A.; NOVAKOVA, L.; PAPEZOVA, J.

Examination of the vegetative nervous system in children. Acta univ. carol.[Med] no.2:203-218 '61.

1. Neurofysiologicke oddeleni Ustavu vyzkumu vyvoje ditete fakulty detskeho lekarstvi University Karlovy, reditel prof. MUDr. J. Houstek.

(AUTONOMIC NERVOUS SYSTEM in inf & child)

FILIP, Jan; BERMAN, Jiri; Technicka spoluprace R. Papezova

Blood proteins in porphyric disease. Cas. lek. cesk. 95 no.
28-29:742-745 13 July 56.

1. Klinika chorob vnitřních, predn. prof. Dr. M. Netousek.
J. F. Praha XIX, Zelena 14.

(BLOOD PROTEINS, in various diseases,
porphyria (Cz))
(PORPHYRIA, blood in,
proteins (Cz))

PAPEŠOVÁ, R.

BOJANOVSKÝ, Ivo; FILIP, Jan; technika spolupráce R. Papešová a
V. Krumpová.

Influence of exhausting body effort on level and composition
of blood proteins in trained athletes. Cas. lek. česk. 96 no.
2:52-55 11 Jan 57.

1. Vyzkumný ústav telovýchovný v Praze (ředitel J. Ulbrich)
a I. Interní klinika lékařské fakulty KU v Praze (prednosta
prof. Dr. M. Netoušek, doktor lékařských věd).

(EXERCISE, eff.

on blood protein level & composition in athletes (Cz))

(BLOOD PROTEINS, determ.

in athletes, eff. of exercise (Cz))

PAPEZOVA, R.
KOTASEK, Alfred, Doc. Dr.; KUZEL, Dobromil, Dr.; FILIP, Jan, Dr., PAPEZOVA, Ruzena

Fibrinogen changes in labor and pregnancy. Cesk. gyn. 22[37] no.1/2:
70-74 Jan 58.

1. I. por. klinika KU v Praze, prednosta prof. Dr Karel Klaus. I. int.
klinika KU v Praze, prednosta prof. Dr Milos Netousek. A. K., Praha 2,
Anolinarska 18.

(FIBRINOGEN,
in labor & pregn. (Cz))
(LABOR, blood in
fibrinogen level (Cz))
(PREGNANCY, blood in
same)

VOLEK, V.; DIENSTBIER, Zd.; technicka spoluprace: STACHOVA, M.; PAPEZOVA, R.;
CERNOVSKA, M.; LOJKOVA, M.

Effect of radiations on the level of serum lactic dehydrogenase in
the rat. Acta univ. carol. [med.] Suppl. 14:103-110 '61.

1. I. interni klinika fakulty vseobecneho lekarstvi University Karlovy
v Praze, prednosta prof. dr. V. Hoenig Biofysikalni ustav fakulty
vseobecneho lekarstvi University Karlovy v Praze, prednosta doc. dr.
Z. Dienstbier.

(LACTIC DEHYDROGENASE blood) (RADIATION INJURY exper)

KOTATIO, Jiri, VOLEK, Vladimir, technicka spoluprace: PAPEZOVA, R.

Serum lactic dehydrogenase in the diagnosis of acute myocarditis.
Cas.lek.cesk 101 no.4:103-108 26 Ja '62.

(LACTIC DEHYDROGENASE blood)
(MYOCARDITIS blood)

VOLEK, V.; GREGOR, O.; Technická spolupráce: PAPEZOVÁ, R.

Gastric lactate dehydrogenase in achlorhydria. Contribution to the early diagnosis of stomach cancer. Cesk. gastroent. vyz. 17 no.5:266-270 JI '63.

1. I interní klinika fakulty všeobecného lékařství KU v Praze, přednosta prof. dr. V. Hoenig, DrSc.

(ACHLORHYDRIA) (LACTATE DEHYDROGENASE)
(STOMACH NEOPLASMS) (ANEMIA, PERNICIOUS)
(NEOPLASM DIAGNOSIS)

STOLK, A.; KUCEROVA, L.; VOLEK, V.; technicka spoluprace FAPEZOVA, R.

Effect of heparin on the activity of serum transaminases. Cas. lek.
cesk. 102 no.17:441-444 26 Ap '63.

1. I. interni klinika fakulty vseobecneho lekarstvi KU v Praze,
prednosta prof. dr. V. Hoenig.

(HEPARIN)	(PHARMACOLOGY)	(ALANINE AMINOTRANSFERASE)
(ASPARTATE AMINOTRANSFERASE)		(BLOOD CHEMICAL ANALYSIS)
	(GLOMERULONEPHRITIS)	

KUCEROVA, L.; STORK, A.; FABIAN, E.. Technicka spoluprace: TABOROVA, B.;
PAPEZOVA, R.

Effect of diet containing sunflower oil on the course of
idiopathic hyperlipemia. Cas.lek. cesk. '63 no.9:230-234
28 F'64.

1. I. interni klinika fakulty vseobecneho lekarsti KU v
Praze; prednosta: prof.dr. V.Hoenig, DrSc.

★

RONSKY, R.; PROCHAZKA, B.; VOLEK, V.; Technicka spoluprace: BARTA, V.;
SLAISOVA, X.; PAPEZOVA, R.

Value of the determination of some enzymes in differential
diagnosis of exudates. Sborn. lek. 67 no.10:290-293 O '65.

1. I. interni klinika (prednosta prof. dr. V. Hoenig, DrSc.)
a IV. interni klinika (prednosta prof. dr. M. Fucik) fakulty
vseobecneho lekarstvi University Karlovy v Praze.

CZECHOSLOVAKIA/Human and Animal Physiology - Blood. Blood
Coagulation.

T

Abs Jour : Ref Zhur Biol., No 3, 1959, 12668

Author : Kotasek, Alfred; Kuzel, Dobromil; Filip, Jan; Papezova,
Ruzena

Inst : -

Title : Variations in Fibrinogen Content during Pregnancy and
Childbirth

Orig Pub : Ceskosl. gynaekol., 1958, 23-37, No 1-2, 70-74

Abstract : No abstract.

Card 1/1

DRASIL, V.; PAPEZOVA, Z.

Sr⁹⁰ content of dried milk in the period 1957-1962. Cesk. hyg.
9 no. 3:145-148 Ap'64

1. Biofyzikalni ustav CSAV, Brno.

*

1.13312-66 EWT(m)

ACC NR: AP6006015

SOURCE CODE: GZ/0053/65/014/004/0278/0279

AUTHOR: Karpfel, Z.; Koukalova, B.; Cincarova, J.; Papazova, Z.

ORG: Institute of Biophysics CSAV, Brno (Biofysikaalni ustav CSAV)

TITLE: Chromosomal aberrations as an indicator of individual radiosensitivity of bone marrow [This paper was presented during Biophysical Days, Brno, 12 Jun 64.]

SOURCE: Ceskoslovenska fysiologie, v. 14, no. 4, 1965, 278-279

TOPIC TAGS: radiation biologic effect, mouse, bone marrow, genetics, radiology

ABSTRACT: Description of study aimed at identifying the relationship between the chromosomal aberration ratio before and after radiation. The closest correlation was between the number of spontaneous chromosomal aberrations in femoral bone marrow of individual mice and postirradiation (191 r to femoral bone marrow) anaphase aberrations. Orig. art. has: 1 figure. /JPRS/

SUB CODE: 06 / SUBM DATE: none / OTH REF: 001

Cord 1/1

L 13468-66 EWA(j)/T/EWA(b)-2 JK

ACC NR: AP6006025

SOURCE CODE: CZ/0053/65/014/004/0284/0285

AUTHOR: Plechova, S.; Papezova, Z.; Blazicek, G.; Karpfel, Z.

ORG: Institute of Biophysics CSAV, Brno (Biofysikalni ustav CSVA)

TITLE: Formation of hybrids between nucleic acids [This paper was presented during Biophysical Days, Brno, 12 Jun 64.]

SOURCE: Ceskoslovenska fysiologie, v. 14, no. 4, 1965, 284-285

TOPIC TAGS: DNA, mouse, bacteria, biochemistry, bacteriology

ABSTRACT: Attempt to hybridize P-32 tagged E. coli DNA with DNA from B. subtilis and mice spleen resulted in the creation of syngenic DNA with highest activity, but E. coli and B. subtilis hybrid DNA of somewhat lower activity was also produced; no heterologous hybrid DNA could be made in the agar gel. [JPRS]

SUB CODE: 06 / SUBM DATE: none / OTH REF: 001

Cers

1/1 DR

KARPFEL, Z.; KOUKALOVA, Hlazená; CINCAROVA, Jana; PAFEZOVA, Zora

To the problem of individual radiosensitivity of bone marrow.
Folia biol. (Praha) 11 no.2:140-146 '65

1. Institute of Biophysics, Czechoslovak Academy of Sciences,
Brno.

Preparation of 2,5-diphenylfuran and (phenylacetylene) by the hydrazine of diphenylacetylene
M. Mikoyan and N. A. Popovyan. Doklady Akad. Nauk
Armen. S.S.R., 21, No. 8, 109-112 (1955) (in Russian).
A soln. prepd. by warming 50 g. CuCl₂, 100 g. NH₄Cl, and
200 ml. H₂O treated with O₂ for oxidation of part of the
cuprous form (1 mole O₂/4 moles of the desired hydrocarbon
is the desired amt. of O₂ equiv. to 1.0-2.0 g. increase in wt.).
25 g. PhC≡CH was added; the mixt. stirred on a water bath
1 hr., treated with 200 ml. C₆H₆, stirring and heating con-
tinued until the yellow material disappeared (18 hrs.) and
the org. layer and a C₆H₆ ext. of the aq. layer washed
dil. HCl and evapd. gave 82.8% pure (C₁₅H₁₀)₂ (1), n_D²⁰
(from MeOH). The catalyst can be reused without further
oxidation. 1 (10 g.) added to 1 g. H₂SO₄, 1 g. conc. H₂
SO₄, and 50 g. 90% MeOH and stirred 20 hrs. at 60° gave
a voluminous yellowish ppt. which was sepd.; the washings
with 10 ml. MeOH were combined with the filtrate; a soln.
was added to 14.7 g. (AcO)₂Cu in 100 ml. H₂O; the mixt. kept
overnight; the resulting part of the Cu derivative was
with H₂O₂ decompt. with 20% H₂SO₄ under N₂ and the
solvent evapd. giving 3.4 g. 2,5-diphenylfuran (2) (from
EtOH); mp 140-15°. The yellow solid (5.2 g.) filtered off
from the above reaction mixt.; recrystd. from hot MeOH to
remove the catalyst, yielded 3.3 g. 2,5-diphenylfuran;
n_D²⁰ 1.57-58°, giving with concd. H₂SO₄ a red-
brown soln. with green fluorescence. The total yield of this
substance is about 35.2%, with a 28.0% total yield of the

PAPFALVY, F.

PAPER VI, F.; MAY, J.

"Examination of the oil produced at the High there at Balatoncsanak",
 1. 394, (Hungarian) 1917, Vol. 13, No. 2/10 1917/1918, 1918, 1919, 1920, 1921, 1922, 1923, 1924, 1925, 1926, 1927, 1928, 1929, 1930, 1931, 1932, 1933, 1934, 1935, 1936, 1937, 1938, 1939, 1940, 1941, 1942, 1943, 1944, 1945, 1946, 1947, 1948, 1949, 1950, 1951, 1952, 1953, 1954, 1955, 1956, 1957, 1958, 1959, 1960, 1961, 1962, 1963, 1964, 1965, 1966, 1967, 1968, 1969, 1970, 1971, 1972, 1973, 1974, 1975, 1976, 1977, 1978, 1979, 1980, 1981, 1982, 1983, 1984, 1985, 1986, 1987, 1988, 1989, 1990, 1991, 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136, 2137, 2138, 2139, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2161, 2162, 2163, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2177, 2178, 2179, 2180, 2181, 2182, 2183, 2184, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2192, 2193, 2194, 2195, 2196, 2197, 2198, 2199, 2200, 2201, 2202, 2203, 2204, 2205, 2206, 2207, 2208, 2209, 2210, 2211, 2212, 2213, 2214, 2215, 2216, 2217, 2218, 2219, 2220, 2221, 2222, 2223, 2224, 2225, 2226, 2227, 2228, 2229, 2230, 2231, 2232, 2233, 2234, 2235, 2236, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2244, 2245, 2246, 2247, 2248, 2249, 2250, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2262, 2263, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2271, 2272, 2273, 2274, 2275, 2276, 2277, 2278, 2279, 2280, 2281, 2282, 2283, 2284, 2285, 2286, 2287, 2288, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, 2297, 2298, 2299, 2300, 2301, 2302, 2303, 2304, 2305, 2306, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2314, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2328, 2329, 2330, 2331, 2332, 2333, 2334, 2335, 2336, 2337, 2338, 2339, 2340, 2341, 2342, 2343, 2344, 2345, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2360, 2361, 2362, 2363, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, 2376, 2377, 2378, 2379, 2380, 2381, 2382, 2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395, 2396, 2397, 2398, 2399, 2400, 2401, 2402, 2403, 2404, 2405, 2406, 2407, 2408, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2499, 2500, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508, 2509, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2517, 2518, 2519, 2520, 2521, 2522, 2523, 2524, 2525, 2526, 2527, 2528, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2539, 2540, 2541, 2542, 2543, 2544, 2545, 2546, 2547, 2548, 2549, 2550, 2551, 2552, 2553, 2554, 2555, 2556, 2557, 2558, 2559, 2560, 2561, 2562, 2563, 2564, 2565, 2566, 2567, 2568, 2569, 2570, 2571, 2572, 2573, 2574, 2575, 2576, 2577, 2578, 2579, 2580, 2581, 2582, 2583, 2584, 2585, 2586, 2587, 2588, 2589

6. Monthly List of East European Accidents (CEAE), 16, Vol. 1, 1961, March 1961, Encl.

PAPI, L.

Empirical Ekman-model over Budapest. Időjárás 64 no.3:152-163
My-Je '60. (EEAI 10:1)
(Budapest--Climate)
(Hungary--Atmosphere)

PASTERNAK, Julian
SURNAME, Given Names

Country: Poland

Academic Degrees: [not given]

Affiliation: [not given]

Source: Warsaw, Przeglad Lekarski, Vol XVII, Ser II, No 8, 1961, pp 300-304.

Data: "Modern View of the Mechanism of Action of Mud Baths, Packs, and
Tampons on the System. -- Conclusion."

PAPIERKOWSKI, Julian

SURNAME, Given Names

Country: Poland

Academic Degrees: /not given/

Affiliation: /not given/

Source: Warsaw, Przegląd Lekarski, No 6, 1961, pp 227-230.

Data: "The Modern Conception of the Mechanism of Action of Mud Baths,
Facks, and Tampons on the System."

GPO 981643

PAPIERKOWSKI, Julian, prof. dr. med.

The town of Augustow, the first health resort in the northeastern territories of Poland. Gaz woda tech sanit 36 no.6:238-240
Je '62.

1. Samodzielny pracownik nauki, Warszawa.

RUMANIA/Analytic Chemistry. Analysis of Inorganic Substances. E

Abs Jour: Ref Zhur-Khimiya, No 22, 1958, 73593.

Author : Papfil, M.; Kleinstein, A.; Macovei, V.

Inst : Iasi University.

Title : New Method of Photometrical Determination of Copper
With Diphenyl-di-o-Tolyloxalamidine.

Orig Pub: An. stiint. Univ. Iasi., 1956, Sec. 1, 2, No 1-2,
241-250.

Abstract: It was found that diphenyl-di-o-tolyloxalamidine (I) produced a compound with Cu^{++} . That compound is soluble in $\text{C}_2\text{H}_5\text{OH}$ and its color is pale-yellow to brown-red depending on the concentration of Cu. The maximum color intensity is attained after 10 min. and remains constant 100 min. Beer's law is complied

Card : 1/3

RUMANIA/Analytic Chemistry. Analysis of Inorganic Substances. E

Abs Jour; Ref Zhur-Khimiya, No 22, 1958, 73693.

in a flask with a reflux cooler in a water bath
until I is completely dissolved.

Card : 3/3

PAPIA, A.

Distr: 4E3d

Complexing process for the catalytic aromatization of gasoline and the preparation of cyclohexane. I. V. Niculescu, A. Popescu, and A. Papiu (Univ. Bucharest, Romania). *Rev. Inst. Frang. Petrole et Ann. combustibles liquides* 14, 1008-15(1959); cf. CA 52, 11398a. —Results are given for bench-scale expts. on the aromatization of gasoline by multistage contact with a Platforming catalyst and a H₂-contg. gas. Benzene was produced from a 65-90° fraction and toluene and xylene from a 90-180° fraction. Pure benzene was sep'd. by extrn. of the mixt. of aromatic compds. and was hydrogenated to cyclohexane over a 55% Ni on silica catalyst. W. I. Barnett...

5
1-BN(BW)
1-JAT(NB)
1

PAPIN, H.L.

Excerpt

Catalytic cracking of gas oil. Ioan V. Nicolescu, Traian
Iliescu, Cornelia Tacu, and Al. Papu (Petroleum Research
Inst., Bucharest, Rumania). *Trans. Faraday Soc.* 54, 1958, 1958.
 The effect of calcining temps. of 300-750° on the aromatic index
 porosity, bulk wt., and water loss of aluminate-silicate
 catalysts was investigated, and it was found that the porosity
 and the aromatic index of catalysts heated not higher than
 350° is higher than for catalysts treated at higher temps.
 Catalysts contg. 12% Al₂O₃ and heated to 400-500° had a
 porosity of 130-138 and an aromatic index of 51-59 which
 is higher than the values for catalysts contg. 5 or 20% Al₂O₃.
 The apparent d. for catalysts contg. 12 and 5% Al₂O₃ resp.
 is 0.8 and 0.6, after heat treatment at 400-500°. The
 catalytic activity cannot be predicted from these data, and
 it was evaluated by cracking a semiparaffinic gas oil. The
 catalyst contg. 12% Al₂O₃ gave a gasoline yield of 38.8
 42.4%. Gasoline obtained with a catalyst contg. 5%
 Al₂O₃ contained 14% olefins, because the insufficient no. of
 active centers in the catalyst favors olefin formation instead
 of isomerization, alkylation, or dehydroaromatization of the
 cracked hydrocarbons. The amt. of aromatization in
 actual is influenced by the same factors which govern the
 production of olefins. The catalyst contg. 5% Al₂O₃ gives
 64% aromatic hydrocarbons, while the catalyst contg. 12%
 Al₂O₃ gives 34%. The catalyst most suitable for aromati-
 zation has an Si-O lattice which supports the catalyst.

RUMANIA / Chemical Technology. Chemical Products. Refin- H
ing of Natural Gas and Petroleum. Motor and
Rocket Fuels. Lubricants.

Abs Jour: Ref Zhur-Khimiya, 1958, No 20, 68725.

Author : Nicolescu I. V., Popescu A., Papia Al.

Inst : Not given.

Title : Complex Catalytic Refining of Gasoline with Simul-
taneous Production of Pure Aromatics, High Octane
Gasoline and Cyclohexane.

Orig Pub: Rev. chim. 1957, 8, No 10, 625-633.

Abstract: A new method of catalytic aromatization of gaso-
line with simultaneous production of benzene, to-
luene, xylenes, high octane gasoline and cyclohexane
is described. Catalysts employed are: Pt-Al₂O₃ and
Ni-SiO₂ with 56% Ni. A complex conversion with the
fullest utilization of the 65-195° naphtha fraction
is thus attained.

H-13

COUNTRY : Rumania
 CATEGORY :
 ABS. JOUR. : RZKhim., No. 1959, No. 72650
 AUTHOR : Nicolescu, I.V.; Popescu, I.C.; Papia, Al.;
 INST. : Rumanian Academy
 TITLE : Research on Catalytic-Cracking Catalysts.
 Part II.
 ORIG. PUB. : Studii si cercetari stiint. Acad. RPR Fil.
 Iasi. Chim., 1957, 8, No 1, 151-162
 ABSTRACT : A study of the effect of montmorillonitic
 structure of natural catalysts and bentonitic clays on
 their sorption characteristics and catalytic activity.
 Roentgenographic studies were made of three samples, with
 recording of Debye-Scherrer patterns; changes in sorption
 characteristics, apparent specific gravity, porosity,
 aromatic index, were studied over temperature range of
 200-800°, and of the effect of these changes on catalytic
 activity. Laboratory experiments were conducted on catalytic
 cracking of semi-paraffinic petroleum distillate. On the
 basis of experimental data the authors believe that a
 close correlation exists between montmorillonitic structure,
 CARD: 1/2 • Tacu, C.

65

PAPIC, Kresimir

"The town of Travnik in the past; 1464-1878" by H. Kresavljakovic
and D. Korkut. Reviewed by K. Papic. Geogr pregl no.5:192 '62.

PAPIC, Kresimir

The 4th Congress of the geographers of Yugoslavia. Geogr pregl no.5:
177-179 '62.

PAPIC, Kresimir

"The peasants and the tourism in the Austrian Tyrol" by Alice Picard. Reviewed by K. Papic. Geogr pregl no.5:199-200 '62.

PAPIC, Kresimir

Economic integration of the countries of East Africa. Geogr pregl
no. 5:177 '62.

PAPIC, Kresimir

Foreign trade of Yugoslavia. ~~Geogr~~ pregl no.5:162-164 '62.

1. Clan Uredivackog odbora, "Geografski pregled".

PAPIC, Kresimir

"Industries of Bosnia and Hercegovina up to the end of the First World War" by Kemal Hrelja. Reviewed by K. Papic. Geogr pregl no.5:188-189 '62.

PAPIC, N.

Some experiences of the Kulpin Canning Factory in chemical peeling of fruits. p. 1078. TEHNKA (Savaz inzenjera i tehnicara Jugoslavije) Beograd. Vol. 11, no. 7, 1956

SOURCE: East European Accession List (EEAL),
Library of Congress, Vol. 5, no. 11, Nov. 1956

PAPIC, Nikola, inž., tehnoloski projektant (Beograd, Knez Danilova 12)

Storage of pulpy fruit juices. Tehnika Jug 17 no.9: Suppl. Prehran
ind 16 no.9:1785-1788 S '62.

PAPIC, Nikola, inž., strucni saradnik (Beograd, Knez Danilova, 12)

Some experiences and problems deriving from the work with
installations for drying foodstuff by sublimation. Tehnika
Jug 18 no.7:Supplement: Prehran ind 17 no.7:1344-1347 J1'63.

1. Investzavod, Beograd.

PAPIC, P.

"Spaces with an Ordered List of Surroundings" p. 30
(GLASNIK ATRATICIO-PIZICIT I ATRATICIO, Series 11.1, No. 1, 1973,
Zagreb, Yugoslavia)

30: Monthly List of East European Accessions, Library of Congress, ser. 1,
No. 10, October, 1973, Unclassified

PAPIC, P.

A class of abstract spaces. p. 199.

PLACIE MATHEMATIQUE-FISIQUE I AUTOMATISME, Laget, Vol. , no. 3/4, 1970.

SO: Monthly List of East European Accessions, (GAL), IC, Vol. 4, no. 10, Oct. 1970,
Incl.

PAPIC, P.

Pseudo-distanced spaces. p. 112.

GLASNIK MATEMATICKO-FIZICNI I ASTRONOMSKI, Zagreb, Vol. , no. 3/4, 1964.

30: Monthly List of East European Accessions, (EEAL), LC, Vol. 1, no. 10, Oct. 1955,
Uncl.

PATIG, I.

A class of ordered wholes and the pseudo-distance spaces. In French. . 141
(GLASHNIK, Vol. 11, No. 3/4 1956 (published 1957))

SO: Monthly List of East European Accessions (EAL) IC Vol. 6, No. 12, Dec. 1957
Incl.

PAPIC, P.

Complete pseudo-distance spaces. In French. p. 135
(Glasnik Matematičko-fizički i astronomski, Vol. 11, No. 2, 1956. Zagreb,
Yugoslavia)

SO: Monthly List of East European Accessions (EEAL) Lc. Vol 6, No. 8, Aug 1957. Uncl.

PAPIC, P.

The H-closed spaces. In French. p. 135

GLASHNIK MATEMATICKO-FIZICKI I ASTRONOMSKI. PERIODICUM MATHEMATICO-PHYSICUM ET ASTRONOMICUM. (Društvo matematičara i fizičara Hrvatske i Prirodoslovno-matematički fakultet Sveučilišta u Zagrebu) Zagreb, Yugoslavia. Vol. 14, no. 2, 1959

Monthly list of East European Accessions (EEAI) LC Vol. 9, no. 2
Feb. 1960

Uncl.

MARDESHICH, S. [Mardesic, S.]; PAPICH, P. [Papic, P.]

Diadic bicomacts and continuous mappings of ordered bicomacts.
Dokl. AN SSSR 143 no.3:529-531 Mr '62. (MIRA 15:3)

1. Moskovskiy gosudarstvennyy universitet im. M.V.Lomonsova i
Universitet v Zagrebe, Federativnaya Narodnaya Respublika Yugoslaviya.
Predstavleno akademikom P.S.Aleksandrovym.
(Conformal mappings)(Aggregates)

MARDESIC, Sibe; RANDIC, Leo; BLANUSA, Danilo; PAPIC, P.; BILINSKI, Stanko

An evening of free themes and communications. Glas mat fiz
Hrv 17 no.1/2:135 '62 [publ. '63].

1. Clan Redakcionog odbora, "Glasnik matematičko-fizički i
astronomski" (for Mardesic, Randic, Blamusa, and Bilinski).

PAPIC, PAUL

✓ Papic, Paul. Sur une classe d'espaces abstraits. Hrvatsko 1 - F/W
Enfod. Društvo. Glasnik Mat. Fiz. str. Ser. II.
9 (1954). 197-216. (Serbo-Croatian summary).
Appelons espace général-topologique tout système
défini par un ensemble quelconque P d'élé-
ments quelconque T suivant

admettre une

(over)

Papic, Pavle. On a class of abstract spaces.
Hrvatsko Prirod. Dru. tvo. Glasnik Mat.-Fiz.

Astr. Ser. II. 9(1954), 19-26
(Serbo-Croatian summary)

PH
ROW

Papic, Pavle

la réunion est P , et si pour tout point $x \in P$ et pour tout
ensemble ECP , on a: $(x \text{ contigu à } E) \Leftrightarrow$ (chaque ensemble
contenu dans E comprend au moins un point de

2

plus, pour tout $\gamma \in B$, $R(\gamma)$ est un ensemble $R(\gamma) \subset U$, $R(\gamma)$ et on appelle

Papier, Papier

rang γB de B le plus petit ordinal γ tel que la γ -ième rangée de B soit vide.

L'A. établit de nombreuses propriétés des espaces R parmi lesquelles nous citerons les suivantes (pour la terminologie voir A. Appert et K. Ban, loc. cit.): Pour qu'un espace R soit distanciable, il faut et il suffit que cet espace admette une base ramifiée de voisinages dont le rang soit $\leq \omega$. Pour qu'un espace distanciable soit un espace R , il faut et il suffit qu'on puisse y définir une

3
4

un espace totalement ordonné (au sens de G. Kurepa,
Thèse, p. 11).

(over)

41, 14, 1 Papic, Paole

L'A. étudie les espaces $T(P)$ introduits par G. Kurepa
en même temps que les espaces R (loc. cit.) et qui peuvent
se définir comme étant les espaces R à caractère dénom-
brable et admettant une base ramifiée E de voisins
telle que chaque sous-famille disjointe F de E est à l'ail-
lure formée d'ensembles deux à deux disjoints d'éléments
dénombrables.

41

3
Papić, Pavle. Sur une classe d'ensembles ordonnés et les espaces pseudo-distanciés. Glasnik Mat.-Fiz. Astr. Ser. II. 11 (1956), 161-168. (Serbo-Croatian summary)

α, β étant nombres ordinaux, soit $\alpha(\beta)$ l'ensemble de toutes les β -suites d'ordinaux $< \alpha$. Soit $O_\alpha(\beta)$ l'espace ordonné induit par l'ordination alphabétique de $\alpha(\beta)$. Soit $B_r(\omega_\alpha)$ l'espace pseudo-distancié $r(\omega_\alpha)$, $r \leq \alpha_\alpha$, défini par la pseudo-métrique δ telle que $\delta(x, x) = \omega_\alpha$, $\delta(x, y)_\alpha = \xi$, ξ étant le premier indice vérifiant $x_\xi \neq y_\xi$, où $x = (x_\eta)$, $y = (y_\eta)$ ($\eta < \omega_\alpha$). (Th. 1) L'espace $B_r(\omega_\alpha)$ est complet. (Th. 4) $O_r(\omega_\alpha)$ contient un espace pseudo-distancié partout dense. (Th. 6) Tout espace pseudo-distancié de la classe (D_α) et $\aleph_\alpha$ -séparable est homéomorphe d'un sous-espace de $B_2(\omega_\alpha)$; si $\alpha > 0$ et $E \in (D_\alpha)$, E est homéomorphe d'un sous-espace de $B_{\omega_\beta}(\omega_\alpha)$, pour un certain ordinal β .

D. Kuršpa (Zagreb).

On a Class of Ordered Sets and a Pseudometric Space.

PARAN, Pavle

V. Pavle. Sur les espaces pseudo-distanciés complets.
Glasnik Mat. Fiz. Astr. Ser. II: 11 (1956), 135-142.

(Serbo-Croatian summary)

Soit (D_α) la classe des espaces pseudo-distanciés correspondant à l'ordinal ω_α [cf. Kurepa, C. R. Acad. Sci. Paris 198 (1934), 1563-1565; Publ. Math. Univ. Belgrade 5 (1936), 124-132]; D_0 est la classe des espaces métriques. Si $\alpha > 0$, chaque D_α -espace est définissable par un tableau ramifié B vérifiant $\gamma B = \omega_\alpha$ et par un écart δ vérifiant $\delta(a, b) < \xi$ et $\delta(b, c) < \xi \Rightarrow \delta(a, c) < \xi$ [cf. Dos, C. R. Acad. Sci. Paris 223 (1946), 14-16; MR 8, 48; Pipić, Hrvatsko Prirod. Društvo, Glasnik Mat. Fiz. Astr. Ser. II: 9 (1954), 197-216, 217-228; MR 17, 515, 516]. Un tel écart est par exemple celui-ci: $\delta(a, a) = \omega_\alpha$, $\delta(a, b) = \xi$ ($a \neq b$), ξ étant le premier indice γ tel que $R_\gamma B$ contienne deux termes contenant respectivement a et b , soit δB cet écart. Un espace D_α , $\alpha > 0$, est complet relativement à δB si et seulement si l'intersection des éléments de chaque ω_α chaîne $\{B\}$ est non vide (Th. 1). Chaque $E \in (D_\alpha)$, $\alpha > 0$, est isométriquement contenu dans un espace E' complet de la classe (D_α) dans lequel E est partout dense (Th. 4). Pour l'espace Q des nombres rationnels l'A. indique deux distances telles que le complété relatif $\bar{Q}$ soit isomorphe respectivement à l'espace des nombres irrationnels et à l'espace triadique de Cantor.

D. Kurepa (Zagreb).

1-FW

2

11

877W

PAPIC, Pavle

Papic, Pavle. Sur une classe d'ensembles ordonnés et les espaces pseudo-distanciés. Glasnik Mat.-Fiz. Astr. Ser. II. 11 (1956), 161-168. (Serbo-Croatian summary)

α, β étant nombres ordinaux, soit $\alpha(\beta)$ l'ensemble de toutes les β -suites d'ordinaux $< \alpha$. Soit $O_\alpha(\beta)$ l'espace ordonné induit par l'ordination alphabétique de $\alpha(\beta)$. Soit $B_\nu(\omega_\alpha)$ l'espace pseudo-distancié $\nu(\omega_\alpha)$, $\nu \leq \omega_\alpha$, défini par la pseudo-métrique δ telle que $\delta(x, x) = \omega_\alpha$, $\delta(x, y) = \xi$, ξ étant le premier indice vérifiant $x_\xi \neq y_\xi$, où $x = (x_\eta)$, $y = (y_\eta)$ ($\eta < \omega_\alpha$). (Th. 1) L'espace $B_\nu(\omega_\alpha)$ est complet. (Th. 4) $O_\nu(\omega_\alpha)$ contient un espace pseudo-distancié partout dense. (Th. 6) Tout espace pseudo-distancié de la classe (D_α) et κ_α -séparable est homéomorphe d'un sous-espace de $B_2(\omega_\alpha)$; si $\alpha > 0$ et $E \in (D_\alpha)$, E est homéomorphe d'un sous-espace de $B_{\omega_\beta}(\omega_\alpha)$, pour un certain ordinal β .
D. Kurepa (Zagreb).

On a Class of Ordered Sets and a Pseudometric Space.

MARDESIC, Sibe, (Zagreb); PAPIC, Pavle, (Zagreb)

Continuous images of ordered continua. In English. Gl mat fiz Hrv
15 no.3:171-178 '60. (EEAI 10:8)
(Spaces, Generalized) (Topology)

MARDESIC, Sibe (Zagreb); PAPIĆ, Pavle (Zagreb)

Continuous images of ordered compacta, the Suslin property and diadic compacta. Glas mat fiz Hrv 17 no.1/2:3-25 '62 [publ. '63].

1. Clan Redakcionog odbora, "Glasnik matematičko-fizički i astronomski" (for Mardesic). 2. Glavni i odgovorni urednik, "Glasnik matematičko-fizički i astronomski" (for Papic).

PAPIC, Pavle

■Introduction to general topology" by E. Mamuzic. Pt. 1.
Reviewed by P. Papic. Glas mat fiz Hrv 17 no.1/2:132 '62
[publ. '63].

MARDESIC, Sibe; PAPIC, Payle

Continuous images of ordered compacta, the Suslin property,
and diadic compacta. Glas mat fiz Hrv 17 no.1/2:135 '62
[publ. '63].

PAPIC, Pavle (Zagreb)

Ordinability of the R class spaces. Glas mat fiz Hrv
18 no. 1/2:75-84 '63.

1. Institut mathématique de l'Université de Zagreb.
Clan Redakcionog odbora, "Glasnik matematičko
-fizički i astronomski. Periodicum mathematico-physicum
et astronomicum".

PAP C, PAVLE X

Mardesic, Silba; et Panic, Pavle. Sur les espaces dont toute transformation réelle continue est bornée.

Hrvatsko Prirod. Društvo. Glasnik Mat.-Fiz. Astr. Ser. II. 10 (1955), 225-232. (Serbo-Croatian summary)

A topological space X is said to be pseudo-compact [Hewitt, Trans. Amer. Math. Soc. 64 (1948), 45-99; MR 10, 126] if every continuous real-valued function on X is bounded. The authors introduce a new notion, as follows. A topological space X is feebly compact if every infinite family $\{V_\alpha\}$ of non-void, open, pairwise disjoint subsets of X admits at least one point of accumulation. Theorem 1.

Let X be a completely regular space. Then X is pseudo-compact if and only if it is feebly compact. Theorem 2.

Let X be regular. Then X is feebly compact if and only if for every countable open covering $\{V_n\}_{n=1}^\infty$ of X , there is a finite subfamily $\{V_n\}_{n=1}^N$ such that $\bigcup_{n=1}^N V_n = X$. A topological space X is called feebly normal if every pair of disjoint closed sets, one of which is countable and

2 4

PAPIC, PAUL

Papic, Pavle. Sur la séparation des ensembles. Bull. Soc. Math. Phys. Serbie 6 (1954), 158-161. (Serbo-Croatian summary)

Let R be a T_1 -space with a ramified open basis, as defined earlier by the author [Hrvatsko Prirod. Društvo. Glasnik Mat. Fiz. Astr. Ser. II. 8 (1953), 30-43; MR 14, 1001]. Theorem 1. In R , every pair of disjoint closed sets is contained in a pair of complementary open sets.

Theorem 2. For a zero-dimensional metric space M , the following assertions are equivalent: (1) M has a ramified open basis; (2) every pair of disjoint closed sets in M are contained in complementary open sets; (3) M is homeomorphic to a totally ordered space. E. Hewitt.

1st and 2nd copies
PROCESSING AND PREPARATION DATA

1

CA

APPARATUS FOR KNEADING AND AGITATING PLASTIC MASSES. S. F. Papich

Russ. 46,608, April 19, 1929.

COMMON ELEMENTS

MATERIALS

ASSOCIATE METALLURGICAL LITERATURE CLASSIFICATION

FROM SYNDICATE

FROM ROMANIA

001191 GIN ONY 111

001191 GIN ONY 111

PAIERNIAK, F.

"The glass industry in five years of the Six-Year Plan", p. 1, (S KLO I
CERAMIKA, Vol. 6, No. 1, Jan. 1955, Warszawa, Poland)

SO: Monthly List of East Accessions, (EEAL) , LC, Vol. 4, No. 5, May
1955, Uncl.

PAPERNIAK, F., and others.

On the occasion of the Decennial of the Journal; opinions of readers and authors.
p. 281.

STKLO I KERAMIKA. (Centralne Zarzady Przemyslu Szklarskiego i Ceramicznego oraz
Stowarzyszenie Naukowo-Techniczne Inzynierow i Technikow Przemyslu Chemicznego)
Warszawa, Poland.
Vol.6, no.12, Dec. 1955.

Monthly list of East European Accessions (EEL) LC, Vol.9, no.1, Jan. 1956.

Uncl.

PAPIERNIAK, Feliks, inz.; SUWALSKI, Ludomir, prof. dr. inz.

An appeal to the construction engineers and technicians. Przegl
budowl i bud mieszk 34 no.7:373-374 J1 '62.

1. Przewodniczacy Prezydium Zarzadu Glownego, Zwiazek Zawodowy
Pracownikow Budownictwa i Przemyslu Materialow Budowlanych,
Warszawa (for Papierniak). 2. Przewodniczacy Prezydium
Zarzadu Glownego, Polski Zwiazek Inzynierow i Technikow
Budownictwa, Warszawa (for Suwalski).

ZYTKIEWICZ, Anna; BCKINIEC, Michal; CZARKOWSKA, Daniela; PAPIERKOWSKI, Andrzej

Statistical analysis of fetal malformations with special consideration on some causes. Pol. tyg. lek. 20 no.38:1420-1422 20 S '65.

1. Z I Kliniki Położnictwa i Chorob Kobietych AM w Lublinie (Kierownik: prof. dr. med. Stanisław Liebhart) i z Zakładu Anatomii Patologicznej AM w Lublinie (Kierownik: doc. dr. med. Marian Rozynek).