

L 25573-66

ACC NR: AM6010192

- 13. A-c controlled transformers -- 333
- 14. Approximate calculation of an a-c controlled transformer -- 335
- 15. D-c controlled transformer -- 338

Ch. XIII. Relay devices based on the rectangular hysteresis loop - 339

- 16. Magnetic hysteresis relays -- 339
- 17. Transfluxors -- 346
- 18. Calculation of magnetic hysteresis relays -- 348
- 19. Integration of voltage pulses in magnetic cores -- 354

Ch. XIV. Half-wave fast-response magnetic amplifier under key operating conditions -- 357

- 24. Principle of action -- 357

Ch. XXV. Parametrons -- 360

- 25. Fundamentals of parametric resonance -- 360
- 26. Parametron circuits -- 362

Part Four

Use of relay devices for the fixation, storing, transmission, and conversion of discrete information

Card 8/11

L 25573-66

ACC NR: AM6010192

0

Ch.XXVI. Link between mathematical logic and relay devices -- 366

1. Basic premises for the utilization of relays in control devices -- 366

Ch.XXVII Components of logical devices utilizing contactless relays -- 374

2. Shift registers -- 374
3. Logical circuits -- 385
4. Magnetic switches of discrete information currents -- 391

Ch.XXVIII. Memory devices -- 394

5. Classification of magnetic memory devices -- 394
6. Magnetic recording memory devices -- 397
7. Magnetic recording memory devices -- 399

Ch.XXIX. Some types of industrially produced contactless logical components -- 407

8. Considerations regarding the selection of contactless devices -- 407 -
9. Series-manufactured miniature fast-response logical components -- 409 -
10. Series-manufactured components for industrial automation devices -- 416

Card 9/11

L 25573-66

ACC NR: AM6010192

Part Five

Electromagnetic current and voltage stabilizers

Ch. XXX. General principles of current and voltage stabilization - 425

1. Classification of stabilizers -- 425
2. Block diagrams of current and voltage stabilizers. Stabilization factor -- 429

Ch. XXXI Parametric voltage stabilizers using saturable reactors or transformers -- 432

3. Stabilizers without capacitance -- 432
4. Ferro-resonant stabilizers -- 434
5. Approximate calculation of a ferro-resonant voltage stabilizer -- 440
6. Stabilizers based on d-c magnetic biasing of reactor and transformer cores -- 443

Part Six

Electromagnetic transducers

Ch. XXXII. Displacement transducers -- 447

Card 10/11

L 25573-66

ACC NR: AM6010192

1. Classification of electromagnetic transducers -- 447
2. Inductive transducers -- 449
3. Induction transducers -- 452

Ch. XXXIII. Transducers for rotary and rotating devices -- 456

4. Induction transducers for the transmission of angular displacements and rotations -- 456
5. Induction transducers of angular velocity and acceleration - 461

Appendixes -- 470

- I. Conductor winding data (tables P-1 -- P-4) -- 456
- II. Basic data on series TUM magnetic amplifiers of industrial manufacturing (table P-5) -- 469
- III. Basic data on series UM-1P and UM-3P magnetic amplifiers (tables P-6 and P-7) -- 470
- IV. Parameters of toroidal ferrite cores (table P-8) -- 474
- V. The most generally-used sizes of toroidal ferrite cores (tables P-9) -- 474
- VI. Rules for logical expression conversion (table P-10) -- 475

Bibliography -- 477

SUB DATE: 09/ SUBM DATE: 06Nov65/ ORIG REF: 052/ OTH REF: 002/

Card 11/11 FW

Reel #500
Shamray, B.V.

END