

SMEJKAL, Vaclav

Rapid method for silicate analysis. Sbor chem tech 4 no.1:533-545  
'60. (EEAI 10:9)

1. Ustredni ustav geologicky a katedra mineralogie a nerostnych surovin,  
Vysoka skola chemicko-technologicka, Praha.

(Silicates)

S Me<sub>2</sub>KA<sub>1</sub>V.

5000

Determination of acetylene. M. Sindjic and V. Simek (Vyskumný ústav acetylen, chem. Nováky, Czechoslovakia). Chem. Zvesti 10, 70-3 (1950) (German summary). The detn. of acetylene (I) with AgNO<sub>3</sub> (II) with direct potentiometric titration of excess and complex bound II by HCl is described. In this method the reaction soln. must be so prepd. that the equiv. ratio of I and II is kept const. The equiv. ratio of I to II is 1:2, or 1 ml. 0.1N soln. of II corresponds to 1.302 mg. of I. Because this reaction is reversible, HNO<sub>3</sub> formed during the reaction must be removed by the addn. of AcONa to keep the pH 4-5. The reaction time must be at least 10 min.; if shorter, the results are low.  
Jan Mlýka

(2)

AB  
RHK

SIKSKAI, V.

New trends in the development of porous plastic leather substitutes. p.60 (Kozarstvi,  
Vol.7, no. 3, Mar. 1957) Praha

SO: Monthly List of East European Accession (EEAL) LC, Vol. 6 no. 7, July 1957. Uncl.

Internal Medicine

CZECHOSLOVAKIA

UDC 616.33-002.14-08

RONSKY, R.; SNEJKAL, V.; 4th Internal Clinic, Faculty of General Medicine, Charles University (IV. Interni Klinika Fak. Vseob. Lek. KU), Prague, Chief (Prednosta) Prof Dr M. FUCIK; Research Institute for Pharmacy and Biochemistry (Vyzkumny Ustav pro Farmacii a Biochemii), Prague, Director (Reditel) Dr O. NEJEDLIK

"Opportunities for a Reliable Determination of Successful Clinical Therapy of Peptic Ulcer."

Prague, Casopis Lekarů Českých, Vol 106, No 7, 17 Feb 67, pp 178 - 181

Abstract [Authors' English summary modified]: A method using a double blind test for the evaluation of the treatment of peptic ulcer is described. By the test anti-ulcerous preparations can be evaluated in a uniform and objective manner. A long term follow-up of the patients is necessary for the proper evaluation of the drugs. 20 Western, 9 Czech, 1 USSR reference. (Manuscript received Dec 65).

1/1

SMEJKAL, V.; ZLAMAL, K.

Nomograms of achromatic lenses. Jemna mech opt 8 no.11:  
346-348 N'63.

1. Ustav pro vyzkum optiky a jemne mechaniky, Prerov.

SMEJKAL, V., MUDr; VANA, V., MUDr

Therapy of spontaneous panniculitis of Weber-Christian type, with  
cortisone and ACTH. Cas. lek. cesk. 93 no.46:1280-1281 12 Nov 54.

1. Z chirurgického oddelení ONZ v Ceske Lipe, prednosta MUDr  
V. Fabian

(PANNICULITIS, therapy

ACTH & cortisone)

(ACTH, ther. use

panniculitis)

(CORTISONE, ther. use

panniculitis)

SLEJKAL, V.; SLEJKALOVA-PRAZAKOVA, B.

Methodological contribution to the isolation of leukocytes from peripheral blood for the biochemical examination. Cesk. fysiол. 11 no.2:117-120 '62.

1. Vyzkumny ustav endokrinologicky, Praha.  
(LEUKOCYTES)

NEVSIMAL, O.; ROTH, B.; SMEJKAL, Vl.; SOUMAR, J.

EEG studies on hyperthyroidism and hypothyroidism before and after clinical therapy. Cesk. neurol. 25 no.4:243-247 J1 '62.

1. Neurologicka klinika fakulty vseobecneho lekarstvi University Karlovy v Praze, prednosta akademik K. Henner Vyzkumny ustav endokrinologicky, reditel prof. K. Silink.

(ELECTROENCEPHALOGRAPHY) (HYPERTHYROIDISM ther)  
(HYPOTHYROIDISM ther)



SINGLIAR, M.; SMEJKAL, V.

Determining chlorinated hydrocarbon in waste waters. Chem prum  
14 no.6:283-286 Je '64.

i. Research Institute of Petrochemistry, CHZWF National Enterprise, Novaky.

TOPOLSKY, I. MUDr.; POLEDNIK, J., MUDr.; SNEJKALOVA, J.; LABUS, I.

Fertility following treatment of tuberculosis of the internal female genitalia. *Cesk. gynek.* 44 no.3:198-201 Ap'65.

I. Gyn.-por. odd. Obvodního ústavu národního zdraví v Popradě (vedoucí: MUDr. I. Topolásky); Gyn.-por. odd. ÚNZ v Krompachoch (vedoucí: MUDr. J. Poledník) a Liecoba pre tbe v Novom Smokovci (riaditeľ: MUDr. K. Krečnavý).

TOPOLSKY, L., dr.; SMEJKALOVA, J.; LABIS, I.

Treatment of internal genitalia with second line antituberculous.  
Cesk. gynek. 30 no.1:40-43 Mr'65.

1. Liecebna pre tuberkulozu v Novom Smokovci (riaditel: dr. A. Krechnavy) a Gyn.-por. oddzial Obvodniho ustavu narodniho zdravi v Poprade (veduci: dr. L. Topolsky). 2. L.Topolsky's address: Poprad, Uzavreta 2.

L 43(01-65 EPA(s)-2/EWA(o)/EWT(m)/EWG(m)/EWP(b)/T/EWP(t) Pt-7 IJI'(g) BUW/4  
ACCESSION NR: AP5005381 JD/JD 0/0030/65/008/002/0613/0618

AUTHOR: Ivanov-Omskiy, V.I.; Kolomiych, B.T.; Mal'kova, A.A.; Ogorodnikov, V.K.I.  
Smekalova, K. P.

TITLE: Galvanomagnetic properties of mercury telluride

SOURCE: Physica status solidi, v. 8, no. 2, 1965, 613-618

TOPIC TAGS: galvanomagnetic property, mercury telluride, semiconductor, donor concentration, Hall coefficient, semimetal, single crystal, conductivity, Hall mobility

ABSTRACT: This paper reports the results of an investigation of the galvanomagnetic properties of HgTe carried out on purer p-type samples, and also the results of measurements made on an n-type single crystal with an excess concentration of donors  $n = 4.5 \times 10^{16} \text{ cm}^{-3}$ . This is a continuation of an earlier study in which the Hall coefficient and conductivity of p-type single crystals of HgTe at low temperatures were measured. It was on the basis of this study that the conclusion was made that HgTe is a semimetal. In the present investigation the conductivity, Hall coefficient, and change of resistance in a magnetic field were

Card 1/2

L 43601-65

ACCESSION NR: AP5005381

measured in the temperature interval 2 to 300°K. No rigorous agreement between experiment and the two-zone conductivity model was observed. The HgTe single crystals were prepared by horizontal zone melting. An estimate is given of the temperature dependence of the natural concentration of charge carriers. The Hall mobility of the n-type sample at low temperatures exceeds 200,000 cm<sup>2</sup>/sec. Orig. art. has: 7 figures and 1 table.

ASSOCIATION: Fiziko-tekhnicheskiy institut, Leningrad (Physicotechnical Institute)

SUBMITTED: 10Nov64

ENCL: 00

SUB CODE: EC, SS

NO REF SOV: 002

OTHER: 006

Card 2/2/116

SMEJKALOVA, M,

ZEMPLENYI, T., MUDr; BECK, W., MUDr; SMEJKALOVA, M., MUDr; RAUCHENBERG, M.,  
MUDr

Implantation stenosis of liver carcinoma to the heart with a clinical  
picture of valvular lesions. Cas. lek. cesk. 93 no.43:1194-1198  
22 Oct 54.

1. Z Int. odd. st. obl. nem. v Praze-Motole, prednosta prof. MUDr  
V.Jonas. (for Zemlenyi, Beck, Smejkalova) 2. Z prosektury st.  
obl. nem. v Praze-Motole, prednosta primar MUDr M.Rauchenberg.  
(for Rauchenberg)

(HEART, neoplasms,  
metastatic from liver, differ. diag. from valvular  
lesions)

(LIVER, NEOPLASMS,  
metastatic to heart, simulating valvular lesions)

(CARDIAC VALVES, diseases,  
differ. diag. from carcinoma of heart metastatic from liver)

HOLECKOVA, Helena; SMEJKALOVA, Marie

Petrochemistry of Klatovy granite. Sbor chem tech no.3, part 2:307-319 '59.

1. Katedra mireralogie, Vysoka skola chemicko-technologicka, Praha.

SMEJKALOVA, Marie

Petrochemistry of Jevany granite. Sbor chem tech 4 no.1:383-390  
'60. (EEAI 10:9)

1. Katedra mineralogie, Vysoka skola chemicko-technologicka, Praha.

(Granite)



SIMEK, Karel; HCRECKA, Jana; Technicka asistence: SMEJKALOVA, Marie

Heterohemagglutination in epidemic hepatitis. Scr. med. fac.  
med. Brunensis 36 no.5:241-248 '63.

1. Katedra mikrobiologie lekarske fakulty university J.E.  
Purkyne v Brne. Vedouci katedry: MUDr. Lad. Jandasek, C.Sc.  
Infekcni klinika fakultni nemocnice v Brne-Bohunicich  
Prednosta: prof. MUDr. Vaclav Houbal, Dr.Sc.  
(HEPATITIS, INFECTIOUS) (HEMAGGLUTINATION)  
(ANTIBODY FORMATION) (LIVER DISEASES)  
(LIVER FUNCTION TESTS)

SILJKAL, V.; SILJKALOVA-PRAZAKOVA, B.

Methodological contribution to the isolation of leukocytes from peripheral blood for the biochemical examination. Cesk. fysiол. 11 no.2:117-120 '62.

1. Vyzkumny ustav endokrinologicky, Praha.  
(LEUKOCYTES)

CZECHOSLOVAKIA

SMEJKALOVA-PRAZAKOVA, E; SMEJKAL, V.

Research Institute of Endocrinology (Vyzkumny ustav endo-  
krinologicky), Prague (for both)

Prague, Vnitřní Lekarství, No 9, 1964, pp 908-911

"The Significance of Adenosintriphosphatase Activity  
in Leukocytes for the Diagnosis of Thyrotoxicosis."

CZECHOSLOVAKIA

SMEJTEK, P.; HONZL, J.; METALOVA, V.

Institute of Macromolecular Chemistry, Czechoslovak  
Academy of Sciences, Prague - (for all).

Prague, Collection of Czechoslovak Chemical Communi-  
cations, No 11, November 1965, pp 3875-3889.

"Electron paramagnetic resonance of radical cations  
of benzidine and tetramethylbenzidine."

~~Intermolecular effects in liquids, II. Liquid-vapor~~  
~~equilibrium in the system butyl ether-ethyl ether. Dusan~~  
~~Papoušek and Emil Smékal (Přirodovědecká fak., Masary-~~  
~~kova univ., Brno, Czech). Chem. listy 52, 542-3 (1958);~~  
~~cf. C.A. 52, 3443i.—The vapor-liquid equil. in the system~~  
~~BuOH-EtOH was detd. at 600 mm. Hg. The system be-~~  
~~haves ideally in agreement with theoretical expectation.~~  
E. Erdős

6  
2-May

STANEK, Jaroslav; SMEKAL, Emil

On the possibility of distinguishing chemical compounds by  
semiconducting sensors. Scr. med. fac. med. Brunensis 36  
no.5:215-228 '63.

1. Katedra lekárske fyziky lekárske fakulty univerzity J.E.  
Purkyne v Brne. Vedouci: MUDr. Jaroslav Stanek CSc.  
(CHEMISTRY, ANALYTICAL) (ALCOHOLS)

SKOTAKOVA, Marie; NEZVAL, Jaroslav; SMEKAL, Emil

Contribution to the mechanism of the potentiating effect of ethylenediaminetetraacetic acid on the bactericidal activity of N-(alpha-carbethoxypentadecyl)-trimethylammonium chloride. Scr.med.fac.med. Brunensis 37 no.1:21-28 '64.

Contribution to the mechanism of the potentiating effect of ethylenediaminetetraacetic acid on the bactericidal activity of N-(alpha-carbethoxypentadecyl)-trimethyl ammonium chloride.

1. Katedra lekarske fyziky lekarske fakulty university J.E. Purkyne v Brne (vedouci:doc. MUDr. Jaroslav Stanek, CSc.) a Katedra hygieny a epidemiologie lekarske fakulty university J.E.Purkyne v Brne (vedouci:prof. MUDr. et RNDr.Karel Halacka).

\*

L 80049-46

ACC NR: AP6027376

SOURCE CODE: CZ/0043/66/000/004/0299/0306

AUTHOR: Smokal, Emil (Graduate chemist; Brno)

ORG: Department of Medical Physics, Medical Faculty, J. E. Purkyně University, Brno  
(Katedra lékařské fyziky Lékařské fakulty University J. E. Purkyně)

TITLE: Fluorescence measurements with a universal spectrophotometer

SOURCE: Chemické zvesti, no. 4, 1966, 299-306

TOPIC TAGS: spectrophotometer, fluorescence, fluorescence spectrum/VSU-1 spectro-  
photometer

ABSTRACT: The author describes a modification of the East German universal spectrophotometer produced by the firm Carl Zeiss, Jena Model VSU-1 so that it could be used for fluorescent spectrophotometry and for fluorometric measurements. Combining the instrument with a linear recorder makes possible direct recording of fluorescence spectra. The modification using parts produced in East European countries is supposed to be equal to a commercial fluorimeter offered by Photovolt Corp. of New York. Orig. art. has: 7 figures  
JPRS: 36, 4647

SUB CODE: 20 / SUBM DATE: 07Jul65 / ORIG REF: 006 / SOV REF: 001 / OTH REF: 004

Card 1/1 *WML*

*0917*

*0503*



GALATIK, Antonin; SMEKAL, Frantisek; KOVACOVA, Olga

Indirect polarographic determination of calcium in chrome leather. Kozarstvi 14 no. 2: 49-50 F '64.

1. Oblastni laborator, Svit, n.p., Otrokovice.

SURNAME, Given Names

Country: Czechoslovakia

Academic Degrees:

Affiliation:

Source: Prague, Prakticky Lekar, Vol 41, No 11, 1961, pp 499-505.

Data: "Prevention in the Staphylococcal Infections in Maternity and Infant  
"Departments."

Authors: GAZAREK, Frantisek, MD, Director of the Obstetrical and Gynecological  
Department OUNZ /Okresni ustav narodniho zdravi; Okres  
Institute of Public Health/ (Porodnicko-gynekologicke  
oddeleni OUNZ), Sumperk.

Luskac, Emil, MD, /presumably/ Epidemiological Department of the  
Ministry of health (Oddeleni epidemiologie Ministerstva  
zdravotnictvi), Prague.

HAJDUK, Frantisek, MD, /presumably/ Epidemiological Department of  
the Ministry of Health, Prague.

SMEKAL, M., RNDr, KHES /Krajska hygienicko-epidemiologicke stani-  
ce; Kraj Public Health and Epidemiology Station/, Olomouc

VAREKA, RNDr, OHES /Okresni hygienicko-epidemiologicke stanice;  
Okres Public Health and Epidemiology Station/, 670 901603  
Sumperk.

BOLEK, S.; SMEKAL, M.; VYKYDAL, M.; ZIZKA, Z.

Antibacterial and antimycotic effects of various antimalarials.  
Bratisl. lek. listy 45 no.8:499-505 30 Ap '65

1. Okresni hygienicko-epidemiologicka stanice v Olomouci  
(reditel: MUDr. V. Burian) a III. interni klinika Lekarske fakulty  
University Palackeho v Olomouci (vedouci: prof. MUDr. V. Pelikan).

MORGUN, A., inzh.; SHCHERBAKOV, V., inzh.; ZUBKOV, V. inzh.; ~~SMOKALIN, V.~~  
inzh.

Rubber cleaner for separator sieves. Mik.-elev.prom. 25 no.7:  
16-17 J1 '59. (MIRA 12:11)

1. Gor'kovskiy mashinostroitel'nyy zavod im. Vorob'yeva (for  
Morgun, Shcherbakov). 2. Gor'kovskiy mel'nichnyy kombinat No.1  
(for Zubkov, Smokalin).  
(Sieves)

SMEKALIN, V.I.

Packing glands for turbodrills. Bezop.truda v prom. 5 no.7:30  
Jl '61. (MIRA 14:6)

1. Kontora bureniya No. 5 Saratovskogo sovmarkhoza.  
(Turbodrills)

31881  
S/170/62/005/001/009/013  
B125/B104

24.5200  
AUTHOR:

Smekalin, V. I.

TITLE:

A method for quickly determining the coefficients of thermal diffusivity and thermal conductivity of nonconductors

PERIODICAL: Inzhenerno-fizicheskiy zhurnal, v. 5, no. 1, 1962, 99-101

TEXT: An improved method, theoretically based on the solution of the problem of a plane source of heat with a constant specific power  $q$  in an unbounded medium with the coefficient of thermal conductivity  $a$  and the coefficient of thermal diffusivity  $\lambda$ , has been elaborated for studying the thermal properties of nonconductors. From the solution

$$\Delta t = t(x, \tau) - t_0 = (q \sqrt{a\tau/\lambda}) i \operatorname{erfc}(x/2 \sqrt{a\tau}). \quad (1)$$

one obtains

$$\theta = \frac{\Delta t_2}{\Delta t_1} = \sqrt{\frac{\tau_2}{\tau_1}} \frac{i \operatorname{erfc}(x/2 \sqrt{a\tau_2})}{i \operatorname{erfc}(x/2 \sqrt{a\tau_1})}. \quad (4)$$

Card 1/4

31881

S/170/62/005/001/009/013

B125/B104

A method for quickly determining...

with the formulations

$$\Delta t_1 = t_1(x, \tau_1) - t_0 = (q \sqrt{a \tau_1} / \lambda) i \operatorname{erfc}(x/2 \sqrt{a \tau_1}) \quad (2)$$

and

$$\Delta t_2 = t_2(x, \tau_2) - t_0 = (q \sqrt{a \tau_2} / \lambda) i \operatorname{erfc}(x/2 \sqrt{a \tau_2}). \quad (3)$$

for the instants  $\tau_1$  and  $\tau_2$ . By means of the functions

$$\Lambda_1 = x/2 \sqrt{a \tau_1}; \quad (5)$$

$$\Lambda_2 = x/2 \sqrt{a \tau_2} = \Lambda_1 \sqrt{\tau_1/\tau_2}; \quad (6)$$

$$\varphi_a = 1/4 \Lambda_2^2 \quad (7)$$

and

$$\varphi_\lambda = (1/2 \Lambda_2) (i \operatorname{erfc} \Lambda_2). \quad (8)$$

(4) is represented in the form

$$\theta = \sqrt{\frac{\tau_2}{\tau_1}} \frac{i \operatorname{erfc} \Lambda_2}{i \operatorname{erfc} \sqrt{\tau_2/\tau_1} \Lambda_2}. \quad (4')$$

Card 2/4

X

A method for quickly determining...

31881  
S/170/62/005/001/009/015  
B125/B104

At fixed values  $\tau_1$  and  $\tau_2$ ,  $\Lambda_2$  can easily be found from (4') with the aid of a nomogram.  $a$  and  $\lambda$ , respectively, have to be calculated from (6) and (3), respectively:  $a = x^2 \varphi_B / \tau_2$  and  $\lambda = qx\varphi_1 / \Delta t_2$ ,  $\varphi_B$  and  $\varphi_\lambda$  were determined graphically. Fig. 2 shows the basic diagram of the apparatus operating according to the principle proposed here. In the course of the experiment, which took 5 to 6 min, the temperatures were determined for the instants 2, 3, 4, 5, and 6. The values of  $a$  and  $\lambda$ , obtained for a great number of different materials (textolites, glass textolites, plastics, resins, etc.) by the method and apparatus described above, deviated only by 5 and 3%, respectively, from their arithmetic means. In view of the great experimental and theoretical simplicity of the method under consideration, it is suitable for quick investigations of many nonconductors dielectrics. There are 2 figures and 3 Soviet references.

SUBMITTED: May 15, 1961

Card 3/A  
5

X



L 8528-65 AEDC(b)  
ACCESSION NR: AP4046808

S/0096/64/000/010/0082/0085

AUTHORS: Zalkind, I. Ya. (Candidate of technical sciences); Belovich, I. S.  
Smekalkin, V. I.; Kormer, I. M. (Engineer); Khlyustova, A. N. (Engineer) B

TITLE: A new device for determining the coefficient of thermal conductivity at high temperatures

SOURCE: Teploenergetika, no. 10, 1964, 82-83

TOPIC TAGS: thermal conductivity, high temperature instrument<sup>0</sup>/ PP potentiometer,  
PPTN 1 potentiometer, NG 55 null galvanometer

ABSTRACT: Present devices<sup>28</sup> for measuring thermal conductivity<sup>0</sup> at high temperatures are based on steady methods. A whole series of planar, cylindrical, and spherical devices have been employed. Several defects of present methods are pointed out by the authors. The present work presents the design of a simple device, with maximum simplicity of measurement, for determining the coefficient of thermal conductivity of small specimens at high temperatures. The basic scheme is shown in Fig. 1 on the Enclosures. The basic difference between this and standard devices is the fundamentally new scheme of measuring heat flow, based on an element producing a definite heat flow. The design of the calorimeter is shown in Fig. 2 on the <sup>9-11</sup>

Card 1/4

L 8528-65

ACCESSION NR: AP4046808

Enclosures. The temperatures of the specimen and of the plate are measured by means of a potentiometer. The specimen is measured on the hotter side and the cooler side and the temperature drop is determined. The equality of temperature between the calorimeter casing and the shield of the heat-generating elements is determined by a null galvanometer. The coefficient of thermal conductivity,  $\lambda$ , in kcal/m·hr·°C, is given by the equation  $\lambda = \frac{0.86Iv\delta}{F\Delta t}$ , where I is the current strength at the calorimeter heater, v is the voltage at the calorimeter heater,  $\delta$  is the thickness of the specimen between thermocouples, F is the area of the calorimeter heater shield, and  $\Delta t$  is the temperature drop on the specimen in °C. The device was tested against published data and found to give results in good agreement with these. Orig. art. has: 3 figures and 2 formulas.

ASSOCIATION: ORGRES

SUBMITTED: 00

ENCL: 02

SUB CODE: TD

NO REF SOV: 00

OTHER: 000

Card 2/4

L 8528-65

ACCESSION NR: AP4046800

ENCLOSURE: 01

0




Fig. 1. Basic design of device.

- 1 - housing of device; 2 - heat-insulating cover; 3 - calorimeter;
- 4 - test specimen; 5 - cast iron heating plate; 6 - ceramic heater;
- 7 - thermocouple switch; 8 - PP potentiometer.

Card 3/4

L 8528-65  
 ACCESSION NR: AP4046808

ENCLOSURE: 02




Fig. 2. Design of calorimeter.

- 1 - casing of calorimeter; 2 - shield of heat-generating element;
- 3 - heater; 4 - thermocouple under shield of heat-generating element;
- 5 - heat-insulating cover of generating element; 6 - heat-resistant cement; 7 - thermocouple in casing of calorimeter; a - current leads to calorimeter heater; b - leads for measuring voltage at heater; c - leads for differentially combined thermocouples.

Card 4/4

ANDREYCHENKO, A.V., inzh.; KONSTANTINOV, T.F., inzh.; DAV, Z.I., inzh.;  
SMEKALOV, A.G., inzh.

Study of the stresses in the rods of reinforced concrete power transmission line towers. Energ. stroi. no.32:78-83 '62. (MIRA 16:5)

1. Beskudnikovskiy zavod zhelezobetonnykh konstruktsiy (for Andreychenko, Konstantinov). 2. Moskovskiy filial Vsesoyuznogo instituta po proyektirovaniyu organizatsiy energeticheskogo stroitel'stva (for Dav, Smekalov).

YERMOLAYEV, V.I., KRYUCHKOV, V.V., SMERKALOV, M.M.

Modern signaling, central control and block system equipment used  
in underground electromotive transport. Priborostroenie no.12:2-5  
D '56. (MIRA 10:1)  
(Subways--Signaling) (Automatic control)

SMEKALOV, Vasily Ivanovich; LIPKIND, M.Ya., inzhener; ZHUREBIN, M.I.,  
inzhener, redaktor; KARDYKIN, A.Ye., tekhnicheskiy redaktor

[Detection of imperfect rails in the track] Obnarzhenie defektnykh  
rel'sov v puti. Moskva, Gos. transp. shel-dor. izd-vo, 1954 26 p.

(MLRA 8:7)

1. Putevoy obkhodchik po osmotru rel'sov Kuzinskoy distantsii puti  
Sverdlovskoy dorogi (for Smekalov). 2. Nachal'nik tekhnicheskogo  
otdela sluzhby puti Sverdlovskoy dorogi (for Lipkind).  
(Railroads--Rails)

Electrical properties of monocrystalline HgTe and its alloys with CdTe.  
V. I. Ivanov-Omskiy, B. T. Kolomiets, A. A. Mal'kova, V. K. Ozorodnikov,  
K. P. Smekalova. (Presented by V. I. Ivanov-Omskiy--15 minutes).

Notes: HgTe is semi-metallic; at 4°K the band overlap is ~ 0.05 eV,  
 $\mu_n/\mu_e = 50$  to 100.

Report presented at the 3rd National Conference on Semiconductor Compounds,  
Kishinev, 16-21 Sept 1963



ACCESSION NR: AP4041377

S/0048/64/038/006/1057/1064

AUTHOR: Ivanov-Omskiy, V.I.; Kolomiets, B.T.; Mal'kova, A.A.; Ogorodnikov, V.K.;  
Smakalova, K.F.

TITLE: Electric properties of single crystals of p-type HgTe and its alloys with  
CdTe /Report, Third Conference on Semiconductor Compounds held in Kishinev 16 to  
21 Sep 1965/

SOURCE: AN SSSR. Izvestiya. Seriya fizicheskaya, v.28, no.6, 1964, 1057-1064

TOPIC TAGS: semiconductor property, electric property, Hall constant, mercury  
telluride, cadmium telluride

ABSTRACT: Single crystals of HgTe and HgTe-CdTe solid solutions were prepared by  
Bridgman's method and annealed in mercury vapor. Electric conductivities, Hall con-  
stants, and magnetoresistances were measured, in some cases at temperatures as low  
as 2°K. The relation between the Hall constant of HgTe and the magnetic field was  
determined at 4.2°K. The relation between the Hall constant and the magnetoresis-  
tance was determined for HgTe at several temperatures and was found to be linear.  
The behavior of the Hall constant of HgTe at low temperatures varied from sample to

Card 1/3 1/2

ACCESSION NR: AP4041377

ASSOCIATION: none

SUBMITTED: 00

ENCL: 00

SUB CODE: SS, IC

NR REF SOV: 001

OTHER: 007

Card 3/3

L 3459-66 EWT(1)/EPA(s)-2/EWT(m)/ETC/ENG(m)/EPA(w)-2/T/EWP(t)/EWP(b)/EWA(m)-2/EWA(c)  
ACCESSION NR: AP5017205 LJP(c) RDW/JD/JG UR/0020/65/162/006/1269/1270

AUTHORS: Ivanov-Omskiy, V. I.; Kolomiyets, B. T.; Ogorodnikov,  
V. K.; Smekalova, K. P.; Konstantinov, B. P.

TITLE: Electron mobility in HgTe

SOURCE: AN SSSR. Doklady, v. 162, no. 6, 1965, 1269-1270

TOPIC TAGS: mercury compound, telluride, Hall coefficient, semi-conductor carrier, electron mobility, magnetoresistance

ABSTRACT: In view of the difficulty of determining the type of conductivity of HgTe from measurements of the Hall effect, owing to the larger ratio of the electron mobility to the hole mobility (~100), the authors investigated single-crystal samples of HgTe, prepared by zone melting with subsequent annealing in mercury vapor, over a large range of temperatures. From the temperature dependence of the Hall coefficient it is concluded that HgTe is a semiconductor of the n-type, whose carrier mobility has a temperature dependence typical of the degenerate electron gas in semiconductors and in metals. The electron

Card 1/2

L 3459-66

ACCESSION NR: AP5017205

mobility is quite high at all temperatures, reaching 200,000 cm<sup>2</sup>/V-sec. 3  
The Hall coefficient exhibits a strong dependence on the magnetic field intensity. This is attributed either to inhomogeneity to the crystal or to the complicated energy spectrum of the electrons in the HgTe. The magnetoresistance of HgTe is characterized by curves having a continuously varying slope and exhibiting no saturation. This report was presented by B. P. Konstantinov. Orig. art. has: 2 figures

ASSOCIATION: Fiziko-tekhnicheskij institut im. A. F. Ioffe Akademii nauk SSSR (Physicotechnical Institute AN SSSR)

SUBMITTED: 16Dec64

ENCL: 00

44/55  
SUB CODE: NP

NR REF SOV: 003

OTHER: 005

BVK  
Card 2/2

SMEKALOVA, L.K.

Dividing a territory into physico-geographical districts for studying  
frost danger. Vest. LGU 12 no.2:164-167 '57. (MIRA 11:2)  
(Frost)

SMEKALOVA, L.K.

Intensity of morning frosts in different locales of Leningrad  
Province. Vest. IGU 12 no.6:112-121 '57. (MLBA 10:5)  
(Leningrad Province--Frost)

SERIALOVA, L.K., Can Geogr Sci -- (diss) "Intensity of the First  
Autumn Frosts under Various Types of Weather on the Territory of ~~the~~  
Leningrad <sup>oblast</sup> ~~Region~~", Len, 1958, 10 ~~pages~~ <sup>pp</sup> (Leningrad Order of Lenin  
State University im A.A. Zhdanov). 100 copies (KL 10-58, 119).

- 9 -

SMEKALOVA, L.K.

Frost intensity under conditions prevailing at various locations  
in Leningrad Province. Uch.zap.LGU no.269:96-122 '59.  
(MIRA 12:6)

(Leningrad Province--Frost)



SMEKALOVA, L.K.

Some types of connection between moisture content and rainfall.  
Trudy OGMI no.23:17-22 '61. (MIRA 16:6)  
(Humidity) (Rain and rainfall)

SMEKALOVA, L.K.

Relationship between the moisture content and precipitation.  
Vest. LGU 17 no.18:120-124 '62. (MIRA 15:10)  
(Black Sea region—Precipitation (Meteorology))  
(Black Sea region—Moisture)

KALININA, I.I.; SMEKALOVA, L.K.

Moisture transfer over the Ukrainian S.S.R. and the Moldavian S.S.R.  
Trudy OGMI no.28:39-45 '62. (MIRA 16:6)  
(Ukraine--Moisture) (Moldavia--Moisture)

TUR'YAN, Ya.I., kand.tekhn.nauk; SMEKALOVA, V.V.; KHARLAMOVA, V.M.

Developing the automatic control of the liquor vapor content in the  
production of ammonium nitrate. Khim.prom. no.8:679-681 D '60.  
(MIRA 13:12)

1. Lisichanskiy filial Instituta avtomatiki Gosplana USSR.  
(Ammonium nitrate)

TUR'YAN, Ya.I.; SMEKALOVA, V.V.

Polarographic study of equilibria in the interaction of hydroxylamine and cyclohexanone oxime with formaldehyde in aqueous solutions. Zhur.anal.khim. 17 no.9:1117-1119 (MIRA 16:2)  
D '62.

1. Yaroslavskiy institut monomerov i Lisichanskiy filial  
Instituta azotnoy promyshlennosti.  
(Hydroxylamine) (Cyclohexanone) (Formaldehyde)

TUR'YAN, Ya.I.; SMEKALOVA, V.V.

Indirect method of polarographic determination of cyclohexanone oxime, hydroxylamine, aci-form of nitrocyclohexane, nitromethane, and nitroethane. Zav.lab. 28 no.8:923-926 '62. (MIRA 15:11)

1. Lisichanskiy filial Gosudarstvennogo instituta azotnoy promyshlennosti.

(Azepinone) (Polarography)

TUR'YAN, Ya.I.; SMEKALOVA, V.V.

Polarographic study of the equilibrium of formaldehyde reactions  
with nitro alkanes and nitrocyclohexane. Zhur.prik'.khim. 35  
no.12:2729-2734 D '62. (MIRA 16:5)

1. Lisichanskiy filial Instituta azotnoy promyshlennosti.  
(Formaldehyde) (Paraffins) (Chemical equilibrium)

YURRE, Nil Andreyevich; SMERKAYEV, Petr Aleksandrovich; TIMOFEEV, V.P.,  
prof. red.; MAMEDOV, T.W., red.; POLDNICHEVA, I.A., red. isk-va;  
BRATISHKO, L.V., tekhn. red.

[Increasing the productivity of forests; forty years' practice of  
the Serebryanyye prudy working group] Povyshenie produktivnosti lesa;  
40-letniy opyt raboty Serebriano-prudskogo lesnichestva. Pod ob-  
shchei red. V.P. Timofeeva. Moskva, Goslesbumisdat, 1957. 54 p.  
(Serebryanyye Prudy District--Forests and forestry)(MIRA 11:7)



L 27220-66 EWI(m)

ACC NR: AM6002131

Monograph

UR/ 22

Frolov, Nikolay Prokhorovich; Bessonov, Valeriy Georgiyevich; Zalogo, Vitaliy  
Fedorovich; Petsol'd, Timofey Maksimovich; Smekh, Ivan Vasil'yevich B+1

Mesh-reinforced concrete<sup>15</sup> constructions (Armoementnyye konstruksii) Minsk, Nauka i  
tekhnika, 1965. 90 p. illus., biblio. 2000 copies printed.

TOPIC TAGS: construction material, reinforced concrete, engineering technology

PURPOSE AND COVERAGE: The book recommends technology to be used in manufacturing reinforced-concrete structures. It summarizes the results of the investigations of rigidity and crack-resistance of reinforced concrete and analyzes some particular features of its work and design. In addition, an example of the design of a reinforced concrete structure is given, and the results of an experimental investigation of its performance are outlined. The book is intended for engineers and technicians working in building and designing organizations, as well as for students specializing in construction and research workers in this field. There are 46 references, of which 26 are Soviet.

TABLE OF CONTENTS:

Introduction -- 3

Ch. I. Use of reinforced concrete in construction -- 5

Card 1/2

L 27220-66

ACC NR: AM6002131

Ch. II. Materials and techniques in making reinforced concrete structures -- 12

Ch. III. Investigation of the physical and mechanical properties of reinforced concrete -- 22

Ch. IV. Features in the performance of reinforced concrete -- 47

Ch. V. Design of reinforced concrete structures -- 73

Bibliography -- 89

SUB CODE: 11/ SUBM DATE: 09Jul65/ ORIG REF: 029/ OTH REF: 017/

APPROVED FOR RELEASE

Card 2/2 *CC*


PROCESSES AND PROPERTIES INDEX


21

**S**

**The Use of Sodium Thiosulphate Instead of Sodium Arsenite in the Determination of Manganese by the Peroxiphate Method.** N. V. Udovenko and E. V. Gushch. (Zavodskaya Laboratoriya, 1961, No. 4, pp. 308-410). (In Russian). The results obtained by the peroxyphate method of determining manganese were unchanged when sodium thiosulphate was used for the final titration instead of sodium arsenite. Thiosulphate can also be used for the potentiometric titration. Sodium thiosulphate solution is to be preferred to sodium arsenite, as it is non-poisonous and more stable, particularly in warm weather.

ASB-SLA METALLURGICAL LITERATURE CLASSIFICATION





28156

S/122/61/000/003/009/013  
D241/D305

1.1950

AUTHORS:

Zemskov, G.V., Candidate of Technical Sciences,  
Docent, Smekh, Ye.V., Gushkin, L.K., and Khmelevs-  
kaya, M. Ye., Engineers

TITLE:

Ultrasonic cleaning of steel from scales

PERIODICAL: Vestnik mashinostroyeniya, no. 3, 1961, 59-61

TEXT: The authors carried out research on the effect of ultra-  
sonics on cleaning steel wire after drawing and patenting as well  
as on clock files and ordinary files after their hardening in oil.  
Pickling was carried out in a stainless steel bath. The ultrasonic  
vibrations were produced by a valve generator of 2.5 KW and em-  
ploying a band of frequencies of 18 - 50 Kc. Nickel and "permen-  
dure" (K50F2) magnetostrictive vibrators mounted below and on the  
side of the bath produced the vibrations. No effect of frequency  
variation on the speed of etching was observed. The wire was trea-  
ted in bundles, whereas the files were etched in bunches. Use was  
made of the following media: Water, a solution of sulphuric

Card 1/5

X

28256

S/122/61/000/003/009/013  
D241/D305

Ultrasonic cleaning of steel ...

and hydrochloric acids, their mixtures and solutions of culinary salt and alkalis. The relationship between the time of cleaning and the composition, concentration and temperature of solutions was established. The effect of the number of rows of wire in a bundle was also investigated. For comparison purposes experiments were carried out without the ultrasonics. Fig. 1 illustrates the relationship between the time of etching a patented wire in steel 70 and the concentration of acids. It can be seen from the graphs that the duration of etching is reduced by tens of times, and it reaches the minimum with a concentration that is lower than in normal etching. This allows a less frequent renewal of solutions. The effect of temperature is indicated graphically also. With lower concentrations of acids there is a greater effect of temperature on the speed of etching. The introduction of hydrochloric acid into the sulphuric acid solution increases the speed of pickling and produces a clearer metal surface. The most suitable solutions are the 10% sulphuric or hydrochloric acid with a content of 5% NaCl. The effect of screening due to the number of rows of wire in the bundles is also shown. If the article is preliminarily

Card 2/ 5

78.56

S/122/61/000/003/009/013  
D241/D305

Ultrasonic cleaning of steel ...

treated during 5-10 minutes in a solution of sulphuric or hydrochloric acids and then cleaned by ultrasonics in water, the scales will be removed in 1 - 3 minutes which is a few times slower than in a solution of acid. Cleaning in water promotes rinsing of the etching solution. This can lead to a reduction of brittleness due to hydrogen. The mechanics of ultrasonic removal of scales is then described. There are 4 figures and 2 references: 1 Soviet-bloc and 1 non-Soviet-bloc.

X

Card 3/5



S/137/62/000/007/070/072  
A160/A101

AUTHORS: Zemskov, G. V., Kogan, R. L., Smekh, Ye. V., Zdanovich, V. L.,  
Gushchin, L. K., Kostenko, A. V.

TITLE: The problem of hardening steel in an ultrasonic field

PERIODICAL: Referativnyy zhurnal, Metallurgiya, no. 7, 1962, 109, abstract 71746  
("Nauchn. zap. Odessk. politekhn. in-t", 1962, 37, 41 - 44)

TEXT: The investigation of the effect of an ultrasonic field on the process of hardening was carried out with Y 8 (U8) and X 12  $\Phi$  (Kh12 $\Phi$ ) steels. For comparison reasons, experiments were made by quenching these steels in water with and without the ultrasonic field. The U8 steel was hardened from 800 - 820°C, the intensity of the ultrasonic field was within 1 - 2 va/cm<sup>2</sup>, and the frequency of the ultrasonic oscillations - 23 kilocycles. The Kh12 $\Phi$  steel was quenched from 1,130°C in oil or in water with and without the action of the ultrasonic field. The subsequent triple tempering was carried out at 510 - 530°C for 1 hour and the steel cooled in the open air. It was determined that the hardenability and the hardness of the U8 steel increase (Rc increases from 37 - 42 to 54 - 60 in a

Card 1/2

P

A

EFFECTIVENESS OF MECHANIZED PEAT LOADING METHODS. Sakhov, A.A. (Trf. Prom. (P ost  
Ind.), Sept. 1951, 15, 10).

SEBKHOV, A.A., kandidat tekhnicheskikh nauk.

~~\_\_\_\_\_~~ Determining the optimum number of car deliveries to the freight  
yard. Trudy NTEI no.3:127-145 '56. (MLRA 10:6)  
(Railroads--Making up trains)

SMEKHOV, A.A., kandidat tekhnicheskikh nauk.

Organizing loading and unloading in freight yards. Zhel.dor.transp. 37  
no.4:87-90 Ap '56. (MLBA 9:7)

(Europe, Western--Loading and unloading)

SMEKHOV, A.A., kand.tekhn.nauk.

Planning warehouses with tracks leading into the interior. Trans.  
stroi. 7 no.4:22-25 Ap '57. (MIRA 10:10)  
(Warehouses) (Railroads--Sidings)

SMEKHOV, Anatoliy Alekseyevich, kand. tekhn. nauk; TSARENKO, A.P., red.;  
BOBROVA, Ye.N., tekhn. red.

[Railroad freight yards and warehouses in foreign countries]  
Gruzovye dvory i sklady zheleznodorozhnykh stantsii za rubezhom.  
Moskva, Gos. transp. zhel-dor. izd-vo, 1958. 173 p. (MIRA 11:7)  
(Warehouses) (Railroads--Yards)

SMERKHOV, A.A., dots.

Characteristics of the freight-handling process in the transportation  
of post. Trudy NTBI no.9:88-112 '58. (MIRA 11:5)  
(Railroads—Freight) (Post—Transportation)

SMEKHOV, A.A., kand. tekhn. nauk.

Automatic control of loading and unloading machinery. Zhel. dor. transp.  
40 no.12:34-40 D '58. (MIRA 12:3)  
(Loading and unloading) (Automatic control)



28(1), 32(3)

SOV/118-59-9-6/20

AUTHOR

Smekhov A. A., Candidate of Technical Sciences

TITLE

Automation of Loading and Unloading Operations at Railroad Stations

PERIODICAL: Mekhanizatsiya i avtomatizatsiya proizvodstva, 1959  
Nr 9, pp 21-27 (USSR)

ABSTRACT.

According to 1959-1965 reconstruction plans, an extensive building of railroad warehouses and mechanized loading and unloading installations has been undertaken. First of all, attention is paid to the automation of cranes and transport equipment used at large freight yards. Three methods of automatic control (PAU) are considered: local - from the cabin, remote, and teletype control. The first two types of control are realized by means of relay-systems; the number of relays used is determined by the number of commands to be given from the control board, which, in turn, depends on the number of leads and the conditions of work. In designs of PAU TsNIIIEVT, all leads of portal cranes, except those for lifting device, are intended for single-speed working

Card 1/3

SOV/118-59-9-6/20

Automation of Loading and Unloading Operations at Railroad Stations

condition. In the Table reproduced on page 22, devices of the PAU for overhead travelling and grab cranes are given. The teletype method permits control of several cranes by one operator. The most efficient systems of teletype control are the code-frequency and the contactless cyclic systems; both of them can exercise control over the radio. The code-frequency system of VNIIPMASH applies a double code for the transfer of commands: each impulse in the code has 2 meanings. Thus with 4 frequency generators it is possible to form  $2^4 = 16$  commands, and with 5 generators -  $2^5 = 32$  commands (see Fig. 1). The principle of the contactless cyclic system is shown in Fig. 2. It is based on the synchronized work of transmitting and receiving commutators-distributors built on magnetics with a rectangular hysteresis loop. Devices of cyclic automatics are used for the control of conveyors, dosimeters, feeders, etc. Fig. 3 shows a layout of an automatic control of cranes and conveyors. In some cases, the systems of reflex and semi-reflex automatics are applied.

Card 2/3

SOV/118-59-9-6/20

Automation of Loading and Unloading Operations at Railroad Stations

The layout of a semi-reflex system, worked out by the TsNIIEVT and Lengiprorechtrans, and used for control of portal cranes, is shown in Fig. 4. In order to increase the economic efficiency of automation, it is recommended using high quality compounds, such as germanium diodes and triodes, magnetics and contactless monitors. There are 6 graphs, 2 tables and 4 diagrams.

Card 3/3

SMEKHOV, A.A., kand.tekhn.nauk

Outlook for the automation of operations at freight terminals.  
Zhel.-dor.transp. 41 no.9:30-35 S '59. (MIRA 13:2)  
(Railroads--Freight) (Automation)

SMEKHOV, Anatoliy Alekseyevich, kand.tekhn.nauk. Prinsipal uchastiye  
YEGOROV, K.A., kand.tekhn.nauk. YEFIMOV, G.P., red.;  
MEDVEDEVA, M.A., tekhn.red.

[Principles of the automatization of loading and unloading  
operations] Puti avtomatizatsii pogruzochno-razgruzochnykh  
rabot. Moskva, Vses.izdatel'sko-poligr.ob"edinenie M-va putei  
soobshcheniia, 1960. 113 p. (MIRA 13:9)  
(Loading and unloading) (Automatic control)  
(Railroads--Freight)

SMEKHOV, A.A., kand.tekhn.nauk

"New types of automatic loaders, small containers, and pallets"  
by G.P. Efimov, L.A. Kogan. Reviewed by A.A. Smekhov. Vest.  
TSNII MPS 17[1.e.19] no.7:63 '60. (MIRA 13:11)

1. Moskovskiy institut inzhenerov sheleznodorozhnogo transporta  
imeni I.V.Stalina.

(Railroads--Equipment and supplies)

(Loading and unloading)

(Efimov, G.P.)

(Kogan, L.A.)

SMEKHOV, A.A., kand.tekhn.nauk; TRIFONOVA, M.G., inzh.; KLEYMEROV, Ye.I., inzh.

Ways for the mechanization and automatization of operations in freight agencies. Vest. TSNII MPS 19 no.3:12-17 '60. (MIRA 13:10)

1. Moskovskiy institut inzhenerov zheleznodorozhnogo transporta im. I.V.Stalina i Vsesoyuznyy nauchno-issledovatel'skiy institut zheleznodorozhnogo transporta.

(Railroads--Management)

(Automatic control)

SMEKHOV, A.A., kand.tekhn.nauk

Some problems in the over-all automation of technological processes  
in freight stations. Vest.TSNII MPS 20 no.3:18-23 '61.  
(MIRA 14:5)

1. Moskovskiy institut inzhenerov zheleznodorozhnogo transporta  
imeni I.V.Stalina.  
(Railroads—Freight) (Automatic control)



SMEKHOV, A.A., kand.tekhn.nauk

Automatization of loading and unloading of bulk cargo. Zhel.  
dor.transp. 43 no.3:40-45 Mr '61. (MIRA 14:3)  
(Loading and unloading) (Automatic control)

SMEKHOV, A.A., kand.tekhn.nauk

Selecting the optimum reloading processes. Vest.TSNII MFS  
21 no.6:58-61 '62. (MIRA 15:9)

1. Moskovskiy institut inzhenerov zheleznodorozhnogo  
transporta.

(Linear programming)  
(Loading and unloading--Equipment and supplies)

SMEKHOV, A.A.; MEKLER, A.P., kand. tekhn. nauk, retsenzent; SAVKIN,  
A.M., kand. ekon. nauk, retsenzent; ANDREYEV, K.I., inzh.,  
red.; BARYKOVA, G.I., red. izd-va; UVAROVA, A.F., tekhn. red.

[Automation in warehouses] Avtomatizatsiia na skladakh. Moskva,  
Mashgiz, 1962. 267 p. (MIRA 15:12)  
(Warehouses--Equipment and supplies) (Automation)

SMEKHOV, A.A., kand.tekhn.nauk

Basic principles for the automation of storage accounting. Mekh.1  
avtom.proizv. 16 no.5:39-41 '62.

(MIRA 16:5)

(Storage and moving trade)

(Machine accounting)

SMEKHOV, A.A., dotsent

Theoretical problems in the planning and design of freight  
yards and container service points. Trudy MIIT no.146:38-92  
'62. (MIRA 15:12)

(Railroads—Freight)

(Railroads—Yards)

SMEKHOV, A.A., kand.tekhn.nauk

Problems of the automation of operations in freight stations.  
Zhel.dor.transp. 44 no.7:52-55 J1 '62. (MIRA 15:8)  
(Railroads--Freight) (Automatic control)

SMEKHOV, A.A., kand. tekhn. nauk

Means for automatic accounting and registration of freight  
transportation. Mekh. i avtom. proizv. 18 no.6:48-53 Je '64.  
(MIRA 17:9)

SMEKHOV, Anatoliy Alekseyevich; BOBYLEVA, L.V., red.

[Automation of accounting and the documentation of freight transportation] Avtomatizatsiia ucheta i oformleniia gruzovykh perevozok. Moskva, Ekonomika, 1965. 203 p.  
(MIRA 18:8)



SMEKHOV, A.A., kand.tekhn.nauk; SHTEFKO, I.V., kand.tekhn.nauk; SMORODINOV, M.A.,  
kand.tekhn.nauk; ARKHANGEL'SKAYA, L.P., inzh.

Construction and operation technology of the base unloading stations  
for mineral fertilizers, Zhel.dor.transp. 47 no.10:32-34 0 '65.  
(MIRA 18:10)

СРЕДНО, В

Sotsialisticheskaya industriya SSSR na novom moshchom pod'yeme (Socialistic Industry of the USSR in a new vigorous advance.) Moskva, Gos. izd-vo Politicheskoy lit., 1951  
81 p.

N/5  
787  
.36

БЪРКОВ, П.

"Planning The Principle Works. p. 16" (АРХИТЕКТУРА И СТРОИТЕЛСТВО) Vol. 2, No.3  
1952, Sofiya, Bulgaria.

SO: Monthly List Of East European Accessions L.C. Vol. 2, No. 11, Nov. 1953, Uncl.

11/11/68

Statistical analysis of the above data is being completed.

SMEKHOV, Boris Moiseyevich; KOMINA, L., redaktor; MUKHIN, Yu., tekhnicheskiy  
redaktor

[Planning capital investment] Planirovaniye kapital'nykh rabot.  
Moskva, Gos.izd-vo polit.lit-ry, 1955. 142 p. (MLRA 9:2)  
(Russia--Economic policy)

СЛОВАРЬ ЭКОНОМИКИ

ABRAMOV, V.A.; ALEKSEYEV, A.M.; AL'TER, L.B.; ARAKELYAN, A.A.; BAKLANOV, G.I.;  
 BASOVA, I.A.; BLYUMIN, I.G.; BOGOMOLOV, O.T.; BOR, M.Z.; BRUGEL',  
 E.Ya.; VSYTSMAN, N.R.; VIKENT'YEV, A.I.; GAL'TSOV, A.D.; GERTSOVSKAYA,  
 B.R.; GLADKOV, I.A.; DVORKIN, I.N.; DRAGILEV, M.S.; YEFIMOV, A.N.;  
 ZHAMIN, V.A.; ZHUK, I.N.; ZAMYATNIN, V.N.; IGNAT'YEV, D.I.; IL'IN,  
 M.A.; IL'IN, S.S.; IOFFE, Ya.A.; KAYE, V.A.; KAMENITSER, S.Ye.;  
 KATS, A.I.; KLIMOV, A.G.; KOZLOV, G.A.; KOLGANOV, M.V.; KONTOROVICH,  
 V.G.; KRAYEV, M.A.; KRONROD, Ya.A.; LAKHMAN, I.L.; LIVANSKAYA, P.V.;  
 LOGOVINSKAYA, R.L.; LYUBOSHITS, L.I.; MALYSH, A.I.; MENZHINSKIY,  
 Ye.A.; MIKHAYLOVA, P.Ya.; MOISEYEV, M.I.; MOSKVIN, P.M.; NOTKIN,  
 A.I.; PARTIGUL, S.P.; PFRVUSHIN, S.P.; PETROV, A.I.; PETRUSHOV, A.M.;  
 PODGORNOVA, V.M.; RABINOVICH, M.A.; RYVKIN, S.S.; RYDINA, M.N.;  
 SAKSAGANSKIY, T.D.; SAMSONOV, L.N.; SMEKHOV, B.M.; SOKOLIKHIN, S.I.;  
 SOLLERTINSKAYA, Ye.I.; SUDARIKOV, A.A.; TATAR, S.K.; TEREENT'YEV,  
 P.V.; TYAGAY, Ye.Ya.; FRYGIN, Ya.G.; FIGURNOV, P.K.; FRUMKIN, A.B.;  
 TSYRLIN, L.M.; SHAMBERG, V.M.; SHAPIRO, A.I.; SHCHENKOV, S.A.;  
 NYDEL'MAN, B.I.; MKHIN, P.E.; MITROFANOVA, S., red.; TROYANOVSKAYA, N.,  
 tekhn.red.

[Concise dictionary of economics] Kratkii ekonomicheskii slovar',  
 Moskva, Gos.izd-vo polit.lit-ry, 1958. 391 p. (MIRA 11:7)  
 (Economics--Dictionaries)

SMEKHOV, B.

Capital investments and the rate of growth of the production of the  
means of production. Vop. ekon. no.2:3-16 P '60.

(MIRA 13:1)

(Capital investments) (Income)

SMEKHOV, Boris Moiseyevich; LISOV, V. Ye., red.; PONOMAREVA, A.A.,  
tekhn.red.

[Planning capital investments] Planirovanie kapital'nykh  
vlozhenii. Moskva, Gosplanizdat, 1961. 333 p. (MIRA 14:4)  
(Capital investments)



GREBTSOV, G.I., kand. ekon. nauk, dots.; ~~SMEKHOV, B.M.~~, kand. ekon. nauk, dots.; SMOLYAR, L.I., starshiy prepodavatel'; GRANBERG, A.G.; AGANBEGYAN, A., kand. ekon. nauk, red.; KONIKOV, L.A., red.; GERASIMOVA, Ye.S., tekhn. red.

[Principles of working out an interbranch balance]Osnovy razrabotki mezhotraslevogo balansa; uchebnoe posobie. [By]G.I.Grebtsov i dr. Moskva, Ekonomizdat, 1962. 278 p. (MIRA 16:3)

1. Vychislitel'nyy tsentr Gosudarstvennogo nauchno-ekonomicheskogo soveta Soveta Ministrov SSSR (for Granberg).  
(Russia—Economic policy)  
(Programming (Electronic computers))

BREYEV, M.V., doktor ekon. nauk; SEMIN, V.A.; BYCHEK, N.R., kand. ekon. nauk; GREBTSOV, G.I., kand. ekon. nauk; ITKINA, A.S., kand. ekon. nauk; KOKOREV, M.V., kand. ekon. nauk; KOMIN, A.N., kand. ekon. nauk; LIPSITS, V.B., kand. ekon. nauk; OZORNOV, A.K., kand. ekon. nauk; ORLOV, N.M., st. prepod.; SEREDNITSKAYA, Ye.K., kand. ekon. nauk; ~~SMEKHOV, B.M.~~, doktor ekon. nauk; FEL'D, S.D., kand. ekon. nauk; LISOV, V.Ye., red.; TARASOVA, T.K., mlad. red.; GERASIMOVA, Ye.S., tekhn. red.

[Planning the national economy of the U.S.S.R.] Planirovanie narodnogo khoziaistva SSSR. Moskva, Ekonomizdat, 1963. 621 p. (MIRA 16:8)

1. Moscow. Institut narodnogo khoziaistva. (Russia--Economic policy)

SMEKHOV, Boris Moiseyevich; SHENTSI, Ye.M., red.

[Statistics and planning] Statistika i planirovanie.  
2. dop. i perer. izd. Moskva, Statistika, 1964. 102 p.  
(MIRA 17:11)

TURETSKIY, Sh.Ya., doktor ekon. nauk; AGANBEGYAN, A.G., doktor ekon. nauk; FERSITS, M.M.; LUSHIN, S.I., kand. ekon. nauk; CHUBAKOV, G.N., kand. ekon. nauk; SMEKHOV, B.M., prof., doktor ekon. nauk; KOKOREV, M.A., kand. ekon. nauk; ABRUYUTINA, M.S.; MITINA, E., red.; BESSUDNOVA, N., mlad. red.

[Large-scale socialist reproduction and the national economic balance] Razshirennoe sotsialisticheskoe voz-  
proizvodstvo i balans narodnogo khoziaistva. Moskva,  
Izd-vo "Mysl'," 1964. 373 p. (MIRA 17:5)