

GERASIMOV, Anatoliy Viktorovich; PASTUKHOV, Anatoliy Ivanovich; SOLOV'YEV,
Vladimir Ivanovich; KULINICH, D.D., red.; SRIBNIS, M.V., tekhn.red.

[Principles of the theory of ships] Osnovy teorii korablia. Moskva,
Voen.izd-vo M-va obr.SSSR, 1959. 372 p. (MIRA 12:5)
(Marine engineering)

PERNIK, Aleksandr Davidovich; IVANOV, A.N., kand.tekhn. nauk,
retsensent; RUSETSKIY, A.A., kand. tekhn. nauk, retsentsent;
SOLOV'YEV, V.I., otv. red.; OSVENSKAYA, A.A., red.; ERASTOVA,
N.V., tekhn. red.

[Problems of cavitation] Problemy kavitatsii. Leningrad, Sudprom-
giz, 1963. 334 p. (MIRA 16:3)

(Cavitation)

AMATUNI, Napoleon Leonovich, dots.; BARDINSKII, Sergey Ivanovich, dots.; DREVS, Georgiy Vyacheslavovich, dots.; IL'IN, Boris Vladimirovich, dots.; KNORRING, Gleb Mikhaylovich, kand. tekhn.nauk; PATKOVSK, Stepan Yakovlevich, prof.; PREOBRAZHENSKII, Aleksei, Alekseyevich, dots.; ROZENBERGER, Boris Fedorovich, dots.; SOLOV'YEV, Vladimir Ivanovich, dots.; YASTREBOV, Petr Parfen'yevich, prof.; BELOVIDOV, B.S., doktor tekhn.nauk, prof., retsenzent; ARTEMOVA, T.I., red. izd-va; TUPITSYNA, L.A., red. izd-va; SHVETSOV, S.V., tekhn. red.

[Electrical engineering and electric equipment] Elektrotekh-
nika i elektrooborudovanie; obshchii kurs. [By] N.L. Amatuni
i dr. Moskva, Sovuzizdat, 1963. 646 p. (MIRA 16:9)

1. Novocheerkasskiy politekhnicheskii institut (for Belovidov).
(Electric engineering--Handbooks, manuals, etc.)
(Electric apparatus and appliances--Handbooks, manuals, etc.)

ZAKHAROV, Ye.I.; SOLOV'YEV, V.I.

Cancer of the cardia and of the abdominal esophagus following
gastrectomy for peptic ulcer. Khirurgiia. no.8:74 Ag '54.

(MLRA 7:11)

1. Iz kafedry obshchey khirurgii Krymskogo meditsinskogo instituta
imeni I.V.Stalina.

(PEPTIC ULCER, surgery,

gastrectomy, postop. cardial & esophageal cancer)

(STOMACH, neoplasms,

cardial & esophageal cancer after gastrectomy for peptic
ulcer)

(ESOPHAGUS, neoplasms,

cardial & esophageal cancer after gastrectomy for peptic
ulcer)

SOLOV'YEV, V.I.

Changes in the motor and evacuatory functions of the stomach
immediately after resection. Khirurgiia 32 no.6:30-33 Je '56.

(MLRA 9:10)

1. Iz kafedry obshchey khirurgii (sav. - prof. E.I.Zakharov)
Krymskogo meditsinskogo instituta imeni I.V.Stalina.

(STOMACH, surg.

postop. changes of motor & evacuatory funct.
immediately after resection)

ZAKHAROV, Ye. I.; SOLOV'YEV, V. I.

Transposition of the cardia in the surgical treatment of cardio-
spasm. Grud. khir. no.2:51-55 '62. (MIRA 15:4)

1. Iz gosspital'noy khirurgicheskoy kliniki (zav. - prof. Ye. I.
Zakharov) lechebnogo fakul'teta Krymskogo meditsinskogo instituta.

(CARDIOSPASM) (STOMACH SURGERY)

Brubaker, T. S.

"The Application of Correlation Methods to Measurements and Research Work
in Acoustics."

paper presented at the 4th All-Union Conf. on Acoustics, Moscow, 26 May - 4 Jun 58.

1:2069

8/589/62/000/061/002/005
A061/A126

92105

AUTHORS: Shishmolin, A.N., Solov'yev, V.I.

TITLE: A correlation method for fluctuation-noise suppression in measuring crystal microphones

SOURCE: USSR. Komitet standartov, mer i izmeritel'nykh priborov. Trudy institutov Komiteta. No. 61 (121). 1962. Issledovaniya v oblasti akusticheskikh i gidroakusticheskikh izmereniy. 42 - 44

TEXT: A so-called synchrophone is described in which the fluctuation noise at the output of the measuring microphone is suppressed by the parallel connection of two similar amplifiers to a sensitive element consisting of two piezoelectric crystals. The two crystals are separated by a grounded plate, and the amplified crystal signals are fed to a synchronous detector. The presence of two synchronous electrical oscillations permits the use of a simple correlation method for suppressing the fluctuation noise. By this method a reference voltage being synchronous with the signal (synchrophone principle) is obtained, so that highly stable piezoelectric elements can be used as pickups at low sound

Card 1/2

A correlation method for fluctuation-noise....

S/589/62/000/061/002/005
A061/A126

pressures. An important requirement of the system is the linearity of transformation, but not so important is the degree of similarity of the piezoelectric elements and the amplifiers. A calculation shows that the fluctuation noise level at the pickup output can be lowered to 30 - 35 db. There is 1 figure.

SUBMITTED: September, 1959

Card 2/2

L 24515-65 EWT(d)/EWP(c)/EWA(d)/EWP(v)/T/EWP(k)/EWP(h)/EWP(l) Pf-4

ACCESSION NR AM5002554

BOOK EXPLOITATION

S/

2-7
B+1

Brodskiy, Aleksandr Davidovich; Kuz'menko, Vladimir Kuz'mich; Solov'yev, Vladimir Ivanovich

Modern physical and technical methods in shipbuilding (Sovremennyye fiziko-tehnicheskiye metody v sudostroyeni), Leningrad, Izd-vo "Sudostroyeniye", 1964, 188 p. illus., biblio.

TOPIC TAGS: shipbuilding, electrical engineering, radio equipment, ultrasonics, radioactive isotope, inspection equipment

PURPOSE AND COVERAGE: This book describes some current physical-technical methods recommended for use in the shipbuilding industry. These methods include the electrical engineering, radio electronics, use of ultrasonics, and radioactive isotopes. Handbook data are included on the industrial equipment used in shipbuilding. The book is intended for engineers, technicians, and workers in the sections of mechanization and quality control-inspection equipment of the shipbuilding and machine building plants. It can be useful for students of shipbuilding institutes and departments of shipbuilding technicians.

TABLE OF CONTENTS [abridged]:

Card 1/2

L 24515-65

ACCESSION NR AM5002554

Introduction -- 3

Ch. I. Methods of industrial physics in shipbuilding -- 5

Ch. II. Electrical engineering -- 23

Ch. III. Radioelectronics -- 66

Ch. IIII. Ultrasonic methods -- 107

Ch. V. Radioactive isotopes and their use for quality control and automation

of engineering processes -- 140

Bibliography -- 188

SUBMITTED: 23 May 64

SUB CODE: EC, IE

NO REF SOV: 034

OTHER: 005

Card 2/2

SOLOV'EV, V.I. GORBUNOV, A.G.

Ferromagnetic resonance in yttrium garnet with a terbium impurity.
Fiz. tver. tela 7 no.6:1761-1769 Je '65. (MIRA 19:6)

1. Radiotekhnicheskiy Institut AN SSSR, Moskva i Institut
poluprovodnikov AN SSSR, Leningrad.

SOLOV'YEV, Vnevolod Konstantinovich; PREDECHENSKIY, B.I., red.; VYSHIVKINA,
A.S., red.; LYUDKOVSKAYA, N.I., tekhn.red.

[Physiological principles of training with gas masks] Fiziologi-
cheskie osnovy trenirovki v protivogazakh. Moskva, Gos.isd-vo med.
lit-ry, Medgiz, 1958. 102 p. (MIRA 12:12)
(GAS MASKS)

SOLOV'YEV, V.I., kapitan 1-go ranga

Radio intelligence at sea and fighting with it. Mor. sbor.

46 no.10:21-29 0 '63.

(MIRA 18:12)

14-57-6-12319
Translation from: Referativnyy zhurnal, Geografiya, 1957, Nr 6,
p 86 (USSR)

AUTHORS: Lepeshkov, I. N., Solov'yev, V. K., Smirnova, N. N.

TITLE: A Physical and Chemical Description of the Tuva
Saline Lakes (K fiziko-khimicheskoy kharakteristike
solyanykh ozer Tuvy)

PERIODICAL: Izv. Sektora fiz.-khim. analiza IONKh AN SSSR, 1956,
Vol 27, pp 380-392

ABSTRACT: The chemical composition of their salts and saline
deposits assigns most of these lakes to the 1st class
(according to N. S. Kurnakov's classification), with
a coefficient of exchange $K = \frac{Mg SO_4}{Mg Cl_2} > 0$. There
are also lakes and salt marshes containing solutions
and waters enriched by carbonates and bicarbonates.
These belong to the sulfate and soda group of lakes,
Khadyn, Shara-Kur, etc. In respect to their physical

Card 1/2

SOLOV'YEV, V.K.

Stratigraphy of the lower Triassic of the Volga region.
Dokl. AN SSSR 110 no.3:430-433 5 '56. (MLRA 9:12)

1. Predstavleno akademikom D.V. Malivkinym.
(Volga Valley--Geology, Stratigraphic)

15-57-4-4118

Translation from: Referativnyy zhurnal, Geologiya, 1957, Nr 4,
p 10 (USSR)

AUTHOR: Solov'yev, V. K.

TITLE: The Lower Permian Deposits of the Gor'kiy-Volga Region
(O nizhnepermiskikh otlozheniyakh Gor'kovskogo Povol-
zh'ya)

PERIODICAL: Uch. zap. Kazansk. un-ta, 1956, Vol 115, Nr 16,
pp 59-68.

ABSTRACT: The assignment of the Schwagerina horizon to the Upper
Carboniferous and not to the base of the Lower Permian
in the Gor'kiy-Volga region is more advisable in view
of the intimate faunal relation to the underlying
pseudofusulinid horizon. The Ufa series is clearly
divisible into two formations, of which the lower, the
"transitional series," is closely bound to the under-
lying evaporite sequence and should be considered as
belonging to the Lower Permian. Deposits of the Sakmara
stage, represented by light-colored dolomites, are sub-

Card 1/3

15-57-4-4118

The Lower Permian Deposits of the Gor'kiy-Volga Region (Cont.)

considerably thicker (up to 180 m in the Kirovskaya oblast'), but strongly eroded within the Alatyry' arch. It is distinguished from the lower series by a predominance of anhydrite and by a decrease in dolomite. Pelecypods are the predominant type of fossil. Upward, a breccia-like sequence, 1 m or 2 m to 115 m thick, is found. It consists chiefly of dolomitic breccia. It is generally absent in the southern part of the Gor'kovskaya oblast'. It is synchronous with the transitional series of the Ufa sequence.

Card 3/3

B. K. L.

SEDEL'NIKOV, G.S.; YEFIMENKO, L.S.; SOLOV'YEV, V.K.; AZAROVA, Ye.I.;
BUYNEVICH, D.V.; GREKOV, P.A.

Crystallization of potassium salts from evaporating Kara-Bogaz brine
in lake No.5. Izv. AN Turk. SSR no.3:30-40 '58. (MIRA 11:9)

1. Institut obshchey i neorganicheskoy khimii im. N.S. Kurnakova AN SSSR
i Institut khimii AN Turkmenskoy SSR.
(Kara-Bogaz-Gol (Gulf)--Potassium salts)

YEFIMENKO, L.S.; SOLOV'YEV, V.K.; SEDEL'NIKOV, G.S.

Conditions for the evaporation of concentrated Kara-Bogaz brines.
Izv. AN Turk. SSR no.4:20-28 '58. (MIRA 11:10)

1. Institut khimii AN Turkmenskoy SSR i Institut obshchey i neorganicheskoy khimii AN SSSR.
(Kara-Bogaz-Gol (Gulf)--Potassium salts)

AUTHORS: Lepeshkov, I. N., Romasheva, N. N., Solov'yev, V. K. ^{20-117-6-28/56}

TITLE: On the Potassium Content of Salt Deposits in Tuva
(O kaliyenosnosti solyanykh otlozheniy Tuvy)

PERIODICAL: Doklady Akademii nauk SSSR, 1958, Vol. 119, Nr 6, pp.1156-1158
(USSR)

ABSTRACT: In the district of the autonomous region of Tuva salt lakes and sources exist, as well as the salt deposit Tuz-Tag (salt mountain) known since a long time in the southern spur of the western Tannu-Ola chain, 160 km southwest of the town of Kyzyl (figure 1). A survey of publications and a short description of the lakes and of the salt deposits are given. (Refs 1-6). In the present paper the salt sediments of the Tuz-Tag are described taking into account the potassium- and other marine salts. In a chemical investigation considerable quantities of potassium chloride were found (up to 65 %). Table 1 shows chemical analyses of some salt samples by means of which it is to be seen that it concerns sylvinite with a high KCl-content. Furthermore, cores of borings carried out by the Mining-Geological Expedition (Gorno-geologicheskaya

Card 1/2

LEPESHKOV, I.N.; SOLOV'YEV, V.K.; MINKO, G.M.; KOLOSOV, A.S.;
VASILEVSKAYA, A.G.

Calcium content of natural salts of Krasnoyarsk Territory.
Izv. Sib. otd. AN SSSR no. 10:36-46 '60. (MIRA 13:12)

1. Institut obshchey i neorganicheskoy khimii imeni N.S.
Kurnakova i Khimiko-metallurgicheskii institut Sibirskogo
otdeleniya AN SSSR.
(Krasnoyarsk Territory--Calcium salts)

1. BELV'Y N, V. KH.
2. USSR (600)
4. Milling Machinery
7. Changing the shape of plates of mills model "Rozliutor." Rab.energ. 2 no. 11, 1952.

9. Monthly List of Russian Accessions, Library of Congress, March 1953, Unclassified.

SOLOVYEV, V. K.

USSR/Miscellaneous - Machine control

Card 1/1 Pub. 103 - 14/22

Authors : Kurisis, L. N.; Livshits, B. I.; and Solovyev, V. K.

Title : Devices for the control of cams

Periodical : Stan. 1 instr. 12, 28-29, Dec 1954

Abstract : The development of devices for continuous industrial-control over cylindrical and disk-type cams (grooved and open), is reported. The devices were designed in the form of lever-mechanical systems with a clock-type indicator. The mode of operation of the new device is described. Drawings; illustrations.

Institution :

Submitted :

MIRKIN, M.S., inzh.; PAZIN, G.M., kand. tekhn. nauk; SOLOV'YEV, V.I.,
kand. tekhn. nauk

Efficient method for obtaining accurate spherical junctions.
Sbor. st. NIILTEKMASH no.3:14-17 '57. (MIRA 12:10)
(Metal cutting)

SOLOV'YEV, V.K., kand. tekhn. nauk

Circular milling of stepped ends of grooved cylinders used in
textile machines. Sbor. st. NIILTEKMASH no.3:58-62 '57.


(MIRA 12:10)

(Metal cutting) (Milling machines)

SOLOV'YEV, V.K., kand. tekhn. nauk

Introducing statistical methods of control in the casting house
of the "Vulkan" Plant. Sbor. st. NIILTEPMASH no.3:110-121 '57.
(MIRA 12:10)

(Foundries--Quality control)



SOLOV'YEV, V.M. [deceased]; SHAYVICH, A.B.

Coordinate standards for metals and for the methods of their
analysis. Standartizatsiya 24 no.10;31-34 O '60. (MIRA 13:10)
(Metals--Standards) (Metals--Testing)

S. AYEVICH, A.E.; SOLOV'YEV, V.M. (deceased); TOPALOV, L.I.

Principles of the effective analytical control in industry. Zav.
lab. no.8:1019-1022 '63. (MIRA 16:9)

1. Ural'skiy nauchno-issledovatel'skiy institut chernykh metallov
i Zaporozhskiy zavod ferrosplavov.
(Testing laboratories) (Metallurgy--quality control)

SOLOV'YEV, V.M.

Brief description of a new laryngoscope. Grud. khir. 1 no.5:
113-114 S-0 '61. (MIRA 15:3)

1. Iz laboratorii anesteziologii (zav. - kand.med.nauk V.P. ~~Sol~~'nikov) Instituta grudnoy khirurgii AMN SSSR (dir. prof. A.A. Busalov, nauchnyy rukovoditel' - akademik A.N. Bakulev). Adres avtora: Moskva, Leninskiy prosp., d.8. Institut grudnoy khirurgii AMN SSSR.

(LARYNGOSCOPE)

BOOK

Call Nr: TF 309.08

AUTHORS: Otdel'nov, P. V., Nikonov, V. A., Sinitsin, I. T.
Tsogol, A. K., Solov'yev, V. M., Kats, D. Ya., Tkachenko,
Ye. N., Sdvizhkov, M. Ye.

TITLE: Metalworking and Treatment of Metals in Machine Repair
(Obrabotka metallov pri remonte mashin)

PUB. DATA: Voennoye izdatel'stvo Ministerstva obrony Soyuz
SSR, Moscow 1957, 464 pp.

CRIG. AGENCY: None given

EDITORS: Martynov, A. D., Eng. Col.; Tech. Ed.: Sokolova, G. F.

PURPOSE: This textbook is intended for students of military
technical schools and can also be used by students
taking military training courses covering machine
repair. It was compiled in accordance with the
program for armored division technical schools.

Call No: TT 109.00

Metalworking and Treatment of Metals in Machine Repair (cont)

COVERAGE: This textbook is the basis for a practical course in metalworking as required by personnel overhauling and repairing machines. Sketches and diagrams of equipment, reference tables of materials, and methods used in shop measurements, bench work, heat treatment, forging, electroplating, welding and lathework turning are given in great detail. No personalities are mentioned. There are 17 references, all Soviet.

SOLOV'YEV, V.N.

Some characteristics of changes in the light conditions of mixed young pine and birch growths of the Pyskma Valley pine forests. Trudy Inst. biol. UFAN SSSR no. 43:191-194 '65. (MIRA 19:1)

1. Ural'skiy lesotekhnicheskiy institut.

SOLOV'YEV, V.M.

4
1.4E2c
2. MAY
4518. Method of producing an active filter for rubber latex. D. V. HADYA and V. M. SOLOV'YEV. Inf. Byull. Yaroslav. Shinnogo Esoda, 1958, No. 1/3, 26, Kucha. i Razina, 1957, No. 1, 48. 4211.B

RM
oang

SOLOV'YEV, V.M.

Brief description of an intubator with reverse laryngoscopy. Eksp. khir. 3 no.1:55-57 Ja-Y '58. (MIRA 11:2)

1. Iz kafedry obshchey khirurgii (zav. - prof. V.I.Struchkov) lechebnogo fakul'teta I Moskovskogo ordena Lenina meditsinskogo ordena Lenina meditsinskogo instituta imeni I.M.Sechenova. (ANESTHESIA, ENDOTRACHEAL, appar. & instruments reverse laryngoscopy intubator (Rus))

SOLOV'YEV, V.M.

Resistance of the respiratory circuit in anesthetic apparatus, and methods for reducing. Grud. khir. 2 no.1:118-121 Ja-F '60. (MIRA 15:3)

1. Iz laboratorii anesteziologii Instituta grudnoy khirurgii AMN SSSR (dir. prof. A.A. Busalov, nauchnyy rukovoditel' - akademik A.N. Bakulev). Adres avtora: Moskva, Leninskiy prosp., 8, Institut grudnoy khirurgii AMN SSSR.
(ANESTHESIOLOGY - EQUIPMENT AND SUPPLIES)

SOLOV'YEV, V. M.

Method of intratracheal anesthesia in pneumonectomies in suppurative processes of the lungs. Grud. khir. no. 4: 101-103 '61.
(MIRA 14:12)

1. Iz laboratorii anesteziologii (zav. - kandidat meditsinskikh nauk V. P. Smol'nikov) Instituta grudnoy khirurgii (dir. - prof. S. A. Kolesnikov, nauchnyy rukovoditel' akad. A. N. Bakulev) AMN SSSR.

(LUNGS--SURGERY) (LUNGS--DISEASES)
(INTRATRACHEAL ANESTHESIA)

SOLOV'YEV, V.M.

System for intravenous infusions of various solutions and blood during the course of surgery. *Khirurgiia* no.11:134 '61.

(MIRA 14:12)

1. Iz laboratorii anesteziologii Instituta grudnoy khirurgii AMN SSSR (dir. - prof. S.A. Kolesnikov, nauchnyy rukovoditel' - akad. A.N. Bakulev).

(INJECTIONS, INTRAVENOUS—EQUIPMENT AND SUPPLIES)
(BLOOD—TRANSFUSION)

KOCHETKOV, N.K.; KUCHEROVA, N.F.; KARPYSKIY, M.Ya.; SOLOV'YEV, V.M.

Synthesis of cycloserine. Dokl. AN SSSR 109 no.5:950-953
Ag. 1956. (MLRA 9:10)

1. Institut farmakologii i eksperimental'noy khimioterapii i khimi-
oprofilaktiki Akademii meditsinskikh nauk SSSR. Predstavleno akademi-
kom A.N. Nesmeyanovym.


(Cycloserine)

AUTHORS: Solov'yev, V. M., Arendaruk, A. P., SOV/79-29-2-58/71
 Skoldinov, A. P.

TITLE: Dialkylaminoalkyl Ester of 3,4,5-Trimethoxy Benzoic Acid
 (Dialkilaminoalkilovyie efiry 3,4,5-trimetoksisbenzoynoy kisloty)

PERIODICAL: Zhurnal obshchey khimii, 1959, Vol 29, Nr 2, pp 631-635 (USSR)

ABSTRACT: Reserpine (I), a high-active hypotensive tranquilizing agent, is the most important alkaloid extracted from the plant Rauwolfia and is generally used in medicine. Recent reports stated that there is a great number of simpler compounds, possessing only a part of the structural elements found in reserpine but having the same activity. Thus, according to data contained in publications, compound (II) shows one third of the reserpine activity and it is assumed that the activity is caused by the similarity of the structure of (II)



Card 1/3

the structure of a molecular particle of reserpine (Ref 1).

Dialkylaminoalkyl Ester of 3,4,5-Trimethoxy Benzoic
Acid

SOV/79-29-2-58/71

If this assumption is right, it must be possible to synthesize relatively simply structured compounds possessing the above mentioned properties of reserpine. Therefore the authors synthesized 12 dialkylaminoalkyl esters of 3,4,5-trimethoxy benzoic acid (II) differing as to the length of the carbon chain between the atoms of oxygen and nitrogen, as well as to the substituents at the nitrogen atom (Table). All esters apart from (II)(n=3, R=R'=C₂H₅) were synthesized by the reaction of equimolecular quantities of chloric anhydride of 3,4,5-trimethoxy benzoic acid (Ref 2) with the corresponding amino alcohol in benzene medium. The bases, which were easily obtained in pure state, were characterized as chloro hydrates and iodine methylates. 2-(N-hexamethylene imino)-ethanol-1, which is not described in publications, was obtained, like other amino alcohols, with n = 2, by the reaction of hexamethylene with ethylene bromo hydrin. Among the compounds synthesized, only a part develops a limited activity. It was not possible to find a relation between reserpine and the structural similarity and the activity of the preparations obtained. Pharmacological

Card 2/3

Dialkylaminoalkyl Ester of 3,4,5-Trimethoxy Benzoic
Acid

SOV/79-29-2-58/71

investigations have yet to been undertaken. There are 1 table
and 9 references, 2 of which are Soviet.

ASSOCIATION: Institut farmakologii i khimioterapii Akademii meditsinskikh
nauk SSSR (Institute of Pharmacology and Chemotherapy of the
Academy of Medical Sciences, USSR)

SUBMITTED: December 25, 1957

Card 3/3

SOLOV'EV, V.M.; ARENDARUK, A.P.; SKOLDINOV, A.P.

ω -Dialkylamino alkyl esters of 3,4,5-trimethoxybenzoic acid.
Zhur.ob.khim. 31 no.8:2577-2585 Ag '61. (MIRA 14:8)
(Benzoic acid)

SOLOV'YEV, V.M.; SKOLDINOV, A.P.

α - ω -Substituted alkanes with possible biological importance.
Part 3: Synthesis of α, ω -dialkylaminoalkyl chlorides. Zhur.
ob.khim. 32 no.2:439-445 F '62. (MIRA 15:2)

1. Institut farmakologii i khimioterapii AMN SSSR.
(Alkyl chlorides)

SOLOV'YEV, V.M.; SKOLDINOV, A.P.

α, ω -Substituted alkanes of possible biological importance. Part 4:
Synthesis of α, ω -bis(dimethylamino)alkanes. Zhur.ob.khim. 33
no.6:1821-1826 Je '63. (MIRA 16:7)

1. Institut farmakologii i khimioterapii AMN SSSR.
(Paraffins) (Amines)

SCIENTIST, V. V.

Dissertation: "Investigation of the Process of Straw Dressing in a Combine Harvester by a Hanging Press With a Swinging Plunger." Cand Tech Sci, Moscow Inst of Mechanization and Electrification of Agriculture Izeni V. V. Molotov, 16 Apr 54. (Vechernyaya Moskva, Moscow, 7 Apr 54)

SC: SUW 243, 19 Oct 1954

AVDNYEV, N.Yo.; KOROBOV, V.A.; SOLOV'YEV, V.M.; KRYUKOV, V.L., red.;;
ZUBRILINA, Z.P., tekhn. red.

[Concise manual for combine operators] Kratkii spravochnik kombainera.
Moskva, Gos. izd-vo sel'khoz. lit-ry, 1958. 160 p. (MIRA 11:8)
(Combines (Agricultural machinery))

VASILENKO, I.F., akademik; AVDEYEV, N.Ye., inzh.; MOROZOV, A.F., inzh.;
SOLOV'YEV, V.M., kand.tekhn.nauk; KHYUKOV, V.L., red.; MAKHOVA,
N.N., tekhn.red.; BALLOD, A.I., tekhn.red.

[Grain combines of the U.S.S.R. and foreign countries; theory
and analysis of construction] Zernovye kombainy SSSR i zarubezh-
nykh stran; teoriya i analiz konstruktsii. Pod red. I.F.Vasilenko.
Moskva, Gos. izd-vo sel'khoz. lit-ry, 1958. 294 p. (MIRA 11:12)
(Combines (Agricultural machinery))

AVDEYEV, Nikolay Yemol'yanovich; KOROBov, V.A.; SOLOV'YEV, V.M.; KOBLYAKOV,
L.M., red.; ZUBRILINA, Z.P., tekhn.red.

[Manual for combine operators] Kratkii spravochnik kombainera.
Moskva, Gos.isd-vo sel'khoz.lit-ry, 1960. 215 p. (MIRA 13:10)
(Combines (Agricultural machinery))

SOLOV'YEV, V.M., kand.tekhn.nauk, dotsent; STURIS, A.I., aspirant;
AVDEYEV, N.Ye., inzh.; KAZHATKIN, G.D., inzh.

Investigating the power indices of the SK-3 self-propelled combine.
Izv. TSKhA no.5:162-167 '61. (MIRA 14:12)

1. Moskovskaya ordena Lenina sel'skokhozyaystvennaya akademiya
im. K.A. Timiryazeva (for Solov'yev, Sturis). 2. Tsentral'naya
mashinoispytatel'naya stantsiya (for Avdeyev, Kazhatkin).
(Combines (Agricultural machinery))

AVDEYEV, N.Ye.; KORBOV, V.A.; SOLOV'YEV, V.M.; DMITRIYEV, I.N., red.;
DEYEVA, V.M., tekhn.red.; TRUKHINA, O.N., tekhn.red.

[Concise manual for the combine operator] Kratkii spravochnik
kombainera. Izd. 3., perer. i dop. Moskva, Sel'khozizdat, 1962.
291 p. (MIRA 16:6)

KLENIN, N.I., dots.; POPOV, I.F., dots.; MENGEYEV, A.S., dots.;
SOLOV'YEV, V.M., dots.; TIMOFEYEV, A.I., dots.; SHMELEV,
B.M., dots.; LETNEV, B.Ya., red.; FEVZNER, V.I., tekhn.
red.; DUDAKOV, V.A., tekhn. red.

[Manual on practical exercises with agricultural machines
and implements] Praktikum po sel'skokhoziaistvennym mashinam
i orudiam. [By] N.I.Klenin i dr. Moskva, Sel'khozizdat,
1963. 319 p. (MIRA 17:2)

... ..
... ..
... ..

KOKSHENEV, B.G.; SOLOV'YEV, V.M.

Checking formation of ice-bearing earth cylinders in shaft
sinking by the freezing method. Ugol' 30 no.11:7-11 N '55.
(MLRA 9:2)

1.Vsesoyuznyy nauchno-issledovatel'skiy institut organizatsii
montazha shakhtostroitel'stva (for Kokshenev).2.Dorogobush-
skoye stroyupravleniye tresta Shakhtspetsstroy (for Solov'yev).
(Shaft sinking) (Frozen ground)

MOLODTSOV, G.V., inzh.; SOLOV'YEV, V.N., inzh.

Settling of the surface during shallow tunneling. Transp. stroi.
12 no.8:44-46 Ag '62. (MIRA 15:9)
(Moscow—Tunneling) (Soil mechanics)

SOLOV'YEV, V.N.

Work of the State Testing Laboratory in a consolidated economic region.
Izm.tekh. no.11:51-52 N '63. (MIRA 16:12)

SOLOV'YEV, V.N., student (Leningrad, K-100, ul.Novolitovskaya,5,kv.177)

Formation of an accessory bed for the portal vein in human fetuses.
Arkhn. anat., gist. i embr. 42 no.3:103-107 Mr '62. (MIRA 15:5)

1. Kafedra normal'noy anatomii (nachal'nik - chlen-korrespondent
AMN SSSR prof. B.A.Dolgo-Saburov [deceased]) Voenno-meditsinskoy
ordena Lenina akademii S.M.Kirova.
(PORTAL VEIN) (EMBRYOLOGY, HUMAN)

L 5183-66 EWT(1)/EWA(h) GW
ACC NR: AT600007R

SOURCE CODE: UR/2619/64/000/035/0012/0021

AUTHOR: Kolosnikov, Yu. A.; Solov'yov, V. N.

36
B+

ORG: Institute of Physics of the Earth im. O.Yu. Shmidt, AN SSSR (Institut fiziki zemli AN SSSR)

TITLE: Apparatus for deciphering seismograms with numbers punched on cards or printed on paper tape

SOURCE: AN SSSR. Institut fiziki zemli. Trudy, no. 35, 1964, 12-21

TOPIC TAGS: seismologic instrument, seismography, electronic circuit

ABSTRACT: The basic elements of the apparatus (circuitry for controlling the operation of the apparatus, electric signal transducer, electronic digital voltmeter, printer, code conversion circuitry, keying device, and punch) are described in detail (photograph of instrument, flow chart, and electrical circuit are shown). Orig. art. has: 3 figures. [Ref: v. 1, no. 5]

SUB CODE: / / REEL DATE: none / ORIG REF: 001

Card 1/1

09010 455

L 5161-56 EWT(1),EWA(h) GW

ACC NR: AT6000095

SOURCE CODE: UR/2619/64/000/035/0141/0142

AUTHOR: Kolosnikov, Yu. A.; Rykov, A. V.; Solov'yov, V. N.

44,55

44,55

44,55

44

B11

ORG: Institute of Physics of the Earth im. O.Yu. Schmidt, AN SSSR (Institut fiziki zemli AN SSSR)

44,55

TITLE: Precise timer

SOURCE: AN SSSR. Institut fiziki zemli. Trudy, no. 35, 1964, 141-142

TOPIC TAGS: timing device, ²⁵transistorized circuit, seismography, seismologic instrument, galvanometer

12,44,55

12,44,55

ABSTRACT:

A description and schematic are given for two variations of a simple, precise, transistorized timer (clock), adequate for use in short-duration recording of seismic events under field conditions. The first variation is with a needle galvanometer operating on agate bearings and the second with a mirror galvanometer, on springs. Under laboratory conditions, the accuracy of the first device was not less than 0.005%, and the second, 0.003%, when the temperature of the surroundings varied no more than 2 - 4%. Schematics for timer readout with agate-bearing galvanometer and for mirror galvanometer are shown. /Orig. art. has: 2 figures. [FSB: v. 1, no. 5]

SUB CODE: ES, EC / SUBM DATE: none

Card 1/1 *hd*

SOLOV'YEV, V.M., nauchnyy sotrudnik; YELMIN, V.I., nauchnyy sotrudnik

Tensiometric testing of the KMZ-PI loader. Trudy
VSNIPILedrev no.8:27-31 '63.

(MIRA 18:11)

SOLOV'YEV, V.N.; KONYAYEV, G.A.

Changes in bacterial sensitivity to antibiotics following a brief stay in animal organism. Antibiotiki 9 no.9:846-850 S '64.
(MIRA 19:1)

1. Laboratoriya mikrobiologii otдела khimioterapii (zav. - prof. A.M. Chernukh) Instituta farmakologii i khimioterapii AMN SSSR, Moskva.

PA 31/4/78

USSR/Medicine - Asthenia, Neurocirculatory Jul/Aug 48
Medicine - Drug, Effects

"The Problem of So-Called Chronic Vascular Deficiency:
I, Mechanism of the Disruption of Blood Circulation
Due to Neurocirculatory Asthenia," Capt V. N. Solov'-
yev, Red Corps, Chair of Mil Field Therapy, Mil
Faculty, Gen Inst for Advancement of Doctors, 16 pp

"Teraper Arkhir" Vol IX, No 4

The definite clinical symptomcomplex, characterized
by weakness, giddiness when changing to vertical
position, rapid exhaustion from standing, lowered
working capacity, palpitation, weakness and loss of

31/4/9748

USSR/Medicine - Asthenia, Neurocirculatory Jul/Aug 48
(Contd)

breath during sustained physical exertion is an indi-
cation of functional deficiency of the venopressor
mechanism. This "neurocirculatory asthenia" may be
constituent of such complex functional disturbances
as vasoneurosis, general vascular hypotonia, hypertonic
disease, or may occur in isolated form. It may be of
a secondary nature in convalescents, dystrophias,
patients with infection of central nervous system,
and observed in cases with constitutional endocrine
afflictions. Sympathol, veritol, and cardiazol
(metrazol) increase venous tone.

31/4/9748

SOLOV'YEV, V. N., Capt

SOIA '88, ... (Capt)

PA 11/12/87
Mar 79

USSR/Medicine - Nitroglycerin
Menthol

"The Vasodilative Action of Nitroglycerin and Menthol," Capt V. N' Solov'yev, Med
Corps, Chair of Mil Field Therapy, Mil Faculty, Gen Inst for Advancement of Doctors,
Arkhangel'skoye Gen Clinical Sanatorium, 5 pp

"Klin Med" 5 pp

SOLOV'YEV V.N.

"Clinical Forms of Disruption of Vein Tonus". Thesis for degree of Cand Medical Sci. sub
21 Nov. 50, Central Inst. for the Advanced Training of Physicians.

Summary 71, 4 Sep. 52. Dissertations Presented for Degrees in Science and Engineering in
Moscow in 1950. From Vechernyaya Moskva, Jan-Dec. 1950.

SOLOV'YEV, V.-IV.

USSR :

The antispasmodic action of procaine. V. N. Solov'ev
Byull. Ekspit. Biol. i Med. 38, No. 11, 47-50 (1954).—The
injection of small doses of procaine (I) 15-30 min. before
the injection of a toxic spasm-producing dose impedes the
onset of spasms in some of the expit. animals. The same
antagonistic action is manifested in strychnine poisoning of
white mice and rabbits. A second injection of a small dose
of I 2 hours after the first enhances its antagonistic effect
to the toxic effects of strychnine. No such enhanced an-
tagonistic effect was observed when the second injection of
I occurred 4 hours after the first. Phenamine in doses of
0.6 to 100 mg./kg. exerted an antagonistic action. I in
conjunction with hexobarbital and barbamil acts syn-
ergistically, manifesting an antistrychnine action greater than
any of the reagents individually. The injection of I prior
to that of the sleep-inducing drugs obviates the excitation
phase usually observed in mice, and causes a deepening of
the narcotic effect of the sleep-inducing drugs without en-
hancing their toxicity. Other phases of this study are ex-
tensively discussed. B. S. Levine

СОЛОВЬЕВ, В. И.

MD

Antihistamine preparations. B. E. Votchal and V. N. Solov'ev. *Klin. Med.* 33, No. 12, 1-12(1955).—A review of the chemistry and the mode of action of antihistamines. The antihistamines in use can be divided into derivs. of either ethylenediamine or ethanolamine, or monoamines. Although many derivs. of the 3 prototypes are used, no definite connection between the chem. structure and the antihistamine effect can be established. A. S. Mirkin

SOLOV'YEV, V.N.; SMOLIN, L.N.

Method for determining the latent period of the defense reflex
in white rats and mice. Biul. eksp. biol. i med. 40 no.10:75-77
Oct. '55. (MLRA 9:1)

1. Iz laboratorii eksperimental'noy terapii (zav.-kandidat
meditsinskikh nauk A.M.Chernukh) Instituta patofiziologii i
eksperimental'noy terapii (dir.--akademik A.D.Speranskiy)
AMN SSSR, Moskva.

(REFLEX,

defense reflex, determ. of latent period in white
rats & mice)

SOLOV'YEV, V.N.

Effect of pyramidon, pentoxyl, butozolidine, and dimedrol on the therapeutic effect of penicillin in experimental staphylococcal inflammatory foci in white mice. Antibiotiki 1 no.3:12-15 My-Je '56.
(MIRA 9:10)

1. Laboratoriya eksperimental'noy terapii (zav. doktor meditsinskikh nauk A.M.Chernykh) Instituta normal'noy i patologicheskoy fiziologii AMN SSSR.

- (ANTIPYRETICS, effects,
on exper. micrococcal infect. response to penicillin (Rus))
- (PENICILLIN, effects,
on exper. micrococcal infect., eff. of antipyretics on
response (Rus))
- (MICROCOCCAL INFECTION, experimental,
eff. of penicillin with antipyretics (Rus))

REVISTA MEDICA Sec.2 Vol.10/7 Pny. Stockh. Aug 57

3684. SOLOVEV V. N. Inst. of Norm. and Pathol. Physiol., Acad. of Med. Sci. USSR, Moscow. *Effect of diphenhydramine on the efficacy of penicillin treatment of experimental staphylococcal infections (Russian text) ANTIBIOTIKI 1956, 1 (32-36) Illus. 2
Mice were infected s.c. on their paws with *M. pyogenes aureus* and 20 hr. later diphenhydramine ('dimedrol') was given s.c. (0.075 ml. of a 0.5% solution 3 times a day), or penicillin (2,000 U. twice daily), or both together. Observations during the next 35-40 days showed that diphenhydramine possesses a definite anti-inflammatory action, and has a favourable effect on the local process, but the general symptoms become worse; the number of dying animals increased, foci of infection appearing in the lungs. A similar action was observed also in combination with penicillin. Analogous results were obtained in generalized septic infections of mice. The negative influence of diphenhydramine is ascribed to its lowering effect on the defensive functions of organism, and especially on the barrier-role of inflammation.

Svinkina - Moscow

SOLDV'YEV, V. N.

✓ Effects of procaine and barbamil on duration of strychnine convulsions. V. N. Solov'ev. *Farmakol. i Toksikol.* 19, No. 1, 11-16(1956).—Procaine shares the known anti-strychnine action of barbamil, but whereas barbamil is about equally effective in intravenous and subcutaneous dosage, procaine is most effective when given intravenously. Both antidotes act through the central nervous system. The tests were with rats and rabbits. Strychnine dosage was 2 mg./kg. (rats) and 0.5 mg./kg. (rabbits); subcutaneous procaine dosage was 70-80 and 180-200 mg./kg. (rats) and 100 mg./kg. (rabbits); intravenous dosage, 30-40 mg./kg. in 2% soln. (rats) and 5 ml. 1% or 2.5 ml. 2% soln. (rabbits).
Julian F. Smith

Max

SOLOV'YEV, V.N.; SMOLIN, L.N.

Effect of dimedrol on the central nervous system. *Farm. i toks.* 19
no.5:29-34 S-0 '56. (MLRA 10:3)

1. Laboratoriya eksperimental'noy terapii (zav. kandidat meditsin-
skikh nauk A.M.Chernukh) Instituta normal'noy i patologicheskoy
fiziologii AMN SSSR.

(DIPHENHYDRAMINE, effects,
on CNS in animals (Rus))

(CENTRAL NERVOUS SYSTEM, effect of drugs on,
diphenhydramine in animals (Rus))

SOLOV'YEV, V.N. (Cand. Med. Sci.)

"Importance of Protective Reactions of the Organism During Penicillin Therapy,"

p. 92 Ministry of Health USSR Proceedings of the Second All-Union Conference on Antibiotics, 31 May - 9 June 1957. pp. 405, Moscow, Medgiz, 1957.

SOLOV'YEV, V.N.

Changes in inflammatory response following repeated inflammation.
Zhur.mikrobiol.epid. i immun., supplement for 1956:1 '57 (MIRA 11:3)

1. Iz Instituta normal'noy i patologicheskoy fiziologii AMN SSSR.
(INFLAMMATION)

USSR/Pharmacology. Toxicology. Hormone Preparations. U-6

Abs Jour : Ref Zhur-Biol., No 7, 1958, 33013

Author : Solov'yev V. N.

Inst : Not given

Title : Combined Application of Corticoid Hormones and Antibiotics (a Survey of Data in Foreign Periodicals).

Orig Pub : Antibiotiki. Sb. perev. obz. i ref. in period. lit., 1957, No 4, 59-66

Abstract : No abstract

Card 1/1

CHERNUKH, A.M., doktor meditsinskikh nauk; SOLOV'YEV, V.N., kand.med.nauk;
ALEKSANDROV, P.N.

Some peculiarities of experimental antibiotic therapy of infectious
inflammations. Sov.med. 21 no.9:26-31 S '57. (MIRA 11:1)

1. Iz laboratorii eksperimental'noy terapii Instituta normal'noy i
patologicheskoy fiziologii (dir. - prof. V.N.Chernigovskiy) Akademii
meditsinskikh nauk SSSR.

(MICROCOCCUS PYOGENUS, infect.

 aureus, eff. of antibiotic ther. in rats & mice)

(ANTIBIOTICS, eff.

 on exper. micrococcus pyogenes aureus infect.)

KHAYEVSKIY, N. A., ZAKUTINSKIY, D. I., KHRYANTSEVA, E. B., MOSKALEV, Y. I.,
SIRELTSOVA, V. N., BURYKINA, L. N., LITVINOV, N. N. and SOLOV'YEV, Y. N.

"Long-Term Effects Produced by Small Doses of Radioactive Substances in
Chronical Experiment."

paper to be presented at 2nd UN Intl. Conf. on the peaceful uses of Atomic
Energy, Geneva, 1 - 13 Sep 1958.

SOLOV'EV, V.B.

Protective importance of neural inhibition in intoxication.
Trudy Inst. norm. i pat. fiziol. AMN SSSR no.1:37-47 '58
(MIRA 16:12)

1. Iz laboratorii eksperimental'noy terapii (zav. - doktor
med. nauk A.M.Chernukh) Instituta normal'noy i patologiches-
koy fiziologii AMN SSSR.

SOLOV'yev, V.N.; CHERNUKH, A.M.

Therapeutic effect of novocaine block and dimedrol in experimental staphylococcal inflammation of different localization. Trudy Inst. norm. i pat. fiziol. AMN SSSR no.1:196-204 '58 (MIRA 16:12)

1. Iz laboratorii eksperimental'noy terapii (zav. - doktor med. nauk A.M.Chernukh) otdela obshchey i eksperimental'noy patologii (zav. - akademik A.D. Speranskiy) Instituta normal'noy i patologicheskey fiziologii AMN SSSR.

SOLOV'YEV, V.N.

Effect of cortisone on the bactericidal activity of the blood serum
and on the properdin system. Antibiotiki 3 no.2:63-67 Mr-Ap '58.
(MIRA 12:11)

1. Laboratoriya eksperimental'noy terapii Instituta normal'noy i
patologicheskoy fiziologii AMN SSSR.

(CORTISONE, effects,

on blood bactericidal property & on properdin (Rus))

(BLOOD, effect of drugs on,

cortisone, on bactericidal property (Rus))

(PROPERDIN, effect of drugs on,

cortisone (Rus))

SOLOV'YEV, V.N.; SOKOLOVA, E.M.

Dynamics of the antimicrobial effect of tetracycline [with summary
in English]. Antibiotiki 3 no.6:80-85 N-D '58. (MIRA 12:2)

1. Otdel khimioterapii (zav. - doktor med.nauk A.M. Chernykh) Insti-
tuta farmakologii i khimioterapii AMN SSSR.
(TETRACYCLINE, effects,
antimicrobial (Rus))

SOLOV'YEV, V.N. (Moskva)

Effect of cortisone, ACTH and butadione on therapeutic effect of antibiotics in infection [with summary in English]. Pat.fiziol. i eksp.terap. 3 no.1:50-55 Ja-F '59. (MIRA 12:2)

1. Iz laboratorii eksperimental'noy terapii (zav. doktor med. nauk A.M. Chernukh) Instituta normal'noy i patologicheskoy fiziologii AMN SSSR (dir. - deystvitel'nyy chlen AMN SSSR prof. V.N. Chernigovskiy).

(ANTIBIOTICS, effects,

on exper. infect., eff. of ACTH, cortisone & phenylbutazone on effectiveness (Rus))

(ACTH, effects,

on antibiotic effectiveness in exper. infect. (Rus))

(CORTISONE, effects,

same)

(PHENYLBUTAZONE, effects,

same)

SOLOV'YEV, V.N.

~~Effect of cortisone on bactericidal activity of blood serum of~~
infected animals. Biul. eksp. biol. med. 47 no.2:50-55 F '59.

(MIRA 12:4)

1. Iz otdela khimioterapii (sav. - doktor med. nauk A.M. Chernykh)
Instituta farmakologii i khimioterapii (dir. - deystvitel'nyy chlen
AMN SSSR V.V. Zakusov) AMN SSSR, Moskva. Predstavlena deystvitel'-
nym chlenom AMN SSSR V.V. Zakusovym.

(CORTISONE, effects,

on bactericidal activity of serum from infected animals
(Rus))

(INFECTION, exper.

eff. of cortisone on bactericidal activity of serum from
infected animals (Rus))

SOLOV'YEV, V.N.

Paradoxical effect of large doses of cortisone in infectious and aseptic forms of inflammation. Biul. eksp. biol. i med. 47 no.4: 33-37 Ap '59. (MIRA 12:7)

1. Iz laboratorii eksperimental'noy terapii (zav. - doktor med. nauk A.M. Chermukh Instituta normal'noy i patologicheskoy fiziologii (dir. - deystvitel'nyy chlen AMN V. N. Chernigovskiy) AMN SSSR, Moskva. Predstavlena deystvitel'nyy chlenom AMN SSSR V. N. Chernigovskiy.

(CORTISONE, effects,

paradoxical eff. of large doses in infect. & aseptic exper. inflamm. (Rus))

(INFLAMMATION, exper.

eff. of cortisone, paradoxical reaction to large doses in infect. & aseptic forms (Rus))

SOLOV'YEV, V.N.; SOKOLOVA, E.M.

Weakening of antibacterial activity of tetracycline in suppurative
inflammatory exudate. Antibiotiki 5 no.2:35-41 Mr-Ap '60.

(MIRA 14:5)

1. Otdel eksperimental'noy terapii (zav. - prof. A.M.Chernukh)
Instituta farmakologii i khimioterapii AMN SSSR.

(TETRACYCLINE)

(INFLAMMATION)

SOLOV'YEV, V.N.; ZUYEVA, V.S.

Antimicrobial effects of penicillin in suppurative exudate in
relation to the viscosity and aeration of the medium. Antibiotiki
5 no.3:75-80 My-Je '60. (MIRA 14:6)

1. Otdel eksperimental'noy khimioterapii (zav. - prof. A.M.Chernukh)
Instituta farmakologii i khimioterapii AMN SSSR.
(PENICILLIN) (STAPHYLOCOCCUS)

SOLOV'YEV, V.N.; SOKOLOVA, E.M. (Moskva)

Effect of local administration of corticosteroids on the course of focal purulent infection and the therapeutic effect of antibiotics. Pat. fiziol. i eksp. terap. 5 no.2:39-45 Mr-Apr '61. (MIRA 14:5)

1. Iz otdela eksperimental'noy khimioterapii (zav. - prof. A.M. Chernukh) Instituta farmakologii i khimioterapii (dir. - deystvitel'nyy chlen AMN SSSR prof. V.V.Zakusov) AMN SSSR.
(INFECTION) (CORTISONE) (ANTIBIOTICS)
(KLEBSIELLA PNEUMONIAE)

SOLOV'YEV, V.N.; ZUYEVA, V.S.

Significance of the functional condition of microbes for the anti-bacterial action of tetracycline. Antibiotiki 6 no.6:508-513 Je '61.
(MLHA 15:1)

1. Otdel eksperimental'noy khimioterapii (zav. - prof. A.M.Chernukh)
Instituta farmakologii i khimioterapii AMN SSSR.
(BACTERIA, EFFECT OF DRUGS ON) (TETRACYCLINE)

SOLOV'YEV, V.N.; ZUYEVA, V.S.; KONYAYEV, G.A.

Mechanism of the weakening of the antimicrobial action
of tetracycline in suppurative exudate. Antibiotiki 6
no.8:715-720 Ag '61. (MIRA 15:6)

1. Otdel khimioterapii (zav. - prof. A.M. Chernukh)
Instituta farmakologii i khimioterapii AMN SSSR.
(TETRACYCLINE) (SUPPURATION)

SOLOV'YEV, V.N.; ZUYEVA, V.S.

Significance of heterogeneous cell sensitivity in the weakening
of the antimicrobial action of penicillin in the presence of an
increase in the number of microbes. Antibiotiki 6 no.10:930-936
0 '61. (MIRA 14:12)

1. Otdel eksperimental'noy khimioterapii (zav. - prof. A.M.Chernukh)
Instituta farmakologii i khimioterapii AMN SSSR.
(PENICILLIN) (CELLS)

SOLOV'YEV, V.N.; KONYAYEV, G.A.

Effect of bactericidal factors from suppurative exudate on the sensitivity to penicillin of the microbes found in the infected focus. Antibiotiki 6 no.11:1016-1021 N '61. (MIRA 15:3)

1. Otdel eksperimental'noy khimioterapii (zav. - prof. A.M. Chermukh) Instituta farmakologii i khimioterapii AMN SSSR.
(PENICILLIN) (BACTERICIDES) (SUPPURATION)

SOLOV'YEV, V.H.

Bactericidal factors of suppurative exudate and biological mechanisms
in their inactivation. Zhur.mikrobiol., epid. i ~~immun.~~ 32 no,10:50-
56 0 '61. (MIRA 14:10)

1. Iz Instituta farmakologii i khimioterapii AMN SSSR.
(INFECTION)

SOLOV'YEV, V.N.; KOS'YAYEV, G.A. (Moskva)

Combined use of antibiotics and corticosteroids in the treatment of experimental suppurative foci in white rats. Pat. fiziol. i eksp. terap. 6 no.6:34-40 N-D'62 (MIRA 17:3)

1. Iz otdela eksperimental'noy khimioterapii (zav. - prof. A.M. Chernukh) Instituta farmakologii i khimioterapii (dir. deystvitel'nyy chlen AMN SSSR prof. V.V. Zakusov) AMN SSSR.

BALYN', I.R.; SOLOV'YEV, V.N.

Penetration of the lymph nodes of healthy and infected rats by
various salts of penicillin. Antibiotiki 7 no.8:729-732 Ag '62.
(MIRA 15:9)

1. Otdel eksperimental'noy khimioterapii (zav. - prof. A.M.
Chernukh) Instituta farmakologii i khimioterapii AMN SSSR.
(PENICILLIN) (LYMPHATICS)

SOLOV'YEV, V.N.; BALYN', I.R.

Antimicrobial action of penicillin and colimycin in infected lymph nodes in white rats. Antibiotiki 7 no.10r921-925 0'62 (MIRA 16:12)

1. Otdel eksperimental'noy khimioterapii (zav. - prof. A.M. Chernukh) Instituta farmakologii i khimioterapii AMN SSSR.

SOLOV'YEV, V.N.; KONYAYEV, G.A.

Effect of corticosteroids on antimicrobial protective factors of the body in an infectious inflammatory focus. Zhur.mikrobiol., epid.i immun. 33 no.4:77-83 Ap '62. (MIRA 15:10)

1. Iz Instituta farmakologii i khimioterapii AMN SSSR.
(IMMUNITY) (CORTICOSTEROIDS) (FOCAL INFECTION)

SOLOV'YEV, V.I.; ZUYEVA, V.S.

Change in the sensitivity of microbes developing in an animal organism to mycerin. Antibiotiki 8 no.6:516-520 Je'63
(MIRA 17:3)

1. Otdel khimioterapii (zaveduyushchiy - prof. A.M. Chernukh)
Instituta farmakologii i khimioterapii AN SSSR.

POPOVICH, V.N., BAUMANN, J.W.

Dependence of the intracellular arrangement of microbes in the
lymphatic nodes of white rats for the antibacterial action of
colimycin. Antibiotiki R no. 11-12 1964-1965 N 163. (USSR 1969)

I. Odol' antimikrobnogo 'zav. - prof. I.M. Chernakova Institut
farmakologii i khimioterapii AN SSSR.

SOLOV'YEV, V. N.

"Susceptibility of bacteria developing in animal organism to chemotherapeutic preparations."

report submitted for Antibiotics Cong, Prague, 15-19 Jun 64.

Inst for Pharmacology & Chemotherapy, AMS USSR, Moscow.

SHAWIN, G.W.; SHAWIN, W.

Changes in the antibiotic sensitivity of microbial cultures following
a brief contact with blood serum or inflammatory exudates. Antibiotiki
V no. 10:954-958 G. 193. (USSR 17:10)

I. Gidel' k imunitetii (prev. - prof. A.M. Cherniak) Institut farmako-
logii i khimioterapii AN SSSR.