Elektrotekhnicheskiye materialy

AID 757 - X Pages

214-233 Copper: basic data, treatment, brass, data on wires. Ch. 9 Conducting Materials Steel, characteristics, wire manufacture "bimetal", data. Others: Tungsten: treatment, basic data; molybdenum, platinum and mercury, basic data. High resistance alloys: constantan, basic data; manganin, nichrome, "Fechrale" and their basic data.

Carbon: brushes, carbon and graphite, "GOST" standards, 233-248 basic data, table on p. 232. Wires for windings: basic data, types, tables on pp. 235, 236, 239. Ch. 10 Insulated Cables Power cables: diagrams, basic data, "GOST" standards, research of S. M. Bragin mentioned; "vinyflex" and "metalvyn" developed by Andrianov and Ushakov; types of cables and wires: SK, SG, SA, SB, OSB and OSK listed, basic data given; a score of names of scientists developing research on wires and cables is attached. 248-259

General information: brief review of achievements. Ch. 11 Magnetic Materials

Elektrotekhnicheskiye materialy

AID 757 - X

Pages

Laminated steel "GOST" standards, basic data, types,

Various magnetic materials: permalloy, "alsifer" developed by A. S. Zaymovskiy, basic data; magneto-di-electrics, developed by A. S. Zaymovskiy, N. N. Shol'ts, L. I. Rabkin, V. S. Yevseyev for super high frequencies,

Materials for permanent magnets: alloy types, basic basic data.

data, table on p. 258. Ch. 12 Various Materials

259-282

Lead: basic data, types.

Soldering materials: soft and hard tin, types and table on p. 262, compounds with copper, silver, zinc, cadmium, phosphorus, aluminum, fusing agents: colophony, chlorine, fluorine, etc.; compounds with sodium, potassium, zinc and lithium.

Cement, putty, paste, glue: Portland cement types, according to "GOST" standards; gypsum, lead monoxide and glycerine (gletoglycerine); "ELSI" paste, composition; carbinol glue, composition, also used with nitrous acid,

Elektrotekhnicheskiye materialy

AID 757 - X

developed by I. P. Nazarov and based on synthetic rubber; glues BF-2 and BF-4 made of synthetic resin and alcohol. Bimetals: general information, basic data, properties. Materials for thermo-couples: "copel", "alumel" and "materials for data.

"chromel", basic data.
Thermo color films (temperature recorders), containing

mercury, silver, copper.
Storage battery electrolytes, basic data, "GOST" standards, ards; alkali electrolytes, basic data, "GOST" standards,

No. of References: 25 Russian, 1945-1952. Facilities: Names of Russian scientists listed in Table of Contents.

10/10

TARBEV. B. M., ed.

Scientific literature on dielectrics Moskva, Izd-vo Akademii nauk 2007, 1952. 671 p. (53-25640)

25834.D48A45

TAREYEV, 3. M.

VSSR/Electricity - Personalities

Fay 52

"Professor H. P. Bogoroditskiy, in Connection With His 50th Birthday." P. I. Skotnikov, A. F. Alabshev, S. Ya. Sokolov, A. A. Vavilov, V. V. Pasynkov, B. M. Tareyev

"Elektrichestvo" No 5, p 88

Reviews main features of professional life of Nikolay Petrovich Bogoroditskiy, born 20 May 02 in Tashkent. His principal interest has been development of h-f dielectrics. Between 1933 and 1942 he developed the now widely-used radio materials tikond, micalex, h-f glass, radio porcelain, and ultra-porcelain. Affiliations include Military Elec Eng Acad imeni Budennyy (1933 - 1942) and a large plant laboratory (where he produced a number of inventions) during World War II. He has published a number of articles in journals, books, and textbooks. He received three Stalin Prizes: for an invention in field of ceramics(1942); for textbook "Electrical Engineering Materials"(1952); and for development and organization of mass production of parts for radio equipment (1952).

PA 240T58

TAREYEV, B. M.

USSR/Electricity - Education -

Jun 53

"Correspondence-School Advanced Training of Graduate Engineers," Prof B.M. Tareyev, Dr Tech Sci; Engr A.O. Magidson, All-Union Corresp Power Eng Inst (VZEI)

Elektrichestvo, No 6, pp 57-59

Describes organization of correspondence-school advanced training for graduate power engrs on basis of experience of VZEI in Moscow. Lists, discusses subject matter of projects recently completed for adject matter of projects recently completed for advanced training with VZEI by 8 persons from 8 different places (including Leninakan, Sochi, Taganrog). Submitted 22 Jan 53.

TAREYEV, B.M., professor, doktor tekhnicheskikh nauk; GIKIS, A.F.,
dotsent, kandidat tekhnicheskikh nauk; MEZHLUMOV, A.A., dotsent,
kandidat tekhnicheskikh nauk (Baku); STOLOV, L.I., dotsent,
kandidat tekhnicheskikh nauk (Kazan'); YUMATOV, A.A., inzhener
(Kronshtadt); RAKHIMOV, G.R., dotsent, kandidat tekhnicheskikh
nauk; KONSTANTINOV, V.I., inzhener (Moscow); NEYMAN, L.R.;
ZAYTSEV, I.A., dotsent, kandidat tekhnicheskikh nauk; LUR'YE, A.G.,
dotsent, kandidat tekhnicheskikh nauk.

Terminology of theoretical electrical engineering. Elektrichestvo no.2:74-82 F '54. (MLRA 7:2)

1. Vsesoyuznyy zaochnyy energeticheskiy institut (for Tareyey).

2. Rostovskiy institut inzhenerov zheleznodorozhnogo transporta (for Gikis).

3. Sredneaziatskiy politekhnicheskiy institut (for Rakhimov).

4. Chlen-korrespondent Akademii nauk SSSR (for Neyman).

5. Leningradskiy politekhnicheskiy institut im. Kalinina (for Neyman, Zaytsev, Lur'ye). (Electric engineering--Terminology)

APPROVED FOR RELEASE: Thursday, September 26, 2002 CIA-RDP86-00513R001755010007-5

APPROVED FOR RELEASE: Thursday, September 26, 2002 CIA-RDP86-00513R001755010007-5

VINTER, A.V., akademik; KUKUSHKIN, I.N., inzhener; TRAPEZNIKOV, V.A.;

NIKOLAYEV, A.T., inzhener (Muromtsevo, Vladimirskoy obl.); KUDELIN,

Ya.M. (Muromtsevo, Vladimirskoy obl.); PETROV, I.I., dotsent, kandidat

tekhnicheskikh nauk (Moscow); BADALYANTS, M.G., inzhener; BELICHENKO,

G.M., inzhener; KLAPCHUK, L.D., inzhener; FRANTSUZOV, Ye.M., inzhener;

TAREYEV, B.M., professor, doktor tekhnicheskikh nauk; MAGIDSON, A.O.,

inzhener.

Improving the knowledge of power engineers through correspondence courses. Remarks on B.M. Tareev's and A.O. Magidson's article. Elektrichestvo no.3:76-80 Mr '54. (MLRA 7:4)

1. Energeticheskiy institut im. Krzhizhanovskogo Akademii nauk SSSR (for Vinter). 2. Glavnyy energetik Gor'kovskogo avtomobil'nogo zavoda im. Molotova (for Kukushkin). 3. Institut avtomatiki i telemekhaniki Akademii nauk SSSR (for Trapeznikov). 4. Chlen-korrespondent Akademii nauk SSSR (for Trapeznikov). 5. Leninakanges (for Badalyants). 6. Dnepropetrovskiy institut inzhenerov transporta (for Belichenko). 7. Kurakhovskaya gres (for Khapchuk). 8. Orekhovo-Zuyevskaya tets (for Frantsuzov). 9. Vsesoyuznyy zaochnyy energeticheskiy institut (for Tareyev and Magidson).

APPROVED FOR RELEASE: Thursday, September 26, 2002
APPROVED FOR RELEASE: Thursday, September 26, 2002
CIA-RDP86-00513R001755010007-5

TAREYEY, B.M., professor, doktor tekhnicheskikh nauk.

In the scientific-technical society of the All-Union Institute for Correspondence Courses in Power Engineering. Elektrichestvo no.3:90 Nr *54. (NLRA 7:4)

1. Predsedatel NTO Vsesoyuznogo zaochnogo energeticheskogo instituta.
(Power engineering--Study and teaching)

DROZDOV, N.G., professor, doktor tekhnicheskikh nauk; PRIVEZENTSEV, V.A., professor, doktor tekhnicheskikh nauk; KOMAROV, N.S., dotsent, kandidat tekhnicheskikh nauk; SHUMSKIT, I.I., dotsent, kandidat tekhnicheskikh nauk; KREMLEV-SKIY, P.A., kandidat tekhnicheskikh nauk; GEPPE, A.P., inzhener; ALEK-SANDROV, N.V., professor, doktor tekhnicheskikh nauk; TAREYEV, B.M., professor, doktor tekhnicheskikh nauk; EYGENSON, L.S., professor, doktor tekhnicheskikh nauk; MAGIDSON, A.O., inzhener.

"Science of electrical materials." M.W.Mikhailov. Reviewed by N.G. Drosdov, and others. Elektrichestvo no.3:93-94 Mr. 54. (MLRA 7:4)

1. Moskovskiy energeticheskiy institut im. Molotova. 2. Vsesoyuznyy zaochnyy energeticheskiy institut.

(Electric insulators and insulation) (Electric conductors)

AID P - 663

Subject

: USSR/Electricity

Card 1/1

Pub. 27 - 32/34

Author

: Tareyev. B. M., Dr. of Tech. Sci., Prof., Chairman of the Scientific and Technical Society of the All-Union Power Engineering Correspondence Institute (VZEI)

Title

: Scientific and Technical Society of the VZEI (Current

News)

Periodical

: Elektrichestvo, 9, 94, S 1954

Abstract

The 5th scientific and technical conference of the Institute was held in May 1954. 28 reports were discussed

in the sections of the Institute.

Institution: VZEI (Scientific and Technical Society of the All-Union

Power Engineering Correspondence Institute)

Submitted

: No date

CIA-RDP86-00513R001755010007-5"

BABIKOV, M.A.; VENIKOV, V.A.; DROZDOV, N.G.; PRIVEZENTSEV, V.A.; SOLOV'YEV, I.I.; TAREYEV, B.M.; HIKULIN, N.V.

Professor S.M.Bragin, Elektrichestvo no.12:82-83 D '54. (MIRA 7:11) (Bragin, Sergei Mikhailovich, 1894-)

TAREYEV, Boris Mikhaylovich, laureat Stalinskoy premii, d-r tekhnicheskikh nauk; YEZHKOV, V.V., redaktor; SKVOHTSOV, I.M. tekhnicheskiy redaktor.

[Electric engineering materials] Elektrotekhnicheskie materialy. Izd.5-oe perer. Moskva, Gos.energ.izd-vo, 1955. 256 p.(MLRA 8:10) (Electric engineering-Materials) APPROVED FOR RELEASE: Thursday, September 26, 2002

APPROVED FOR RELEASE: Thursday, September 26, 2002

CIA-RDP86-00513R001755010007-5"

CIA-RDP86-00513R001755010007-5"

is Fi Walfili

BOGORODITSKIY, N.P., PASYNKOV, V.V.; TARBYEV, B.M.; RENNE, V.T., redaktor VORONETSKAYA, L.V., tekhnicheskiy redaktor.

[Materials used in electric engineering] Elektrotekhnicheskie materialy. Izd-vo 302, pere. Moskva, Gos. energ. isd-vo, 1955. 372 p. (MLRA 8:8)

"APPROVED FOR RELEASE: Thursday, September 26, 2002 CIA-RDP86-00513R001755010007-5" CIA-RDP86-00513R001755010007-5"

TAREYEV, B.M., professor, redaktor; YEZHKOV, V.V., redaktor; BORONIN, K.P.,

[Fluorine organic compounds used as electric insulating materials. Translations] Ftororganicheskie elektroisolyatsionnye materialy. Perevody statei pod red. V.M.Tareeva. Moskva, Gos.energ. izd-vo, 1957. 62 p. (MIRA 10:9)

(Electric insulators and insulation) (Fluorine organic compounds)

"APPROVED FOR RELEASE: Thursday, September 26, 2002 CIA-RDP86-00513R001755010007-5"

CIA-RDP86-00513R001755010007-5"

ARTICLE OF A SERVICE PARTY OF THE CONTROL OF THE CO

GOLUBTSOVA, Valeriya Alekseyevna; TAREYEV, B.M., red.; HEDVEDHV, L.Ya., tekhn.red.

[History and prospects for the development of electric insulation materials] Istoriia i perspektivy razvitiia elektroisoliatsionnykh materialov. Moskva, Gos.energ.izd-vo, 1957. 76 p. 9 graphs

(MIRA 11:2)

(Electric insulators and insulation)

TAREYEV, B.M., prof., red.; BORUNOV, N.I., tekhn.red.

[Recommendation for the classification of materials for the insulation of electrical machinery and apparatus in relation to their thermal stability in service] Rekomendatsii dlia klassifikatsii materialov izoliatsii elektricheskikh mashin i apparatov po nagrevostoikosti. Publikatsiia No.85. Izd.1, 1957 g. Moskva, Gos.energ.izd-vo, 1958. 12 p. (MIRA 12:7)

1. World Power Conference. U.S.S.R. National Committee. (Electric insulators and insulation)

8(2)

PHASE I BOOK EXPLOITATION

80V/1867

Tareyev, Boris Mikhaylovich, and David Mikhaylovich Kazarnovskiy

Ispytaniya elektroizolyatsionnykh materialov (Testing Electric Insulating Materials) Moscow, Gosenergoizdat, 1958. 208 p. 20,950 copies printed.

Ed.: V.I. Timokhina; Tech. Ed. G.I. Matveyev.

FURPOSE: This is a textbook for students in electrical engineering tekhnikums. It may be useful to students in power and electrical engineering vuzes and also for technicians in industrial plants and scientific-research institutes.

COVERAGE: The authors describe the most important and widespread methods of testing electric insulating materials. They explain the theoretical basis of the various methods and describe a number of testing instruments and auxiliary equipment. Special attention is devoted to new methods of testing with automatic measuring instruments and apparatus and methods for continuous testing without interrupting production or operating conditions. There are 70 references, 53 of which are Seviet, 10 English, 4 German, 2 Czech and 1 Italian.

PHASE I BOOK EXPLOITATION 1079

Tareyev, Boris Mikhaylovich

Elektrotekhnicheskiye materialy (Electrical Materials) 6th ed., rev. Moscow, Gosenergoizdat, 1958. 271 p. 51,000 copies printed.

Ed.: Timokhina, V.I.; Tech. Ed.: Larionov, G.Ye.

FURPOSE: This book was approved as a textbook by the Scientific Council for Prcfessional and Technical Education of the Main Administration of Labor Reserves under the USSR Council of Ministers, to be used in technical, trade, and railroad schools specializing in electrical engineering subjects. The book is also intended for technicians working in electric power systems, and plants and repair shops of the electrical and radio industries. It presumes a basic knowledge of physics, chemistry and electrical engineering.

COVERAGE: The book describes the properties, methods of testing, and behavior of the most important electrical materials (insulating materials, conductors, magnetic materials, cables, and various other materials.) No personalities are mentioned. There are 50 references, all Soviet.

8(0)

PHASE I BOOK EXPLOITATION

S0V/2082

- Elektroizolyatsionnyye materialy. ch 1: Svoystva materialov (Electrical Insulating Materials. Pt. 1: Properties of Materials)
 Moscow, Gosenergoizdat, 1958. 460 p. (Series: Spravochnik po elektrotekhnicheskim materialam, t. 1) 30,000 copies printed.
- Eds. (Title page): Yu.V. Koritskiy and B.M. Tareyev; Ed. (Inside book): I.V. Antik; Tech. Ed.: A.M. Fridkin; Eds. of series: K.A. Andrianov, N.P. Bogoroditskiy, Yu.V. Koritskiy and B.M. Tareyev.
- PURPOSE: This book is intended as a reference guide and textbook for engineers and technicians of electrical-engineering and radio-engineering industrial organizations and plants, of electric power stations and substations, electrical repair workshops, laboratories and scientific research institutes.
- COVERAGE: The publication "Reference Guide on Electrical Engineering Materials" consists of 2 volumes. The 1st volume "Electrical Insulating Materials" consists of 2 parts. This is the 1st part

Electrical Insulating Materials (Cont.)

SOV/2082

and deals with the properties of insulating materials. The editors state that the book may serve as a systematically arranged and condensed source of technical data on most of the electrical insulating materials, their characteristics, standard specifications, production and machining processes, quality testing methods, and their applications in electrical and radio engineering. It also describes electrical insulating products: capacitor insulation, cable insulation, insulators, insulating materials for electrical machines, transformers, apparatus, radio equipment, and electrothermal apparatus. The book complies with recommendations of the Vsesoyuznoye byuro elektricheskoy izolatsii (All-Union Bureau of Electrical Insulating Materials) of MONITOE (VNITOE), issued in 1948. Each chapter is written by specialists and their names are listed in the Table of Contents. References are alloted separately to each chapter.

TABLE OF CONTENTS:

Foreword

5

Abridged Table of Contents of the 2nd Part - Testing Methods and Applications of Electrical Insulating Materials

13

Card 2/16

Electrical Insulating Materials (Cont.)

SOV/2082

PART I. PROPERTIES OF MATERIALS

Ch. 1. General Properties of Electrical Insulating Materials (Professor B.M. Tarevey, Doctor of Tarevey Materials	
1. Definitions annivosticas of Technical Sciences	15
electrical insulating materials	
6 4 DIBULTIO CONCINCTIVATA	15 16
2	16
	21
5. Insulation breakdown 6. Thermal characteristics as	30 34 38
6. Thermal characteristics as	34
6. Thermal characteristics of electrical insulating materials 7. Various physical and chemical characteristics of electrical insulating materials	38
cal insulating motordal distributes of electri-	٦٠
Bibliography: 12 South this	41
	44
Ch. 2. Gagacus Distant	77
Ch. 2. Gaseous Dielectrics (Docent N.F. Voloshchenko, Candidate of Technical Sciences)	
of Technical Sciences)	ı
1. Specific inductive capacitance of gases	45
2. Electric conductivity and dielectric losses of gases	45 47
Company to	47
Card 3/16	

"APPROVED FOR RELEASE: Thursday, September 26, 2002 CIA-RDP86-00513R001755010007-5" CIA-RDP86-00513R001755010007-5"	THE RESIDENCE OF THE RE
Electrical Insulating Materials (Cont.)	S0V/2082
18. Integrated mica	
19. Special methods of testing mica insulation Bibliography: 8 Soviet references	385 385 389
Ch. 17. Various Mineral Dielectrics (Electrical insulat rock materials) (Professor B.M. Tareyev, Doctor of Technical Sciences)	
of Technical Sciences) 1. Marble	38 9
2. Slate	389
3. Tale and talenchlorette	392
4. Jet	393
Bibliography: 17 Soviet references	394 394
h. 18. Electrical-Insulating Glass Materials (Professor B.M. Tareyev and N.P. Bogoroditskiy, Doctors of Technical Sciences)	
1. General properties of glass materials	394
-	394
3. Types of glass materials employed in electrical engineering	399
4. Glass bushings	400
5. Glass enamels	400
The second section of the section of the second section of the	408

AUTHORS: Mikhaylov, M. M., Kostenko, M. P., SOV/105-58-7-28/32

Neyman, L. R., Tareyev, B. M., Privezentsev, V. A., Zaytsev, I. A.,

Shramkov, Ye. G., Koritskiy, Yu. V.

TITLE: Professor V.T.Renne (Professor V.T. Renne) To His 50th Birthday

(K 50-letiyu so dnya rozhdeniya)

PERIODICAL: Elektrichestvo, 1958, Nr 7, pp. 92 - 92 (USSR)

ABSTRACT: Vladimir Tikhonovich Renne was born on July 1st, 1908, in Kaluga.

He graduated in 1930 from the Leningrad Polytechnical Institute and obtained the certificate of electrical engineer. Still a student, in 1928 he entered the telephone works "Krasnaya Zarya" and specialized in the field of electric technology. He organized a series of laboratories and directed them during several years. He worked out 15 types of paper-and mica condensers, thus industry being made independent of imports from abroad. He developed a series of cuprous oxide rectifiers for telephone equipment. He holds 8 patents. Since 1930 he teaches at the Leningrad Institute of Electromechanics (Leningradskiy elektromekhanicheskiy insti-

tut) and then at the Leningrad Institute of Electrical Engineering (Leningradskiy elektrotekhnicheskiy institut). From 1935 onwards

Card 1/2 he works at the Leningrad Polytechnical Institute (Leningradskiy

Professor V.T.Renne. To His 50th Birthday

SOV/ 105-58-7-28/32

politekhnicheskiy institut) department of electric insulation and cable engineering, where he has a full-time job since 1939. He organized a laboratory for electric technology and electric condensers and published several manuals. In 1938 - Docent, in 1939 - Candidate of Technical Sciences, in 1951 - Doctor of Technical Sciences, in 1952 - Professor. He published more then 140 papers on electric insulation, electric technology, and condenser design. He maintains close relations with industry and scientific research institutes. He advises them and carries out scientific work together with them. For a number of years he was secretary in the Section of Electric Insulation at the VNITOE and is at present Member of the Bureau of Electric Insulation at the Ts-ENTOEP. He is the scientific head of the Scientific Society of Students at the Faculty of Electromechanics of the Leningrad Polytechnical Institute (LPI). There is 1 photograph.

1. Electrical engineering--USSR

TAREYEV, B.M., prof., red.; OZERSKIY, V.A., red.; VORONIN, K.P., tekhn.red.

[Effect of radiation on electric insulating materials] Voxdeistvie radioaktivnykh izluchenii na elektroizoliatsionnye
materialy. Moskva, Gos.energ.izd-vo, 1959. 87 p. (MIRA 12:5)
(Electric insulators and insulation) (Radioactivity)

. 19(6)

PHASE I BOOK EXPLOITATION

SOV/2903

- Elektroizolyatsionnyye materialy. Ch. 2: Metody ispytaniya i primeneniya materialov (Electrical Insulating Materials. Pt. 2: Methods of Testing and of Application of the Materials) Moscow, Gosenergoizdat, 1959. 476 p. (Series: Sprzyochnik po elektrotekhnicheskim materialam, t. 2) Errata slip inserted. 30,000 copies printed.
- Eds. (Title page): Yu.V. Koritskiy and B.M. Tareyev; Ed. (Inside book): I.V. Antik; Tech. Ed.: A.M. Fridkin; Editorial Board of Series: K.A. Andrianov, N.P. Bogoroditskiy, Yu.V. Koritskiy, and B.M. Tareyev.
- PURPOSE: The book is intended for technical personnel of the electrical and radio industries, electric power stations and substations, electric maintenance and repair shops, laboratories and scientific research institutes.
- COVERAGE: This is the second part of Volume I of "Electrical Engineering Materials" and contains, in concise and systematic form, data on various types of the most commonly used electrical insulating materials and their properties, standards, methods of processing, applicability in electrical and radio engineering, and methods of testing. The following types of insulation are also described: capacitor insulation, cable insulation, insulators and insulation for electrical machines, transformers, radio equipment and electrothermal devices. References Card-1/11

Electrical Insulating Materials (Cont.) SOV/2903	
follow some chapters.	
TABLE OF CONTENTS:	
Change to Part I of Volume I of the "Handbook"	8
Errata to Part I of Volume I of the "Handbook"	9
PART II. METHODS OF TESTING AND APPLICATIONS OF MATERIALS	
Ch. 21. Basic Methods of Testing Electrical Insulating Materials (D.M. Kazarnovskiy and B.M. Tareyev)	11 11
1. Conditioning test samples of electrical insulating materials 2. Electrical testing of electrical insulating materials (general in-	16
formation) 3. Measuring with galvanometers specific resistances of electrical insulating materials	18 22
4. Measuring extremely high insulation resistances 5. Measuring specific inductive capacitance and dielectric loss angle a). Measurements at low frequencies	25 26

Electrical Insulating Materials (Cont.)	SOV/2903
() ()	BUV/ 2703
b). Measurements at audio frequencies	2
c). Measurements at high frequencies	3
d). Measurements at super-high frequencies	<i>J</i> ·
e). Measurements of the dielectric loss angly voltage	le at high-frequency high
	50
 f). Measurement of the capacitance-temperatus g). Testing nonlinear dielectrics 	
Sy to the state of	5.
6. Determining electric strength	50
7. Mechanical testing of electrical insulating	materials 6
8. Determining heat resistance	70
9. Various physicochemical tests	7
10. Ultrasonic testing	g.
Bibliography: 29 references, all Soviet (1 tran	slation)
	-
Ch. 22. Electrical Insulation in Capacitors (V.T.	Renne) 90
Terminology and classification	90
2. General properties of capacitors	Or Or
3. Capacitors with gaseous and liquid dielectri	c 9g
4. Capacitors with solid inorganic dielectric	101

148.41°

9(3) AUTHORS:

P. C . 4

SOV/143-59-5-5/19 Tareyev, B.M., Doctor of Technical Sciences, Profes-

sor, and Lerner, M.M., Engineer

TITLE:

An Investigation of the Forming Process of Aluminum Foils for Electrolytic Capacitors by Three-Phase

Power Frequency Current

PERIODICAL:

Izvestiya vysshikh uchebnykh zavedeniy - Energetika,

1959, Nr 5, pp 36-45 (USSR)

ABSTRACT:

Studying the process of static forming of anode aluminum foils by three-phase alternating current will result in a more complete evaluation of the advantages of this method, which eventually will find industrial In this paper, the authors consider the connection between capacitance of the foil sample to be formed and the linear forming voltage and also the direct voltage component in the tanks. Figure 1 the direct voltage component in the tanks. Figure 1 shows the connection of 3 tanks for three-phase static forming of foils. The authors discuss the time required for forming the foils, the final forming curquired for forming the foils, the final forming curquired and the speed of oxide layer formation. They

card 1/3

SOV/143-59-5-5/19

An Investigation of the Forming Process of Aluminum Foils for Electrolytic Capacitors by Three-Phase Power Frequency Current

compare the quantity of power required for different forming methods. The forming of aluminum foils was performed in tanks with stainless steel electrodes (steel 1Kh18N9T). The electrolyte consisted of boric acid (100 gr/liter) and borax (0.5 gr/liter), and had a temperature of 80°C. As a rule, 60 min were required for the forming process. Samples of 0.08 mm thick aluminum foils, 3x5 cm, having a purity of 99.95%, were subjected to forming. The data in Table 1 show that the final currents hardly depend on the forming voltage with three-phase forming; on the average they amount to 1.22 milliamp/cm². Experimental data confirmed that the final current density does not depend on the voltage. With three-phase forming the oxide layer is formed faster than with two-phase forming. If the foil formation is performed on direct current with the voltage U and by three-phase alternating current with the voltage Un, with the aforementioned electrolyte composition, then an

Card 2/3

SOV/143-59-5-5/19 An Investigation of the Forming Process of Aluminum Foils for Electrolytic Capacitors by Three-Phase Power Frequency Current

> identical capacitance of the foil may be obtained under the condition $U_{0} = U_{0}$. The direct voltage component U_{0} , during forming under these consitions, is equal to half the effective value of the linear voltage. In the ultimate case, when the resistance of the electrolyte is equal to zero, and if the valve

effect of the oxide layer is ideal, Uo is equal to the amplitude of the phase voltage. There are 2 diagrams, 9 graphs, 1 table and 3 Soviet references. This article was resented by the Kafedra electroizely at a property is kabel noy tekhniki (Tre Chair of ASSOCIATION: Vsesoyuznyy zaochnyy energeticheskiy institut (All-Union Correspondence Institute of Power Engineering)

AND THE STATE OF T

December 28, 1958

Card 3/3

SUBMITTED:

8 (3) AUTHORS:

Tareyev, B. M., Doctor of Technical SOV/105-59-6-16/28

Sciences, Professor, Lerner, M. M., Engineer

TITLE:

Continuous Alternating Current Oxidation of the Anode Foil of Electrolytic Condensers (Nepreryvnoye oksidirovaniye peremennym tokom anodnoy fol'gi dlya elektroliticheskikh kondensatorov)

PERIODICAL:

Elektrichestvo, 1959, Nr 6, pp 71 - 76 (USSR)

ABSTRACT:

This is an investigation of the continuous-band-motion oxidation of anode foil bands with single-, two-, and three-phase a.c. A counterconnection of the baths appears to be most convenient. The utilization of troughs of conventional construction for a.c. oxidation is possible only if the troughs are made of oxidation-resistant material, (as, for example, stainless steel 1Kh18N57). The highest operational stability during oxidation is achieved if one foil is pulled through counterconnected baths (as shown in figure 3b). With respect to an equal load distribution on the transformers a three-phase oxidation is very interesting. It gives, similar as a two-phase oxidation, an oxide layer of high quality. The oxidation of anode foils by continuous band motion by means of a.c. and counterconnected baths avoids the rectification of the a.c.

Continuous Alternating Current Oxidation of the Anode Foil of Electrolytic Condensers

507/105-59-6-16/28

and hence the energy losses connected with such a transformation. No short-circuits will occur, if the foil breaks, the cos pof the installation increases and the output also increases owing to the elimination of polarization at the electrodes. There are 7 figures, 1 table, and 7 Soviet references.

ASSOCIATION:

Vsesoyuznyy zaochnyy energeticheskiy institut (All-Union

Correspondence Institute of Power Engineering)

SUBMITTED:

December 25, 1958

Card 2/2


TAREYEV, B.M., prof., doktor tekhn.nauk, otv.red.vypuska

[Dielectrics] Dielektriki. Moskva, 1960. 21 p. (Sborniki rekomenduemykh terminov, no.53). (MIRA 13:3)

1. Akademiya nauk SSSR. Komitet tekhnicheskoy terminologii.
(Dielectrics--Dictionaries)
(Russian language--Dictionaries--Polyglot)

ANDRIANOV, K.A., red.; BOGORODITSKIY, N.P., red.; KORITSKIY, Yu.V., red.; PASTHKOV, V.V., red.; TAREYEV, B.M., red.; SOBCEMVA, Ye.M., tekhn.red.

[Handbook on electric engineering materials; in two volumes]
Spravochnik po elektrotekhnicheskim materialsm v dvukh tomakh.
Moskva, Gos.energ.isd-vo. Vol.2. [Magnetic, conducting, semiconductor and other materials] Magnitnye, provodnikovye,
poluprovodnikovye i drugie materialy. Pod red. N.P.Bogoroditakogo i V.V.Pasynkova. 1960. 511 p. (MIRA 14:1)
(Electric engineering---Materials)



APPROVED FOR RELEASE: Thursday, September 26, 2002 CIA-RDP86-00513R001755010007-5"

CIA-RDP86-00513R001755010007-5"

TAREYEV, B.M., doktor tekhn.nauk, prof.; LERNER, M.M., kand.tekhn.nauk


Concerning the replacement of copper with aluminum in the electric industry. Elektrichestvo no.10:78-82 0 '60. (MIRA 14:9) (Electric engineering-Materials)

APPROVED FOR RELEASE: Thursday, September 26, 2002

CIA-RDP86-00513R001755010007-5"

CHILIKIN, M.G.; LARIONOV, A.N.; ANDRIANOV, K.A.; MESHKOV, V.V.; IONKIN, P.A.; ARKHIPOV, V.N.; PETROV, G.N.; BRAGIN, S.M.; PRIVEZENTSEV, V.A.; TAREYEV, B.M.

Professor N.G. Drozdov. Elektrichestvo no.10:90 0 '60.
(MIRA 14:9)
(Drozdov, Nikolai Gavrilovich, 1900-)



84600 \$/181/60/002/010/023/051 B019/B056

9,2110 (1043, 1081, 1145)

AUTHORS: Tarevey.

Tareyev, B. M. and Lerner, M. M.

21 1

TITLE:

The Theory of Unilateral Conductivity of an Oxide Film

on Aluminum

PERIODICAL:

Fizika tverdogo tela, 1960, Vol. 2, No. 10, pp. 2487-2492

TEXT: The present theory of unilateral conductivity of oxide films on aluminum describes satisfactorily the behavior of an oxidized sample immersed in an electrolyte. If, however, the sample is taken out of the electrolyte, this theory fails in the description of a number of its properties. This theory is especially not developed for electrolytic capacitors with solid electrolytes. The authors suggest a hypothesis that holds good for oxide films which are formed in weak electrolytes, if the former has a positive potential. In this hypothesis it is assumed that a p-n- junction exists, which is destroyed with the formation of an n-type semiconductor: 1) by removing the voltage from the sample, 2) by taking the sample out of the electrolyte, 3) by applying a negative

Card 1/2

84600

The Theory of Unilateral Conductivity of an Oxide Film on Aluminum

S/181/60/002/010/023/051 B019/B056

potential to the sample relative to the electrolyte (in this case the defects are in the oxide film). On the basis of this hypothesis suggested by the authors, it is possible to explain the behavior of oxidized Alsamples in the following cases: 1) The voltage is removed from a sample dipped into an electrolyte. 2) A negative potential is applied to the sample relative to the electrolyte. 3) The sample taken out of the electrolyte is subjected to the action of various media and temperatures. 4) Onto the sample taken out of the electrolyte, a layer of p-type semiconductor or of metal is applied. There are 24 references: 3 Soviet, 11 US, 3 Dutch, 5 German, 1 Swiss, and 1 French.

SUBMITTED:

August 29, 1959



Ф:ГА-КОР80-00513R001755010007-5 CIA-RDP86-00513R001755010007-5" Thursday, September 26, 2002

BOGORODITSKIY, Nikoley Petrovich; PASYNKOV, Vladimir Vasil'yevich; TAREYEV, Boris Mikhaylovich; RENNE, V.T., doktor tekhn.nauk, prof., red.; ZHITNIKOVA, O.S., tekim.red.

[Electric engineering materials] Elektrotekhmicheskie materialy. [Electric engineering materials] 224-vo, 1961. 528 p. [MIRA 14:6]

1. Zaveduyushchiy kafedroy elektroizolyatsionnoy i kabel'noy tekhniki Leningradskogo politekhnicheskogo instituta im. M.I.Kalinina (for Renne).

(Electric engineering-Materials)

APPROVED FOR RELEASE: Thursday, September 26, 2002

CIA-RDP86-00513R001755010007-5

CIA-RDP86-00513R001755010007-5

TAREYEV, B.M., laureat Stalinskoy premii, doktor tekhn. nauk, prof.;
MAGIDSON, O.A., red.

[Fundamentals of the physics of dielectrics; lectures] Osnovy fiziki dielektrikov; lektsii. hoskva, Vses.zaochnyi energ. in-t. No.1.[Electrical conductivity of dielectrics] Elektroprovodnosti dielektrikov. Izd.4., perer. 1961. 46 p. (MIRA 15:7) (Dielectrics)

ACIA-RDP86-00513R001755010007-5"

CIA-RDP86-00513R001755010007-5"

TAREYEV, B.M., prof., red.; BULGAKOV, V.A., red.; LARIONOV, G.Ye., tekhn. red.

[Electric insulating materials with increased heat resistance]
Elektroizoliatsionnye materialy povyshennoi nagrevostoikosti;
sbornik perevodov statei. Moskva, Gosenergoizdat, 1961. 103 p.
Translated from the English.

(Electric insulators and insulation)

MIKHAYLOV, A.I., prof.; TAREYEV, B.M., prof.

[Scientific information in the field of electric and power engineering] Nauchnaia informatsiia v oblasti elektrotekhniki i energetiki; lektsiia. Moskva, Vses. zaochnyi energ. in-t, 1961. 17 p. (MIRA 16:12)

1. Direktor Vsesoyuznogo instituta nsuchnoy i tekhnicheskoy informatsii (for Mikhaylov). 2. Zaveduyushehiy kafedroy elektroizolyatsionnoy I kabel'noy tekhniki Vsesoyuznogo za-ochnogo energeticheskogo instituta (for Tareyev).

(Power engineering-Information services)

CIA-RDP86-00513R001755010007-5

BRAGIN, S.M.; BUTAKOV, I.N.; KRASIN, A.K.; SOKOLOV, A.A.; STEXOL'NIKOV, I.S.; TAREYEV, B.M.; FIALKO, Ye.I.; CHILIKIN, M.G.

Fiftieth anniversary of the birth of Professor A.A.Vorob'ev.

Elektrichestvo no.1:93 Ja '61. (MIRA 14:4)

(Vorob'ev, Aleksandr Akimovich)

TAREYEV, B.M., doktor tekhn, nauk, prof.; LERNER, M.M., kand. tekhn. nauk

Trends in the development of aluminum electrolytic capacitors abroad. Elektrichestvo no.5:81-84 My '61. (MIRA 14:9)' (Electric capacitors)

37748

5/196/62/000/009/009/018 E114/E184

9.2110 **AUTHORS:**

Lerner, M.M., and Tareyev, B.M.

TITLE:

Single phase formation of anodic foil for capacitors

using alternating current

PERIODICAL: Referativnyy zhurnal, Elektrotekhnika i energetika, no.9, 1962, 6, abstract 9 B28. (Tr. vses. zaoch. energ. in-ta, no.18, 1961, 77-91)

Static formation of foil in a single bath directly TEXT: connected to an a.c. power supply was considered. Two cases were analyzed: 1) when the impedance of the foil $|Z_{\uparrow}|$ exceeds that of the bath $|\vec{Z}_B|$; and 2) when $|\vec{Z}_{\uparrow\downarrow}|$ is of the same order of Case l is possible if magnitude as, or much less than, ZB the bath is made of a material which is not affected by a.c. (for instance stainless steel). In this case, a large (reverse) current flows in the conducting direction of the oxide skin which is being formed, and more energy is required than when forming with d.c., or by other a.c. methods, and this, to some extent, impairs the quality of the oxide film because it is intensively Card 1/6



CIA-RDP86-00513R001755010007-5

Single phase formation of anodic ... E114/E184

heated during the conducting half cycles. At the same time, the voltage utilization factor K, which is the ratio of the voltage across the oxide film to the total voltage applied to the bath, is high - the whole voltage of the source of power is applied across the oxide film with the exception of voltage drop in the electrolyte. Case 2 is possible if the bath is made of a material susceptible to a.c. (for instance aluminium), and the surface area of the bath is about equal to the area of the foil In case 2, the reverse currents flowing through the foil are much less than in case I because (or is a little less). $|Z_B| > |Z_O|$. This reduces the a.c. power consumption and the oxide film is of better quality because heating is less. In case 2, K is much lower, particularly when $|\tilde{Z}_B| > |\tilde{Z}_T|$. Curves are given of capacitance and current as function of the time of a.c. or d.c. forming for case 1. The oxide film formation time counted from the moment when the current and the capacity cease to fall is about 15-20 mms for both a.c. and d.c. With a.c. the time of passage of ionic currents forming the oxide film is much less than the time of application of voltage, Card 2/6

是在自己的思想,我们也是自己的思想,我们就是这个人的思想,我们就是一个人的思想,我们就是一个人的思想,我们就是一个人的思想,我们就是一个人的思想,我们就是一个人



5/196/62/000/009/009/018 Single phase formation of anodic ...

while with d.c. both intervals are the same. With a.c. and a single bath, the oxide layer forms only during that part of the half cycle during which the current passes through the foil in the non-conducting direction for the oxide layer. The ionic current begins to pass through the oxide layer at an instant when the applied e.m.f. is greater than the back e.m.f. in the oxide film, which is proportional to its thickness. The authors call the time of passage of the ionic current Δt , the absolute time of formation'. Inasmuch as $\triangle t$ is a function of time of the a.c. forming period, full absolute time T during all the periods can be calculated from the formula:

$$\tau = \Delta t \cdot \frac{t_{form}}{T}$$
, where

 $\overline{\triangle}t = \frac{1}{t_{farm}} \int_{0}^{t_{form}} \triangle t \ dt \quad \text{is the time of formation of the oxide}$

layer, T - full period of the forming voltage. Card 3/6

Single phase formation of anodic ... 5/196/62/000/009/009/018 E114/E184

If, to a first approximation, it is considered that the time function is linear

 $\Delta t = \frac{T}{2} \left(1 - \frac{t}{t_{form}} \right)$

then $\tau = 5$ minutes for a.c. conditions compared with 20 minutes for d.c. Therefore, whilst a.c. is flowing the instantaneous ensity of ionic current should be somewhat greater than with c.c. Comparative curves are given plotting reverse capacitance against voltage for d.c. and a.c. In the range up to 160 volts the specimens are of the same capacitance if the effective voltage with a.c. is three quarters of the d.c. voltage (the forming takes place in aqueous solution 100 g/litre boric acid and 0.5 g/litre borax at a temperature of 80 °C.). In the second case, film formation was studied with various ratios of foil to bath surface area. It is shown that, as the bath area is reduced, the consumption of electric current decreases. The problem of comparing a.c. and d.c. processes is discussed. A.c. and d.c. can both be conducted in three ways: firstly, at Card 4/6

Single phase formation of anodic ... 5/196/62/000/009/009/018

a constant current density; secondly, at constant voltage; thirdly, mixed. However, not all these ways are suitable for comparing a.c. and d.c. processes. In the first way comparison is difficult because with a.c. not all of the current is used for the formation of the oxide layer. It has a considerable capacitative component, and the reverse current does not form the It is impracticable to utilize the third (mixed) oxide at all. way for comparison because it partially includes the first way. The most convenient is the second way - comparison at constant forming voltage. The choice of the equivalent voltages for a.c. and d.c. can be made from the requirements of creating the same capacitance of oxide layer - its most stable and simply measured characteristic. In this case, other conditions being equal, the a.c. voltage U is considered equivalent to a d.c. voltage U, if the capacitance of the samples being compared after formation 2 references. is the same.

Abstractor's remarks. The detailed analysis of the a.c. method shows that an aluminium bath whose surface is much greater than Card 5/6

Single phase formation of anodic ... S/196/62/000/009/009/018

that of the foil cannot be included in case 1 to the same extent as the a.c. method with a stainless steel bath. Although with an aluminium bath of extensive surface $|\bar{Z}_B| \leqslant |\bar{Z}_{\Phi}|$ there is no sharp increase in the reverse current with a.c. under these conditions because both the bath and the foil have rectifying properties. Thus, the bath and the foil being formed in it comprise a system of two opposing electrolytic valves. The a.c. case with one aluminium bath of extensive surface was further investigated by the authors and practical confirmation was obtained of the possibility of the dynamic forming of an oxide layer using a.c. in industrial conditions in one bath, and in such conditions the oxide layer is of relatively high quality.

[Abstractor's note: Complete translation.]

Card 6/6



PRIVEZENTSEV, Vladimir Alekseyevich; MAGIDSON, Abram Osipovich;

TAREYEV, B.M., prof., doktor tekhn. nauk; YEMZHIN, V.V.,
tekhn. red.

[Artificial and synthetic fibers and films for electrical insulation] Iskusstvennye i sinteticheskie volokna i plenki dlia elektricheskoi izoliatsii. Moskva, Gosenergoizdat, 1962. 111 p. (Polimery v elektroizoliatsionnoi tekhnike, no.3)

(MIRA 15:10)

(Electric insulators and insulation)
(Textile fibers, Synthetic)

Stories and the Control of the Contr

RENNE, V.T., doktor tekhn. nauk, prof.; TAREYEV, B.M., doktor tekhn.nauk, prof., red.

[Study of the relationship between the properties of condenser paper and the quality of paper condensers; manual for the course in "Technology and electric insulation"] Issledovanie sviazi mezhdu svoistvami kondensatornoi bumagi i kachestvom bumazhnykh kondensatorov; uchebnoe posobie po kursu "Tekhnologiia elektricheskoi izoliatsii." Moskva, 1962. 29 p. (MIRA 17:5)

l. Moscow. Vsesoyuznyy zaochnyy energeticheskiy institut. Kafedra elektroizolyatsionnoy i kabel'noy tekhniki.

GAYLISH, Ye.A.; DROZDOV, N.G.; YEVSTROP'YEV, K.S.; KAZARNOVSKIY, D.M.; NEYMAN, L.R.; PASYNKOV, V.V.; PRIVEZENTSEV, V.A.; HEME, V.T.; TAREYEV, B.M.

N.P. Bogoroditskii; on his sixtieth birthday and the thirty-fifth anniversary of his theoretical and educational work. Elektrichestvo no.7:87-88 Jl '62. (MIRA 15:7) (Bogoroditskii, Nikolai Petrovich, 1902-)

TAREYEV, B.M., doktor tekhn.nauk, prof.; LERNER, M.M., kand.tekhn.nauk

Concerning L.L.Odynets' article "Efficiency of using a.c. for shaping plate foil in the manufacture of electrolytic condensers.

Izv. vys. ucheb. zav.; energ. 5 no.2:112-113 F '62.

(MIRA 15:3)

(Condensers (Electricity))

APPROVED FOR RELEASE: Thursday, September 26, 2002 CIA-RDP86-00513R001755010007-5 CIA-RDP86-00513R001755010007-5"

TARRJEV. R.M., dr tehn. nauka [Tareyev, B.M.] (U.S.S.R.); LERNER, M.M., kand. tehn. bauka (U.S.S.R.); ILOVAJSKI, Pavle, inz. [translator]

Substituting aluminum for copper in electrical engineering. Elektroprivreda 15 no.4:170-176 Ap '62.

OVED FOR RELEASE: Thursday, September 26, 2002 CIA-RDP86-00513R001755010007-5"

CIA-RDP86-00513R001755010007-5"

GRUBNIK, N.N.; TAREYEV, B.M., doktor tekhn. nauk, prof., red.

[Enamelled wires; a lecture] Emalirovannye provoda; lektsiia.

Moskva, Vsesoiuznyi zaochnyi energ. in-t, 1963. 53 p.

(MIRA 17:3)

APPROVED FOR RELEASE: Thursday, September 26, 2002 CIA-RDP86-00513R001755010007-5 CIA-RDP86-00513R001755010007-5

SHVEDOVA, L.A.; TAREYEV, B.M., doktor tekhn. nauk, prof., red.

[Lectures on the course "Calculation and construction of electrical insulation"] Lektsii po kursu "Raschet i konstruirovanie elektricheskoi izoliatsii" Moskva, Vses. zaochnyi energeticheskii in-t. No.1. [Design of oil-filled entrances] Raschet maslonapolnennykh vvodov. 1963. 38 p. (MIRA 17:4)

APPROVED FOR RELEASE: Thursday, September 26, 2002 CIA-RDP86-00513R001755010007-5" CIA-RDP86-00513R001755010007-5"

KAZARNOVSKIY, David Mikhaylovich; TAREYEV, Boris Mikhaylovich; KUCHINSKIY, G.S., red.; SUBULEVA, Ye.M., tekhn. red.

[Testing of electric insulating materials] Ispytaniia elektroizoliatsionnykh materialov. Moskva, Gosenergoizdat, 1963. 314 p. (MIRA 17:1)

BOGORODITSKIY, N.P.; VAVILOV, V.S.; VALEYEV, Kh.S.; DROZDOV, N.G.;
KORITSKIY, Yu.V.; PRIVEZENTSEV, V.A.; RENNE, V.T.; TAREYEV, B.M.;
YAMANOV, S.A.

B.M. Vul; on his 60th birthday and 35th anniversary of his scientific work. Elektrichestvo no.8:95 Ag *63. (MIRA 16:10)

YAMANOVA, L.V.; TAREYEV, B.M., doktor tekhn. nauk, prof., red.

[Electric condensers; lectures] Elektricheskie kondensatory; lektsii. Moskva, Vses. zaochnyi energ. in-t. No.1 1964. 84 p. (MIRA 18:3)

TAREYEV, B.M., prof., laureat Stalinskoy premii, doktor tekhn. nauk

[Fundamentals of the physics of dielectrics; lectures] Osnovy fiziki dielektrikov; lektsii. Moskva, Vses. zaochnyi energ. in-t. No.1 - No.2. Izd.4., perer. 1962. 87 p. (MIRA 17:9)

APPROVED FOR RELEASE: Thursday, September 26, 2002 CIA-RDP86-DD513R001755010007-5

APPROVED FOR RELEASE: Thursday, September 26, 2002 CIA-RDP86-DD513R00175010007-5

APPROVED FOR RELEASE: Thursday, September 26, 2002 CIA-

The Company we like the continue of the contin

A STATE OF THE STATE OF THE STATE OF

A IN

.

LERNER, M.M., kand. tekhn. nauk, dets. MATSOMASHVILI, B.N., kand. fiz.-matem. nauk; RENNE, v.I., Joktor tekhn. nauk, prof.; TAREYEV. B.M., doktor tekhn. nauk, prof., red.

[Electric engineering materials: electric condensers, wires, and cable a] Elektrotekhnicheskie materialy, elektricheskie kondensa ory, provoda i kabeli 1962-1963. Moskva, 1964.

158 p. (MIRA 18:2)

1. Akademiya neuk SSSR. Institut nauchmoy informatsii.

CIA-RDP86-00513R001755010007-5"

GOROKHOV, P.K., kand.tekan. nauk; GOR'KOVA, V.I., kand. tekhn. nauk; PAVLOV, L.I., kand. tekhn. nauk; SERGEYEV, N.P.; TAREYEV, B.M., doktor tekhn. nauk; Prof.; SHMOTKIN, I.S.; KURBATOVA, N.S. kand. tekhn. nauk, prof.; red.; CHESKIS, Z.B., red.

[French-Russian electrical engineering dictionary] Frantsuzskorusskii elektrotekhnicheskii slovar'. Pod red. N.S.Kurbatovoi russkii elektrotekhnicheskii slovar'. Pod red. N.S.Kurbatovoi i B.M.Tareeva. Moskva, Sovetskaia entsiklopediia, 1965. 720 p. i B.M.Tareeva. (MIRA 18:12) CIA-RDP86-00513R001755010007-5"

BOCORODITSKIY, Nikolay Petrovich, VOLOKOBINSKIY, Yaniy Mikhaylovich; VOROB'YEV, Aleksandr Akimovich; TAREYEV, Boris Mikhaylovich; RENNE, V.T., retsenzent; VODOP'IANOV, K.K., retsenzent; RENNE, V.T., retsenzent; PAVIOVA, L.S., red. KAZARNOVSKIY, D.M., nauchn. red., PAVIOVA, L.S., red.

[Theory of dielectrics] Teorifa dielektrikov. Moskva, (MIRA 18:12) Energia, 1965. 344 p.

APPROVED FOR RELEASE: Thursday, September 26, 2002
APPROVED FOR RELEASE: Thursday, September 26, 2002
CIA-RDP86-00513R001755010007-5"

BESSONOV, L.A.; BABAKOV, N.A., prof., retsenzent; KOLOBKOV. D.S., prof., retsenzent; TAREYEV, B.M., prof., doktor tekhn. nauk retsenzent

[Principles of graph theory] Osnovy teorii grafov; uchebnoe posobie. Moskva, Vses. zaochnyi energ. in-t, 1964. 48 p. (MIRA 19:1)

SHVEDOVA, L.A.; TAREYEV, B.M., doktor tekhn. nauk prof., red.

[Manual on a course in "Calculation and design of electrical insulation"] Uchebnoe posobie po kursu "Raschet i konstruirovanie elektricheskoi izoliatsii. Moskva, Vses. zaochnyi energ. in-t. No.2. 1964. 74 p.

(MIRA 19:1)

APROSINA, Z.G., kand. med. nauk; AFANAS'YEVA, K.A. kand. med. nauk; AKHREM-AKHREMOVICH, R.M., prof.; BLYUGER, A.F., dektor med. nauk; BONDAR', Z.A., prof.; VASILENKO, V.Kh., prof.; KIKODZE, I.A., kand. med. nauk; LINDENBRATEN, L.D., prof.; LOGINOV, A.S., kand. med. nauk; MANSUROV, Kh.Kh., prof.; NAZARETYAN, Ye.L., kand. med. nauk; NOGALIER, A.M., prof.; PLOTNIKOV, N.N., prof.; SEMENDYAYEVA, M.Ye., kand. med. nauk; TAREYEV, Ye.M., prof.; TAREYEV, I.Ye., kand. med. nauk; TER-GRIGGROVA, Ye.N., prof.; CHERNYSHEVA, Ye.V., kand. med. nauk; SHVARTS, L.S., prof.; MYASNIKOV, A.L., prof.; zam. otv. red.; BOGOSLAVSKIY, V.A., red.; SEMENDYAYEVA, M.Ye., red.

[Multivolume manual on internal diseases] Mnogotomnoe rukovodstvo pe vnutrennim bolezniam. Moskva, Meditsina. Vol.5. 1965. 724 p. (MIRA 18:9)

1. Deystvitel'nyy chlen AMN SSSR (for Tareyev, Ye.M., Vasilenko, Myasnikov).

CIA-RDP86-00513R001755010007-5"

APPROVED FOR RELEASE: Thursday, September 26, 2002

CIA-RDP86-00513R001755010007-5"

KOMYUKHOV, I.A.; BROD, I.O., prof., red.; TARNYEV, I.H., ved.red.; MASOLOV, Is.M., tekhn.red.

[Studying mesozoic deposits in eastern Ciscaucasia; oil and gasproducing prospects] Opyt izucheniia mezozoiskikh otloshenii Vostochnogo Predkavkasia; v sviazi s perspektivami neftegazonosnosti. Moskva, Gosinti, 1958. 125 p. (MIRA 12:3) (Caucasus, Morthern-Geology, Stratigraphic) APPROVED FOR RELEASE: Thursday, September 26, 2002 CIA-RDP86-00513R001755010007-5"

TARRYEV, V. M.

"Heat Engineering" 1951

Textbook. Contain 2 chapters on turbines and compressors. Jet engines mentioned p. 706.

PPROVED FOR RELEASE: Thursday, September 26, 2002 CIA-RDP86-00513R001755010007-5"

KUZOVLEV, V.A., inzhener-mekhanik; TAREYEV, V.M., doktor tekhnicheskikh nauk, professor, redaktor.

[Technical thermodynamics] Tekhnicheskaia termodinamika. Izd.3.
Pod obshchei red. V.M.Tareeva. Moskva, Gos.izd-vo vodnogo
transporta, 1953. 330 p.
(Thermodynamics)

APPROVED FOR RELEASE: Thursday, September 26, 2002 CIA-RDP86-00513R001755010007-5

MAKHAN'KO, M.G., kandidat tekhnicheskikh nauk; TAREYEV, V.M., professor; TSELISHCHEV, P.A.; KHITHOV, P.A., tekhnicheskiy redaktor.

Conversion of internal combustion engines to gaseous fuels. Trudy TSNII MPS no.74:3-96 154. (MLRA 8:5) (Gas and oil engines)

APPROVED FOR RELEASE: Thursday, September 26, 2002 CIA-RDP86-00513R001755010007-5"

TAREYEV, V.M., professor.

Serial construction of velocity triangles in the hest calculation of turbines. Trudy MIIT no.82/83:231-236 '55. (MLRA 9:8) (Heat engineering) (Turbines)

APPROVED FOR RELEASE: Thursday, September 26, 2002

CIA-RDP86-00513R001755010007-5"

TARRYEY Y.H. professor.

Problem of the mechanical efficiency of the vanes of steam and gas turbines. Trudy MIIT no.82/83:237-242 '55. (MLRA 9:8) (Steam turbines--Blades)

APPROVED FOR RELEASE: Thursday, September 26, 2002 CIA-RDP86-00513R001755010007-5"

TAREYEV V.M. professor; DOGIE, M.Ye., dotsent; AGAPOV, V.M., inshener.

Automatization of the diesel installations in railroad electric power stations. Trudy MIIT no.82/83:432-449 '55. (MLRA 9:8) (Electric railroads--Substations) (Automatic control)

"APPROVED FOR RELEASE: Thursday, September 26, 2002" CIA-RDP86-00513R001/95010007-5" CIA-RDP86-00513R001755010007-5"

KUZOVLEV, Vitaliy Aleksandrovich; TAREYEV, V.M., professor, doktor tekhnicheskikh nauk, redaktor; SHLEHHIKOVA, 2.V., redaktor izdatelstva; KRASNAYA, A.K., tekhnicheskiy redaktor

[Technical thermodynamics] Tekhnicheskaia termodinamika. Izd. 4-oe. Pod obshchei red. V.M.Tareeva. Moskva, Izd-vo "Rechnoi transport," 1956. 338 p. (MLRA 9:8)

APPROVED FOR RELEASE: Thursday, September 26, 2002 CIA-RDP86-00513R001755010007-5"

VRASHEV, Sergey Pavlovich, inzh.; LETNIK, Aleksendr L'vovich, dots.;
SHIYRIN, Daniil Moiseyevich, inzh.; TAREYEV, V.M., prof., doktor
tekhn. nauk, red.; SHERSTYUK, A.H., kand. tekhn. nauk, retsenzent,;
KVITKOVSKIY, Yu.V., kand. tekhn.nauk, red.; HODEL', B.I., tekhn. red.

[Machinery] Mashinovedenie. Izd. 2., dop. i perer. Moskva, Gos. neuchno-tekhn. izd-vo mashinostroit. lit-ry, 1958. 483 p.

(MIRA 11:12)

(Machinery)

APPROVED FOR RELEASE: Thursday, September 26, 2002

CIA-RDP86-00513R001755010007-5"

CIA-RDP86-00513R001755010007-5"

TAREYEV. Vlalimir Mikhaylovich, prof., doktor tekhn.nauk; NIGMATULIN,
I.N., doktor tekhn.nauk, retsenzent; SHLENNIKOVA, Z.V., red.izd-va;
BOBROVA, V.A., tekhn.red.

[Reference book on thermal calculation of operating processes in internal combustion engines] Spravochnik po teplovomu raschetu rabochego protsessa dvigatelei vnutrennego sgoraniia. Koskva. Izd-vo "Rechnoi transport, " 1959. 399 p. (MIRA 12:9) (Gas and oil engines)

11(1); 26(4)

PHASE I BOOK EXPLOITATION

SOV/3043

Tareyev, Vladimir Mikhaylovich, Doctor of Technical Sciences, Professor

Spravochnik po teplovomu raschetu rabochego protsessa dvigateley vnutrennego sgoraniya (Handbook on Thermal Calculations for Working Processes of Internal Combustion Engines) Moscow, Izd-vo "Rechnoy Transport", 1959. 403 p. Errata slip inserted. 8,500 copies printed.

Reviewer: I. N. Nigmatulin, Doctor of Technical Sciences; Ed. of Publishing House: Z. V. Shlennikova; Tech. Ed.: V. A. Bodrova.

PURPOSE: The book is intended for students of schools of higher technical education, aspirants, and technical personnel of research institutes and design bureaus.

COVERACE: The book deals with basic calculations related to the thermal efficiency of internal combustion engines. The first part treats the theoretical principles underlying such calculations. It includes the theory, design, and operation of internal combustion engines. The principal efficiency standards and the values of respective coefficients are determined. The second part discusses ten main types of engines and demonstrates how

Card 1/13

Handbook on Thermal Calculations (Cont.)

SOV/3043

efficiency coefficients are calculated. The engines discussed differ in purpose, type of fuel, number of strokes, degree of compression, type of scavenging and supercharging or its absence, and speed. Particular attention is paid to calculation methods developed by V. I. Grinevetskiy. The contributions of Professors N. R. Briling, M. M. Maslennikov, and A. S. Orlin to the study of internal combustion engines are mentioned. There are 38 references, all Soviet.

TABLE OF CONTENTS:

10	bre	ew.	or	a
-	~		-	u

Symbols

3

PART I. THEORETICAL PRINCIPLES OF THERMAL EFFICIENCY CALCULATIONS

- Ch. 1. Objectives, Methods, and Principal Stages in Thermal Efficiency Calculations of Internal Combustion Engines. Determination of the Combustible Mixture and the Products of Combustion
 - 1. Objectives of computations related to the thermal efficiency of engines
 - 2. Methods of thermal efficiency calculations of internal combustion engines

13 14

13

Card 2/13

	Handbook on Thermal Calculations (Cont.) SOV/3043	
-	3. Principal stages of thermal efficiency calculations of engines	j,
	4. Types of inets	í
• .	5. Air necessary for combustion, products of combustion, and heat value of liquid fuels	
	6. Air necessary for combustion, products of combustion, and heat value of combustible gases	2.
	7. Relative changes in the volume of combustible mixtures during combustion	2
		3:
	8. Thermal capacities of gaseous mixtures	3.
	Ch. 2. Coefficients and Temperatures Typical of the Charge Process in Four-stroke Engines	
	1 Formulas of V. I. Grinevetskiy and Ye. K. Meging	3
	2. Computations based on the Grinevetskiy and Mazing formulas	3 4 4 4
	3. S. Ye. Lebedev's equation	4
	4. Computations based on the Lebedev equation	4
	5. Further development of the above formulas	4
	6. Examples of computations based on the formulas in Paragraph 5	5
	7. Selection of a method for calculating the charge coefficients in four-stroke engines	5
1	TOTT - POLOUG ENGINEE	59

	Handbook on Thermal Calculations (Cont.) SOV/3043	
-	Ch. 3. Coefficients and Temperatures Typical of Charge Process in Two-	
	stroke Engines 1. Coefficients & [residual gases], \$\varPsi_n\$ [acavenge factor], \$\capsi_n \text{tescape}\$	63
•	Idetor), ([scavenge efficiency], and (in [use full gos warms of each)	64
	w. Coefficients related to the volume of charge in cylinders	67
	3. Excess-air coefficients	69
	4. Ratio of the residual-gas coefficient to the excess-air coefficient	72
	J. De Grantiation of the initial temperature' ('In two etacks and as	79 85
	6. Formulas for charge coefficients in two-stroke engines	85
	7. Determination of the coefficient Sc [specific heat] in two-stroke engines	
	8. Examples of determining the coefficient ζ_c	87
	and the continuity of continuity of c	88
	Ch. 4. Kinematics of Gas-distributing Mechanisms in Two-stroke Engines	03
	1. Dependence of piston position on crank angle	91
	2. Determination of the integral of the crank angle-to-length of	91
	travel relationship for piston travel [time_integral diagram]	98
	7. Ranges of exhaust-and scavenge-port timing in degrees of crank	-50
	travel	104
	Ch. 5. Calculations Related to Scavenging Ports	
	1. Calculating the range of port timing	110

APPROVED FOR RELEASE: Thursday, September 26, 2002 CIA-RDP86-00513R001755010007-5"	THE STATE OF THE PARTY OF THE P					
Handbook on Thermal Calculations (Cont.) SOV/3043						
2. Example, of determining the port area 3. Simplified formulas for determining port area 4. Port calculations in complex scavenging systems 5. Pressure in the cylinder during scavenging 6. Port shapes	114 116 121 132 135					
Ch. 6. Exhaust Calculations 1. Necessary exhaust timing 2. Range of exhaust timing 3. Determination of back pressure from exhaust timing 4. Simplified formulas for calculating exhaust lead 5. Computing points on the exhaust curve from a systematic investigation of the elementary parts of the process 6. Accurate integration of the exhaust equation	137 137 140 142 143					
 Ch. 7. Heat Capacities of Combustion Products and Combustible Mixtures for Some Basic Types of Fuel 1. Theoretical products of complete combustion of typical petroleum fuel Card 5/13 	150 150					

BRESTRUCTURE IN EL PROTES PROGRAMMENTALISMENT PROGRAMMENTALISME FORMANISMENTALISMENT PARAMENTALISMENTALISMENT

APPROVED FOR RELEASE: Thursday, September 26, 2002 CIA-RDP86-00513R001755010007-5"

CIA-RDP86-00513R001755010007-5"

Handbo	ok on Thermal Calculations (Cont.) SOV/3043	
2.	Heat capacity of exhaust gases of petroleum fuel during complete	
_	compustion with an arbitrary value of O(\$\frac{1}{2}\)	152
3.		
h	of petroleum fuel (Heat capacity of a combustible air-gas mixture)	156
7.	Another method of computing the heat capacity of the combustible mixture in an oil engine	
5.		159
	Heat capacity of combustion products in a semidiesel with water	161
	injection	161
7•	Heat capacity of a combustible mixture in a semidiesel engine	101
	with water injection	163
8.	Formulas for coefficients of molecular change in oil engines	
	with water injection	165
9•	Chemical coefficient of molecular change in gasoline at d	
10.	and at theoretical incomplete combustion Empirical formula of the dependence of M. on Q at incomplete	166
	combustion of gasoline, according to experimental data of	
	Maslennikov	172
11.	Mean isochoric volumetric heat capacity Sym2 of products of the	112
	incomplete combustion of gasoline (where $0 < 1$)	173
Card 6	/13	-12
	· /	

6			
	Handbo	cok on Thermal Calculations (Cont.) SOV/3043	
	12.	Composition of theoretical products of the complete combustion of gasoline (where d = 1)	
•	13.		178
	14.		180
	15.		180
	16.	Heat capacity of the combustible mixture at complete combustion of gasoline	181
	17.		184
	18.	Heat canacity of theoretical and	185
	19.	Heat capacity of theoretical products of producer-gas combustion Heat capacity of flue gases from producer gas (at an arbitrary value of 4>;)	186
	20.	92 9-11	183
	21.	and ambactol of broducer MAB	191
	22.	Heat capacity of the combustible mixture for producer-gas engines	3.93

Handbe	ook on Thermal Calculations (Cont.)	
23.	Approximate formula for calculating the heat capacity of combustible mixtures in producer-gas engines	
24.	Composition of theoretical products of the complete combustion of natural gas (where del)	197
25.	Heat capacity of theoretical combustion products of natural	198
26.	Heat capacity of flue gases from the combustion of natural gas (at an arbitrary value of A)	200
		200
-,•	Heat capacity of a combustible mixture of natural gas	203
Ch. 8.	The Compression Process	
1.	Basic formulas	205
2.	Methods of determining the mean coefficient kl of adiabatic compression	205
3.	Coefficient k, for heavy-fuel diesel and motor engines	206
4.	Coefficient ki for gasoline engines	207
5.	Coefficient k for confidence	208
6.	Coefficient k1 for semidiesel engines with water injection	209
		212
8.	Coefficient k ₁ for natural-gas engines	213
•	Summary of the results of determining mean coefficients of	
	The complete of the first that of A	214
9.	The polytropic exponent of compression, n	215

	Handbook on Thermal Calculations (Cont.) SUV/3043	
•	Ch. 9. Combustion Equations	21r
	1. Derivation of principal formulas for mixed combustion	
-	2. Basic combustion equations for constant-volume heat supply	216
•	3. Basic combustion equations for constant pressure heat supply	22
	4. Principal special cases of combustion equations	221
		225
	Ch. 10. The Expansion Process	00.
	1. Pasic formulas	229
	2. Interdependence between the heat-generation coefficient and	22.9
	n ₂ [polytropic exponent]	
	3. Coefficient k2 [mean coefficient of adiabatic expansion] for	230
	heavy liquid-fuel engines	
	4. Coefficient ke for passion engines at the series	234
	4. Coefficient k2 for gasoline engines at incomplete combustion 5. Coefficient k2 for semidiesel engines	236
	6. Coefficient k2 for producer-gas engines	238
	7. Coefficient k2 for natural-gas engines	240
	8. Summery of results of determining man accept at the contraction of	240
	The state of the s	
	expansion (E2) for various types of fuel and determination of	
	the value of n2	243

Handbook on Thermal Calculations (Cont.)	sov/3043
Ch. 11. Pumping Losses, Friction Losses, and Cor	mpression Work 24
1. Pumping lusses in four-stroke engines	244
2. Computation of pumping losses	247
3. Friction losses in two-stroke engines	250
4. Summary of losses from friction and pumping	3 in four-stroke engines 252
5. Compression work	257
6. Mechanical work produced by the gas turbine	260
7. Temperature of exhaust gas	261
8. Relation between p. [compressed-air pressure	in the receiver and
ρ, [gas pressure in the discharger]	267
Ch. 12. Determination of Mean Indicator and Effe	ective Pressures.
Determination of Basic Parameters of the of Efficiency Indices for Engine Perform	Cvlinder. Computation
Indicator Diagram	270
 Formula for the preliminary (theoretical) m Corrected [adjusted] mean indicator pressur 	ean indicator pressure 270 e for a two-stroke
engine	270
Corrected [adjusted] mean indicator pressur	e for a four-stroke
engine without consideration of pumping los	ses 271

PERSONAL PROPERTY OF THE PROPE APPROVED FOR RELEASE: Thursday, September 26, 2002 CIA-RDP86-00513R001755010007-5" SOV/3043 Handbook on Thermal Calculations (Cont.) 4. Corrected [adjusted] mean indicator pressure with consideration 212 of pumping losses 272 5. Mean effective pressure in two-stroke engines 273 6. Mean effective pressure in four-stroke engines 274 7. Mechanical efficiency coefficient in two-stroke engines 8. Mechanical efficiency coefficient in four stroke engines 274 9. Determination of basic parameters of a cylinder 275 10. Specific fuel consumption and its relation to efficiency cc-277 efficients 283 11. Plotting of the indicator diagram PART II. THERMAL EFFICIENCY CALCULATIONS FOR THE PRINCIPAL TYPES OF INTERNAL COMBUSTION ENGINES Ch. 13. Thermal Efficiency Calculations for a Four-stroke Silent-running Low-compression Engine Operating on Producer Gas Obtained from 285 Anthracite 14. Calculations for a Low-compression Semidiesel Engine With Ch. 297 Water Injection Card 11/13

		ELEASE: Thursday, September 26, 2002 CIA-RDP86-00513R001755010007-5"	
Hand	lbook	on Thermal Calculations (Cont.) SOV/3043	
Ch.	15.	Calculations for a Four-stroke Gasoline Engine of a Motor Vehicle	30 5
Ch.	16.	Calculations for an Aircraft Gasoline Engine Without Super- charger	317
Ch.	17.	Simplified Calculations (According to Maslennikov) for Aircraft Gasoline Engines With and Without Supercharging [Boosting]	331
Ch.	18.	Calculations for a Compressorless Two-stroke Diesel Engine With Precombustion Chamber and Crankcase-compression Scavenging	340
Ch.	19.	Calculations for a Four-stroke Compressorless Marine Diesel Engine Without Supercharging	352
Ch.	20.	Calculations for a Four-stroke Locomotive Diesel Engine With Cas-turbine Supercharging (Check Calculations)	364
Çh.	21.	Calculations for a Two-stroke Marine Diesel Engine With Uniflow Scavenging Controlled by a Sleeve-valve and Having a	3 75

Card 12/13

and designation of the control of th

APPROVED FOR RELEASE: Immissay, september 26, 2002 CIA-RDP86-00513R001755010007-5*

Handbook on Thermal Calculations (Cont.) SOV/3043

Ch. 22. Calculations for a Four-stroke Engine Operating on Compressed Natural Cas With Inflammable-liquid Injection 566

Bibliography 400

List of Computation Graphs 402

AVAILABLE: Library of Congress

AC/mg 3/1/60

TAREYEV, V.M., prof.

Selecting indices of compression and expansion polytropes in the thermal analysis of internal-combustion engines. Trudy MIT no.112:27-55 '59. (MIRA 1.3:2) (Gas and oil engines)

APPROVED FOR RELEASE: Thursday, September 26, 2002

CIA-RDP86-00513R001755010007-5

CIA-RDP86-00513R001755010007-5

TAREYEV, V.M., prof.

Abridged calculation of the exhaust process in two-cycle engines.

Trudy MIIT no.112:56-84 '59. (MIRA 13:2)

(Gas and oil engines)

APPROVED FOR RELEASE: Thursday, September 26, 2002 CIA-RDP86-00513R001755010007-5"

CIA-RDP86-00513R001755010007-5"

KUZOVLEV, Vitaliy Aleksendrovich; TAREYEV, V.M., prof., doktor tekhn. nauk, red.; VOLCHOK, K.M., tekhn.red.

[Principles of heat engineering] Osnovy teplotekhniki. Pod red. V.M.Tereeva. Izd.2. Leningrad, Izd-vo "Rechnoi transport."
Leningr.otd-nie. 1960. 199 p. (MIRA 13:11)
(Heat engineering)

APPROVED FOR RELEASE: Thursday, September 26, 2002

CIA-RUP86-00513R001755010007-5"

CIA-RUP86-00513R001755010007-5"

TAREYEV, Vladimir Mikhaylovich, prof., doktor tekhn. nauk; GORBACHEV, A.V., red.; VOLCHOK, R.M., tekhn. red.

[Manual on the thermal analysis of the working process of internal combustion motors] Spravochnik po teplovomu raschetu rabochego protsessa dvigatelei vmutrennego sgoraniia. Izd.3., perer. Leningrad, Izd-vo "Rechnoi Transport" Leningr. otd-nie, 1961. 415 p. (MIRA 14:9)

(Gas and oil engines)

Elektrotekhnicheskiye materialy

AID 757 - X Pages

214-233 Copper: basic data, treatment, brass, data on wires. Ch. 9 Conducting Materials Steel, characteristics, wire manufacture "bimetal", data. Others: Tungsten: treatment, basic data; molybdenum, platinum and mercury, basic data. High resistance alloys: constantan, basic data; manganin, nichrome, "Fechrale" and their basic data.

Carbon: brushes, carbon and graphite, "GOST" standards, 233-248 basic data, table on p. 232. Wires for windings: basic data, types, tables on pp. 235, 236, 239. Ch. 10 Insulated Cables Power cables: diagrams, basic data, "GOST" standards, research of S. M. Bragin mentioned; "vinyflex" and "metalvyn" developed by Andrianov and Ushakov; types of cables and wires: SK, SG, SA, SB, OSB and OSK listed, basic data given; a score of names of scientists developing research on wires and cables is attached. 248-259

General information: brief review of achievements. Ch. 11 Magnetic Materials

Elektrotekhnicheskiye materialy

AID 757 - X

Pages

Laminated steel "GOST" standards, basic data, types,

Various magnetic materials: permalloy, "alsifer" developed by A. S. Zaymovskiy, basic data; magneto-di-electrics, developed by A. S. Zaymovskiy, N. N. Shol'ts, L. I. Rabkin, V. S. Yevseyev for super high frequencies,

Materials for permanent magnets: alloy types, basic basic data.

data, table on p. 258. Ch. 12 Various Materials

259-282

Lead: basic data, types.

Soldering materials: soft and hard tin, types and table on p. 262, compounds with copper, silver, zinc, cadmium, phosphorus, aluminum, fusing agents: colophony, chlorine, fluorine, etc.; compounds with sodium, potassium, zinc and lithium.

Cement, putty, paste, glue: Portland cement types, according to "GOST" standards; gypsum, lead monoxide and glycerine (gletoglycerine); "ELSI" paste, composition; carbinol glue, composition, also used with nitrous acid,

Elektrotekhnicheskiye materialy

AID 757 - X

developed by I. P. Nazarov and based on synthetic rubber; glues BF-2 and BF-4 made of synthetic resin and alcohol. Bimetals: general information, basic data, properties. Materials for thermo-couples: "copel", "alumel" and

"chromel", basic data.
Thermo color films (temperature recorders), containing

mercury, silver, copper.
Storage battery electrolytes, basic data, "GOST" standards, ards; alkali electrolytes, basic data, "GOST" standards,

No. of References: 25 Russian, 1945-1952. Facilities: Names of Russian scientists listed in Table of Contents.

10/10

TARBEV. B. M., ed.

Scientific literature on dielectrics Moskva, Izd-vo Akademii nauk 2007, 1952. 671 p. (53-25640)

25834.D48A45

TAREYEV, 3. M.

VSSR/Electricity - Personalities

Fay 52

"Professor H. P. Bogoroditskiy, in Connection With His 50th Birthday." P. I. Skotnikov, A. F. Alabshev, S. Ya. Sokolov, A. A. Vavilov, V. V. Pasynkov, B. M. Tareyev

"Elektrichestvo" No 5, p 88

Reviews main features of professional life of Nikolay Petrovich Bogoroditskiy, born 20 May 02 in Tashkent. His principal interest has been development of h-f dielectrics. Between 1933 and 1942 he developed the now widely-used radio materials tikond, micalex, h-f glass, radio porcelain, and ultra-porcelain. Affiliations include Military Elec Eng Acad imeni Budennyy (1933 - 1942) and a large plant laboratory (where he produced a number of inventions) during World War II. He has published a number of articles in journals, books, and textbooks. He received three Stalin Prizes: for an invention in field of ceramics(1942); for textbook "Electrical Engineering Materials"(1952); and for development and organization of mass production of parts for radio equipment (1952).

PA 240T58

TAREYEV, B. M.

USSR/Electricity - Education -

Jun 53

"Correspondence-School Advanced Training of Graduate Engineers," Prof B.M. Tareyev, Dr Tech Sci; Engr A.O. Magidson, All-Union Corresp Power Eng Inst (VZEI)

Elektrichestvo, No 6, pp 57-59

Describes organization of correspondence-school advanced training for graduate power engrs on basis of experience of VZEI in Moscow. Lists, discusses subject matter of projects recently completed for adject matter of projects recently completed for advanced training with VZEI by 8 persons from 8 different places (including Leninakan, Sochi, Taganrog). Submitted 22 Jan 53.

TAREYEV, B.M., professor, doktor tekhnicheskikh nauk; GIKIS, A.F.,
dotsent, kandidat tekhnicheskikh nauk; MEZHLUMOV, A.A., dotsent,
kandidat tekhnicheskikh nauk (Baku); STOLOV, L.I., dotsent,
kandidat tekhnicheskikh nauk (Kazan'); YUMATOV, A.A., inzhener
(Kronshtadt); RAKHIMOV, G.R., dotsent, kandidat tekhnicheskikh
nauk; KONSTANTINOV, V.I., inzhener (Moscow); NEYMAN, L.R.;
ZAYTSEV, I.A., dotsent, kandidat tekhnicheskikh nauk; LUR'YE, A.G.,
dotsent, kandidat tekhnicheskikh nauk.

Terminology of theoretical electrical engineering. Elektrichestvo no.2:74-82 F 154. (MLRA 7:2)

1. Vsesoyuznyy zaochnyy energeticheskiy institut (for Tareyey).

2. Rostovskiy institut inzhenerov zheleznodorozhnogo transporta (for Gikis).

3. Sredneaziatskiy politekhnicheskiy institut (for Rakhimov).

4. Chlen-korrespondent Akademii nauk SSSR (for Neyman).

5. Leningradskiy politekhnicheskiy institut im. Kalinina (for Neyman, Zaytsev, Lur'ye). (Electric engineering--Terminology)

APPROVED FOR RELEASE: Thursday, September 26, 2002 CIA-RDP86-00513R001755010007-5

APPROVED FOR RELEASE: Thursday, September 26, 2002 CIA-RDP86-00513R001755010007-5

VINTER, A.V., akademik; KUKUSHKIN, I.N., inzhener; TRAPEZNIKOV, V.A.;

NIKOLAYEV, A.T., inzhener (Muromtsevo, Vladimirskoy obl.); KUDELIN,

Ya.M. (Muromtsevo, Vladimirskoy obl.); PETROV, I.I., dotsent, kandidat

tekhnicheskikh nauk (Moscow); BADALYANTS, M.G., inzhener; BELICHENKO,

G.M., inzhener; KLAPCHUK, L.D., inzhener; FRANTSUZOV, Ye.M., inzhener;

TAREYEV, B.M., professor, doktor tekhnicheskikh nauk; MAGIDSON, A.O.,

inzhener.

Improving the knowledge of power engineers through correspondence courses. Remarks on B.M. Tareev's and A.O. Magidson's article. Elektrichestvo no.3:76-80 Mr '54. (MLRA 7:4)

1. Energeticheskiy institut im. Krzhizhanovskogo Akademii nauk SSSR (for Vinter). 2. Glavnyy energetik Gor'kovskogo avtomobil'nogo zavoda im. Molotova (for Kukushkin). 3. Institut avtomatiki i telemekhaniki Akademii nauk SSSR (for Trapeznikov). 4. Chlen-korrespondent Akademii nauk SSSR (for Trapeznikov). 5. Leninakanges (for Badalyants). 6. Dnepropetrovskiy institut inzhenerov transporta (for Belichenko). 7. Kurakhovskaya gres (for Khapchuk). 8. Orekhovo-Zuyevskaya tets (for Frantsuzov). 9. Vsesoyuznyy zaochnyy energeticheskiy institut (for Tareyev and Magidson).

APPROVED FOR RELEASE: Thursday, September 26, 2002
APPROVED FOR RELEASE: Thursday, September 26, 2002
CIA-RDP86-00513R001755010007-5

TAREYEY, B.M., professor, doktor tekhnicheskikh nauk.

In the scientific-technical society of the All-Union Institute for Correspondence Courses in Power Engineering. Elektrichestvo no.3:90 Nr *54. (NLRA 7:4)

1. Predsedatel NTO Vsesoyuznogo zaochnogo energeticheskogo instituta.
(Power engineering--Study and teaching)

DROZDOV, N.G., professor, doktor tekhnicheskikh nauk; PRIVEZENTSEV, V.A., professor, doktor tekhnicheskikh nauk; KOMAROV, N.S., dotsent, kandidat tekhnicheskikh nauk; SHUMSKIT, I.I., dotsent, kandidat tekhnicheskikh nauk; KREMLEV-SKIY, P.A., kandidat tekhnicheskikh nauk; GEPPE, A.P., inzhener; ALEK-SANDROV, N.V., professor, doktor tekhnicheskikh nauk; TAREYEV, B.M., professor, doktor tekhnicheskikh nauk; EYGENSON, L.S., professor, doktor tekhnicheskikh nauk; MAGIDSON, A.O., inzhener.

"Science of electrical materials." M.W.Mikhailov. Reviewed by N.G. Drosdov, and others. Elektrichestvo no.3:93-94 Mr. 54. (MLRA 7:4)

1. Moskovskiy energeticheskiy institut im. Molotova. 2. Vsesoyuznyy zaochnyy energeticheskiy institut.

(Electric insulators and insulation) (Electric conductors)

AID P - 663

Subject

: USSR/Electricity

Card 1/1

Pub. 27 - 32/34

Author

: Tareyev. B. M., Dr. of Tech. Sci., Prof., Chairman of the Scientific and Technical Society of the All-Union Power Engineering Correspondence Institute (VZEI)

Title

: Scientific and Technical Society of the VZEI (Current

News)

Periodical

: Elektrichestvo, 9, 94, S 1954

Abstract

The 5th scientific and technical conference of the Institute was held in May 1954. 28 reports were discussed

in the sections of the Institute.

Institution: VZEI (Scientific and Technical Society of the All-Union

Power Engineering Correspondence Institute)

Submitted

: No date

CIA-RDP86-00513R001755010007-5"

BABIKOV, M.A.; VENIKOV, V.A.; DROZDOV, N.G.; PRIVEZENTSEV, V.A.; SOLOV'YEV, I.I.; TAREYEV, B.M.; HIXULIN, N.V.

Professor S.M.Bragin, Elektrichestvo no.12:82-83 D '54. (MIRA 7:11) (Bragin, Sergei Mikhailovich, 1894-)

TAREYEV, Boris Mikhaylovich, laureat Stalinskoy premii, d-r tekhnicheskikh nauk; YEZHKOV, V.V., redaktor; SKVOHTSOV, I.M. tekhnicheskiy redaktor.

[Electric engineering materials] Elektrotekhnicheskie materialy. Izd.5-oe perer. Moskva, Gos.energ.izd-vo, 1955. 256 p.(MLRA 8:10) (Electric engineering-Materials) APPROVED FOR RELEASE: Thursday, September 26, 2002

APPROVED FOR RELEASE: Thursday, September 26, 2002

CIA-RDP86-00513R001755010007-5"

CIA-RDP86-00513R001755010007-5"

is Fi Walfili

BOGORODITSKIY, N.P., PASYNKOV, V.V.; TARBYEV, B.M.; RENNE, V.T., redaktor VORONETSKAYA, L.V., tekhnicheskiy redaktor.

[Materials used in electric engineering] Elektrotekhnicheskie materialy. Izd-vo 302, pere. Moskva, Gos. energ. isd-vo, 1955. 372 p. (MLRA 8:8)

"APPROVED FOR RELEASE: Thursday, September 26, 2002 CIA-RDP86-00513R001755010007-5" CIA-RDP86-00513R001755010007-5"

TAREYEV, B.M., professor, redaktor; YEZHKOV, V.V., redaktor; BORONIN, K.P.,

[Fluorine organic compounds used as electric insulating materials. Translations] Ftororganicheskie elektroisolyatsionnye materialy. Perevody statei pod red. V.M.Tareeva. Moskva, Gos.energ. izd-vo, 1957. 62 p. (MIRA 10:9)

(Electric insulators and insulation) (Fluorine organic compounds)

"APPROVED FOR RELEASE: Thursday, September 26, 2002 CIA-RDP86-00513R001755010007-5"

CIA-RDP86-00513R001755010007-5"

ARTICLE OF A STREET AND THE CONTROL OF A STREET AND A STR

GOLUBTSOVA, Valeriya Alekseyevna; TAREYEV, B.M., red.; HEDVEDHV, L.Ya., tekhn.red.

[History and prospects for the development of electric insulation materials] Istoriia i perspektivy razvitiia elektroisoliatsionnykh materialov. Moskva, Gos.energ.izd-vo, 1957. 76 p. 9 graphs

(MIRA 11:2)

(Electric insulators and insulation)

TAREYEV, B.M., prof., red.; BORUNOV, N.I., tekhn.red.

[Recommendation for the classification of materials for the insulation of electrical machinery and apparatus in relation to their thermal stability in service] Rekomendatsii dlia klassifikatsii materialov izoliatsii elektricheskikh mashin i apparatov po nagrevostoikosti. Publikatsiia No.85. Izd.1, 1957 g. Moskva, Gos.energ.izd-vo, 1958. 12 p. (MIRA 12:7)

1. World Power Conference. U.S.S.R. National Committee. (Electric insulators and insulation)

8(2)

PHASE I BOOK EXPLOITATION

80V/1867

Tareyev, Boris Mikhaylovich, and David Mikhaylovich Kazarnovskiy

Ispytaniya elektroizolyatsionnykh materialov (Testing Electric Insulating Materials) Moscow, Gosenergoizdat, 1958. 208 p. 20,950 copies printed.

Ed.: V.I. Timokhina; Tech. Ed. G.I. Matveyev.

FURPOSE: This is a textbook for students in electrical engineering tekhnikums. It may be useful to students in power and electrical engineering vuzes and also for technicians in industrial plants and scientific-research institutes.

COVERAGE: The authors describe the most important and widespread methods of testing electric insulating materials. They explain the theoretical basis of the various methods and describe a number of testing instruments and auxiliary equipment. Special attention is devoted to new methods of testing with automatic measuring instruments and apparatus and methods for continuous testing without interrupting production or operating conditions. There are 70 references, 53 of which are Seviet, 10 English, 4 German, 2 Czech and 1 Italian.

PHASE I BOOK EXPLOITATION 1079

Tareyev, Boris Mikhaylovich

Elektrotekhnicheskiye materialy (Electrical Materials) 6th ed., rev. Moscow, Gosenergoizdat, 1958. 271 p. 51,000 copies printed.

Ed.: Timokhina, V.I.; Tech. Ed.: Larionov, G.Ye.

FURPOSE: This book was approved as a textbook by the Scientific Council for Prcfessional and Technical Education of the Main Administration of Labor Reserves under the USSR Council of Ministers, to be used in technical, trade, and railroad schools specializing in electrical engineering subjects. The book is also intended for technicians working in electric power systems, and plants and repair shops of the electrical and radio industries. It presumes a basic knowledge of physics, chemistry and electrical engineering.

COVERAGE: The book describes the properties, methods of testing, and behavior of the most important electrical materials (insulating materials, conductors, magnetic materials, cables, and various other materials.) No personalities are mentioned. There are 50 references, all Soviet.

8(0)

PHASE I BOOK EXPLOITATION

S0V/2082

- Elektroizolyatsionnyye materialy. ch 1: Svoystva materialov (Electrical Insulating Materials. Pt. 1: Properties of Materials)
 Moscow, Gosenergoizdat, 1958. 460 p. (Series: Spravochnik po elektrotekhnicheskim materialam, t. 1) 30,000 copies printed.
- Eds. (Title page): Yu.V. Koritskiy and B.M. Tareyev; Ed. (Inside book): I.V. Antik; Tech. Ed.: A.M. Fridkin; Eds. of series: K.A. Andrianov, N.P. Bogoroditskiy, Yu.V. Koritskiy and B.M. Tareyev.
- PURPOSE: This book is intended as a reference guide and textbook for engineers and technicians of electrical-engineering and radio-engineering industrial organizations and plants, of electric power stations and substations, electrical repair workshops, laboratories and scientific research institutes.
- COVERAGE: The publication "Reference Guide on Electrical Engineering Materials" consists of 2 volumes. The 1st volume "Electrical Insulating Materials" consists of 2 parts. This is the 1st part

Electrical Insulating Materials (Cont.)

SOV/2082

and deals with the properties of insulating materials. The editors state that the book may serve as a systematically arranged and condensed source of technical data on most of the electrical insulating materials, their characteristics, standard specifications, production and machining processes, quality testing methods, and their applications in electrical and radio engineering. It also describes electrical insulating products: capacitor insulation, cable insulation, insulators, insulating materials for electrical machines, transformers, apparatus, radio equipment, and electrothermal apparatus. The book complies with recommendations of the Vsesoyuznoye byuro elektricheskoy izolatsii (All-Union Bureau of Electrical Insulating Materials) of MONITOE (VNITOE), issued in 1948. Each chapter is written by specialists and their names are listed in the Table of Contents. References are alloted separately to each chapter.

TABLE OF CONTENTS:

Foreword

5

Abridged Table of Contents of the 2nd Part - Testing Methods and Applications of Electrical Insulating Materials

13

Card 2/16

Electrical Insulating Materials (Cont.)

SOV/2082

PART I. PROPERTIES OF MATERIALS

Ch. 1. General Properties of Electrical Insulating Materials (Professor B.M. Tarevey, Doctor of Tarevey Materials	
1. Definitions annivosticas of Technical Sciences	15
electrical insulating materials	
6 4 DIBULTIO CONCINCTIVATA	15 16
2	16
	21
5. Insulation breakdown 6. Thermal characteristics as	30 34 38
6. Thermal characteristics as	34
6. Thermal characteristics of electrical insulating materials 7. Various physical and chemical characteristics of electrical insulating materials	38
cal insulating motordal distributes of electri-	٦٠
Bibliography: 12 South this	41
	44
Ch. 2. Gagacus Distant	77
Ch. 2. Gaseous Dielectrics (Docent N.F. Voloshchenko, Candidate of Technical Sciences)	
of Technical Sciences)	ı
1. Specific inductive capacitance of gases	45
2. Electric conductivity and dielectric losses of gases	45 47
Company to	47
Card 3/16	

"APPROVED FOR RELEASE: Thursday, September 26, 2002 CIA-RDP86-00513R001755010007-5" CIA-RDP86-00513R001755010007-5"	THE RESIDENCE OF THE RE
Electrical Insulating Materials (Cont.)	S0V/2082
18. Integrated mica	
19. Special methods of testing mica insulation Bibliography: 8 Soviet references	385 385 389
Ch. 17. Various Mineral Dielectrics (Electrical insulat rock materials) (Professor B.M. Tareyev, Doctor of Technical Sciences)	
of Technical Sciences) 1. Marble	38 9
2. Slate	389
3. Tale and talenchlorette	392
4. Jet	393
Bibliography: 17 Soviet references	394 394
h. 18. Electrical-Insulating Glass Materials (Professor B.M. Tareyev and N.P. Bogoroditskiy, Doctors of Technical Sciences)	
1. General properties of glass materials	394
-	394
3. Types of glass materials employed in electrical engineering	399
4. Glass bushings	400
5. Glass enamels	400
The second section of the section of the second section of the	408

AUTHORS: Mikhaylov, M. M., Kostenko, M. P., SOV/105-58-7-28/32

Neyman, L. R., Tareyev, B. M., Privezentsev, V. A., Zaytsev, I. A.,

Shramkov, Ye. G., Koritskiy, Yu. V.

TITLE: Professor V.T.Renne (Professor V.T. Renne) To His 50th Birthday

(K 50-letiyu so dnya rozhdeniya)

PERIODICAL: Elektrichestvo, 1958, Nr 7, pp. 92 - 92 (USSR)

ABSTRACT: Vladimir Tikhonovich Renne was born on July 1st, 1908, in Kaluga.

He graduated in 1930 from the Leningrad Polytechnical Institute and obtained the certificate of electrical engineer. Still a student, in 1928 he entered the telephone works "Krasnaya Zarya" and specialized in the field of electric technology. He organized a series of laboratories and directed them during several years. He worked out 15 types of paper-and mica condensers, thus industry being made independent of imports from abroad. He developed a series of cuprous oxide rectifiers for telephone equipment. He holds 8 patents. Since 1930 he teaches at the Leningrad Institute of Electromechanics (Leningradskiy elektromekhanicheskiy insti-

tut) and then at the Leningrad Institute of Electrical Engineering (Leningradskiy elektrotekhnicheskiy institut). From 1935 onwards

Card 1/2 he works at the Leningrad Polytechnical Institute (Leningradskiy

Professor V.T.Renne. To His 50th Birthday

SOV/ 105-58-7-28/32

politekhnicheskiy institut) department of electric insulation and cable engineering, where he has a full-time job since 1939. He organized a laboratory for electric technology and electric condensers and published several manuals. In 1938 - Docent, in 1939 - Candidate of Technical Sciences, in 1951 - Doctor of Technical Sciences, in 1952 - Professor. He published more then 140 papers on electric insulation, electric technology, and condenser design. He maintains close relations with industry and scientific research institutes. He advises them and carries out scientific work together with them. For a number of years he was secretary in the Section of Electric Insulation at the VNITOE and is at present Member of the Bureau of Electric Insulation at the Ts-ENTOEP. He is the scientific head of the Scientific Society of Students at the Faculty of Electromechanics of the Leningrad Polytechnical Institute (LPI). There is 1 photograph.

1. Electrical engineering--USSR

TAREYEV, B.M., prof., red.; OZERSKIY, V.A., red.; VORONIN, K.P., tekhn.red.

[Effect of radiation on electric insulating materials] Voxdeistvie radioaktivnykh izluchenii na elektroizoliatsionnye
materialy. Moskva, Gos.energ.izd-vo, 1959. 87 p. (MIRA 12:5)
(Electric insulators and insulation) (Radioactivity)

. 19(6)

PHASE I BOOK EXPLOITATION

SOV/2903

- Elektroizolyatsionnyye materialy. Ch. 2: Metody ispytaniya i primeneniya materialov (Electrical Insulating Materials. Pt. 2: Methods of Testing and of Application of the Materials) Moscow, Gosenergoizdat, 1959. 476 p. (Series: Sprzyochnik po elektrotekhnicheskim materialam, t. 2) Errata slip inserted. 30,000 copies printed.
- Eds. (Title page): Yu.V. Koritskiy and B.M. Tareyev; Ed. (Inside book): I.V. Antik; Tech. Ed.: A.M. Fridkin; Editorial Board of Series: K.A. Andrianov, N.P. Bogoroditskiy, Yu.V. Koritskiy, and B.M. Tareyev.
- PURPOSE: The book is intended for technical personnel of the electrical and radio industries, electric power stations and substations, electric maintenance and repair shops, laboratories and scientific research institutes.
- COVERAGE: This is the second part of Volume I of "Electrical Engineering Materials" and contains, in concise and systematic form, data on various types of the most commonly used electrical insulating materials and their properties, standards, methods of processing, applicability in electrical and radio engineering, and methods of testing. The following types of insulation are also described: capacitor insulation, cable insulation, insulators and insulation for electrical machines, transformers, radio equipment and electrothermal devices. References Card-1/11

Electrical Insulating Materials (Cont.) SOV/2903	
follow some chapters.	
TABLE OF CONTENTS:	
Change to Part I of Volume I of the "Handbook"	8
Errata to Part I of Volume I of the "Handbook"	9
PART II. METHODS OF TESTING AND APPLICATIONS OF MATERIALS	
Ch. 21. Basic Methods of Testing Electrical Insulating Materials (D.M. Kazarnovskiy and B.M. Tareyev)	11 11
1. Conditioning test samples of electrical insulating materials 2. Electrical testing of electrical insulating materials (general in-	16
formation) 3. Measuring with galvanometers specific resistances of electrical insulating materials	18 22
4. Measuring extremely high insulation resistances 5. Measuring specific inductive capacitance and dielectric loss angle a). Measurements at low frequencies	25 26

Electrical Insulating Materials (Cont.)	SOV/2903
() ()	BUV/ 2703
b). Measurements at audio frequencies	2
c). Measurements at high frequencies	3
d). Measurements at super-high frequencies	<i>J</i> ·
e). Measurements of the dielectric loss angly voltage	le at high-frequency high
	50
 f). Measurement of the capacitance-temperatus g). Testing nonlinear dielectrics 	
Sy to the state of	5.
6. Determining electric strength	50
7. Mechanical testing of electrical insulating	materials 6
8. Determining heat resistance	70
9. Various physicochemical tests	7
10. Ultrasonic testing	g.
Bibliography: 29 references, all Soviet (1 tran	slation)
	-
Ch. 22. Electrical Insulation in Capacitors (V.T.	Renne) 90
Terminology and classification	90
2. General properties of capacitors	Or Or
3. Capacitors with gaseous and liquid dielectri	c 9g
4. Capacitors with solid inorganic dielectric	101

148.413 14 8.813

9(3) AUTHORS:

P. C . 4

SOV/143-59-5-5/19 Tareyev, B.M., Doctor of Technical Sciences, Profes-

sor, and Lerner, M.M., Engineer

TITLE:

An Investigation of the Forming Process of Aluminum Foils for Electrolytic Capacitors by Three-Phase

Power Frequency Current

PERIODICAL:

Izvestiya vysshikh uchebnykh zavedeniy - Energetika,

1959, Nr 5, pp 36-45 (USSR)

ABSTRACT:

Studying the process of static forming of anode aluminum foils by three-phase alternating current will result in a more complete evaluation of the advantages of this method, which eventually will find industrial In this paper, the authors consider the connection between capacitance of the foil sample to be formed and the linear forming voltage and also the direct voltage component in the tanks. Figure 1 the direct voltage component in the tanks. Figure 1 shows the connection of 3 tanks for three-phase static forming of foils. The authors discuss the time required for forming the foils, the final forming curquired for forming the foils, the final forming curquired and the speed of oxide layer formation. They

card 1/3

SOV/143-59-5-5/19

An Investigation of the Forming Process of Aluminum Foils for Electrolytic Capacitors by Three-Phase Power Frequency Current

compare the quantity of power required for different forming methods. The forming of aluminum foils was performed in tanks with stainless steel electrodes (steel 1Kh18N9T). The electrolyte consisted of boric acid (100 gr/liter) and borax (0.5 gr/liter), and had a temperature of 80°C. As a rule, 60 min were required for the forming process. Samples of 0.08 mm thick aluminum foils, 3x5 cm, having a purity of 99.95%, were subjected to forming. The data in Table 1 show that the final currents hardly depend on the forming voltage with three-phase forming; on the average they amount to 1.22 milliamp/cm². Experimental data confirmed that the final current density does not depend on the voltage. With three-phase forming the oxide layer is formed faster than with two-phase forming. If the foil formation is performed on direct current with the voltage U and by three-phase alternating current with the voltage Un, with the aforementioned electrolyte composition, then an

Card 2/3

SOV/143-59-5-5/19 An Investigation of the Forming Process of Aluminum Foils for Electrolytic Capacitors by Three-Phase Power Frequency Current

> identical capacitance of the foil may be obtained under the condition $U_{0} = U_{0}$. The direct voltage component U_{0} , during forming under these consitions, is equal to half the effective value of the linear voltage. In the ultimate case, when the resistance of the electrolyte is equal to zero, and if the valve

effect of the oxide layer is ideal, Uo is equal to the amplitude of the phase voltage. There are 2 diagrams, 9 graphs, 1 table and 3 Soviet references. This article was resented by the Kafedra electroizely at a property is kabel noy tekhniki (Tre Chair of ASSOCIATION: Vsesoyuznyy zaochnyy energeticheskiy institut (All-Union Correspondence Institute of Power Engineering)

AND THE STATE OF T

December 28, 1958

Card 3/3

SUBMITTED:

8 (3) AUTHORS:

Tareyev, B. M., Doctor of Technical SOV/105-59-6-16/28

Sciences, Professor, Lerner, M. M., Engineer

TITLE:

Continuous Alternating Current Oxidation of the Anode Foil of Electrolytic Condensers (Nepreryvnoye oksidirovaniye peremennym tokom anodnoy fol'gi dlya elektroliticheskikh kondensatorov)

PERIODICAL:

Elektrichestvo, 1959, Nr 6, pp 71 - 76 (USSR)

ABSTRACT:

This is an investigation of the continuous-band-motion oxidation of anode foil bands with single-, two-, and three-phase a.c. A counterconnection of the baths appears to be most convenient. The utilization of troughs of conventional construction for a.c. oxidation is possible only if the troughs are made of oxidation-resistant material, (as, for example, stainless steel 1Kh18N57). The highest operational stability during oxidation is achieved if one foil is pulled through counterconnected baths (as shown in figure 3b). With respect to an equal load distribution on the transformers a three-phase oxidation is very interesting. It gives, similar as a two-phase oxidation, an oxide layer of high quality. The oxidation of anode foils by continuous band motion by means of a.c. and counterconnected baths avoids the rectification of the a.c.

Continuous Alternating Current Oxidation of the Anode Foil of Electrolytic Condensers

507/105-59-6-16/28

and hence the energy losses connected with such a transformation. No short-circuits will occur, if the foil breaks, the cos pof the installation increases and the output also increases owing to the elimination of polarization at the electrodes. There are 7 figures, 1 table, and 7 Soviet references.

ASSOCIATION:

Vsesoyuznyy zaochnyy energeticheskiy institut (All-Union

Correspondence Institute of Power Engineering)

SUBMITTED:

December 25, 1958

Card 2/2


TAREYEV, B.M., prof., doktor tekhn.nauk, otv.red.vypuska

[Dielectrics] Dielektriki. Moskva, 1960. 21 p. (Sborniki rekomenduemykh terminov, no.53). (MIRA 13:3)

1. Akademiya nauk SSSR. Komitet tekhnicheskoy terminologii.
(Dielectrics--Dictionaries)
(Russian language--Dictionaries--Polyglot)

ANDRIAHOV, K.A., red.; BOGORODITSKIY, N.P., red.; KORITSKIY, Yu.V., red.; PASTHKOV, V.V., red.; TAREYEV, B.M., red.; SOBCEMVA, Ye.M., tekhn.red.

[Handbook on electric engineering materials; in two volumes]
Spravochnik po elektrotekhnicheskim materialsm v dvukh tomakh.
Moskva, Gos.energ.isd-vo. Vol.2. [Magnetic, conducting, semiconductor and other materials] Magnitnye, provodnikovye,
poluprovodnikovye i drugie materialy. Pod red. N.P.Bogoroditakogo i V.V.Pasynkova. 1960. 511 p. (MIRA 14:1)
(Electric engineering---Materials)



APPROVED FOR RELEASE: Thursday, September 26, 2002 CIA-RDP86-00513R001755010007-5"

CIA-RDP86-00513R001755010007-5"

TAREYEV, B.M., doktor tekhn.nauk, prof.; LERNER, M.M., kand.tekhn.nauk

Concerning the replacement of copper with aluminum in the electric industry. Elektrichestvo no.10:78-82 0 '60. (MIRA 14:9) (Electric engineering-Materials)

APPROVED FOR RELEASE: Thursday, September 26, 2002


CIA-RDP86-00513R001755010007-5"

CHILIKIN, M.G.; LARIONOV, A.N.; ANDRIANOV, K.A.; MESHKOV, V.V.; IONKIN, P.A.; ARKHIPOV, V.N.; PETROV, G.N.; BRAGIN, S.M.; PRIVEZENTSEV, V.A.; TAREYEV, B.M.

Professor N.G. Drozdov. Elektrichestvo no.10:90 0 '60.

(MIRA 14:9)

(Drozdov, Nikolai Gavrilovich, 1900-)



84600 5/181/60/002/010/023/051 B019/B056

9,2110 (1043, 1081, 1145)

AUTHORS:

Tareyev, B. M. and Lerner, M. M.

TITLE:

The Theory of Unilateral Conductivity of an Oxide Film

on Aluminum

PERIODICAL:

Fizika tverdogo tela, 1960, Vol. 2, No. 10, pp. 2487-2492

TEXT: The present theory of unilateral conductivity of oxide films on aluminum describes satisfactorily the behavior of an oxidized sample immersed in an electrolyte. If, however, the sample is taken out of the electrolyte, this theory fails in the description of a number of its properties. This theory is especially not developed for electrolytic capacitors with solid electrolytes. The authors suggest a hypothesis that holds good for oxide films which are formed in weak electrolytes, if the former has a positive potential. In this hypothesis it is assumed that a p-n- junction exists, which is destroyed with the formation of an n-type semiconductor: 1) by removing the voltage from the sample, 2) by taking the sample out of the electrolyte, 3) by applying a negative

The Theory of Unilateral Conductivity of an Oxide Film on Aluminum

S/181/60/002/010/023/051 B019/B056

potential to the sample relative to the electrolyte (in this case the defects are in the oxide film). On the basis of this hypothesis suggested by the authors, it is possible to explain the behavior of oxidized Alsamples in the following cases: 1) The voltage is removed from a sample dipped into an electrolyte. 2) A negative potential is applied to the sample relative to the electrolyte. 3) The sample taken out of the electrolyte is subjected to the action of various media and temperatures. 4) Onto the sample taken out of the electrolyte, a layer of p-type semiconductor or of metal is applied. There are 24 references: 3 Soviet, 11 US, 3 Dutch, 5 German, 1 Swiss, and 1 French.

SUBMITTED:

August 29, 1959



Ф:ГА-КОР80-00513R001755010007-5 CIA-RDP86-00513R001755010007-5" Thursday, September 26, 2002

BOGORODITSKIY, Nikoley Petrovich; PASYNKOV, Vladimir Vasil'yevich; TAREYEV, Boris Mikhaylovich; RENNE, V.T., doktor tekhn.nauk, prof., red.; ZHITNIKOVA, O.S., tekim.red.

[Electric engineering materials] Elektrotekhmicheskie materialy. [Electric engineering materials] 224-vo, 1961. 528 p. [MIRA 14:6]

1. Zaveduyushchiy kafedroy elektroizolyatsionnoy i kabel'noy tekhniki Leningradskogo politekhnicheskogo instituta im. M.I.Kalinina (for Renne).

(Electric engineering-Materials)

APPROVED FOR RELEASE: Thursday, September 26, 2002

CIA-RDP86-00513R001755010007-5

CIA-RDP86-00513R001755010007-5

TAREYEV, B.M., laureat Stalinskoy premii, doktor tekhn. nauk, prof.;
MAGIDSON, O.A., red.

[Fundamentals of the physics of dielectrics; lectures] Osnovy fiziki dielektrikov; lektsii. hoskva, Vses.zaochnyi energ. in-t. No.1.[Electrical conductivity of dielectrics] Elektroprovodnosti dielektrikov. Izd.4., perer. 1961. 46 p. (MIRA 15:7) (Dielectrics)

ACIA-RDP86-00513R001755010007-5"

CIA-RDP86-00513R001755010007-5"

TAREYEV, B.M., prof., red.; BULGAKOV, V.A., red.; LARIONOV, G.Ye., tekhn. red.

[Electric insulating materials with increased heat resistance]
Elektroizoliatsionnye materialy povyshennoi nagrevostoikosti;
sbornik perevodov statei. Moskva, Gosenergoizdat, 1961. 103 p.
Translated from the English.
(Electric insulators and insulation)

MIKHAYLOV, A.I., prof.; TAREYEV, B.M., prof.

[Scientific information in the field of electric and power engineering] Nauchnaia informatsiia v oblasti elektrotekhniki i energetiki; lektsiia. Moskva, Vses. zaochnyi energ. in-t, 1961. 17 p. (MIRA 16:12)

1. Direktor Vsesoyuznogo instituta nsuchnoy i tekhnicheskoy informatsii (for Mikhaylov). 2. Zaveduyushehiy kafedroy elektroizolyatsionnoy I kabel'noy tekhniki Vsesoyuznogo za-ochnogo energeticheskogo instituta (for Tareyev).

(Power engineering-Information services)

CIA-RDP86-00513R001755010007-5

BRAGIN, S.M.; BUTAKOV, I.N.; KRASIN, A.K.; SOKOLOV, A.A.; STEXOL'NIKOV, I.S.; TAREYEV, B.M.; FIALKO, Ye.I.; CHILIKIN, M.G.

Fiftieth anniversary of the birth of Professor A.A.Vorob'ev.

Elektrichestvo no.1:93 Ja '61. (MIRA 14:4)

(Vorob'ev, Aleksandr Akimovich)

TAREYEV, B.M., doktor tekhn, nauk, prof.; LERNER, M.M., kand. tekhn. nauk

Trends in the development of aluminum electrolytic capacitors abroad. Elektrichestvo no.5:81-84 My '61. (MIRA 14:9)' (Electric capacitors)

37748

5/196/62/000/009/009/018 E114/E184

9.2110 **AUTHORS:**

Lerner, M.M., and Tareyev, B.M.

TITLE:

Single phase formation of anodic foil for capacitors

using alternating current

PERIODICAL: Referativnyy zhurnal, Elektrotekhnika i energetika, no.9, 1962, 6, abstract 9 B28. (Tr. vses. zaoch. energ. in-ta, no.18, 1961, 77-91)

Static formation of foil in a single bath directly TEXT: connected to an a.c. power supply was considered. Two cases were analyzed: 1) when the impedance of the foil $|Z_{\uparrow}|$ exceeds that of the bath $|\vec{Z}_B|$; and 2) when $|\vec{Z}_{\uparrow\downarrow}|$ is of the same order of Case l is possible if magnitude as, or much less than, ZB the bath is made of a material which is not affected by a.c. (for instance stainless steel). In this case, a large (reverse) current flows in the conducting direction of the oxide skin which is being formed, and more energy is required than when forming with d.c., or by other a.c. methods, and this, to some extent, impairs the quality of the oxide film because it is intensively Card 1/6



Single phase formation of anodic ... E114/E184

heated during the conducting half cycles. At the same time, the voltage utilization factor K, which is the ratio of the voltage across the oxide film to the total voltage applied to the bath, is high - the whole voltage of the source of power is applied across the oxide film with the exception of voltage drop in the electrolyte. Case 2 is possible if the bath is made of a material susceptible to a.c. (for instance aluminium), and the surface area of the bath is about equal to the area of the foil In case 2, the reverse currents flowing through the foil are much less than in case I because (or is a little less). $|Z_B| > |Z_O|$. This reduces the a.c. power consumption and the oxide film is of better quality because heating is less. In case 2, K is much lower, particularly when $|\tilde{Z}_B| > |\tilde{Z}_T|$. Curves are given of capacitance and current as function of the time of a.c. or d.c. forming for case 1. The oxide film formation time counted from the moment when the current and the capacity cease to fall is about 15-20 mms for both a.c. and d.c. With a.c. the time of passage of ionic currents forming the oxide film is much less than the time of application of voltage, Card 2/6

是在自己的思想,我们也是自己的思想,我们就是这个人的思想,我们就是一个人的思想,我们就是一个人的思想,我们就是一个人的思想,我们就是一个人的思想,我们就是一个人



5/196/62/000/009/009/018 Single phase formation of anodic ...

while with d.c. both intervals are the same. With a.c. and a single bath, the oxide layer forms only during that part of the half cycle during which the current passes through the foil in the non-conducting direction for the oxide layer. The ionic current begins to pass through the oxide layer at an instant when the applied e.m.f. is greater than the back e.m.f. in the oxide film, which is proportional to its thickness. The authors call the time of passage of the ionic current Δt , the absolute time of formation'. Inasmuch as $\triangle t$ is a function of time of the a.c. forming period, full absolute time T during all the periods can be calculated from the formula:

$$\tau = \Delta t \cdot \frac{t_{form}}{T}$$
, where

 $\overline{\triangle}t = \frac{1}{t_{farm}} \int_{0}^{t_{form}} \triangle t \ dt \quad \text{is the time of formation of the oxide}$

layer, T - full period of the forming voltage. Card 3/6

Single phase formation of anodic ... 5/196/62/000/009/009/018 E114/E184

If, to a first approximation, it is considered that the time function is linear

 $\Delta t = \frac{T}{2} \left(1 - \frac{t}{t_{form}} \right)$

then $\tau = 5$ minutes for a.c. conditions compared with 20 minutes for d.c. Therefore, whilst a.c. is flowing the instantaneous ensity of ionic current should be somewhat greater than with c.c. Comparative curves are given plotting reverse capacitance against voltage for d.c. and a.c. In the range up to 160 volts the specimens are of the same capacitance if the effective voltage with a.c. is three quarters of the d.c. voltage (the forming takes place in aqueous solution 100 g/litre boric acid and 0.5 g/litre borax at a temperature of 80 °C.). In the second case, film formation was studied with various ratios of foil to bath surface area. It is shown that, as the bath area is reduced, the consumption of electric current decreases. The problem of comparing a.c. and d.c. processes is discussed. A.c. and d.c. can both be conducted in three ways: firstly, at Card 4/6

Single phase formation of anodic ... 5/196/62/000/009/009/018

a constant current density; secondly, at constant voltage; thirdly, mixed. However, not all these ways are suitable for comparing a.c. and d.c. processes. In the first way comparison is difficult because with a.c. not all of the current is used for the formation of the oxide layer. It has a considerable capacitative component, and the reverse current does not form the It is impracticable to utilize the third (mixed) oxide at all. way for comparison because it partially includes the first way. The most convenient is the second way - comparison at constant forming voltage. The choice of the equivalent voltages for a.c. and d.c. can be made from the requirements of creating the same capacitance of oxide layer - its most stable and simply measured characteristic. In this case, other conditions being equal, the a.c. voltage U is considered equivalent to a d.c. voltage U, if the capacitance of the samples being compared after formation 2 references. is the same.

Abstractor's remarks. The detailed analysis of the a.c. method shows that an aluminium bath whose surface is much greater than Card 5/6

Single phase formation of anodic ... S/196/62/000/009/009/018

that of the foil cannot be included in case 1 to the same extent as the a.c. method with a stainless steel bath. Although with an aluminium bath of extensive surface $|\bar{Z}_B| \leqslant |\bar{Z}_{\Phi}|$ there is no sharp increase in the reverse current with a.c. under these conditions because both the bath and the foil have rectifying properties. Thus, the bath and the foil being formed in it comprise a system of two opposing electrolytic valves. The a.c. case with one aluminium bath of extensive surface was further investigated by the authors and practical confirmation was obtained of the possibility of the dynamic forming of an oxide layer using a.c. in industrial conditions in one bath, and in such conditions the oxide layer is of relatively high quality.

[Abstractor's note: Complete translation.]

Card 6/6



PRIVEZENTSEV, Vladimir Alekseyevich; MAGIDSON, Abram Osipovich;

TAREYEV, B.M., prof., doktor tekhn. nauk; YEMZHIN, V.V.,
tekhn. red.

[Artificial and synthetic fibers and films for electrical insulation] Iskusstvennye i sinteticheskie volokna i plenki dlia elektricheskoi izoliatsii. Moskva, Gosenergoizdat, 1962. 111 p. (Polimery v elektroizoliatsionnoi tekhnike, no.3)

(MIRA 15:10)

(Electric insulators and insulation)
(Textile fibers, Synthetic)

Stories and the Control of the Contr

RENNE, V.T., doktor tekhn. nauk, prof.; TAREYEV, B.M., doktor tekhn.nauk, prof., red.

[Study of the relationship between the properties of condenser paper and the quality of paper condensers; manual for the course in "Technology and electric insulation"] Issledovanie sviazi mezhdu svoistvami kondensatornoi bumagi i kachestvom bumazhnykh kondensatorov; uchebnoe posobie po kursu "Tekhnologiia elektricheskoi izoliatsii." Moskva, 1962. 29 p. (MIRA 17:5)

l. Moscow. Vsesoyuznyy zaochnyy energeticheskiy institut. Kafedra elektroizolyatsionnoy i kabel'noy tekhniki.

GAYLISH, Ye.A.; DROZDOV, N.G.; YEVSTROP'YEV, K.S.; KAZARNOVSKIY, D.M.; NEYMAN, L.R.; PASYNKOV, V.V.; PRIVEZENTSEV, V.A.; HEME, V.T.; TAREYEV, B.M.

N.P. Bogoroditskii; on his sixtieth birthday and the thirty-fifth anniversary of his theoretical and educational work. Elektrichestvo no.7:87-88 Jl '62. (MIRA 15:7) (Bogoroditskii, Nikolai Petrovich, 1902-)

TAREYEV, B.M., doktor tekhn.nauk, prof.; LERNER, M.M., kand.tekhn.nauk

Concerning L.L.Odynets' article "Efficiency of using a.c. for shaping plate foil in the manufacture of electrolytic condensers.

Izv. vys. ucheb. zav.; energ. 5 no.2:112-113 F '62.

(MIRA 15:3)

(Condensers (Electricity))

APPROVED FOR RELEASE: Thursday, September 26, 2002 CIA-RDP86-00513R001755010007-5 CIA-RDP86-00513R001755010007-5"

TARRJEV. R.M., dr tehn. nauka [Tareyev, B.M.] (U.S.S.R.); LERNER, M.M., kand. tehn. bauka (U.S.S.R.); ILOVAJSKI, Pavle, inz. [translator]

Substituting aluminum for copper in electrical engineering. Elektroprivreda 15 no.4:170-176 Ap '62.

OVED FOR RELEASE: Thursday, September 26, 2002 CIA-RDP86-00513R001755010007-5"

CIA-RDP86-00513R001755010007-5"

GRUBNIK, N.N.; TAREYEV, B.M., doktor tekhn. nauk, prof., red.

[Enamelled wires; a lecture] Emalirovannye provoda; lektsiia.

Moskva, Vsesoiuznyi zaochnyi energ. in-t, 1963. 53 p.

(MIRA 17:3)

APPROVED FOR RELEASE: Thursday, September 26, 2002 CIA-RDP86-00513R001755010007-5 CIA-RDP86-00513R001755010007-5

SHVEDOVA, L.A.; TAREYEV, B.M., doktor tekhn. nauk, prof., red.

[Lectures on the course "Calculation and construction of electrical insulation"] Lektsii po kursu "Raschet i konstruirovanie elektricheskoi izoliatsii" Moskva, Vses. zaochnyi energeticheskii in-t. No.1. [Design of oil-filled entrances] Raschet maslonapolnennykh vvodov. 1963. 38 p. (MIRA 17:4)

APPROVED FOR RELEASE: Thursday, September 26, 2002 CIA-RDP86-00513R001755010007-5" CIA-RDP86-00513R001755010007-5"

KAZARNOVSKIY, David Mikhaylovich; TAREYEV, Boris Mikhaylovich; KUCHINSKIY, G.S., red.; SUBULEVA, Ye.M., tekhn. red.

[Testing of electric insulating materials] Ispytaniia elektroizoliatsionnykh materialov. Moskva, Gosenergoizdat, 1963. 314 p. (MIRA 17:1)

BOGORODITSKIY, N.P.; VAVILOV, V.S.; VALEYEV, Kh.S.; DROZDOV, N.G.;
KORITSKIY, Yu.V.; PRIVEZENTSEV, V.A.; RENNE, V.T.; TAREYEV, B.M.;
YAMANOV, S.A.

B.M. Vul; on his 60th birthday and 35th anniversary of his scientific work. Elektrichestvo no.8:95 Ag *63. (MIRA 16:10)

YAMANOVA, L.V.; TAREYEV, B.M., doktor tekhn. nauk, prof., red.

[Electric condensers; lectures] Elektricheskie kondensatory; lektsii. Moskva, Vses. zaochnyi energ. in-t. No.1 1964. 84 p. (MIRA 18:3)

TAREYEV, B.M., prof., laureat Stalinskoy premii, doktor tekhn. nauk

[Fundamentals of the physics of dielectrics; lectures] Osnovy fiziki dielektrikov; lektsii. Moskva, Vses. zaochnyi energ. in-t. No.1 - No.2. Izd.4., perer. 1962. 87 p. (MIRA 17:9)

APPROVED FOR RELEASE: Thursday, September 26, 2002 CIA-RDP86-DD513R001755010007-5

APPROVED FOR RELEASE: Thursday, September 26, 2002 CIA-RDP86-DD513R00175010007-5

APPROVED FOR RELEASE: Thursday, September 26, 2002 CIA-

The Company we like the continue of the contin

A STATE OF THE STATE OF THE STATE OF

A IN

.

LERNER, M.M., kand. tekhn. nauk, dets. MATSOMASHVILI, B.N., kand. fiz.-matem. nauk; RENNE, v.I., Joktor tekhn. nauk, prof.; TAREYEV. B.M., doktor tekhn. nauk, prof., red.

[Electric engineering materials: electric condensers, wires, and cable a] Elektrotekhnicheskie materialy, elektricheskie kondensa ory, provoda i kabeli 1962-1963. Moskva, 1964.

158 p. (MIRA 18:2)

1. Akademiya neuk SSSR. Institut nauchmoy informatsii.

CIA-RDP86-00513R001755010007-5"

GOROKHOV, P.K., kand.tekan. nauk; GOR'KOVA, V.I., kand. tekhn. nauk; PAVLOV, L.I., kand. tekhn. nauk; SERGEYEV, N.P.; TAREYEV, B.M., doktor tekhn. nauk; Prof.; SHMOTKIN, I.S.; KURBATOVA, N.S. kand. tekhn. nauk, prof.; red.; CHESKIS, Z.B., red.

[French-Russian electrical engineering dictionary] Frantsuzskorusskii elektrotekhnicheskii slovar'. Pod red. N.S.Kurbatovoi russkii elektrotekhnicheskii slovar'. Pod red. N.S.Kurbatovoi i B.M.Tareeva. Moskva, Sovetskaia entsiklopediia, 1965. 720 p. i B.M.Tareeva. (MIRA 18:12) CIA-RDP86-00513R001755010007-5"

BOCORODITSKIY, Nikolay Petrovich, VOLOKOBINSKIY, Yaniy Mikhaylovich; VOROB'YEV, Aleksandr Akimovich; TAREYEV, Boris Mikhaylovich; RENNE, V.T., retsenzent; VODOP'IANOV, K.K., retsenzent; RENNE, V.T., retsenzent; PAVIOVA, L.S., red. KAZARNOVSKIY, D.M., nauchn. red., PAVIOVA, L.S., red.

[Theory of dielectrics] Teorifa dielektrikov. Moskva, (MIRA 18:12) Energia, 1965. 344 p.

APPROVED FOR RELEASE: Thursday, September 26, 2002
APPROVED FOR RELEASE: Thursday, September 26, 2002
CIA-RDP86-00513R001755010007-5"

BESSONOV, L.A.; BABAKOV, N.A., prof., retsenzent; KOLOBKOV. D.S., prof., retsenzent; TAREYEV, B.M., prof., doktor tekhn. nauk retsenzent

[Principles of graph theory] Osnovy teorii grafov; uchebnoe posobie. Moskva, Vses. zaochnyi energ. in-t, 1964. 48 p. (MIRA 19:1)

SHVEDOVA, L.A.; TAREYEV, B.M., doktor tekhn. nauk prof., red.

[Manual on a course in "Calculation and design of electrical insulation"] Uchebnoe posobie po kursu "Raschet i konstruirovanie elektricheskoi izoliatsii. Moskva, Vses. zaochnyi energ. in-t. No.2. 1964. 74 p.

(MIRA 19:1)

APROSINA, Z.G., kand. med. nauk; AFANAS'YEVA, K.A. kand. med. nauk; AKHREM-AKHREMOVICH, R.M., prof.; BLYUGER, A.F., dektor med. nauk; BONDAR', Z.A., prof.; VASILENKO, V.Kh., prof.; KIKODZE, I.A., kand. med. nauk; LINDENBRATEN, L.D., prof.; LOGINOV, A.S., kand. med. nauk; MANSUROV, Kh.Kh., prof.; NAZARETYAN, Ye.L., kand. med. nauk; NOGALIER, A.M., prof.; PLOTNIKOV, N.N., prof.; SEMENDYAYEVA, M.Ye., kand. med. nauk; TAREYEV, Ye.M., prof.; TAREYEV, I.Ye., kand. med. nauk; TER-GRIGGROVA, Ye.N., prof.; CHERNYSHEVA, Ye.V., kand. med. nauk; SHVARTS, L.S., prof.; MYASNIKOV, A.L., prof.; zam. otv. red.; BOGOSLAVSKIY, V.A., red.; SEMENDYAYEVA, M.Ye., red.

[Multivolume manual on internal diseases] Mnogotomnoe rukovodstvo pe vnutrennim bolezniam. Moskva, Meditsina. Vol.5. 1965. 724 p. (MIRA 18:9)

1. Deystvitel'nyy chlen AMN SSSR (for Tareyev, Ye.M., Vasilenko, Myasnikov).

CIA-RDP86-00513R001755010007-5"

CIA-RDP86-00513R001755010007-5"

KOMYUKHOV, I.A.; BROD, I.O., prof., red.; TARNYEV, I.H., ved.red.; MASOLOV, Is.M., tekhn.red.

[Studying mesozoic deposits in eastern Ciscaucasia; oil and gasproducing prospects] Opyt izucheniia mezozoiskikh otloshenii Vostochnogo Predkavkasia; v sviazi s perspektivami neftegazonosnosti. Moskva, Gosinti, 1958. 125 p. (MIRA 12:3) (Caucasus, Morthern-Geology, Stratigraphic) APPROVED FOR RELEASE: Thursday, September 26, 2002 CIA-RDP86-00513R001755010007-5"

TARRYEV, V. M.

"Heat Engineering" 1951

Textbook. Contain 2 chapters on turbines and compressors. Jet engines mentioned p. 706.

PPROVED FOR RELEASE: Thursday, September 26, 2002 CIA-RDP86-00513R001755010007-5"

KUZOVLEV, V.A., inzhener-mekhanik; TAREYEV, V.M., doktor tekhnicheskikh nauk, professor, redaktor.

[Technical thermodynamics] Tekhnicheskaia termodinamika. Izd.3.
Pod obshchei red. V.M.Tareeva. Moskva, Gos.izd-vo vodnogo
transporta, 1953. 330 p.
(Thermodynamics)

APPROVED FOR RELEASE: Thursday, September 26, 2002 CIA-RDP86-00513R001755010007-5

MAKHAN'KO, M.G., kandidat tekhnicheskikh nauk; TAREYEV, V.M., professor; TSELISHCHEV, P.A.; KHITHOV, P.A., tekhnicheskiy redaktor.

Conversion of internal combustion engines to gaseous fuels. Trudy TSNII MPS no.74:3-96 154. (MLRA 8:5) (Gas and oil engines)

APPROVED FOR RELEASE: Thursday, September 26, 2002 CIA-RDP86-00513R001755010007-5"

TAREYEV, V.M., professor.

Serial construction of velocity triangles in the hest calculation of turbines. Trudy MIIT no.82/83:231-236 '55. (MLRA 9:8) (Heat engineering) (Turbines)

APPROVED FOR RELEASE: Thursday, September 26, 2002

CIA-RDP86-00513R001755010007-5"

TARRYEY Y.H. professor.

Problem of the mechanical efficiency of the vanes of steam and gas turbines. Trudy MIIT no.82/83:237-242 '55. (MLRA 9:8) (Steam turbines--Blades)

APPROVED FOR RELEASE: Thursday, September 26, 2002 CIA-RDP86-00513R001755010007-5"

TAREYEV V.M. professor; DOGIE, M.Ye., dotsent; AGAPOV, V.M., inshener.

Automatization of the diesel installations in railroad electric power stations. Trudy MIIT no.82/83:432-449 '55. (MLRA 9:8) (Electric railroads--Substations) (Automatic control)

"APPROVED FOR RELEASE: Thursday, September 26, 2002" CIA-RDP86-00513R001/95010007-5" CIA-RDP86-00513R001755010007-5"

KUZOVLEV, Vitaliy Aleksandrovich; TAREYEV, V.M., professor, doktor tekhnicheskikh nauk, redaktor; SHLEHHIKOVA, 2.V., redaktor izdatelstva; KRASNAYA, A.K., tekhnicheskiy redaktor

[Technical thermodynamics] Tekhnicheskaia termodinamika. Izd. 4-oe. Pod obshchei red. V.M.Tareeva. Moskva, Izd-vo "Rechnoi transport," 1956. 338 p. (MLRA 9:8)

APPROVED FOR RELEASE: Thursday, September 26, 2002 CIA-RDP86-00513R001755010007-5"

VRASHEV, Sergey Pavlovich, inzh.; LETNIK, Aleksendr L'vovich, dots.;
SHIYRIN, Daniil Moiseyevich, inzh.; TAREYEV, V.M., prof., doktor
tekhn. nauk, red.; SHERSTYUK, A.H., kand. tekhn. nauk, retsenzent,;
KVITKOVSKIY, Yu.V., kand. tekhn.nauk, red.; HODEL', B.I., tekhn. red.

[Machinery] Mashinovedenie. Izd. 2., dop. i perer. Moskva, Gos. neuchno-tekhn. izd-vo mashinostroit. lit-ry, 1958. 483 p.

(MIRA 11:12)

(Machinery)

APPROVED FOR RELEASE: Thursday, September 26, 2002

CIA-RDP86-00513R001755010007-5"

CIA-RDP86-00513R001755010007-5"

TAREYEV. Vlalimir Mikhaylovich, prof., doktor tekhn.nauk; NIGMATULIN,
I.N., doktor tekhn.nauk, retsenzent; SHLENNIKOVA, Z.V., red.izd-va;
BOBROVA, V.A., tekhn.red.

[Reference book on thermal calculation of operating processes in internal combustion engines] Spravochnik po teplovomu raschetu rabochego protsessa dvigatelei vnutrennego sgoraniia. Koskva. Izd-vo "Rechnoi transport, " 1959. 399 p. (MIRA 12:9) (Gas and oil engines)

11(1); 26(4)

PHASE I BOOK EXPLOITATION

SOV/3043

Tareyev, Vladimir Mikhaylovich, Doctor of Technical Sciences, Professor

Spravochnik po teplovomu raschetu rabochego protsessa dvigateley vnutrennego sgoraniya (Handbook on Thermal Calculations for Working Processes of Internal Combustion Engines) Moscow, Izd-vo "Rechnoy Transport", 1959. 403 p. Errata slip inserted. 8,500 copies printed.

Reviewer: I. N. Nigmatulin, Doctor of Technical Sciences; Ed. of Publishing House: Z. V. Shlennikova; Tech. Ed.: V. A. Bodrova.

PURPOSE: The book is intended for students of schools of higher technical education, aspirants, and technical personnel of research institutes and design bureaus.

COVERACE: The book deals with basic calculations related to the thermal efficiency of internal combustion engines. The first part treats the theoretical principles underlying such calculations. It includes the theory, design, and operation of internal combustion engines. The principal efficiency standards and the values of respective coefficients are determined. The second part discusses ten main types of engines and demonstrates how

Card 1/13

Handbook on Thermal Calculations (Cont.)

SOV/3043

efficiency coefficients are calculated. The engines discussed differ in purpose, type of fuel, number of strokes, degree of compression, type of scavenging and supercharging or its absence, and speed. Particular attention is paid to calculation methods developed by V. I. Grinevetskiy. The contributions of Professors N. R. Briling, M. M. Maslennikov, and A. S. Orlin to the study of internal combustion engines are mentioned. There are 38 references, all Soviet.

TABLE OF CONTENTS:

10	bre	ew.	or	a
-	~		-	u

Symbols

3

PART I. THEORETICAL PRINCIPLES OF THERMAL EFFICIENCY CALCULATIONS

- Ch. 1. Objectives, Methods, and Principal Stages in Thermal Efficiency Calculations of Internal Combustion Engines. Determination of the Combustible Mixture and the Products of Combustion
 - 1. Objectives of computations related to the thermal efficiency of engines
 - 2. Methods of thermal efficiency calculations of internal combustion engines

13 14

13

Card 2/13

	Handbook on Thermal Calculations (Cont.) SOV/3043	
-	3. Principal stages of thermal efficiency calculations of engines	j,
	4. Types of inets	í
• .	5. Air necessary for combustion, products of combustion, and heat value of liquid fuels	
	6. Air necessary for combustion, products of combustion, and heat value of combustible gases	2.
	7. Relative changes in the volume of combustible mixtures during combustion	2
		3:
	8. Thermal capacities of gaseous mixtures	3.
	Ch. 2. Coefficients and Temperatures Typical of the Charge Process in Four-stroke Engines	
	1 Formulas of V. I. Grinevetskiy and Ye. K. Meging	3
	2. Computations based on the Grinevetskiy and Mazing formulas	3 4 4 4
	3. S. Ye. Lebedev's equation	4
	4. Computations based on the Lebedev equation	4
	5. Further development of the above formulas	4
	6. Examples of computations based on the formulas in Paragraph 5	5
	7. Selection of a method for calculating the charge coefficients in four-stroke engines	5
1	TOTT - POLOUG ENGINEE	59

	Handbook on Thermal Calculations (Cont.) SOV/3043	
-	Ch. 3. Coefficients and Temperatures Typical of Charge Process in Two-	
	stroke Engines 1. Coefficients & [residual gases], \$\varPsi_n\$ [acavenge factor], \$\capsi_n \text{tescape}\$	63
•	Idetor), ([scavenge efficiency], and (in [use full gos warms of each)	64
	w. Coefficients related to the volume of charge in cylinders	67
	3. Excess-air coefficients	69
	4. Ratio of the residual-gas coefficient to the excess-air coefficient	72
	J. De Grantiation of the initial temperature' ('In two etacks and as	79 85
	6. Formulas for charge coefficients in two-stroke engines	85
	7. Determination of the coefficient Sc [specific heat] in two-stroke engines	
	8. Examples of determining the coefficient ζ_c	87
	and the continuity of continuity of c	88
	Ch. 4. Kinematics of Gas-distributing Mechanisms in Two-stroke Engines	03
	1. Dependence of piston position on crank angle	91
	2. Determination of the integral of the crank angle-to-length of	91
	travel relationship for piston travel [time_integral diagram]	98
	7. Ranges of exhaust-and scavenge-port timing in degrees of crank	-50
	travel	104
	Ch. 5. Calculations Related to Scavenging Ports	
	1. Calculating the range of port timing	110

APPROVED FOR RELEASE: Thursday, September 26, 2002 CIA-RDP86-00513R001755010007-5"						
Handbook on Thermal Calculations (Cont.) SOV/3043						
 Example, of determining the port area Simplified formulas for determining port area Port calculations in complex scavenging systems Pressure in the cylinder during scavenging 	114 116 121					
6. Port shapes	132 135					
Ch. 6. Exhaust Calculations 1. Necessary exhaust timing 2. Range of exhaust timing 3. Determination of back pressure from exhaust timing 4. Simplified formulas for calculating exhaust lead 5. Computing points on the exhaust curve from a systematic investigation of the elementary parts of the process 6. Accurate integration of the exhaust equation	137 137 140 142 143 144 146					
 Ch. 7. Heat Capacities of Combustion Products and Combustible Mixtures for Some Basic Types of Fuel 1. Theoretical products of complete combustion of typical petroleum fuel 	150 150					
Card 5/13						

BRESTRUCTURE IN EL PROTES PROGRAMMANTALISMANT PROGRAMMANTALISMANT PROGRAMMANTALISMANTALISMANTALISMANTALISMANTAL

APPROVED FOR RELEASE: Thursday, September 26, 2002 CIA-RDP86-00513R001755010007-5"

CIA-RDP86-00513R001755010007-5"

dbook on Thermal Calculations (Cont.) SOV/3043	
2. Heat capacity of exhaust gases of petroleum fuel during complete	
	152
of petroleum fuel (Heat capacity of a combustible air-gas mixture)	156
4. Another method of computing the heat capacity of the combustible mixture in an oil engine	3 51
5. Converting to isobaric and molal heat capacities	159 161
6. Heat capacity of combustion products in a semidiesel with water	
injection 7. Heat capacity of a combustible mixture in a semidiesel engine	161
	163
8. Formulas for coefficients of molecular change in oil engines	_
9. Chemical coefficient of molecular change in gasoline at d	165
and at theoretical incomplete combustion	166
Combustion of gasoline, according to experimental data of	
Maslennikov	172
L. Mean isochoric volumetric heat capacity Syma f products of the	•
incomplete combustion of gasoline (where $C(<1)$)	173
1 6/13	

6			
	Handbo	cok on Thermal Calculations (Cont.) SOV/3043	
	12.	Composition of theoretical products of the complete combustion of gasoline (where d = 1)	
•	13.		178
	14.		180
	15.		180
	16.	Heat capacity of the combustible mixture at complete combustion of gasoline	181
	17.		184
	18.	Heat canacity of theoretical and	185
	19.	Heat capacity of theoretical products of producer-gas combustion Heat capacity of flue gases from producer gas (at an arbitrary value of 4>;)	186
	20.	92 9-11	183
	21.	and ambactol of broducer MAB	191
	22.	Heat capacity of the combustible mixture for producer-gas engines	3.93

Handbe	ook on Thermal Calculations (Cont.)	
23.	Approximate formula for calculating the heat capacity of combustible mixtures in producer-gas engines	
24.	Composition of theoretical products of the complete combustion of natural gas (where del)	197
25.	Heat capacity of theoretical combustion products of natural	198
26.	Heat capacity of flue gases from the combustion of natural gas (at an arbitrary value of A)	200
		200
-,•	Heat capacity of a combustible mixture of natural gas	203
Ch. 8.	The Compression Process	
1.	Basic formulas	205
2.	Methods of determining the mean coefficient kl of adiabatic compression	205
3.	Coefficient k, for heavy-fuel diesel and motor engines	206
4.	Coefficient ki for gasoline engines	207
5.	Coefficient k for confidence	208
6.	Coefficient k1 for semidiesel engines with water injection	209
		212
8.	Coefficient k ₁ for natural-gas engines	213
•	Summary of the results of determining mean coefficients of	
	The complete of the first that of A	214
9.	The polytropic exponent of compression, n	215

	Handbook on Thermal Calculations (Cont.) SUV/3043	
•	Ch. 9. Combustion Equations	21r
	1. Derivation of principal formulas for mixed combustion	
-	2. Basic combustion equations for constant-volume heat supply	216
•	3. Basic combustion equations for constant pressure heat supply	22
	4. Principal special cases of combustion equations	221
		225
	Ch. 10. The Expansion Process	00.
	1. Pasic formulas	229
	2. Interdependence between the heat-generation coefficient and	22.9
	n ₂ [polytropic exponent]	
	3. Coefficient k2 [mean coefficient of adiabatic expansion] for	230
	heavy liquid-fuel engines	
	4. Coefficient ke for passion engines at the series	234
	4. Coefficient k2 for gasoline engines at incomplete combustion 5. Coefficient k2 for semidiesel engines	236
	6. Coefficient k2 for producer-gas engines	238
	7. Coefficient k2 for natural-gas engines	240
	8. Summery of results of determining man accept at the contraction of	240
	The state of the s	
	expansion (E2) for various types of fuel and determination of	
	the value of n2	243

Handbook on Thermal Calculations (Cont.)	sov/3043
Ch. 11. Pumping Losses, Friction Losses, and Cor	mpression Work 24
1. Pumping lusses in four-stroke engines	244
2. Computation of pumping losses	247
3. Friction losses in two-stroke engines	250
4. Summary of losses from friction and pumping	3 in four-stroke engines 252
5. Compression work	257
6. Mechanical work produced by the gas turbine	260
7. Temperature of exhaust gas	261
8. Relation between p. [compressed-air pressure	in the receiver and
ρ, [gas pressure in the discharger]	267
Ch. 12. Determination of Mean Indicator and Effe	ective Pressures.
Determination of Basic Parameters of the of Efficiency Indices for Engine Perform	Cvlinder. Computation
Indicator Diagram	270
 Formula for the preliminary (theoretical) m Corrected [adjusted] mean indicator pressur 	ean indicator pressure 270 e for a two-stroke
engine	270
Corrected [adjusted] mean indicator pressur	e for a four-stroke
engine without consideration of pumping los	ses 271

PERSONAL PROPERTY OF THE PERSONAL PROPERTY OF APPROVED FOR RELEASE: Thursday, September 26, 2002 CIA-RDP86-00513R001755010007-5" SOV/3043 Handbook on Thermal Calculations (Cont.) 4. Corrected [adjusted] mean indicator pressure with consideration 212 of pumping losses 272 5. Mean effective pressure in two-stroke engines 273 6. Mean effective pressure in four-stroke engines 274 7. Mechanical efficiency coefficient in two-stroke engines 8. Mechanical efficiency coefficient in four stroke engines 274 9. Determination of basic parameters of a cylinder 275 10. Specific fuel consumption and its relation to efficiency cc-277 efficients 283 11. Plotting of the indicator diagram PART II. THERMAL EFFICIENCY CALCULATIONS FOR THE PRINCIPAL TYPES OF INTERNAL COMBUSTION ENGINES Ch. 13. Thermal Efficiency Calculations for a Four-stroke Silent-running Low-compression Engine Operating on Producer Gas Obtained from 285 Anthracite 14. Calculations for a Low-compression Semidiesel Engine With Ch. 297 Water Injection Card 11/13

		ELEASE: Thursday, September 26, 2002 CIA-RDP86-00513R001755010007-5"	
Hand	lbook	on Thermal Calculations (Cont.) SOV/3043	
Ch.	15.	Calculations for a Four-stroke Gasoline Engine of a Motor Vehicle	30 5
Ch.	16.	Calculations for an Aircraft Gasoline Engine Without Super- charger	317
Ch.	17.	Simplified Calculations (According to Maslennikov) for Aircraft Gasoline Engines With and Without Supercharging [Boosting]	331
Ch.	18.	Calculations for a Compressorless Two-stroke Diesel Engine With Precombustion Chamber and Crankcase-compression Scavenging	340
Ch.	19.	Calculations for a Four-stroke Compressorless Marine Diesel Engine Without Supercharging	352
Ch.	20.	Calculations for a Four-stroke Locomotive Diesel Engine With Cas-turbine Supercharging (Check Calculations)	364
Çh.	21.	Calculations for a Two-stroke Marine Diesel Engine With Uniflow Scavenging Controlled by a Sleeve-valve and Having a	3 75

Card 12/13

and description of the control of th

APPROVED FOR RELEASE: Immissay, september 26, 2002 CIA-RDP86-00513R001755010007-5*

Handbook on Thermal Calculations (Cont.) SOV/3043

Ch. 22. Calculations for a Four-stroke Engine Operating on Compressed Natural Cas With Inflammable-liquid Injection 566

Bibliography 400

List of Computation Graphs 402

AVAILABLE: Library of Congress

AC/mg 3/1/60

TAREYEV, V.M., prof.

Selecting indices of compression and expansion polytropes in the thermal analysis of internal-combustion engines. Trudy MIT no.112:27-55 '59. (MIRA 1.3:2) (Gas and oil engines)

Approved For Release: Thursday, September 26, 2002

CIA-RDP86-00513R001755010007-5

CIA-RDP86-00513R001755010007-5

TAREYEV, V.M., prof.

Abridged calculation of the exhaust process in two-cycle engines.

Trudy MIIT no.112:56-84 '59. (MIRA 13:2)

(Gas and oil engines)

APPROVED FOR RELEASE: Thursday, September 26, 2002 CIA-RDP86-00513R001755010007-5"

CIA-RDP86-00513R001755010007-5"

KUZOVLEV, Vitaliy Aleksendrovich; TAREYEV, V.M., prof., doktor tekhn. nauk, red.; VOLCHOK, K.M., tekhn.red.

[Principles of heat engineering] Osnovy teplotekhniki. Pod red. V.M.Tereeva. Izd.2. Leningrad, Izd-vo "Rechnoi transport."
Leningr.otd-nie. 1960. 199 p. (MIRA 13:11)
(Heat engineering)

APPROVED FOR RELEASE: Thursday, September 26, 2002

CIA-RUP86-00513R001755010007-5"

CIA-RUP86-00513R001755010007-5"

TAREYEV, Vladimir Mikhaylovich, prof., doktor tekhn. nauk; GORBACHEV, A.V., red.; VOLCHOK, R.M., tekhn. red.

[Manual on the thermal analysis of the working process of internal combustion motors] Spravochnik po teplovomu raschetu rabochego protsessa dvigatelei vmutrennego sgoraniia. Izd.3., perer. Leningrad, Izd-vo "Rechnoi Transport" Leningr. otd-nie, 1961. 415 p. (MIRA 14:9)

(Gas and oil engines)