

TEBYAKINA, Anna Yefimovna (All-Union Sci Res Inst of Antibiotics of the Min of Health USSR, city of Mos) for Doc Med Sci on the basis of dissertation defended 23 June 59 in Council of Central Inst for the Advanced Training of Physicians, entitled "Therapy and prophylaxis, ^{by antibiotics} ~~by antibiotics~~ of experimental cholera infection." ~~human infection~~ (BMVISO USSR, 1-61, 21)

TEBYAKINA, A.Ye.; DRUZHININA, Ye.N.

Stability of antibiotics of the tetracycline series, their various salts and medicinal forms. Antibiotiki 6 no.2:178-185 P '61.
(MIRA 14'5)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut antibiotikov.
(TETRACYCLINE)

KONDRAT'YEVA, A.P.; VAKULENKO, N.A.; TEBYAKINA, A.Ye.; BRUNS, B.P.

Kinetics of the inactivation of erythromycin in aqueous solutions.
Antibiotiki 6 no.6:541-547 Je '61. (MIRA 15:1)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut antibiotikov.
(ERYTHROMYCIN)

TEBZAKINA, A. Ye.; CHAYKOVSKAYA, S.M.; VENKINA, T.G.

Stability of dry samples of nystatin and its medicinal forms.
Antibiotiki 6 no.6:547-551 Je '61. (M.L.A 15:1)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut antibiotikov.
(NYSTAFIN)

TEBYAKINA, A.Ye.; CHAYKOVSKAYA, S.M.

Antibiotics in combination with gamma globulin in experimental
pertussis infection of chicken embryos. Antibiotiki 6 no.9:53-58
S '61. (MIRA 15:2)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut antibiotikov.
(ANTIBIOTICS) (GAMMA GLOBULIN)
(WHOOPIING COUGH)

TEBYAKINA, A. Ye.; DRUZHININA, Ye. N.

Determining the biological activity of levomycetin (chloramphenicol)
by the agar diffusion method. Antibiotiki 7 no.1:83-85 Ja '62.
(MIRA 15:2)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut antibiotikov.
(LEVOMYCETIN) (AGAR)

LEVITOV, M.M.; INOZEMTSEVA, I.I.; TEBYAKINA, A.Ye.; BUYANOVSKAYA, I.S.;
SHNEYPSON, A.H.; CHAYKOVSKAYA, S.M.; KOHOKINA, Z.F.; DRUZHINIKA, Ye.N.

New type of penicillin — α -phenoxyethylpenicillin and study of
its microbiological properties. Antibiotiki 7 no.2:104-108 F '62.
(MIRA 15:2)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut antibiotikov.
(PENICILLIN)

TEBYAKINA, A.Y.; INOZENTSEVA, I.I.; EL'KINA, E.I.; SEMICH, A.I.;
BUYANOVSKAYA, I.S.; DRUZHININA, Ye.N.

Tetracycline salts of phenoxymethylpenicillin. Antibiotiki 7 no.2:
109-112 F '62. (MIRA 15:2)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut antibiotikov.
(PENICILLIN) (TETRACYCLINE)

CHAYKOVSKAYA, S.M.; TEBYAKINA, A.Ye.; VENKINA, T.G.

Formation of penicillinase by Bac. cereus strain No. 569.
Antibiotiki 7'no.4:318-321 Ap '62. (MIRA 15:3)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut
antibiotikov.

(BACILLUS CEREUS)
(PENICILLINASE)

TEBYAKINA, A.Ye.; VAKULENKO, N.A.

Biological method for determining the activity of oleandomycin during its isolation and chemical purification. Antibiotiki 7 no.4:366-369 Ap '62. (MIRA 15:3)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut antibiotikov. (OLEANDOMYCIN)

STRUKOV, I.T.; TEBYAKINA, A.Ye.; INOZET-TSEVA, I.I.; KOSTROMINA, O.Ye.; KAMOKINA,
Z.F.; BUZANOVSKAYA, I.S.; SHNEYERSON, A.N.; CHAYKOVSKAYA, S.M.;
DRUZHININA, Ye.N.

2,6-dimethoxyphenyl penicillin (methycillin) and its microbiological
study. Antibiotiki 8 no.8:690-694 Ag '63. (MIRA 17:5)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut antibiotikov.

TEBYAKINA, A.Ye.; BUYANOVSKAYA, I.S.; CHAYKOVSKAYA, S.M.; SHNEYERSON, A.N.

Studies on the antibacterial spectrum and determination of the
biological activity of florimycin (viomycin). Antibiotiki 8 no.10:
901-905 0 '63. (MIRA 17:10)

1. Vsescyuznyy nauchno-issledovatel'skiy institut antibiotikov.

PANINA, M.A.; STRUKOV, I.T.; TEBYAKINA, A.Ye.; BUYANOVSKAYA, I.S.;
SHNEYERSCH, A.N.; CHAYKOVSKAYA, S.M.; DRUZHININA, Ye.N.;
BRAGINSKAYA, P.S.; VENKINA, T.G.

5-methyl-3-phenyl-4-isoxazole pencillin (oxacillin) and its
microbiological study. Antibiotiki 8 no. 11:989-994 N '63.
(MIRA 17:9)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut antibiotikov.

TEBYASIN, Ye.P.; DAVYDIN, Ye.M.; NIKOLINA, D.V.

Determination of the biological activity of tetracycline and
oleandomycin in the preparations of sigmacylin. Antibiotiki
8 no. 11:1052-1055 N 163. (1964 17:9)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut antibiotikov.

STRUKOV, I.T.; VIKHROVA, N.M.; NIKITINA, N.M.; TEBYAKINA, A.Ye.; BUYANOVSKAYA,
I.S.; SHNEYERSON, A.N.; CHAYKOVSKAYA, S.M.

Phenoxybenzylpenicillin (phenbenicillin) and its microbiological
study. Antibiotiki 9 no.1:3-7 Ja '64.

1. Vsesoyuznyy nauchno-issledovatel'skiy institut antibiotikov,
Moskva. (MIRA 18:3)

CHAYKOVSKAYA, S.M.; TEBYAKINA, A.Ye.; BYCHKOVA, M.M.; ISAYEVA, G.K.

Penicillinase formation by *Bacillus cereus* 5/B strains under submerged fermentation conditions. Antibiotiki 9 no.2:121-126 F '64. (MIRA 17:12)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut antibiotikov, Moskva.

TEBYAKINA, A.Ye.; RABINOVICH, M.S.; ZHDANOVICH, Yu.V. · STRUKOV, I.T.;
KONDRAT'YEVA, A.P.; BUYANOVSKAYA, I.S.; SHNEYERSON, A.N.;
GRAGINSKAYA, P.S.; DRUZHININA, Ye.N.

Alpha-aminobenzylpenicillin (ampicillin) and its microbiological
studies. Antibiotiki 9 no.5: 381-392 My '64. (MIRA 18:2)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut antibiotikov,
Moskva.

VIKHROVA, N.M.; STRUKOV, I.T.; TEBYAKINA, A.Ye.; CHAYKOVSKAYA, S.M.;
SHINBYERSON, A.N.; DUBOVA, V.G.

Nafcillin and its microbiological properties. Antibiotiki 10
no.1:3-9 Ja '65. (MIRA 18:4)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut antibiotikov,
Moskva.

PANINA, M.A.; DUBOVA, V.G.; STRUKOV, I.T.; RYABOVA, N.M.; TEBYAKINA, A.Ye.

Cloxacillin and its microbiological study. Antibiotiki 10 no.11:
963-969 N '65. (MIRA 19:1)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut antibiotikov,
Moskva. Submitted April 17, 1965.

CHAYKOVSKAYA, S.M.; TEBYAKINA, A.Ye.

Highly active penicillinase-producing strain 749/C of *Bacillus licheniformis* and some properties of penicillinase produced by it. *Antibiotiki* 10 no.11:977-982 N '65.

(MIRA 19:1)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut antibiotikov, Moskva. Submitted April 16, 1965.

TEBZADZE, G.N.

Focal surfaces of entirely stratifiable normals of the surface
of a projective space. Trudy Mat. inst. AN Gruz. SSR 27:159-
164 '60.

(MIRA 15:3)

(Geometry, Differential)

TECHAROV, B.

#240

3/3

Soviet Medical Research Medical Week, Vol. 28, No. 7, 1961

(Continued)

- 19. "Chelating Organic-Aluminum Derivatives From Octyl- and Dodecyl-
I. MAKAROV and I. YAKOV (Submitted by MAKAROV
B. MAKAROV) (English Article) pp 697-698.
- 20. "The Effect of Copper Ions on the Properties of Amorphous
Silver Sulfide Particles." A. GALEZ (Submitted by MAKAROV
B. MAKAROV) (English Article) pp 700-705.
- 21. "Neuroendocrine Regulation of Organismic Alkaline Acid
From Kinolipase Secretion in Rats." A. A. MAKAROV
(Submitted by MAKAROV A. I. MAKAROV)
(English Article) pp 710-712.
- 22. "The Permeability of Fatigue by Means of Protonic
Microscopy." O. A. MAKAROV (Submitted by
MAKAROV A. I. MAKAROV) (English Article) pp 713-716.
- 23. "Studies on the Existence of a 'Transition' Period in
the Process of Plant Stimulation." P. MAKAROV (Submitted by
MAKAROV B. MAKAROV) (English Article) pp 727-729.
- 24. "The Antiproliferative Properties of Bacterial Inocula and
Antibiotics on E. coli Suspensions Subjected to Irradiation
Under P. MAKAROV) (English Article) pp 733-736.
- 25. "The Pathogenesis of Hemorrhagic Septicemia (Septicemia
Forme) in Guinea Pigs." I. MAKAROV (Submitted by MAKAROV
A. I. MAKAROV) (English Article) pp 737-738.
- 26. "The Quantitative High-Resolution Analysis of Sucrolytic
in the Carotid of Rats." I. MAKAROV (Submitted by MAKAROV
A. I. MAKAROV) (English Article) pp 738-739.
- 27. "The Thermodynamic Properties in Proteins." K. MAKAROV and
P. MAKAROV (Submitted by MAKAROV B. MAKAROV)
(English Article) pp 741-742.

22

TECHE, S.; MIHALCU, M.

New problems in rubber vulcanization with the aid of ionizing radiation burners. p.252

INDUSTRIA USOARA. (Asociatia S^tintifica a Inginerilor si Tehnicienilor din
România si Departamentul Industriei Usoare din Ministerului Industriei
Bunurilor de Consum)
Bucuresti, Rumania
Vol. 6, no.7, July 1959

Monthly List of East European Accessions (EEAI) LC., Vol. 9, no.1, Jan. 1960
Uncl.

TECHEL, J.

COUNTRY : HUNGARY.
CATEGORY : High Molecular Chemistry. I
ABS. JOUR. : RZKhim., No. 20, 1959, No. 73674.
AUTHOR : Techel, J.
INSTR. :
TITLE : Graft Copolymerization.
ORIG. PUB. : Plaste und Kautschuk, 1959, 6, No. 2, 73-76.
ABSTRACT : Review. Bibliography of 11 titles.

CARD: 1/1

TECHENKO N. A.
EXCERPTA MEDICA

Sec 9 Vol 13/8 Surgery August 59

4394. ANATOMICAL INVESTIGATION FOR 'ETUI-LIKE' REMOVAL OF SUB-MANDIBULAR LYMPHATICS (Russian text) - Tetschenko N. A. Post-grad. Sch. of Med., Leningrad - VOPR.ONKOL. 1958, 4/2 (189-204) Illus. 4

The author investigated the structure of fascial layers of the neck on 20 cadavers of adults. The presence of 2 submandibular and one submental fascial 'étui' is confirmed. These 'étuis' are formed by 2 sheets of the chief neck fascia, the sheets surrounding the submandibular lymphatics and salivary glands from all

4394

sides except the superior border where there is a special fascial formation independent of the periosteum. A complete removal of those 'étuis' and their contents has a great significance in operative treatment of lower lip cancer metastases.

(IX, 16)

TECHIYEV, A.S., inzhener.

Erecting underpass bridge spans. Avt.der.19 no.8:7-8 Ag 156.
(Underpasses) (MLBA 9:10)

TECILAZIC-STEVANOVIC, M.

Grizo, A.; Jovanovic, M.; Tecilazic-Stevanovic, M. "The influence of the electrolyte on the viscosity and plasticity of Arandjelovac clays." p. 403. (Priroda. Vol. 18, No. 6/7, 1953. Zagreb)

SU: Monthly List of East European Accessions, Vol. 3, no. 3, Library of Congress. March 1954.
Uncl.

TECILAZIC - STEVANOVIC, M.

YUGOSLAVIA / Chemical Technology, Chemical Products H
and Their Application, Part 2. - Ceramics,
Glass, Binders, Concretes. - General Topics.

Abs Jour: Ref Zhur-Khimiya, No 18, 1958, 61649.

Author : Dejan Delic, Marija Tecilazic-Stevanovic,
Nada Petrovic.

Inst : Chemical Society, Yugoslavia.

Title : Some Researches Concerning Granulometric Com-
position of Clays.

Orig Pub: Glasnik Hem. drustva, 1957, 22, No 4, 245 - 251.

Abstract: The purpose of the work was to find the most
efficient method of determination of particle
size. The direct microscopic method and 4
(indirect) methods based on the rate of set-
tling of clayey suspension were checked by the

Card 1/2

25

YUGOSLAVIA / Chemical Technology, Chemical Products H
and Their Application, Part 2. - Ceramics,
Glass, Binders, Concretes. - General Topics.

Abs Jour: Ref Zhur-Khimiya, No 18, 1958, 61649.

Abstract: comparison method. The areometric method is
the simplest and the time necessary to carry
it out is the shortest compared with other
above mentioned methods. The accuracy of re-
sults obtained with that method is about $\pm 2\%$.

Card 2/2

DELIC, Dejan M.; TECILAZIC-STEVANOVIC, Marija P.

Hydratation of montmorillonite homoionic forms. Glas Hem dr
25/26 no.8/10:485-490 '60/'61.

1. Faculty of Technology, Institute of Inorganic Chemical
Technology, Beograd.

TECLU - I.

"Guarding the Republic."

p. 1 (Viata Militara) Vol. 11, no. 12, Dec. 1957
Bucharest, Rumania

SO: Monthly Index of East European Accessions (EEAI) LC. Vol. 7, no. 4,
April 1958

PIRAU, T.; IVANOF, A.; SERBAN, Doina; BARNA, V.; TOLAN, L.; TECSA, D.; SIGHETI, I.

Research on the strain lysotypy of pathogen staphylococci isolated from a group of dark type children. Microbiologia (Bucur) 6 no.1:56-57 Ja-F '61.

1. Institutul de igiena, Cluj (for Pirau, Ivanof, Serban). 2. Casa copilului, Clum (for Barna, Tolan, Tecsa, Sigheti).

*

IVANOF, A.; SERBAN, D.; BARNA, B.; TOLAN, L.; SIGHETI, I.; TECSA, D.; LANGHEL, I.

Study of the efficiency of vaccine and anatoxin preventive vaccination in staphylococcal infections. Microbiologia (Bucur) 6 no.1:66 Ja-F '61.

1. Institutul de igiena Cluj (for Ivanof, Serban). 2. Casa copilului Cluj (for Barna, Tolan, Sighet, Tecsca). 3. Sanepidul regional Cluj (for Lenghel).

PALOTAS, Karoly; TECSI, Gyula

Trade-Union political schools as seen by us. Munka 13
no.3:19 Mr '63.

1. Szakszervezetek Pest megyei Tanácsának vezető titkára (for Palotas).
2. EDSZ Budapesti Bizottsági titkára (for Tecsí).

TECSI, Gyula

Reorganization of the food industry and the new workshop
councils. Munka 14 no. 1:14-15 Ja '64.

1. EDOSZ Budapesti Bizottsaga titkara.

TECSY, M.

H. U. R. (v.)

57. Application of an electronic shock protection relay in mining - M. Teesy. (*Banpiscuti Lepak* - Vol. 9 (87), 1954, No. 4, pp. 221-222, 1 fig.)

An electronic apparatus suitable for protection against currents to earth of networks with insulated neutral points is described. In the event of leakage, the apparatus gives a light and sound signal, it also disconnects the equipment. The relay has a high neutral point resistance, thus the insulation value of the network is not affected. Due to the low

value of the tripping current to earth it can be used with excellent results at sites threatened by fire-damp. Sensitivity may be set for any value above 3 ma. Internal defects are signaled automatically.

TECU, T.

Colloidal clays and Rumanian bentonites utilized in the casting industry.
METALURGIA SI CONSTRUCTIA DE MASINI (Metallurgy and Machine Construction.)
1:54:Jan 55

TECU, Traian, ing.

From the realizations of the warm sectors of the 23 August
Plants, Bucharest. Metalurgia constr mas 15 no.8:481-482
Ag '63.

TECU, T., ing.; ZAMFIR, V., ing.

Contributions to the reconditioning of steel drills in the Jiu
Valley mines. Rev min 15 no.9:465-470 S '64.

STANESCU, D.; TECULESCU, D.; BULANDRA, C.; HALALAU, F.

Considerations on a case of atrial infarct. Stud. cercet. med.
intern. 6 no.2:179-184 '65.

COTTA, N., asistent ing.; GRADIN, A.; TECULESCU, S.; FLEISCHER, H.

A new type of polishing and splint leveling machine. Ind lemnuini
14 no.3:86-89 Mr '63.

STEFUREAC, Traian I.; TECULESCU, Venera

Contributions to the knowledge of Characeae in Rumania. Studii cerc
biol veget 13 no.2:175-201 '61.

(EEAI 10:11/12)

1. Comunicare prezentata de St. Peterfi, membru corespondent al
Academiei R.P.R.

(Characeae)

TECUSAN, N.; SANDRU, A.; POPESCU, M.; STEFAN, Const.; ILIE, E.; NITA, I.; GOSMA, I.

Determining the fuel consumption in vacuum displacement of the
U-650 tractor. Bul St si Tehn Tim 9 no.1:135-142 Ja-Je '64.

TECZA, R.

Effect of carbon tetrachloride on hemopoietic system of the bone marrow, Acta physiol. polon. 8 no.3:548-549 1957.

I. Z Zakładu Patologii Ogólnej A M w Gdansk. Kierownik: prof. dr W Szreder.

(CARBON TETRACHLORIDE, effects,
on bone marrow hemopoietic funct. in rabbits (Pol))

(BONE MARROW, effect of drugs on,
carbon tetrachloride on hemopoietic funct. in rabbits (Pol))

EXCERPTA MEDICA Sec 2 Vol 12/10 Physiology Oct 59

4860. EFFECT OF CARBON TETRACHLORIDE ON BONE MARROW - Wpływ czterechlorku węgla na układ krwiotwórczy szpiku - *Tęcza R. Zakt. Patol. Ogól. Akad. Med., Gdańsk - PAT. POL. 1958. 9/4 (367-376) Tables 6*
Ten rabbits were acutely and 40 chronically poisoned with carbon tetrachloride in acute poisoning only insignificant changes were induced in the marrow, while in the chronic cases a marked impairment of the haematopoietic elements of the marrow was noted.
Steyn - Pretoria (II, 6*)

JANICKI, Mariun A.; KRUPA , Barbara; STOLARGZYK, Julian; TECZA, Ryszard;
ZAWISNOWSKI, Stanislaw

Histologic and histochemical changes in the kidney of rabbits
after ligation of the renal vein. Acta med. Pol. 6 no.1:
41-50 '65

1. Department of General and Experimental Pathology, Medical Academy, Gdansk (Director: prof. dr. W. Szreder); IInd Clinic of Internal Medicine, Medical Academy, Gdansk (Director: prof. dr. J. Penson); Department of Pathological Anatomy, Medical Academy, Gdansk (Director: prof. dr. W. Czarnocki [deceased]) and Department of Histology and Embryology, Medical Academy, Gdansk (Director: prof. dr. S. Hiller).

GODLEWSKI, Josef; TĘCZA, Zofia; KORNOBIS, Krystyna

Functional examinations of the connective tissue system in rheumatic fever in children. Postepy reumat. no.3:26-36 1957.

1. Z Miejskiego Specjalistycznego Szpitala Dziecięcego im. J. Korczaka i z Kliniki Propedeutyki Pediatrii A. M. we Wrocławiu. Kierownik: prof. dr med. J. Godlewski.

(RHEUMATIC FEVER, physiol.

connective tissue system, funct. exam. in child. (Pol))

(CONNECTIVE TISSUE, in various dis.

rheum. fever, funct. exam. in child. (Pol))

TECZA, Zofia (Wroclaw 8, Al. Kasprowicza 64/66)

Case of subacute bacterial endocarditis complicated by cardiac tamponade as a sequel of hemopericardium, *Pediat. polska* 32 no.7: 824-827 July 57.

l. Z Miejsk. Spec. Szpitala Dziecięcego im. J. Korczaka we Wrocławiu
Ordynator: z-ca prof. dr med. J. Godlewski.

(ENDOCARDITIS, SUBACUTE BACTERIAL, in inf. & child
with hemopericardium & cardiac tamponade (Pol))

(PERICARDITIS, in inf. & child
cardiac tamponade with hemopericardium & subacute bact.
endocarditis (Pol))

(PERICARDIUM, hemorrh.
hemopericardium with cardiac tamponade & subacute bact.
endocarditis (Pol))

TECZYNSKA, Teodora; MATUSIAK, Jadwiga

Value of the Apgar score in determining the prognosis of the infant's health and life. Ginek. Pol. 36 no.9:1033-1038 S '65.

1. Z I Kliniki Położnictwa i Chorob Kobięcych AM w Warszawie (Kierownik: prof. dr. med. T. Bulski).

DAMILOV, P.M.; KONOVALOV, K.N.; FEDER, L.I.; CHUDAYEVICH, M.G.

Improvements in the technology of smelting and pouring transformer steels. Fiz.met.1 metalloved. 1 no.1:139-142 '55. (MLRA 9:3)

1. Kuznetskiy metallurgicheskiy kombinat imeni Stalina.
(Sheet steel--Metallurgy)

**FEDER, L.I.*
 DUBROV, H.F., kand. tekhn. nauk; MIKHAYLOV, O.A., kand. tekhn. nauk;
 FEL'DMAN, I.A.; DANILOV, A.M.; SOROKIN, P.Ya., kand. tekhn. nauk,
 starshiy nauchnyy sotrudnik; BUTAKOV, D.K., kand. tekhn. nauk,
 dots.; SOYFER, V.M.; LATASH, Yu.V., mladshiy nauchnyy sotrudnik;
 ZAMOTAYEV, S.P.; BRYTEL'MAN, A.I.; SAPKO, A.I.; PETUKHOV, G.K.,
 kand. tekhn. nauk; YEDNERAL, F.P., kand. tekhn. nauk, dots.;
 LAPOTYSHKIN, N.M., kand. tekhn. nauk, starshiy nauchnyy sotrudnik;
 ROZIN, R.M.; NOVIK, L.M., kand. tekhn. nauk, starshiy nauchnyy
 sotrudnik; LAVRENT'YEV, B.A.; SHILYAYEV, B.A.; SHUTKIN, N.I.;
 GNUCHEV, S.A., kand. tekhn. nauk, starshiy nauchnyy sotrudnik;
 LYUDEMAN, K.F., doktor-inzh., prof.; GHUZIN, V.G., kand. tekhn.
 nauk; BUBIN, S.Ya.; POLYAKOV, A.Yu., kand. tekhn. nauk; FEDCHENKO,
 A.I.; ACHYEV, P.Ya., prof., doktor; SAMARIN, A.M.; BOKSHITSKIY,
 Ya.M., kand. tekhn. nauk; GARNYK, G.A., kand. tekhn. nauk;
 MARKARYANTS, A.A., kand. tekhn. nauk; KRAMAROV, A.D., prof.,
 doktor tekhn. nauk; FEDER, L.I.; DANILOV, P.M.

Discussions. Biul. TSNIICM no.18/19:69-105 '57. (MIRA 11:4)

1. Direktor Ural'skogo instituta chernykh metallov (for Dubrov).
2. Direktor Tsentral'nogo instituta informatsii chernoy metallur-
 gi (for Mikhaylov).
3. Nachal'nik nauchno-issledovatel'skogo
 otdela osobogo konstruktorskogo byuro tresta "Elektropech" (for
 Fel'dman).
4. Nachal'nik martenovskoy laboratorii Zlatoustovskogo
 metallurgicheskogo zavoda (for Danilov, A.M.).
5. Laboratoriya
 protsessov stalevareniya Instituta metallurgii Ural'skogo filiala
 AN SSSR (for Sorokin).

(Continued on next card)

DUBROV, N.F.—(continued) Card 2.

6. Ural'skiy politekhnicheskoy institut (for Butakov). 7. Starshiy inzhener Bryanskogo mashinostroyitel'nogo zavoda (for Soyfer). 8. Institut elektrosvariki im. Patona AN URSS (for Iatash). 9. Nachal'nik Tsentral'noy zavodskoy laboratorii "Uralmashzavoda" (for Zamotayev). 10. Dnepropetrovskiy metallurgicheskoy institut (for Sapko). 11. Moskovskiy institut stali (for Yedneral). 12. Tsentral'nyy nauchno-issledovatel'skiy institut chernoy metallurgii (for Gmuchen, Lepotyshkin). 13. Starshiy master Leningradskogo zavoda im. Kirova (for Rozin). 14. Institut metallurgii im. Baykova AN SSSR (for Novik, Polyakov, Garnyk). 15. Nachal'nik tekhnicheskogo otdela zavoda "Bol'shevik" (for Lavrent'yev). 16. Starshiy inzhener tekhnicheskogo otdela Glavspetsstali Ministerstva chernoy metallurgii (for Shilyayev). 17. Zamestitel' nachal'nika tekhnicheskogo otdela zavoda "Elektrostal'" (for Shutkin). 18. Freybergskaya gornaya akademiya, Germanskaya Demokraticeskaya Respublika (for Lyudeman). 19. Zaveduyushchiy laboratoriyey stal'nogo lit'ya Tsentral'nogo nauchno-issledovatel'skogo instituta tekhnologii i mashinostroyeniya (for Gruzin). 20. Starshiy master elektrostaleplavil'nykh pechey Uralvagonzavoda (for Barin). 21. Zamestitel' nachal'nika elektrostaleplavil'nogo tsekha zavoda "Sibelsktrostal'" (for Fedchenko). 22. Zaveduyushchiy kafedroy metallurgii stali i elektrometallurgii chernykh metallov Leningradskogo politekhnicheskogo instituta (for Ageyev). 23. Zamestitel' direktora Instituta metallurgii im. Baykova AN SSSR, chlen-korrespondent AN SSSR (for Samarin).

(Continued on next card)

DUBROV, N.F.---(continued) Card 3.

24. Nachal'nik laboratorii Tsentral'nogo nauchno-issledovatel'skogo instituta chernoy metallurgii (for Bokshitskiy). 25. Zaveduyushchiy kafedroy elektrometallurgii Sibirskogo metallurgicheskogo instituta (for Kramarov). 26. Nachal'nik elektrostaleplavil'nogo tsekha Kuznetskogo metallurgicheskogo kombinata (for Teder). 27. Nachal'nik elektrometallurgicheskoy laboratorii Kuznetskogo metallurgicheskogo kombinata (for Danilov, P.M.).

(Steel--Metallurgy)

TOLSTOGUZOV, N. V., KONOVALOV, K. N., GLAZOV, A. N., TEDER, L. I., DANIVLOV, P. M.
SHIRINKIN, E. N. AND GUDAYEVICH, M. G.
U4

"Vacuum Treatment of the MX 15-Steel and Commercial Experience of
the Vacuum Transformer Treatment."

paper presented at Second Symposium on the Application of Vacuum Metallurgy.

Moscow 1-6 July 1958

TEDER, L.I.

133-58-4-9/40

AUTHORS: Konovalov, K. N., Korneva, N. K., Danilov, P. M.,
Teder, L. I., Drobyazko, T. T. and Shtepa, A.S., Engineers.

TITLE: Gaseous Heating of Ingot Heads (Gazovyy obogrev
pribyl'noy chasty slitka)

PERIODICAL: Stal', 1958, Nr 4, pp 311-316 (USSR)

ABSTRACT: The use of an oxygen-coke-oven gas mixture for heating the hot tops of ingots weighing 5.6 to 6.7 tons developed on the Kuznetsk Works is described. The following optimal parameters for injector burner (Fig.1) were established: the diameter of the oxygen nozzle - 5 mm; the diameter of the mixing chamber - 16 to 18 mm; the diameter of the outlet 17 mm widening to 21 mm, the diameter of the tube for the gaseous mixture 1 1/2". Oxygen pressure 4-7 atm, coke oven gas pressure 200-350 mm H₂O. Consumption of gas 40-70 m³/hr and of oxygen 15-30 m³/hr. Experiments were carried out on 6-ton ingots of open hearth steel using the usual and experimental hot tops (of a smaller cross section but better insulated). Floating hot tops (Fig.2) were also tested. The duration of heating varied from 60 to 90 min, depending on the level of metal. The influence of gaseous heating on the

Card 1/3

Gaseous Heating of Ingot Heads

133-58-4-9/40

quality of steel was studied on transverse macro-templats cut out from the upper part of ingots after crop end (Fig.3). Chemical analysis indicated oxidation of aluminium, manganese and silicon (Fig.4). When bunkerite was added and carrying out heating under a protective layer of slag (by adding chamotte, furnace slag etc.) with a small addition of deoxidants, the oxidation of elements was stopped. The experimental results are shown in the Table. It was established that gaseous heating is possible, the quality of metal did not deteriorate and the yield of good semis increased by 5-7% due to a decrease in crop head from 17-18% to 10-11%. Similar experiments were carried out with stainless steel 1Kh18N9T. The results obtained indicated that the heating conditions (the ratio of the consumption of gas and oxygen and heating intensity) have a deciding influence on the oxidation of titanium and the quality of the macro-structure of steel. The following optimal conditions were established:

Card 2/3	Heating periods.		
	I	II	III
duration of heating period, min.	30-40	30-40	20-30
oxygen pressure, atm	6	5	4-3

Gaseous Heating of Ingot Heads

133-58-4-9/40

The pressure of coke oven gas should be increased to 2-3 atm (to avoid cooling of the burner). A maximum oxidation of titanium of 25% is observed when heating is carried out with an insufficient amount of protecting acid or fluid basic slag. The necessary amount of slag 5 to 7 kg should be added in 2-3 lots. By introducing into the slag titanium oxides and aluminium powder, the oxidation of titanium can be prevented. The quality of the metal obtained is satisfactory. Saving in metal due to a decrease in crop top - 6%. Further development of the process in order to decrease crop top to 6-8% should be carried out.

There are 1 table, 8 figures and 7 references, 6 of which are Soviet, 1 English.

ASSOCIATION: KuznetSKIY metallurgicheskiy kombinat
(Kuznetsk Metallurgical Combine)

Card 3/3

1. Steel--Manufacture 2. Ingots--Heating 3. Slags--Properties

sov/133/58-9-9/29

AUTHORS: Teder, L. I., Monastyrskiy, V. Ya. and Mesyats, V.I.
(Engineers)

TITLE: Smelting of Stainless Steel from Scrap Using Silico-Manganese
(Vyplavka nerzhaveyushchey stali na otkhodakh s ispol'zovaniyem silikomargantsa)

PERIODICAL: Stal', 1958, Nr 9, pp 801-802 (USSR)

ABSTRACT: On smelting stainless steel 1Kh18N9T an expensive and short in supply metallic manganese was usually used for alloying (about 10 kg/ton). This was introduced into the deoxidised bath. Cheaper manganese alloys could not be used as they contain carbon. On theoretical considerations the authors proposed to exclude the use of metallic manganese in smelting stainless steel and replace it with silico-manganese, introducing it after blowing the bath with oxygen. The choice of silico-manganese was based on the following basis: a) this is one of the cheapest manganese alloys with a low carbon content; b) it contains little phosphorus, the removal of which on smelting stainless steel presents considerable difficulties, and c) the introduction of silico-manganese permits decreasing the consumption of ferro-silicon on the reduction of chromium from slag. An analysis of the results obtained in a large number of heats carried

Card 1/2

SOV/133/58-9-9/29

Smelting of Stainless Steel from Scrap Using Silico-Manganese

out by both methods (with metallic manganese and silico-manganese) indicated that the use of silico-manganese does not present any additional technological difficulties. The content of carbon in steel remained the same although instead of 9.8 kg/ton of manganese 15 kg/ton of silico-manganese was used. An increase in the chromium recovery decreased the consumption of ferrochromium (type Khr0000-Khr000) by 6.75 kg/ton. The consumption of 75% ferrosilicon for deoxidation decreased by 3 kg/ton. The summary economic effect in one melting shop exceeded a million roubles per year. The wider application of the method in other works is recommended.

ASSOCIATION: Kuznetskiy metallurgicheskiy kombinat (Kuznetsk Metallurgical Works)

Card 2/2

18(5)

SOV/148-59-1-8/19

AUTHORS: Levin, A.M., Docent, Candidate of Technical Sciences; Feder, L.I.; Glazov, A.N.; Monastyrskiy, V.Ya.; Chernenko, A.D. and Alyavdin, V.A., Engineers

TITLE: Metal Refining in Intensified Smelting of Structural Electric Steel (Rafinirovaniye metalla pri intensifikatsii plavki konstruksionnoy elektrostali)

PERIODICAL: Izvestiya vysshikh uchebnykh zavedeniy - Chernaya metallurgiya, 1959, Nr 1, pp 71-81 (USSR)

ABSTRACT: Comparative tests were carried out on kinetics of harmful impurities with the use of conventional and experimental methods of structural steel smelting. The basic peculiarities of the experimental technology which caused intensification of smelting and reduced the smelting time by one hour, included: dephosphorization during the smelting process; use of gaseous oxygen; termination of smelting combined with oxidizing blowing-through; reduced quantity of burning-out carbon; preliminary deoxidation with silico-manganese and early addition of ferrosilicon plus coke dust, and ferrochrome; metal treatment by slag of the same metal at the moment of discharge. Results

Card 1/3

SOV/148-59-1-8/19

Metal Refining in Intensified Smelting of Structural Electric Steel

of the tests were compared and the following conclusions were made: Dephosphorization did not depend on the basicity of the slag and on the temperature, whereas the ferrous oxide content had a strong effect on phosphorus distribution between the metal and the slag; due to metal treatment by slag of the same metal, the desulfurization rate in the test method was higher than in the conventional technology; a strong effect of ferrous oxide on the desulfurization coefficient in the ladle was observed and therefore slag deoxidation prior to the discharge was imperative. The decrease of burning-out carbon did not increase the hydrogen content. Preliminary deoxidation and early addition of ferrosilicon dust caused speeded-up elimination of oxygen. Prior to the addition of agents with higher reducing capacities than those of carbon, the oxygen content depends on the carbon content and, in the case of "12KhN2A" steel on the silicon content. Mixing of the metal with the slag caused a decrease of the oxygen content during the discharge. The determination of non-metallic impurities was carried out by Engineer S.N. Yeremenko, who stated that, in spite of the shortened reduction time, intensified deoxidation created favorable conditions for eliminating impurities. The

Card 2/3

SOV/148-59-1-8/19

Metal Refining in Intensified Smelting of Structural Electric Steel

mixture of the metal with the reducing slag had a positive effect on the decrease of non-metallic impurities. The described method ensures the production of high quality metal. The author presents graphs comparing changes of the impurity content in experimental and conventional methods. There are 13 graphs and 1 Soviet reference.

ASSOCIATIONS: Sibirskiy metallurgicheskiy institut (Siberian Institute of Metallurgy). Kuznetskiy metallurgicheskiy kombinat (Kuznetsk Metallurgical Combine).

SUBMITTED: October 25, 1958

Card 3/3

SOV/133-59-4-10/32

AUTHOR: Levin, A.M., Docent, Teder, L.I., Monastyrskiy, V.Ya., Glazov, A.N., Alyavdin, V.A., and Chernenko, A.D., Engineers

TITLE: Intensification of Smelting Structural Electric Steel (Intensifikatsiya plavki konstruktsionnoy elektrostali)

PERIODICAL: Stal', 1959, Nr 4, pp 323-327 (USSR)

ABSTRACT: An investigation of the possibilities of intensifying the electric smelting process carried out on the Kuznetsk Metallurgical Combine during 1956-1957 is described. For this purpose 100 heats of structural steels were carried out (table 1) in which the following methods of intensification of smelting were tested: 1) the use of oxygen for the oxidation of admixtures; 2) combining of the end of the melting period with the beginning of oxidation; 3) dephosphorisation of metal during melting; 4) decreasing the amount of burned out carbon (up to 0.2%); 5) intensification of the deoxidation by the use of a preliminary precipitation deoxidation with complex deoxidants and with an addition of powdered ferrosilicon after the making of a reducing slag together with powdered coke; tapping of metal

Card 1/3

SOV/133-59-4-10/32

Intensification of Smelting Structural Electric Steel

together with slag with an energetic stirring;
6) intensification of the desulphurisation process;
7) intensification of alloying by starting it at the beginning of the reducing period. The comparison of changes in the composition of metal and slag during smelting by the usual and experimental practices for steel 40Kh is given in Fig 1 and 2 respectively, the comparison of mechanical properties of metal produced by the usual and experimental practices - table 2. Mean duration of the individual smelting periods and whole heats - table 3. It is concluded that the experimental technology of smelting electric structural steels can be used with advantage. The investigation of the metal produced by the experimental technology indicated that it is of satisfactory quality which was confirmed by a considerable decrease in the proportion of out of grade steel (from 0.872 to 0.186%). The mean duration of a heat is decreased by 1 hour which under operating conditions of the melting shop on the work increased the productivity of a furnace by 14% and

Card 2/3

SOV/133-59-4-10/32

Intensification of Smelting Structural Electric Steel

decreases the specific power consumption by 80 kwhr/ton of steel. There are 2 figures, 3 tables and 11 references of which 9 are Soviet, 1 German and 1 American.

ASSOCIATION: Sibirskiy Metallurgicheskii Institut i Kuznetskiy Metallurgicheskii Kombinat (Siberian Metallurgical Institute and the Kuznetsk Metallurgical Combine)

Card 3/3

TEDER, L.I.

PART I BOOK RECAPITULATION 507/4548

Abstracts from USSR. *Kachestva po fiziko-khimicheskim osnovam proizvodstva stali* (Physical-chemical properties of steel production) Moscow, Izdat-vo Prikladnoy tekhnicheskoy metalurgii (Use of vacuum in Metallurgy) Moscow, Izdat-vo MFTSS, 1960. 314 p. British slip inserted. 4,500 copies printed.

Sponsoring Agency: *Kachestva po fiziko-khimicheskim osnovam proizvodstva stali*.
 Kachestva po fiziko-khimicheskim osnovam proizvodstva stali.
 Repp, M.I. A.M. Smarits, Corresponding Member, Academy of Sciences USSR) Ed. of Publishing House G.M. Naberezhny, Tech. Ed.: S.D. Petrovskiy.

PURPOSE: This collection of articles is intended for technical personnel interested in recent studies and developments of vacuum steelmaking practice and equip-ment.

CONTENTS: The book contains information on steel rolling in vacuum induction fur-naces, and vacuum. The phenomena, reduction processes in vacuum, and degassing of steel and alloys. The functioning of apparatus and equipment, especially the vacuum booster pumps is also analyzed. Personnel are urged to be in connection with some of the articles as they will appear in the tables of contents. Three articles have been translated from English. Some of the authors: I.P. and S.I. Filitskiy. Effect of Vacuum Treatment (in a Ladle) of the Carbonaceous Ferroalloys on the Amount of Its Oxide Inclusions
 Fedorov, I.K., and P.I. Smorzy. Pyrohydrothermal Principles of Vacuum-Treatment Methods of Treating Titanium 127

PART IV. REASSEMBLED OR STEEL AND ALLOYS

North, L.H., A.L. Jankovic, and A.M. Smarits. Vacuum Treatment of Bessemer Steel 145

Kuznetsov, M.P., and G.E. Tsvetkov. The Effect of Vacuum Treatment in Ladle on the Properties of Bessemer KILL Steel 151

Evgenyev, A.I., and V.D. Kabanov. The Effect of Vacuum Treatment in Ladle on the Weldability of Bessemer Conventional Steel 156

Otto, A.K., G.A. Shchegolev, I.I. Jankovic, N.G. Tsvetkov, V.I. Danilov, and K.B. Lapshov. Use of Vacuum for Improving the Quality of Alloyed Steels Manufactured by the "L" and "M" Methods. See Theoretical and Practical Prob-lem of Steel Degassing 166

Cherny, E.H., A.L. Tsvetkov, and V.I. Jankovic. The Effect of Vacuum Treatment of Metal Pouring on the Quality of SAIL'S Steel (the work was performed by the Department of Metallurgical Institute (Compropt-ovskiy Metallurgical Institute) and the Department of Metallurgical Institute of the Electrical Steel Mill, in Zaporozh'ye) with the participation of engineers V.A. Antonov, M.P. Kozlovskiy, V.M. Bobkov, L.V. Kuznetsov, A.S. Kozlov, P.J. Smolits, A.L. Kuznetsov, P.L. Skaly, M.P. Tsvetkov and G.F. Tsvetkovskiy) 169

Zakharov, I.I., I.A. Gromovskiy, A.M. Olsberg, L.V. Jankovic, M.G. Gromovskiy, P.M. Shalov and V.G. Shalov. The Effect of Vacuum Treatment of Molten Ferroalloy and of SAIL'S Steel (Step. L.S. Kuznetsov, P.S. Plakhotov, V.I. Nagayev, V.I. Pashchenko and P.V. Nitsov participated in the work) 196

Belikov, D.K., I.M. Malinikov, and M.M. Kozlov. Investigation of Vacuum-Treated Steel for Castings 205

Belikov, D.K., and S. Hlyvchuk. Research on the Properties of Cast Steel (Investigation of the Quality of Aluminum Alloys Made in Ladle). Use of Vacuum for Raising the Quality of Aluminum Alloys 211

Sub. 5. Polish People's Republic, Institute of Iron Metallurgy in Oliving. Vacuum Heating and Pouring of Alloyed Carbon Steel 219

Berling, V.I., B.A. Krasov and A.M. Smarits. Demolition of Molten Iron Alloys in Vacuum 223

Tsvetkov, G.P., and V.I. Kozlovskiy. Destruction of Inclusions Inclusions in the Vacuum Treatment of Steel 230

Orlov, E.A., A.L. Kuznetsov, and V.M. Smarits. Investigation of the Characteristics of Steel Manufactured in Vacuum by Means of a Mass Spectrometer 243

Smolits, L.I., G.A. Tsvetkov, and B.M. Lyubimov. The Effect of Hydrogen and Nitrogen on the Activity of Silicon in Molten Cast Iron 248

Nagayev, V.I. Investigation of Gas Liberation and Permeability of Ceramics in Vacuum 251

MONASTYRSKIY, V. Ya.; DUBROVIN, A. K.; LASKARONSKIY, E. N.; GLAZOV, A. N.;
DANILOV, P. M.; KONOVALOV, K. N.; MIKHEYEV, V. G.; TEDER, L. I.

Improving the technology of smelting, pouring, and heating
O - 2Kh13 steel ingots. Metallurg 10 no. 12:14-16 D '65.
(MIRA 18:12)

1. Kuznetskiy metallurgicheskiy kombinat.

TEDER, L.O., inzh.

Mechanized production line for boehmite. Stroi, mat. 9 no.5:
30-31 My '63. (MIRA 16:7)
(Boehmite)

28(1) PHASE I BOOK EXPLOITATION SOV/2238

Akademiya nauk SSSR. Institut avtomatiki i telemekhaniki

Spravochnik po elementam avtomatiki i telemekhaniki; elektromagnitnyye kontakty i magnitnyye puskateli (Reference Manual on Automatic and Remote Control Components; Electromagnetic Contactors and Magnetic Starters) Moscow, Gosenergoizdat, 1959. 135 p. 27,000 copies printed.

_____ Prilozheniye (Supplement) 21 p. (Inserted).

Comps.: I. Ye. Dekabrun and N.R. Teder; Ed. (Title page): B. S. Sotskov; Ed. (Inside book): V.I. Timokhina; Tech. Ed.: K.P. Voronin.

PURPOSE: This book is intended for engineering and technical personnel of establishments engaged in the design and production of equipment using electromagnetic contactors and magnetic starters.

COVERAGE: This is the second part of the "Spravochnik po elem-
Card 1/4

Reference Manual on Automatic (Cont.)

SOV/2238

entam avtomatiki i telemekhaniki" (Reference Manual on Automatic and Remote Control Components), compiled on the basis of official parts manuals, catalogs, specifications, descriptions, and instructions on adjustment and regulation. The book contains references to the selection, specification, designs and schematic diagrams of electromagnetic contactors and magnetic starters. According to the author this reference manual does not replace the technical documentation now in force and, therefore, cannot be considered a legal document for presenting complaints. There are no references. No personalities are mentioned.

TABLE OF CONTENTS:

GENERAL INFORMATION

1. Directions for using the manual	3
2. System of contactor markings used in the book	3
3. Terms and symbols	3
Card 2/4	

Reference Manual on Automatic (Cont.)

SOV/2238

RECOMMENDATIONS ON THE SELECTION OF CONTACTORS

- | | |
|---|---|
| 1. Classification of contactors | 4 |
| 2. Basic requirements of contactors | 4 |
| 3. Selection of contactors | 4 |
| 4. Selection of components for thermal protection | 5 |

SPECIFICATIONS OF ELECTROMAGNETIC CONTACTORS

- | | |
|---------------------------------|----|
| 1. Summary tables of contactors | 6 |
| 2. Tables of modifications | 50 |

SPECIFICATIONS OF MAGNETIC STARTERS

- | | |
|-------------------|----|
| 1. Summary tables | 62 |
|-------------------|----|

Card 3/4

Reference Manual on Automatic (Cont.)

SOV/2238

2. Heaters for RT-type thermal relays built into magnetic starters

66

DESIGNS AND SCHEMATIC DIAGRAMS OF CONTACTORS AND
MAGNETIC STARTERS

List of contactors appearing in the manual (see supplement)

List of magnetic starters appearing in the manual (see supplement)

AVAILABLE: Library of Congress

Card 4/4

JP/ec
10-19-59

N. R. TEDER

PHASE I BOOK EXPLOITATION

SOV/4477

Akademiya nauk SSSR. Institut avtomatiki i telemekhaniki

Spravochnik po elementam avtomatiki i telemekhaniki; Vyp. 3: Rele vremeni, programnyye ustroystva, rele scheta, iskateli (Handbook on Components of Automatic Control and Remote Control, no. 3: Time Relays, Timers, Counting Relays, Selectors) Moscow, Gosenergoizdat, 1960. 136 p. Errata slip inserted. 30,000 copies printed.

Compilers: I. Ye. Dekabrun, and N. R. Teder; Ed. (Title page): B. S. Sotskov; Ed.: V. I. Timolkhina; Tech. Ed.: N. I. Borunov.

PURPOSE: This handbook is intended for technical personnel engaged in the fields of automation and telemechanics.

COVERAGE: This third issue of the handbook on automation and telemechanical components describes relays and devices which make possible a definite program of circuit or process operation. It includes diagrams of relays and devices designed especially for this purpose and also material on

Card 1/3

Handbook on Components of Automatic (Cont.)

SOV/4477

automatic telephone apparatus which are used in automated circuits. The parameters of each device are indicated in tables. No personalities are mentioned. There are no references.

TABLE OF CONTENTS:

Section One. General Information	3
Directions on the use of the handbook	3
System of marking	3
Terminology	3
Time relays	3
Electromagnetic time relays	4
Section Two. Technical Data	6
I. Composite Tables	6
D-c time relays	6
A-c time relays	26
Timers	42
Card 2/3	

TEDER, P. I.

"An Investigation of Certain Relationships During the Collapse of
Coal in a Large-Scale Slide." Cand Tech Sci, Inst of Mining, Acad Sci
USSR, 28 Dec 54. (VM, 17 Dec 54)

Survey of Scientific and Technical Dissertations Defended at USSR
Higher Educational Institutions (12)
SO: Sum. No. 556, 24 Jun 55

PROTOD'YAKONOV, Mikhail Mikhaylovich, prof., doktor tekhn.nauk;
TETER, Roland Iogannesovich, kand.tekhn.nauk; KHODAKOV, I.K.,
red.izd-vo; PROZOROVSKAYA, V.L., tekhn.red.; SHKLYAR, S.Ya.,
tekhn.red.

[Investigating coal cutting by the wedging method] Issledovanie
protsessa razrusheniia uglia metodom krupnogo skola. Moskva,
Gos.nauchno-tekhn.izd-vo lit-ry po gornomu delu, 1960. 102 p.
(MIRA 14:1)

1. Institut gornogo dela Akademii nauk SSSR (for Protod'yakonov,
Teter).

(Coal mining machinery--Testing) (Coal--Testing)

BABOKIN, I.A.; SAKHOVALER, A.Yu.; TEDER, R.I.

Brief review of coal mining in the German Federal Republic. Uopol'
36 no.8:50-56 Ag '61. (MIRA 14:9)
(Germany, West--Coal mines and mining)

PROTOD'YAKONOV, M.M., doktor tekhn. nauk, prof., red.; TEDER, R.I.,
kand. tekhn. nauk, red.; VASIL'YEV, Yu.F., red. izd-va;
PRUSAKOVA, T.A., tekhn. red.; GUSEVA, A.P., tekhn. red.

[Study of the physicomechanical properties of rocks relative
to problems in controlling rock pressure] Issledovanie fiziko-
mekhanicheskikh svoistv gornykh porod primenitel'no k zada-
cham upravleniya gornym davleniem, sbornik statei. Pod red.
M.M. Protod'iakonova i R.I. Tadera. Moskva, Izd-vo Akad. nauk
SSSR, 1962. 192 p. (MIRA 16:3)

1. Akademiya nauk SSSR. Institut gornogo dela. 2. Institut
gornogo dela im. A.A. Skochinskogo (for Protod'yakonov).
(Rocks--Testing)

OSTROUSHKO, I.A.; TEDER, R.I., otv. red.; SHMELEV, A.I., red.izd-va;
PROZOROVSKAYA, V.L., tekhn. red.; SABITOV, A., tekhn. red.

[Mining processes and instruments in rock drilling]Zaboi nye
protssy i instrumenty pri burenii gornykh porod. Moskva,
Gosgortekhzdat, 1962. 271 p. (MIRA 15:11)
(Boring)

TEDER, R.I.

Determination of some mechanical characteristics of rocks in the
Krivoy Rog Basin. Fiz.-mekh.svois., dav.i razr.gor.porod no.1:3-7
'62. (MIRA 16:3)

(Krivoy Rog Basin--Rocks--Testing)

PROFOD YAKONOV, M.M., prof., doktor tekhn.nauk; TEDER, R.I., kand.tekhn.
nauk

Use of the crushing method to determine the strength of hard rocks.
Gor.zhur. no.4:41-44 Ap '62. (MIRA 15:4)

1. Institut gornogo dela im. Skochinskogo, Moskva.
(Rocks--Testing)

PROTD'YAKONOV, M.M., doktor tekhn. nauk, prof., otv. red.;
KOIFMAN, M.I., doktor tekhn.nauk, prof., red.; TEDER,
R.I., kand. tekhn.nauk, red.GEYMAN, L.M., red.;
SIMKINA, G.S., tekhn. red.

[Mechanical properties of rocks] Mekhanicheskie svoistva
gornyx porod. Moskva, Izd-vo AN SSSR, 1963. 169 p.
(MIRA 16:11)

1. Akademiya nauk SSSR. Institut gornogo dela.
(Rocks--Testing) (Coal--Testing)

KOYFMAN, Mikhail Il'ich; IL'NITSKAYA, Yelena Ivanovna; KARPOV, Viktor Ivanovich; PROTOD'YAKONOV, M.M., prof., doktor tekhn. nauk, otv. red.; TEDER, R.I., otv. red.

[Resistance of rocks in a volume stressed state; some problems in the methodology of research] Prochnost' gornykh porod v ob'emnom napriazhennom sostoianii; nekotorye voprosy metodiki issledovani. Moskva, Nauka, 1964. 32 p.
(MIRA 17:11)

PROTOD'YAKONOV, Mikhail Mikraylovich; KUYFMAN, Mikhail Il'ich;
CHIRKOV, Sergey Yefimovich; KUNTYSH, Mikhail
Filimonovich; TEDER, Rolland Iogannesovich

[Strength certificate of rocks and methods of determining it] Pasporta prochnosti gornyykh porod i metody ikh opredeleniya. [By] M.M.Protod'iakonov i dr. Moskva, Nauka, 1964. 76 p. (MIRA 18:1)

1. Moscow. Institut gornogo dela im. A.A.Skochinskogo.

PROTOD'YAKONOV, Mikhail Mikhaylovich, prof., doktor tekhn. nauk;
CHIRKOV, Sergey Yefimovich; TEDEK, R.I., otv. red.;

[Fracture and stability of rock in a massif] Treshchino-
vatost' i prochnost' gornykh porod v massive. Moskva,
Nauka, 1964. 65 p. (MIRA 17:11)

TEDER, R.I., kand.tekhn.nauk; PROTOD'YAKONOV, M.M., doktor tekhn.nauk

Conference of the working Group for the investigation of rock
strength in the International Bureau on Rock Mechanics. Ugol'
40 no.3:74-75 Mr '65. (MIRA 18:4)

TEDER, V., inzh.

Improving the quality of engine repair. Avt.transp. 42 no.2:25-27
F '64. (MIRA 17:3)

VASOJEVIC, S., doc.dr; DIKLIC, D., dr; TEDESKI, B., dr; TAKIC, S., dr;
STANKOVIC, M., dr; CIRIC, D., dr; PETROVIC, M., dr.

Our experience with scarlet fever in 1957. Med.glasn. 14 no.7/8:
387-390 J1-Ag '60.

1. Klinika za infektivne bolesti Medicinskog fakulteta u Beogradu
(Upravnik: prof. dr M.Milosevic)
(SCARLET FEVER epidemiol)

TEDESHVILI, N. D.

TEDESHVILI, N. D.: "Oxidation transformation of the tanning agent of tea leaves under the effect of polyphenoloxidase and peroxidase."
Published by the Georgian Agricultural Inst. Min Higher Education USSR. Georgian Order of Labor Red Banner Agricultural Inst Tbilisi, 1956.
(Bissertation for the degree of Candidate of Biological Sciences.)

S O: Knizhnaya Letopis8, No 36, 1956, Moscow.

TRDESHVILI, N.D.

Role of polyphenoloxidase and Peroxidase in the transformation
of tannins in the tea leaf. Biokhim. zhurn. no. 7:143-148
'59. (MIRA 13:5)

1. Gruzinskiy sel'skokhozyaystvennyy institut, Tbilisi.
(TMA) (TANNINS) (OXIDASES)

TEDESHVILI, N.D.

Effect of the humidity of air and the length of fermentation on
the course of oxidation processes. Biokhim. chain. proizv. no.8:
103-106 '60. (MIRA 14:1)

1. Gruzinskiy sel'skokhozyaystvennyy institut, Tbilisi.
(Tea) (Oxidation)

BOKUCHAVA, M.A.; GULUA, K.P.; MAKHMUDOV, K.I.; TEDESHVILI, N.D.

Duration of leaf rolling and fermentation using new and old technologies.
Biokhim. chain; proizv. no.9:109-118 '62. (MIRA 16:4)

1. Institut biokhimii imeni A.N.Bakha; AN SSSR, Moskva i Nauchno-
issledovatel'skiy institut chaynoy promyshlennosti, Anasauli.
(Tea)

DIKLIC, Dragomir; TEDESKI, Vojka; TAKIC, Cveta; JORGACEVIC, Dragisa

Diagnostic value of Takata-Ara and cerebrospinal fluid tryptophan reactions in early diagnosis of tuberculous meningitis. Srpski arh. celok. lek. 89 no.2:203-207 F '61.

1. Klinika za infektivne bolesti Medicinskog fakulteta Univerziteta u Beogradu. Upravnik: prof. dr Milorad Milosevic.

(TUBERCULOSIS MENINGEAL csf)

TEDEYEV, A.S.; SIMONIYA, V.T., red.

[Some problems related to the Laplace transformation]
Nekotorye voprosy, svyazanrye s preobrazovaniem Laplasy.
Tskhinvali, IUGo-Osetinskii gos. pedagog. in-t, 1962. 9 p.
(MIRA 17:10)

TEDEYEV, K.

6852. Tedeyev, K. Nekotoryye voprosy pchelovodstva. Staliniri,
Gosizdat Yugo-Osetii, 1954. 127 s. s. ill. 21 sm. 1.000 ekz. 2 r.
40 k. V per.-Na oset. yaz. (55-2194) 638.1

SO: Knizhnaya L_etopis' No.6, 1955

TSAGARAYEV, M.G., insh.; KHURUMOV, S.D., insh.; TEDEYEV, L.K., insh.

Use of the shrinkage system in unstable rocks. Gor. zhur. no.9:
72 3 '61. (MIRA 16:7)

1. Sadcnskoye rudoupravleniye.
(Mining engineering)

TEDEYEV, P.R.

Specialisation. Zemledelie 26 no.12:19-20 D '64 (MIRA 18:4)

1. Zaveduyushchiy sel'skokhozyaystvennym otdelom Severo-Osetinskogo oblastnogo komiteta Kommunisticheskoy partii Sovetskogo Soyuza.

TEDEYEV, P.R.

Specialization. Zemledelie 26 no.12:19-20 D '64.

(MIRA 18:4)

1. Predsedatel' kolkhoza imeni Lenina Prigorodnogo proizvodstvennogo upravleniya, Severo-Osetinskoy ASSR.

32852
S/044/61/000/012/007/054
C111/C333

16.4000

AUTHOR: Tedejev, S. A.

TITLE: On the summation of double series and double integrals

PERIODICAL: Referativnyy zhurnal, Matematika, no. 12, 1961, 13-14,
abstract 12B54. ("Tr. Stalinirsk. gos. ped. in-t", 1959,
1, 237-277)

TEXT: The author investigates the summability of multiple series and of multiple integrals according to different methods in the complex domain, as well as the mutual relation between these methods. Let $U = \| a_{mn}(z_1, z_2) \|_{E_1, E_2}$ be an infinite matrix, the elements of which are functions of the complex variables $z_1 \in E_1, z_2 \in E_2, z_1^0 \in \bar{E}_1$ ($i=1,2$). U is called a matrix of class R if its elements satisfy the conditions:

a.) There exists a constant $M > 0$ such that

$$\sum_{m,n=0}^{\infty} |a_{mn}(z_1, z_2)| < M < +\infty, z_1 \in E_1 (i=1,2);$$

Card 1/8