

STRELOV, K.K.; MAMYKIN, P.S.; Primali uchastiye: BAS'YAS, I.P.;
BICHURINA, A.A.; BRON, V.A.; VECHER, N.A.; VOROB'YEVA, K.V.;
D'YACHKOVA, Z.S.; D'YACHKOV, P.N.; DVORKIND, M.M.;
IGNATOVA, T.S.; KAYBICHEVA, M.N.; KELAREV, N.V.;
KOSOLAPOV, Ye.F.; MAR'YEVICH, N.I.; MIKHAYLOV, Yu.F.;
SEMKINA, N.V.; STARTSEV, D.A.; SYREYSHCHIKOV, Yu.Ye.;
TARNOVSKIY, G.I.; FLYAGIN, V.G.; FREYDENBERG, A.S.;
KHOROSHAVIN, L.B.; CHUBUKOV, M.F.; SHVARTSMAN, I.Sh.;
SHCHETNIKOVA, I.L.

Institutes and enterprises. Ogneupory 27 no.11:499-501
'62. (MIRA 15:11)

1. Vostochnyy institut ogneuporov (for Strelor). 2. Ural'skiy
politekhnicheskly institut im. S.M. Kirova (for Mamykin).
(Refractory materials--Research)

AUTHORS: Vecher, N.A., Lebedev, A.A. and Kornayev, N.D. (Engineers)

TITLE: Use of sinter in open-hearth furnace smelting. (Primeneniye aglomerata v martenovskoy plavke). 130 - 6 - 8/27

PERIODICAL: "Metallurg" (Metallurgist), 1957, No.6, pp.17-19 (USSR).

ABSTRACT: Open-hearth ore has been partly or completely replaced by sinter at the Nizhne-Tagil'sk metallurgical combine since early in 1956. From experimental heats and the statistical treatment of operating data the following main conclusions are drawn: under otherwise similar conditions more sinter is charged than ore (e.g. 8% more for rail steel); more slag is run with sinter than with ore; because of its lower melting point the duration of melting is reduced with sinter to 12-15 min. per heat; the melt-down slag contains more ferrous oxide; the phosphorus content at melt-down is 0.002-0.012% less; the consumption of ore for refining is less because of the more oxidized melt-down slag obtained with sinter; and lime and bauxite consumptions are also less; the rate of carbon removal during the ore boil is less and the duration of finishing is reduced. The reasons for these effects of sinter are discussed and the corresponding quantitative data tabulated. The composition of the sinter was: 58.6% Fe, 19.2% FeO, 62.6% Fe₂O₃,

Card 1/2

130 - 6 - 8/27

Use of sinter in open-hearth furnace smelting. (Cont.)

0.15% S, 0.047% P, 0.82% Mn, 7.6% SiO₂, 3.82% CaO, 1.60% MgO, 3.35% Al₂O₃; it contained 25% of <10 mm fines on charging.

There are 2 tables.

ASSOCIATION: Nizhne-Tagil'sk Metallurgical Combine.
(Nizhne-Tagil'skiy Metallurgicheskiy Kombinat).

AVAILABLE:

Card 2/2

KOROLEV, A.I.; BLINOV, S.T.; IUBENETS, I.A.; KOBURNEYEV, I.M.; TURUBINER, A.L.; VASIL'YEV, S.V.; CHERNENKO, M.A.; BELOV, I.V.; TELESOV, S.A.; MAZOV, Y.F.; MEDVEDEV, V.A.; MAL'KOV, V.G.; BUL'SKIY, M.T.; TRUBETSKOV, K.M.; SHNEYEROV, Ya.A.; SLADKOSHTEYEV, V.T.; PALANT, V.I.; KUROCHKIN, B.N.; ZHDANOV, A.M.; BELIKOV, K.N.; SABIYEV, M.P.; GARBUZ, G.A.; PODGORETSKIY, A.A.; ALFEROV, K.S.; NOVOLODSKIY, P.I.; MOROZOV, A.N.; VASIL'YEV, A.N.; MARAKHOVSKIY, I.S.; MALAKH, A.V.; VERKHOVTSSEV, E.V.; AGAPOV, V.F.; VECHER, N.A.; PASTUKHOV, A.I.; BORODULIN, A.I.; VAYNSHTEYN, O.Ya.; ZHIGULIN, V.I.; DIKSHTSEYN, Ye.I.; KLIMASENKO, L.S.; KOTIN, A.S.; MOLOTKOV, N.A.; SIVERSKIY, M.V.; ZHIDETSKIY, D.P.; MIKHAYLETS, N.S.; SLEPKANEV, P.N.; ZAVODCHIKOV, N.G.; GUDEMCHUK, V.A.; NAZAROV, P.M.; SAVOS'KIN, M.Ye.; NIKOLAYEV, A.S.

Reports (brief annotations). Bzl. TSNIICHM no.18/19:36-39 '57.
(MIRA 11:4)

1. Magnitogorskiy metallurgicheskiy kombinat (for Korolev, Belikov, Agapov, Dikshteyn). 2. Kuznetskiy metallurgicheskiy kombinat (for Blinov, Vasil'yev, A.N., Borodulin, Klimasenka). 3. Chelyabinskiy metallurgicheskiy zavod (for Iubnets, Vaynshteyn). 4. Zavod im. Dzerzhinskogo (for Koburneyev). 5. Zavod "Zaporozhstal'" (for Turubiner, Mazov, Podgoretskiy, Marakhevskiy, Savos'kin). 6. Makiyevskiy metallurgicheskiy zavod (for Vasil'yev, S.V., Mal'kov, Zhidetskiy, Al'ferov). 7. Stal'proyekt (for Chernenko, Zhdanov, Zavodchikov). 8. VNIIT (for Belov). 9. Stalinskiy metallurgicheskiy zavod (for Telesov, Malakh).

(Continued on next card)

KURCHEV, A.I.---(continued) Card 2.

10. Nizhne-Tagil'skiy metallurgicheskii kombinat (for Medvedev, Novolodskiy, Vecher). 11. Zavod "Azovstal'" (for Bul'skiy, Slepkanov). 12. Tsentral'nyy nauchno-issledovatel'skiy institut chernoy metallurgii (for Trubetskov). 13. Ukrainskiy institut metallov (for Shneyerov, Sladkovskiy, Kotin). 14. Zavod "Krasnyy Oktyabr'" (for Palant). 15. Vsesoyuznyy nauchno-issledovatel'skiy institut metallurgicheskoy teplotekhniki (for Kurochkin). 16. Zavod im. Voroshilova (for Sabiyev). 17. Chelyabinskii politekhnicheskii institut (for Morozov). 18. Giprostal' (for Garbuz). 19. Ural'skiy institut chernykh metallov (for Pastukhov). 20. Zavod im. Petrovskogo (for Zhigulin). 21. Ministerstvo chernoy metallurgii USSR (for Molotkov, Siverskiy). 22. Glavspetsstal' Ministerstva chernoy metallurgii SSSR (for Nikolayev).

(Open-hearth process)

"APPROVED FOR RELEASE: 08/31/2001

CIA-RDP86-00513R001859220007-7

APPROVED FOR RELEASE: 08/31/2001

CIA-RDP86-00513R001859220007-7"

137-58-6-11698

Translation from: Referativnyy zhurnal, Metallurgiya, 1958, Nr 6, p 69 (USSR)

AUTHOR: Vecher, N.A.

TITLE: Use of Sinter in Open-hearth Smelting (Primeneniye aglomerata v martenovskoy plavke)

PERIODICAL: Tr. Nauchno-tekhn. o-va chernoy metallurgii, 1957, Vol 18, pp 427-430

ABSTRACT: Bibliographic entry. Ref. RzhMet, 1957, Nr 6, abstract 9693

1. Open hearth furnaces--Performance 2. Sinters--Applications

Card 1/1

SOV/137-58-7-14367

Translation from: Referativnyy zhurnal, Metallurgiya, 1958, Nr 7, p 60 (USSR)

AUTHORS: Khudyakov, N.A., Krivonosov, V.S., Privalov, I.I.,
Vecher, N.A., Petrov, G.A.

TITLE: Open-hearth Procedures With Oxygen-enriched Air (O tekhnologii martenovskogo proizvodstva stali s primeneniym kisloroda dlya obogashcheniya vozdukha)

PERIODICAL: Byul. nauchno-tekhn. inform. Ural'skiy n.-i. in-t chernykh metallov, 1957, Nr 3, pp 50-63

ABSTRACT: The experience of the Novo-Tagil Metallurgical Kombinat in using O₂ in its 380-t furnaces is presented. Only magnesite was used to service the furnaces. Charging was performed in from 1 hr to 1 hr 20 min. Melt-down time was significantly reduced. Utmost removal of P is facilitated by running off the slag without keeping it in the furnace. Slags from heats in which O₂ is used are characterized by higher basicity. The formation of the slag is accelerated. During the period when the O₂ operation of the furnace was being developed, an elevated C % was noted, but all conditions exist to attain a faster rate of C burn-off. [Mn] in heats with O₂ is somewhat higher

Card 1/2

SOV/137-58-7-14367

Open-hearth Procedures With Oxygen-enriched Air

than in heats without O₂. [P] dropped to 0.012% instead of 0.02% in heats without the use of oxygen. The use of O₂ has a favorable effect on [S] although it is the lower, the more rapid the conduct of the heat. The following conclusions are drawn from the experimental heats conducted: use of O₂ increased output per open-hearth furnace by 15.6%; charging-box capacity should be raised from 1.24-1.75 m³. The time required to heat the charge can be reduced to 40 or 50 min. Further increase in output depends upon organizational and technical measures, including an increase in the dimensions of the smelting volume of the furnace.

M.P.

1. Open hearth furnaces--Performance
2. Oxygen--Applications

Card 2/2

PANFILOV, Mikhail Ivanovich; VECHER, N.A., retsenzent; DOKSHITSKIY, A.B., red.; BUR'KOV, M.M., red. izd-va; MATLYUK, R.M., tekhn. red.

[Handbook for the open-hearth furnace operator] Spravochnoe rukovodstvo stalevara martenovskoi pechi. Sverdlovsk, Gos. nauchno-tekhn. izd-vo lit-ry po chernoi i tsvetnoi metallurgii, 1961. 298 p.
(MIRA 14:11)

(Open-hearth process)

VECHER, N.A.; UMRIKHIN, P.V.; PANFILOV, M.I.; PASTUKHOV, A.I.; TSEKHANSKIY,
M.I.; ARONOVICH, M.S.; POSYSAYEV, A.A., inzh.; GARCHENKO, V.T.;
ORMAN, M.Ye.

Review of D.A.Smoliarenko's book "Quality of carbon steel."
Stal' 23 no.9:800-804 S '63. (MIRA 16:10)

VECHER, N.A., inzh.; GERMAIDZE, G. Ye., inzh.; PANFILOV, M.I., dotsent;
KHIL'KO, M.M., inzh.; MERSHCHIY, N.P., inzh.; ALFEROV, K.S., inzh.;
ANTONOV, S.P.; DIKSHTeyN, Ye.I.; YAGNYUK, M.I.; BELIKOV, K.N.;
GONCHAREYSKIY, Ya.A.; TRIFONOV, A.G.; SEDACH, G.A.

"Open-hearth plants with large-capacity furnaces" by D.A. Smoliarenko,
N.I. Efanova. Reviewed by N.A. Vecher and others. Stal' 21 no.2:125-126
F '61. (MIRA 14:3)

1. Sverdlovskiy sovet narodnogo khozyaystva (for Vecher, Germaidze, Pan-
filov).

(Open-hearth furnace—Design and construction)
(Smoliarenko, D.A.) (Efanova, N.I.)

ZAKHAROV, A.F.; VECHER, N.A.; LEKONTSEV, A.N.; RUDNITSKIY, P.M.;
TSIBALENKO, L.N.; TSUKERNIK, Z.G.; ARYASOV, N.I., inzh.,
retsensent; DOVGOPOL, V.I., red.; DUBROV, D.F., red.;
GETLING, Yu., red.

[Vanadium of the Kachkanar deposit] Kachkanarskii vanadii.
Sverdlovsk, Sredne-Ural'skoe knizhnoe izd-vo, 1964. 302 p.
(MIRA 18:11)

VECHER, N.A., inzhener; LEBEDEV, A.A., inzhener; KORNEYEV, N.D., inzhener.

Using sinter in open-hearth furnaces. Stal' 16 no.12:1080-1033
D '56. (MLRA 10:9)

1. Novo-Tagil'skiy metallurgicheskiy zavod.
(Open-hearth furnaces)

VECHER, N.A., inzhener; LEBEDEV, A.A., inzhener; KORNEYEV, N.D., inzhener.

Using sinter in open hearth smelting. Metallurg 2 no.6:17-19 Je '57.
(MIRA 10:6)

1. Nizhne-Tagil'skiy metallurgicheskiy kombinat.
(Smelting) (Open hearth furnaces)

V. 2. 1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. 52. 53. 54. 55. 56. 57. 58. 59. 60. 61. 62. 63. 64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100. 101. 102. 103. 104. 105. 106. 107. 108. 109. 110. 111. 112. 113. 114. 115. 116. 117. 118. 119. 120. 121. 122. 123. 124. 125. 126. 127. 128. 129. 130. 131. 132. 133. 134. 135. 136. 137. 138. 139. 140. 141. 142. 143. 144. 145. 146. 147. 148. 149. 150. 151. 152. 153. 154. 155. 156. 157. 158. 159. 160. 161. 162. 163. 164. 165. 166. 167. 168. 169. 170. 171. 172. 173. 174. 175. 176. 177. 178. 179. 180. 181. 182. 183. 184. 185. 186. 187. 188. 189. 190. 191. 192. 193. 194. 195. 196. 197. 198. 199. 200. 201. 202. 203. 204. 205. 206. 207. 208. 209. 210. 211. 212. 213. 214. 215. 216. 217. 218. 219. 220. 221. 222. 223. 224. 225. 226. 227. 228. 229. 230. 231. 232. 233. 234. 235. 236. 237. 238. 239. 240. 241. 242. 243. 244. 245. 246. 247. 248. 249. 250. 251. 252. 253. 254. 255. 256. 257. 258. 259. 260. 261. 262. 263. 264. 265. 266. 267. 268. 269. 270. 271. 272. 273. 274. 275. 276. 277. 278. 279. 280. 281. 282. 283. 284. 285. 286. 287. 288. 289. 290. 291. 292. 293. 294. 295. 296. 297. 298. 299. 300. 301. 302. 303. 304. 305. 306. 307. 308. 309. 310. 311. 312. 313. 314. 315. 316. 317. 318. 319. 320. 321. 322. 323. 324. 325. 326. 327. 328. 329. 330. 331. 332. 333. 334. 335. 336. 337. 338. 339. 340. 341. 342. 343. 344. 345. 346. 347. 348. 349. 350. 351. 352. 353. 354. 355. 356. 357. 358. 359. 360. 361. 362. 363. 364. 365. 366. 367. 368. 369. 370. 371. 372. 373. 374. 375. 376. 377. 378. 379. 380. 381. 382. 383. 384. 385. 386. 387. 388. 389. 390. 391. 392. 393. 394. 395. 396. 397. 398. 399. 400. 401. 402. 403. 404. 405. 406. 407. 408. 409. 410. 411. 412. 413. 414. 415. 416. 417. 418. 419. 420. 421. 422. 423. 424. 425. 426. 427. 428. 429. 430. 431. 432. 433. 434. 435. 436. 437. 438. 439. 440. 441. 442. 443. 444. 445. 446. 447. 448. 449. 450. 451. 452. 453. 454. 455. 456. 457. 458. 459. 460. 461. 462. 463. 464. 465. 466. 467. 468. 469. 470. 471. 472. 473. 474. 475. 476. 477. 478. 479. 480. 481. 482. 483. 484. 485. 486. 487. 488. 489. 490. 491. 492. 493. 494. 495. 496. 497. 498. 499. 500. 501. 502. 503. 504. 505. 506. 507. 508. 509. 510. 511. 512. 513. 514. 515. 516. 517. 518. 519. 520. 521. 522. 523. 524. 525. 526. 527. 528. 529. 530. 531. 532. 533. 534. 535. 536. 537. 538. 539. 540. 541. 542. 543. 544. 545. 546. 547. 548. 549. 550. 551. 552. 553. 554. 555. 556. 557. 558. 559. 560. 561. 562. 563. 564. 565. 566. 567. 568. 569. 570. 571. 572. 573. 574. 575. 576. 577. 578. 579. 580. 581. 582. 583. 584. 585. 586. 587. 588. 589. 590. 591. 592. 593. 594. 595. 596. 597. 598. 599. 600. 601. 602. 603. 604. 605. 606. 607. 608. 609. 610. 611. 612. 613. 614. 615. 616. 617. 618. 619. 620. 621. 622. 623. 624. 625. 626. 627. 628. 629. 630. 631. 632. 633. 634. 635. 636. 637. 638. 639. 640. 641. 642. 643. 644. 645. 646. 647. 648. 649. 650. 651. 652. 653. 654. 655. 656. 657. 658. 659. 660. 661. 662. 663. 664. 665. 666. 667. 668. 669. 670. 671. 672. 673. 674. 675. 676. 677. 678. 679. 680. 681. 682. 683. 684. 685. 686. 687. 688. 689. 690. 691. 692. 693. 694. 695. 696. 697. 698. 699. 700. 701. 702. 703. 704. 705. 706. 707. 708. 709. 710. 711. 712. 713. 714. 715. 716. 717. 718. 719. 720. 721. 722. 723. 724. 725. 726. 727. 728. 729. 730. 731. 732. 733. 734. 735. 736. 737. 738. 739. 740. 741. 742. 743. 744. 745. 746. 747. 748. 749. 750. 751. 752. 753. 754. 755. 756. 757. 758. 759. 760. 761. 762. 763. 764. 765. 766. 767. 768. 769. 770. 771. 772. 773. 774. 775. 776. 777. 778. 779. 780. 781. 782. 783. 784. 785. 786. 787. 788. 789. 790. 791. 792. 793. 794. 795. 796. 797. 798. 799. 800. 801. 802. 803. 804. 805. 806. 807. 808. 809. 810. 811. 812. 813. 814. 815. 816. 817. 818. 819. 820. 821. 822. 823. 824. 825. 826. 827. 828. 829. 830. 831. 832. 833. 834. 835. 836. 837. 838. 839. 840. 841. 842. 843. 844. 845. 846. 847. 848. 849. 850. 851. 852. 853. 854. 855. 856. 857. 858. 859. 860. 861. 862. 863. 864. 865. 866. 867. 868. 869. 870. 871. 872. 873. 874. 875. 876. 877. 878. 879. 880. 881. 882. 883. 884. 885. 886. 887. 888. 889. 890. 891. 892. 893. 894. 895. 896. 897. 898. 899. 900. 901. 902. 903. 904. 905. 906. 907. 908. 909. 910. 911. 912. 913. 914. 915. 916. 917. 918. 919. 920. 921. 922. 923. 924. 925. 926. 927. 928. 929. 930. 931. 932. 933. 934. 935. 936. 937. 938. 939. 940. 941. 942. 943. 944. 945. 946. 947. 948. 949. 950. 951. 952. 953. 954. 955. 956. 957. 958. 959. 960. 961. 962. 963. 964. 965. 966. 967. 968. 969. 970. 971. 972. 973. 974. 975. 976. 977. 978. 979. 980. 981. 982. 983. 984. 985. 986. 987. 988. 989. 990. 991. 992. 993. 994. 995. 996. 997. 998. 999. 1000.

~~VECHER, Nikolay Aleksandrovich; IVANOV, N.I., retsenzent; KULAKOV,~~
~~A.M., retsenzent; LEPIINSKIKH, B.M., red.; BAS'YAS, I.P.,~~
~~red.; MIKHAYLIKOV, S.V., red.; TELEGIN, A.S., red.;~~
~~BUR'KOV, M.M., red.isd-va; ISLENT'YEVA, P.G., tekhn. red.~~

[Highly efficient open-hearth furnace performance] Vysoko-
proizvoditel'naia rabota martenovskikh pechei. Moskva,
Metallurgizdat 1963. 270 p. (MIRA 16:8)
(Open-hearth furnaces)

VECHER, R.A.; GERASIMOV, Ya.I.; GEYDERIKH, V.A.

Iron activity in solid solutions of silicon in iron. Zhur.
fiz. khim. 39 no.5:1229-1232 My '65. (MIRA 18:8)

1. Moskovskiy gosudarstvennyy universitet imeni M.V. Lomonosova.

VECHER, R.; ORSHCHIK, V.A.; GERASIMOV, Ya.T.

Thermodynamic properties of iron-cobalt alloys. Dokl. AN SSSR 164
no.4:835-838 3 '65. (MIRA 18:10)

1. Moskovskiy gosudarstvennyy universitet. 2. Chlen-korrespondent
AN SSSR (for Gerasimov).

VECHER, R.A.; GEYDERIKH, V.A.; GERASIMOV, Ya.I.

Thermodynamic properties of iron-silicon alloys. *Izv. AN SSSR.
Neorg.mat.* 1 no.10:1722-1731 0 '65.

(MIRA 18:12)

1. Moskovskiy gosudarstvennyy universitet imeni M.V.Lomonosova.
Submitted July 5, 1965.

L 1643-66 EWT(m)/EWP(w)/EPF(c)/EPF(a)-2/T/EWP(t)/EWP(b) IJP(c) JD/WN/JG

ACCESSION NR: AP5021428

UR/0076/65/039/008/2080/2081
541.11

AUTHOR: Vecher, A. A.; Vecher, R. A.; Geyderikh, V. A.; Vasil'yeva, I. A.

TITLE: Nature of the conductivity of the solid electrolyte 0.85 ThO₂ + 0.15 La₂O₃

SOURCE: Zhurnal fizicheskoy khimii, v. 39, no. 8, 1965, 2080-2081

TOPIC TAGS: thorium¹¹ oxide, lanthanum¹¹ oxide, electric conductivity¹⁵, galvanic cell, transference number

ABSTRACT: Derivation of the equation for the average ion transference number

$$\bar{t}_{ion} = \frac{E}{E_0}$$

shows that if the thermodynamic data for a reaction occurring in a cell are known, this equation can be used to calculate the average ion transference number for an electrolyte for certain given electrodes. The emf of the cell

Card 1/2

L 1648-66

ACCESSION NR: AP5021428

was measured at 1000°K and found to be 300 ± 20 mV. The thermodynamic emf E_0 , calculated from data for FeO and SiO₂, is equal to 797 ± 20 mV. Hence, $t_{ion} = 0.38 \pm 0.03$ for the electrolyte 0.85ThO₂ + 0.15La₂O₃ with the electrodes Si, SiO₂ ($p_{O_2} = 10^{-37}$ atm) and Fe, FeO ($p = 10^{-21}$ atm), which is close to the value reported in the literature for the electrolyte 0.85ZrO₂ + 0.15CaO for approximately the same conditions. It is concluded that thermodynamic quantities for SiO₂ cannot be obtained by the emf method with a solid electrolyte having oxygen conductivity because an appreciable electronic conductivity arises in the electrolyte, and the galvanic cell ceases to be reversible. Orig. art. has: 4 formulas.

ASSOCIATION: Moskovskiy gosudarstvennyy universitet im. M. V. Lomonosova (Moscow State University)

SUBMITTED: 06Mar65

ENCL: 01

SUB CODE: GC

NO REF SOV: 001

OTHER: 004

Card 2/2

VECHER, A.A.; VECHER, R.A.; GEYERIKH, V.A.; VASIL'NEVA, L.A.

Nature of conductance of the solid electrolyte $\text{O},85 \text{ PbO} \cdot \text{O},15 \text{ La}_2\text{O}_3$. *Dokl. Akad. Nauk. SSSR*, 1980, no.8, 2080-2081. *Zh. fiz. Khim.* 54, 1495. (MIRA 1819)

1. Moskovskiy gosudarstvennyy universitet imeni Lomonosova.

USSR / Farm Animals, General Problems

Q-1

Abstr Jour : Ref Zhur-Biol., No 6, 1958, 26096

Author : Zafron S., Vochera A.

Inst : Not given

Title : A New Method for the Preservation and Storage of the Moist Corn Grain for Fodder (Novyy sposob konservirovaniya i khraneniya vlazhnogo zerna kukuruzy na dorm)

Orig Pub : Molochn. i myasnoye zhitovnovodstvo, 1957, No 6, 35-39

Abstract : The experiments carried out by the authors demonstrated the possibility of the successful storage of the moist grain of the waxy ripe corn under anaerobic conditions in a storing place isolated from the air and provided with airtight walls. The moisture amounted to about 40 percent. There was but 2-5 percent of mildewed grain.

Card 1/1

VECHERA, A.F.

"Means of Storing Untreated Kernels of Corn for Fodder";

dissertation for the degree of Candidate of Agricultural Sciences
(awarded by the Timiryazev Agricultural Academy, 1962)

(Izvestiya Timiryazevskoy Sel'skokhozyaystvennoy Akademii, Moscow, No. 2,
1963, pp 232-236)

VECHEREYEV, L.Ye.

Growing peaches. Est.v shkole no.1:81-82 Ja-F '56. (MLRA 9:5)

1. Uchitel' biologii meditsinskogo uchilishcha goroda Zhitomira.
(Peach)

Organization, Planning, and Economics (Cont.)

471

COVERAGE: This book is one in a series of textbooks prepared by the "Economics and Organization of the Machine-building Department" of the Moscow Institute of Engineering Economics, imeni S. Ordzhonikidze. Part I (Maintenance) is written by N.N. Zakharov, candidate of technical sciences, docent; Part II (Power), by I.M. Kheyster, candidate of technical sciences, docent; Part III (Equipment), by M.S. Murav'yev, candidate of technical sciences, docent; Part IV (Supply) by M.N. Demchenko, candidate of technical sciences, docent; Part V (Transportation) by E.N. Demchenko, Ya. P. Vecherin, and M.A. Sventitskiy. The following aspects are discussed: organization, planning, economics of maintenance, power, equipment, transportation, warehouses, and the question of supply operations in a machine-building plant.

3

Card 2/14

Organization, Planning, and Economics (Cont.) 471

TABLE OF
CONTENTS:

Foreword	3
PART I. ORGANIZATION, PLANNING, AND	
ECONOMICS OF MAINTENANCE	
Ch. I. Importance of Equipment Maintenance in a Socialistic Enterprise	5
Ch. II. The Nature of a System of Preventive Maintenance	7
Ch. III. Estimating Basic Data Pointing to Preventive Maintenance, as Exemplified by the 1D62 Machine Tool	11
Ch. IV. Characteristics of Basic Symptoms Indicating the Need for Preventive Maintenance	18
Card 3/14	

Organization, Planning, and Economics (Cont.)	471	
Ch. V. Operations Preparatory to Maintenance		24
Ch. VI. Organization of Maintenance		30
Ch. VII. Planning and Recording Maintenance Operations		37
Ch. VIII. Organizing the Labor and the Work Sites		45
Ch. IX. Ways to Reduce the Down Time of Equipment During Maintenance Operations		50
Ch. X. Wages of Maintenance Workers		53
Ch. XI. Estimating and Decreasing Maintenance Costs		57
Ch. XII. An Example for the Calculation of the Yearly Volume of Maintenance Operations, the Number of Mechanics Needed, and the Percentage of Average Down Time of Machine Tools During Maintenance		65
Card 4/14		

Organization, Planning, and Economics (Cont.)	471
PART II. ORGANIZATION, PLANNING, AND POWER ECONOMICS	
Ch. I. Characteristics of Power Economics of a Machine-Building Plant	70
1. Power equipment and sources of power supply	70
2. Power requirements and technological improvement as related to basic production processes	73
3. Structure of power distribution of plant	76
4. Calculation of power and fuel requirements	82
Ch. II. Organizing More Efficient Power Consumption	83
1. Measures for improving the efficiency of power consumption	83
2. Utilization of secondary power resources as a factor in the economy of power and fuel	88
3. Effect of improved power consumption on volume and distribution of specific power expenditures	92

Card 5/14

Organization, Planning, and Economics (Cont.)	471
Ch. III. Organization and Planning of the Operation of a Thermo-electric Power Station	93
1. TET (Thermo-electric power station) as the power base of the plant	93
2. Organizing and planning the production of electric power and heat	94
3. Organizing and planning the maintenance of basic equipment	100
4. Organizing and planning labor and wages	101
5. Planning and analyzing the cost of electric power and heat	104
Ch. IV. Organization of Power Plant Management	106
1. Duties of the office of the chief plant engineer	106
2. Functions of the basic sub-sections of the OGE (office of the chief plant engineer)	107

Card 6/14

Organization, Planning, and Economics (Cont.)	471
3. Organization of primary recording of power consumption and determining norms of power consumption	109
Ch. V. Basic Technological and Economic Aspects of Power Management in a Machine-building Plant	118
1. Classification of indices	118
2. Indices of economical production and distribution of power	120
3. Specific power consumption per production unit	123
4. Indices of the cost of power and the specific power-consumption cost	123
5. Indices of power supply per worker per year	129
Bibliography	130
PART III. ORGANIZATION, PLANNING, AND MANAGEMENT OF EQUIPMENT	131

Card 7/14

Organization, Planning, and Economics (Cont.)	471
Ch. I. Purpose of Equipment Management in a Machine-building Plant	131
Ch. II. Classification and Proper Nomenclature of Equipment	137
Ch. III. Standardization of Tools	145
Ch. IV. Determining Tool Requirements of the Plant	148
Ch. V. Estimating the Serviceability of Tools	149
Ch. VI. Estimating Operational Stocks of Tools	156
Ch. VII. Planning and Regulating the Use of Tools	160
Ch. VIII. Planning and Regulating the Production of Tools	166
Card 8/14	

Organization, Planning, and Economics (Cont.)	471	
Ch. IX. Organizing the Central Toolroom		168
Ch. X. Organizing Workshop Toolrooms		171
Ch. XI. Supplying Work Places With Tools		174
Ch. XII. Organizing Tool-Dressing		178
Ch. XIII. Organizing Maintenance and Overhaul of Tools		181
Ch. XIV. Organizing Technical Supervision of the Use of Tools		188
Ch. XV. Production Structure of Tool Workshops		190
Ch. XVI. Planning of Tool Production and Production Work of Tool Shops		194
Card 9/14		

Organization, Planning, and Economics (Cont.)	471
Ch. XVII. Production Work of Tool Shops	195
Ch. XVIII. Management of the Plant Tool Department	195
Ch. XIX. Technical and Economic Indices of the Plant, and Bases for the Economic Accountability of the Plant Tool Department	197
Bibliography	199
PART IV. ORGANIZATION, PLANNING, AND MANAGEMENT OF SUPPLIES AND STORES	
Ch. I. Importance to National Economy of Efficient Management of Materiel Used in Socialist Machine-Building	200
Ch. II. Organization, Planning, and Management of Raw Materials and Technical Supplies	205
Card 10/14	

Organization, Planning, and Economics (Cont.)	471
1. The role of raw materials and technical supplies	205
2. Supply systems of machine-building enterprises	209
3. Norm-setting basis for materiel and technical supplies	213
4. Planning materiel and technical equipment supplies	221
5. Estimating raw material supplies	224
6. Procurement	229
Ch. III. Organization of Stores	235
1. Purpose of stores in machine-building enterprises	235
2. Types and technical organization of stores in a machine-building plant	236
3. Estimating the storage area	242
4. Technical equipment of a store	242
5. Organizing storage operations	247
Ch. IV. Organization of Management and Economic Accountability of Materiel in the Procurement Department	256

Card 11/14

Organization, Planning, and Economics (Cont.)	471
Bibliography	260
PART V. ORGANIZATION, PLANNING, AND MANAGERMENTS OF THE TRANSPORTATION DIVISION	261
Ch. I. Meaning, Purpose, and Basic Principles of Intra- plant Transportation	261
1. Meaning and purpose of intra-plant transportation	261
2. Structure of transportation management in machine- building plant	264
3. Types of transportation and transportation means used in machine-building plants	266
4. Organization and management of machine-building plant transportation	273
5. Determining the turnover of goods	277
6. Basic estimate of intra-plant transportation	280
Card 12/14	

Organization, Planning, and Economics (Cont.)	471
Ch. II. Organization of Railroad Transportation	280
1. Basic premises of railroad transportation in a machine-building plant	280
2. Organization of goods transportation	286
3. Flow and turnover of goods	289
4. Coordinated technical operation of access routes and junction-station routes	292
5. Organization of coordinated technical operations and intra-plant transportation	294
6. Principal objectives in organizing loading and unloading operations	299
7. Estimating transportation needs of the railroad department	302
8. Indices and gages of technical operations and management of railroad transportation	307

Card 13/14

Organization, Planning, and Economics (Cont.)	471
9. Organization of rolling-stock and railroad-track maintenance	310
Ch. III. Organization of Automotive and Inter-Workshop Trackless Transportation	311
1. Characteristics of automotive-transportation	311
2. Basic aspects of systems used in inter-workshop transportation	313
3. Determination of requirements and operational indices of transportation means	317
4. Maintenance of transportation equipment	319
Ch. IV. Planning and Economic Accountability of Intra-Plant Transportation	320
1. Planning intra-plant transportation	320
2. Essentials of economic accountability of the transportation department	322
Bibliography	324
AVAILABLE: Library of Congress	GO/ksy
Card 14/14	9-9-58

DOBROSEL'SKAYA, A.F., kand.tekhn.nauk; DLUGACH, B.A., kand.tekhn.nauk;
VECHERIN, Ya.P., inzh.; DERIBAS, A.T.

Advisability of the operation of small-capacity approach lines.
Trudy TSNII MPS no. 196:162-180 '60. (MIRA 14:5)
(Railroads--Branch lines)

VECHERIN, Ya.P., inzh.; DERIBAS, A.T.; DOBROSEL'SKAYA, A.F., kand.tekhn.
~~NAUK~~; PLADIS, F.A., inzh.; TIKHONCHUK, Yu.N., kand.ekon.nauk

Cooperative use of engineering equipment resulting from the
combination of transportation systems. Vest.TSNII MPS 18
no.2:21-25 Mr '59. (MIRA 12:6)
(Railroads--Equipment and supplies)

VECHERIN, Ya.P.

DERIBAS, A.T., inzh.; DLUGACH, B.A., inzh.; VECHERIN, Ya.P., inzh.

The bunker or bunkerless loading of coal? Mekh.trud.rab. 11
no.9:24-26 S '57. (MIRA 10:11)

(Coal handling)

~~VECHERIN, Ya.P., inzh.;~~ KUKUSHKIN, I.I., inzh.; DLUGACH, B.A., kand.tekhn.nauk

Estimating the equipment requirements of loading and unloading units.

Trudy TSNII MPS no. 196:79-108 '60.

(MIRA 14:5)

(Loading and unloading)

VECHERIN, Ya.P., inzh.; KUKUSHKIN, I.I., inzh.

Operational requirements for the equipment of industrial railroad
stations. Trudy TSNII MPS no. 196:130-161 '60. (MIRA 14:5)
(Railroads, Industrial)

GULEV, Ya.F.; VECHEIN, Ya.P.; FILIPPOVA, L.S., red.; VOROTNIKOVA,
L.F., tekh. red.

[Organization of uniform freight operations in the case of non-continuous conditions of the operations of industrial enterprises] Organizatsiia ravnomernoï gruzovoi raboty pri preryvnom rezhime raboty promyshlennykh predpriatii. Moskva, Transzheldorizdat, 1961. 23 p. (MIRA 15:7)
(Loading and unloading) (Railroads--Freight)

DLUGACH, B.A., kandidat tekhnicheskikh nauk: VECHERIN, Ya.P., inzhener.

Technical calculations in equipping loading and unloading zones
along sidings. Vest.TSNII MPS no.3:35-40 N '56. (MIRA 10:1)
(Loading and unloading)

VECHERKIN, S.G., gornyy inzhener; STARTSEV, Yu.G., gornyy inzhener.

Sliding of internal dumps at the Kamyshburun iron mines. Ger.zhur.
no.4:57-59 Ap '56. (MIRA 9:7)
(Kerch--Strip mining) (Iron mines and mining)

Author : Vecherkin, S.S., Esikov, V.I.

Inst : Not given

APPROVED FOR RELEASE: 08/31/2001 CIA-RDP86-00513R001859220007-7"

Title : Stimulants of Hemosporidiosis in Cattle in *Boophilus calcaratus* ticks.

Orig Pub : Tr. In-ta zool. i parazitol. AN KirgSSR, 1956, No 5, 129-134

Abstract : A study was conducted of hemosporidia morphology of large horned cattle on *B. calcaratus* ticks collected in a locality open to hemosporidiosis infections. In smears from salivary glands, Malpighian vessels, and ovaries, club-shaped, rhomboid-shaped, round, oval and pear-shaped hemosporidia were found (diameter 2-14 μ). Parasites were found

Card 1/2

Abs Jour : Referat.Zh.Biol., No 2, 1958, 5349

Abstract : in 4% of tick eggs taken from clinically healthy cows (196 ticks) and from one diseased cow (1 tick). Hemosporidia in these cases had a club-shaped and rounded form (diameter 2-6 μ). When tick larvae (\sim 800) were implanted on a healthy cow, the cow became sick and pyroplasms and "fransiella" were found. This confirms that in the southern Kirghiz SSR the vectors of pyroplasm and fransiella in large horned cattle are *B. calcaratus* ticks

USSR/Diseases of Farm Animals - Diseases Caused by Protozoa.

R

Abs Jour : Ref Zhur Biol., No 5, 1959, 21419

Author : Vecherkin, S.S.

Inst : Kirgiz Scientific Research Institute of Animal Husbandry and Veterinary Medicine.

Title : Data on the Epizootology of Hemosporidiasis in Cattle of Southern Kirgizia

Orig Pub : Tr. Kirg. n.-i. in-ta zhivotnovodstva i veterinarii, 1957, vyp. 13, 43-53

Abstract : No abstract.

Card 1/1

- 26 -

VECHERKIN, S.S., kand.veterin.nauk; YESIKOV, V.I., starshiy nauchnyy
sotrudnik

Control measures against Hemosporidia infections in cattle in
Kirghizistan. Veterinariia 40 no.7:17 J1 '63. (MIRA 16:8)

1. Kirgizskiy nauchno-issledovatel'skiy institut zhivotnovodstva i
veterinarii.

(Kighizistan--Hemosporidia)
(Kirghizistan--Cattle--Diseases and pests)

USSR/Diseases of Farm Animals - Diseases Caused by Protozoa.

R

Abs Jour : Ref Zhur Biol., No 5, 1959, 21418

of hemosporidiasis after it had begun. In the course of 2 weeks following the injection of the preparation no new outbreaks of the disease were in evidence. The dosages of the solution were 5 ml for adult animals and 3 ml for young stock. -- From the author's summary.

Card 2/2

VECHERKIN, S.S., kand.vet.nauk; YESIKOV, V.I., assistant; CHIKOV, A.N.,
nauchnyy sotrudnik

Intramuscular injection of trypaflavine for hemosporidiosis in
cattle. Veterinariia 36 no.3:24-26 Mr '59. (MIRA 12:4)
(Hemosporidia) (Acriflavine)

USSR / Zooparasitology. Acarina and Insect-Vectors of
Disease Pathogens.

G-3

Abs Jour : Ref Zhur - Biol., No 8, 1958, No 33976

Author : Vecherkin, S. S., Esikov, V. L.

Inst : Not given

Title : Hemosporidiosis in Large Horned Cattle Caused by
Boophilus Calcaratus Mites. -- Vozbuditeli gemospori-
diozov krupnogo rognatogo skota v kleshchakh Boophilus
calcaratus.

Orig Pub : Byul. nauchno-tekhn inform. Kirg. n.-i. in-t zhivot-
novodstva i vet., 1956, No. 1-2, 54-55.

Abstract : Hemospiridin (H) was found in 73 semi-sated B. calcaratus
females, collected from clinically healthy animals raised
in a locality which is considered unsafe with respect to
hemosporidiosis; they were collected in the following
organs: in salivary glands (16.4%), Malgiphan vessels

Card 1/2

VECHERKIN, S.S.; YESIKOV, V.I.

Causative agents of cattle hemosporidiosis found in *Boophilus calcaratus*
ticks. Trudy Inst.sool.i paraz.AE Kir.SSR no.5:129-134 '56.
(MLRA 10:5)

(Kirghizistan--Ticks as carriers of disease)
(Hemosporidia) (Parasites--Cattle)

ВСОСНАН, 1. 3.

1639. Opyty Immunizatsii Ovets Protiv Babeziyellozn. M., 1954. 16s. 10sm.
(M-Vo Sel'skogo Khozyaystva SSSR. Vsesoyuz. In-f Eksperim. Veterinarii). 110
EKZ. B. TS.-(54-53750)

SO: Knizhnaya Letopis', Vol. 1, 1955

VECHERKIN, S. S.

"The Results of Immunization of Sheep Against Babesiasis." Cand Vet Sci,
All-Union Inst of Experimental Veterinary Medicine, Min Agriculture USSR, Moscow,
1954. (KL, No 1, Jan 55)

Survey of Scientific and Technical Dissertations Defended at USSR Higher
Educational Institutions (12)
SO: Sum. No. 556, 24 Jun 55

VOLKOVA, A.A.; GREBENTUK, R.V.; TIMOFEYEV, A.F.; VECHERKINA, L.G.

Experimental study on *Dermacentor marginatus* ticks as possible
vectors of *Brucella bovis*. Trudy Inst.zool.i paraz.AN Kir.SSR
no.7:161-172 '59. (MIRA 13:4)
(Ticks as carriers of disease) (Brucellosis)

VECHERKO, G.

For putting the principle of material self-interest into practice
on collective farms. *Dev. i kred.* 20 no.12:46-50 D '62.
(MIRA 16:1)

1. Starshiy ekonomist otdela kreditovaniya kolhozov Brestskoy
oblastnoy kontory Gosbanka.

(Brest Province—Collective farms—Income distribution)
(Brest Province—Banks and banking)

VECHERKOVA

CZECHOSLOVAKIA / Laboratory Equipment.

F

Abs Jour: Ref Zhur-Khimiya, No 12, 1958, 39477.

Author : Vechezek, Kolarzhik, Khundela, Vecherkova.

Inst : Not given.

Title : An Electromagnetic Automatic Pipette.

Orig Pub: Chem. primysl, 1957, No 9, 487-489.

Abstract: A pipette (P) for aliquoting equal amounts of solution is provided with a piston which is displaced under the influence of an electromagnet. The time of aliquoting the solution and its removal from the pipette can be regulated and timed to one second, and even to less than one second when the volume of (P) is small. The accuracy of the aliquoting is 0.1% for 10 ml volume. The manipulation can be done by remote control.

Card 1/1

USSR/Human and Animal Morphology. Respiratory System. S-2

Abstr Jour: Ref Zhur - Biol., No 19, 1958, 88356

Abstract: of the tissue. The muscle fibres of the flap showed a tendency to regeneration. Nerve fibres and endings were preserved in the flap, thus securing its ability to survive. The multiple high ciliary epithelium of the bronchus is capable of metaplasia into a flat multilayer epithelium.

Card 2/2

20

VECHEROVA, Yu.M., tkachikha

Working with modernized looms, I will complete in five and
a half years the assignment of the seven-year plan. Tekst.
prom. 19 no.12:9-11 D '59. (MIRA 13:3)

1. Fabrika "Solidarnost'," Ivanovskogo sovnarkhoza.
(Ivanovo--Cotton manufacture)
(Looms)

GAGANOVA, V.I., brigadir pryadil'shchits, Geroy Sotsialisticheskogo Truda, delegat XXII s"yezda Kommunisticheskoy partii Sovetskogo Soyuza; ROZHNEVA, M.I., delegat XXII s"yezda Kommunisticheskoy partii Sovetskogo Soyuza; VECHEROVA, Yu.M., tkachikha, Geroy Sotsialisticheskogo Truda, delegat XXII s"yezda Kommunisticheskoy partii Sovetskogo Soyuza

Reports of the delegates to the 22d Congress of the CPSU. Tekst.-prom. 22 no.1:5-12 Ja '62. (MIRA 15:2)

1. Vyshnevolotskiy khlopchatobumazhnyy kombinat (for Gaganova).
2. Pomoshchnik мастера Kupavinskoy tonkosukonnoy fabriki (for Rozhneva).
3. Savinskaya fabrika "Solidarnost'" (for Večerova).

(Textile industry)

(Communist Party of the Soviet Union--Congresses)

VECHEROVSKIY, I.F., Doc Med Sci -- (diss) "Experimental and clinical data for the problem of the pathogenesis of acute osteomyelitis." Kazan', 1959, 34 pp (Kazan' State Med Inst) 260 copies (KL, 28-59, 130)

- 91 -

VECHEROVSKIY, I. F.

Doc Med Sci - (diss) "Experimental and clinical materials on the problem of the pathogenesis of acute osteomyelitis." Kazan', 1961. 32 pp; (Kazan' State Medical Inst); 280 copies; price not given; (KL,10-61 sup, 223)

VECHETA, A.

"Controlling the course of sugar crystallization."

LISTY CUKROVARNICKE, Praha, Czechoslovakia, Vol. 75, No. 4, April 1959.

Monthly List of East European Accessions (EFAI), IG, Vol. 8, No. 7, September 1959.

Unclassified.

VECHERSKIY, P.A.
MARSHALKIN, Georgiy Aleksandrovich; GUSAKOV, A.I., inzh., retsenzent;
VECHERSKIY, P.A., dots, retsenzent; KRUGLOVA, G.I., red.;
GHEBYSHEVA, Ye.A., tekhn.red.

[Engineering equipment for confectionery production] Tekhnologi-
cheskoe oborudovanie konditerskogo proizvodstva. Moskva, Pishche-
promizdat, 1957. 571 p. (MIRA 11:2)
(Confectionery--Equipment and supplies)

VECHERKIN, P.A.

Technological mobility of a free-flowing substance as a factor determining the dynamics of the process of granulation by adhesion. Trudy KTIIP no.27:133-142 '63. (MIRA 17:5)

ZAYTSEV, N.V., kandidat tekhnicheskikh nauk; KOSITSYN, I.A., dotsent, redaktor; DAMASKINA, G.B., redaktor; VECHERSKIY, P.A., dotsent, retsenzent; KOSITSYN, I.A., dotsent, retsenzent; KOS'MIN, T.F., inzhener, retsenzent; NUDEL'MAN, G.E., inzhener, retsenzent; MEDVEDEVA, L.A., tekhnicheskij redaktor.

[Technological equipment of bakeries] Tekhnologicheskoe oborudovanie khlebozavodov. Pod red. I.A.Kositayna. Moskva, Pishchepromizdat, 1954.
431 p. [Microfilm] (MLRA 8:2)
(Bakers and bakeries--Equipment and supplies)

PROCESSES AND PROPERTIES OF STEEL

One-bodied evaporating plant with [beet] juice evaporation in suspension. M. A. Kondak, P. A. Vychetkin, N. I. Korenev and P. P. Nazbut. *Nauka, Sibirskii Press. 51, 65-75(1964)*.--A system of evapn. by superheated steam, not yet tested practically, is described, with detailed calcs. The steam is used repeatedly, after superheating independently of the boiler, which is of small capacity. The plant required is much smaller than that now used. B. C. A.

ASME 5.0 METALLURGICAL LITERATURE CLASSIFICATION

CR

28

VECHERSKIY, P.A., kand.tekhn.nauk; YAROTSKIY, V.G., inzh.

Granulation of slat dust. Khim.mashtinostr. no.1:17-19 - Ja-F
'64. (MIRA 17:4)

VECHERSKIY, P.A.

Performance of adhesion granulators for free-flowing
substances. Izv. vys. ucheb. zav.; pishch. tekhn. no.4:
108-115 '63. (MIRA 16:11)

1. Kiyevskiy tekhnologicheskii institut pishchevoy
promyshlennosti, kafedra protsessov i apparatov.

VECHERSKIY, P.A.

Study of the flow of loose substances in the process apparatus.
Trudy KTIPP no.21:99-107 '59. (MIRA 14:1)
(Granular materials)

VECHERSKIY, P.A.

Measuring instrument for studying the flow of loose substances
during their treatment in the processing apparatus. Trudy *ETIPP*
no.21:109-121 '59. (MIRA 14:1)
(Granular materials)

VECHERSKII, P. A.

Apparatus for pulping filter cake in the production of
pectin adhesive. M. A. Kondak and P. A. Vecherskii.
U.S.S.R. 67,136, Sept. 30, 1968.

3 copies noted

VECHERSKIY, P.A.

Processing of bulk substances in adhesion granulators. *Izv.vys.-
ucheb.zav.*; *pishch. tekh.* no.3:124-125 '63. (MIRA 16:8)

1. Kiyevskiy tekhnologicheskii institut pishchevoy promyshlennosti,
kafedra protsessov i apparatov.

(Granulation)

VECHERSKIY, Yu.I., inzh.

Electric power supply to automatic block systems in a.c. electrified railroad districts. Avtom., telem. i sviaz' 6 no.3:26-29
Mr '62. (MIRA 15:3)

(Electric railroads--Current supply)
(Electric railroads--Signaling--Block system)

VECHERUK, V. I.

"Application of Nonlinear Elements in Automatic Regulation Systems." Cand
Tech Sci, Leningrad Polytechnic Inst, Leningrad, 1954. (RZhMekh, Nov 54)

Survey of Scientific and Technical Dissertations Defended at USSR Higher
Educational Institutions (11)

SO: Sum. No. 521, 2 Jun 55

GLADCHENKO, A.N., inzh.; KRYLOV, E.S., inzh.; VECHERYA, B.G., inzh.

Introducing sandblast mold making. Mashinostroenie no.2:
47-48 Mr-Apr '65. (MIRA 18:6)

VECHERYA, B.G.; KLIBUS, Yu.V.

New grade of stainless steel. Lit.proizv. no.9:43-44 S '62.
(MIRA 15:11)
(Steel, Stainless)

NOV/HR
ADMISSION NO: APR 1964
31 04 84 1964 17 14 (0.15)

ATTENTION: Report on...
Mashinostroyeniye, no. 5, 1964, 34-35

TITLE: New stainless steels

SOURCE: Mashinostroyeniye, no. 5, 1964, 34-35

TOPIC TAGS: stainless steel, alloy steel, nickel steel/ 1Kh18N4G4L steel, 2Kh18N4G4L steel, 1Kh18N9TL steel, PSN 2.5 arc furnace

ABSTRACT: Two new types of stainless steel, 1Kh18N4G4L and 2Kh18N4G4L, have been alloyed at the Kiev steel mill...
Replacement of Ni by Mn is possible because the Mn increases the stability of the austenite during cooling. The composition of the charge for producing the steels in an arc furnace of the type PSN-2.5 is as follows: 1Kh18N4G4L - carbon steel 0.6%...
1Kh18N9TL steel, PSN 2.5 arc furnace

Card 1/2

DISCUSSION

ACCESSION NO: AFA 1741

DATE: 1954

CLASSIFICATION: CONFIDENTIAL

TOP SECRET

SUBMITTED: 00

ENCL: 00

SUB NO: MM

NO. OF PAGES: 00

DATE: 00

Card 2/2

FEDOT'YEV, N.P.; VECHESLAVOV, P.M.; OSTROUMOVA, N.M.; GRILIKHES, S.Ya.

Increasing the durability of gold and silver plated coatings.
Leg.prom. 17 no.3:43-44 Mr 57. (MLRA 10:4)
(Gold plating) (Silver plating)

VECHESLAVOV, V.V., inzh.

Determination of the operational frequency band in
registering the $M = f(s)$ of electrical machines.
Vest. elektroprom. 33 no.10:65-68 0:62. (MIRA 15:9)
(Electric machinery) (Electric measurements)

24c

I h7304-55 FWT(n)/EPA(w)-2/EWA(m)-2 Pab-10 IJP(c) GS

ACCESSION NR: AT5007921

S/0000/64/000/000/0274/0287

76
64
B+

AUTHOR: Bayyer, V. N.; Blinov, G. A.; Bondarenko, L. N.; Yerozolimskiy, B. G.;
Korobeynikov, L. S.; Mironov, Ye. S.; Naumov, A. A.; Onuchin, A. P.; Panasyuk,
V. S.; Popov, S. G.; Sidorov, V. A.; Sil'vestrov, G. I.; Skriniskiy, A. N.;
Khabakhpashev, A. G.; Auslender, V. L.; Kiseley, A. V.; Kushnirenko, Ye. A.;
Livshits, A. A.; Rodionov, S. N.; Synakh, V. S.; Yudin, L. L.; Abramyan, Ye. A.;
Vasserman, S. B.; Vecheslavov, V. V.; Dimov, G. I.; Papadichev, V. A.; Protopopov,
I. Ya.; Budker, G. I.

TITLE: Colliding electron-electron, positron-electron, and proton-proton beams

SOURCE: International Conference on High Energy Accelerators. Dubna, 1963.
Trudy. Moscow, Atomizdat, 1964, 274-287

TOPIC TAGS: high energy interaction, high energy plasma, particle physics, particle beam, charged particle beam

ABSTRACT: In the Institute of Nuclear Physics, Siberian Department, Academy of Sciences SSSR, programs on high-energy particle physics are mainly concerned with work on colliding charged particle beams. The Institute considers it unsuitable

Card 1/5

2 47308-65

ACCESSION NR: AT5007921

For its purpose to install huge accelerators whose construction requires large resources outlaid and long time. For work on colliding electron-electron, positron-electron, and proton-proton beams, three installations are being built, which are in various stages of readiness. Work on colliding electron beams was conducted at the institute (then a laboratory of the Institute of Atomic Energy named I. V. Kurchatov) in the Fall of 1956, after Kerst's report on accelerators with colliding proton beams of the FFAG type. By that time Soviet scientists had already acquired some experience in obtaining large electron currents; in particular, the mentioned laboratory had installed and then abandoned a device for the spiral storage of electrons (G. I. Budker and A. A. Naumov, CERN Symposium, 1, 76 (1956)), by which, subsequently, circulating currents of the order of 100 amperes were obtained. In 1957 two variants of this device were considered at the same time. The first one consisted of two accelerators with spiral storage and subsequent transition of the particles to synchrotron state in comparatively narrow paths. The second one had storage rings with constant magnetic field and frequent external injection because of the damping of the oscillations under the action of radiation. The first variant was more cumbersome; the second variant contained an element not developed at that time, namely a 100-kilovolt commutator of 10 kilo-amperes with nanosecond front. At the end of 1957, the first positive results were obtained.

Card 2/5

L 47304-65

ACCESSION NR: AT5007921

with a packing discharger of 100 kilovolts, and work stopped on the variant with storage rings. Originally it was proposed to set up two devices: VEP-1 of 2×130 Mev energy, and VEP-2 of 2×500 Mev energy. The VEP-1 was considered as an actual model of an accelerator and as a device for conducting initial experiments at low energies. After the Panofsky report in 1958 on his work with colliding electron beams conducted in his laboratory at Stanford, construction ceased on 500-Mev storage paths and work was continued on the 2×130 -Mev installation. Instead of work on colliding electron beams with energies of 500 Mev, work at the end of 1958 was conducted with colliding positron-electron beams and the planning of the VEPP-2 device was begun, whose main elements are a strong-current electron accelerator and a high-vacuum storage path of 700 Mev energy. At the present time the VEP-1 and VEPP-2 are installed in Novosibirsk. The VEP-1 is in a state of neglect, but at the end of 1964 experiments will be begun with it. Installation of the VEPP-2 has been completed. To obtain a marked effect from the application of colliding proton beams, an accelerator is needed with an energy of at least 10 Gev. Since the ordinary accelerator at such energies is a very bulky machine, it was decided to combine the idea of colliding proton beams with the creation of an iron-less impulse accelerator with very large fields and a neutralized central busbar. This latter work of creating such a machine was reported by the authors at a Moscow conference

Card 3/5

L 47304-65
ACCESSION NR: AT5007921

0

held in 1956. The presence of a field with two directions in an iron-less accelerator with central busbar permits the acceleration of protons toward opposite sides in one machine, which makes possible the collision of protons in case of a suitable race-track. At the present time the Institute is developing a proton device with a magnetic field of about 200 kilogauss and radius of 2 meters for a particle energy of 12 Gev in the beam (equivalent energy is around 300Gev). Tests are being conducted on models, and an effective method of injection by overcharging of negative ions is under study. Also under development are an impulse electric power supply system of 100 million joules capacity and an hf power supply. Since 1958 the Institute has been conducting theoretical investigations on the limits of applicability of quantum electrodynamics [V. N. Bayyer, ZhETF, 37, 1490 (1959), and UFN, 78, 619 (1962)] for the calculation of the radiational corrections to the electrodynamic cross-sections [V. N. Bayyer and S. A. Kheyfets, ZhETF 40, 613-715 (1961) and Nuclear Physics (in print)], and on other problems of high-energy particle physics that are connected with the preparation of experiments on colliding beams [V. N. Bayyer, I. B. Khriplovich, V. V. Sokolov, and V. S. Synakh, in ZhTF, 1961]. The present report takes up under the mentioned three main headings the following pertinent topics: the accelerator-injection, storage paths, electron-optical channel,

Card 4/5

L 47304-65

ACCESSION NR: AT5007921

input and output system, experiments on storage, proposed work, experimental set-up, physical layout of magnets, power supply, etc. Orig. art. has: 8 figures.

ASSOCIATION: Institut yadernoy fiziki SO AN SSSR (Institute of Nuclear Physics, SO AN SSSR)

SUBMITTED: 26May64

ENCL: 00

SUB CODE: EE, NP

NO REF SOV: 012

OTHER: 003

ML
Card 5/5

ACCESSION NO: R000000000

DATE OF ACQUISITION: 06/13/65

34
B

AUTHOR: Vecheslavov, V. V.; Orlov, fu. F.

TITLE: Accelerator with nonlinear spiral focusing

19

SOURCE: Atomnaya energiya, v. 18, no. 3, 1965, 209-213

TOPIC TAGS: particle accelerator, strong focusing, linear focusing, spiral focusing, cubic field, accelerator stability, self phasing accelerator

ABSTRACT: This work is related to an earlier study (ZhETF v. 45, 932, 1962) devoted to the solution of the equations of motion of a charged particle in a nonlinear spiral field. In the present article it is proposed to use a spiral field for

Card 1/2

L 51069-65

ACCESSION NR: AP5009108

mate calculations are made of the size of the stability region, of the adiabatic
density, the mechanism of transverse oscillation, and the influence of the vari-

HR REF SOV: 004

OTHER: 000

L 22413-66 EWT(m) IJP(c)

ACC NR: AP6007944

SOURCE CODE: UR/0039/66/020/002/0112/0117

AUTHORS: Vecheslavov, V. V.; Orlov, Yu. F. 27

ORG: none B

TITLE: Main properties of nonlinear focusing

SOURCE: Atomnaya energiya, v. 20, no. 2, 1966, 112-117

TOPIC TAGS: ¹⁹ focusing accelerator, motion stability, radial acceleration, particle acceleration, phase equilibrium

ABSTRACT: The main purpose of the paper is to confirm the existence of external phase stabilization under cosinusoidal perturbations. Another purpose of the study was to show that phase stabilization actually leads to conservation of stability of motion when adiabatic damping is taken into account, and to confirm the existence of mutual phase stabilization of the r-z oscillations which occur in the absence of an external perturbation near the r-z oscillation resonance. To this end, the authors consider a simple model of nonlinear focusing, which has no special practical significance, but makes it possible, 2

Card 1/2

UDC: 621.384.60

L 22413-66

ACC NR: AP6007944

because of its simplicity, to carry out a sufficiently complete analysis of all the main properties of nonlinear focusing. In this model a symmetrical magnetic field is used whose series expansion contains r and z powers not higher than the fifth. The simple model has even in the first approximation a perturbation theory one r - z resonance in the center of its stability region. The dimensions of the first region of stability are evaluated with allowance for small z -oscillations. It is established that mutual phase stabilization occurs in the region of the r - z resonance. A numerical and partially analytic investigation of these effects is briefly presented. The calculations of the simple model confirm the main concepts of the theory. Orig. art. has: 4 figures and 23 formulas.

SUB CODE: 20/ SUBM DATE: 23Jul65/ ORIG REF: 003/

Card 2/2 *Sw*

VECHESLOV, V.

Pervyi torgovyi reis v ust'e Leny. [The first trade passage to the Lena river estuary].
(Vodnyi transport, 1927, no. 9, p. 342-345). DLC: HE561.R8

SO: Soviet Transportation and Communication, A Bibliography, Library of Congress,
Reference Department, Washington, 1952, Unclassified.

VECHET, A., inz.; CHVOSTEK, J.

The first technical and scientific conference of the briquetting industry in the German Democratic Republic. Paliva 41 no.11:350-353 N '61.

VECHET, A.; VCELAK, V.

Various factors affecting extraction of lignite. p. 265.

PALIVA. (Ministerstvo paliv a Ceskoslovenska vedecka technicka spolecnost pro vyuziti paliv pri Ceskošlovenske akademii ved) Praha, Czechoslovakia, Vol. 39, no. 8, August 1959.

Monthly list of East European Accessions (EEAI) LC, Vol. 8, No. 11, November 1959.

uncl.

VECHET, A., inz.; VCELAK, dr. inz. CSc.

Experiences in operating the apparatus of ash radiometric control. Paliva 44 no. 7:217-218 J1 '64.

1. Severoceske hnedouhelne doly, briketarna, Sokolov (for Vechet). 2. Institute of Fuel Research, Bechovice (for Vcelak).

VINTER, V.; VECHET, B.

A contribution to the study of combined radiation- and heat-
inactivation of bacterial spores. Folia microbiol. (Praha) 9
no.6:352-357 N '64.

1. Department of General Microbiology, Institute of Microbiology,
Czechoslovak Academy of Sciences, Prague 4.

ACCESSION NR: AP4042610

Z/0064/64/009/004/0238/0248

AUTHOR: Vinter, V.; Vechet, B.(Vekhot, B.)

TITLE: Spores of microorganisms. 15. The alteration of heat sensitivity and its relation to the radiation resistance of bacterial spores

SOURCE: Folia microbiologica, v. 9, no. 4, 1964, 238-248

TOPIC TAGS: radiation resistance, microbiology, bacteriology, bacterial spore, bacillus, thermal resistance, dipicolinic acid, calcium, x ray, ultraviolet ray, tetracycline, cysteine

ABSTRACT: The addition of different concentrations of cysteine or thioproline ($1 \cdot 10^{-4}$ to $5 \cdot 10^{-4}$ M) to the culture at the onset of formation of *Bacillus cereus* prespores, that is, before commencement of dipicolinic acid synthesis, led to the death of some of the cells and injured the thermoprotection mechanism of the surviving spores. In control spores with a high dipicolinic acid content, inactivation by heating at 85C was preceded by a lag phase, while in cysteine-

Card 1/2

ACCESSION NR: AP4042610

and thioproline-treated spores this lag phase was completely absent and the death rate of most of the spores (D-value = 17) was actually higher than the final death rate of the control spores (D-value = 33). A small proportion of the treated spores in the inhibited cultures (less than 10%) displayed almost the same heat resistance as untreated spores. The heat sensitivity of treated spores was greater than might have been anticipated from their dipicolinic acid content. Their resistance to x-rays was not reduced, but actually increased. The results are discussed with reference to the differentiation of a possible "basal" and "additional" spore thermoprotection mechanism and to differentiation of the nature of heat and radiation resistance in bacterial spores. The experimental results are presented in 5 graphs. Orig. art. has: 5 figures.

ASSOCIATION: Department of General Microbiology, Institute of Microbiology, Czechoslovak Academy of Sciences, Prague

SUBMITTED: 29Dec63

SUB CODE: LS

NO REF SOV: 000

ENCL: 00

OTHER: 039

Card 2/2