

SLEBODZINSKI, Andrzej; WOJCIK, Kazimierz

The protein level and the trend of changes in serum protein fractions in sheep receiving estrone injections. Acta physiol. polon. 13 no.4: 501-509 '62.

1. Z Laboratorium Biochemicznego Instytutu Zootechniki w Krakowie
i Zakładu Fizjologii Zwierząt Wyższej Szkoły Rolniczej w Krakowie
Kierownik: prof. dr Z. Ewy.
(BLOOD PROTEINS) (ESTRONE)

WOJCIK, K.; EWY, Z.

Studies on the serum glycoproteins level in mares in early pregnancy. Bull. acad. Pol. sci. [Biol.] 13 no.8:485-487 '65.

1. Submitted May 8, 1965.

WOJCIK, Leszek, mgr inz.

Semiconductor converters used in vehicle lighting. Przegl
elektrotechn 41 no.3:117-120 Mr '65.

1. Department of Lighting Techniques of the Institute of Electrical
Engineering, Warsaw.

STERNADEL, Zbigniew; MARIANOWSKI, Longin; WOJCIK, Maria

Labor in obese women. Zdrow. publiczne no.4/5:171-176 Ap-My '65.

1. Z I Kliniki Poloznictwa i Chorob Kobiacych AM w Warszawie
(Kierownik: prof. dr. med. T. Bulski).

WOJCIK, Marian, mgr inz.; MADURA, Emil, technik

Improved circulation of condensates. Gosp paliw 11 Special
issue no. (95):37-38 Ja '63.

1. Fabryka Celulozy i Papieru, Klucze.

WOJCIK, M.; BOGUCKI, A.

Results of the measurements of voltage and frequency characteristics of a steady load. Pt. 2. p. 103

ENERGETYKA (Ministerstwo Gornictwa i Energetyki oraz Stowarzyszenie Elektrykow Polskich) Bytom, Poland. Vol. 13, no. 4, Apr 1959

Monthly List of East European Accessions (EEAI) LC, Vol. 8, no. 9, September 1959.
Uncl.

WOJCIK, Marian, inz.

Load measurements on the Zarki-Skierniewice electric railroad line.
Biuletyn. Energetyka Pol 14 no.4:6-8 Ap '60. (EEAI 9:10)

1. Zaklad Systemow Energetycznych in Katowice.
(Poland--Electric lines)
(Poland--Railroads)

WOJCIK, Marian, mgr inz.

A conference devoted to scientific problems on methods of determining the load curve prognosis and the power reserves for the planning of power systems. Energetyka Pol 14 no.7:220-222 J1 '60. (EEAI 10:1)
(Poland--Electric power)

WOJCIK, Marian, inz.

Results of the load index tests for electric traction of the Polish Railroads. Pt.1. Energetyka Pol 15 no.2 Biuletyn:8 F '61. (EEAI 10:5)

1. Zaklad Sieci Elektrycznych Katowice.
(Poland--Railroads)

BOGUCKI, Antoni, dr., inz.; WOJCIK, Marian, inz.

~~Equations of natural static voltage~~ characteristics of the reactive power received by typical consumer groups. Energetyka Pol 16 no.2: 53-56 '62.

1. Zaklad Sieci Elektrycznych.

BOGUCKI, Antoni, dr.inz.; WOJCIK, Marian, inz.

Steady-state voltage characteristics of the active power
consumption of typical groups of electric power consumers.
Energetyka Pol 16 no.7:213-215 J1 '62.

1. Instytut Energetyki, Warszawa.

BOGUCKI, Antoni, dr.inz.; WOJCIK, Marien, inz.

Equations of the steady-state frequency characteristics of active power consumption taken for typical consumer groups. Energetyka Pol 16 no.8:251-253 Ag '62.

1. Instytut Energetyki, Warszawa.

WOJCIK, Marian Antoni, mgr inż.

Analysis and evaluation of cooling systems of thermal power stations. Pt. 1. Energetyka Pol 17 no. 7: Supplement: Energopomiar 9 no. 4:29-32 J1 '63.

1. Dział Ciepłny, Instytut Energetyki, Warszawa.

WOJCIK, Marian Antoni, mgr inz.

Analysis and evaluation of cooling systems of thermal electric power plants. Pt. 2. Energetyka Pol 17 no.11:Suppl.:Energopomiar 9 no.6s44-48 N '63.

1. Pion Ciepłny, Zakład Badan i Pomiarow, Warszawa.

WOJCIK, Marian Antoni, mgr inż.

Analysis and evaluation of cooling systems of thermal electric power plants. Pt. 3. Energetyka Pol 18 no. 1: Supplement: energopomiar 10 no. 1: 1-3 Ja '64.

1. Pion Ciepłny, Zkład Badan i Pomiarow, Warszawa.

MAJEWSKI, Zdzislaw ; WOJCIK, Maria

Measuring method of storage charge collected in p-n junctions as applied to the determination of the carrier lifetime in regions neighboring junctions of wide-base diodes. Przegl elektroniki 4 no. 5/6: 317-322 My-Je '63.

1. Zaklad Elektroniki, Instytut Podstawowych Problemow Techniki, Polska Akademia Nauk, Warszawa.

WOJCIK, MARIA

KUJAWSKA, Aleksandra; WOJCIK, Maria

Results of roentgenologic and electrocardiographic examinations of the heart in silicosis. Polski tygod. lek. 12 no.21:803-806
20 May 57.

1. Z II Kliniki Chorob Wewnętrznych Śląskiej Akademii Medycznej i z Działu Chorob Zawodowych Instytutu Medycyny Pracy w Przemysle Węglowym i Hutniczym w Zabrze; kierownik: prof. dr. med. W. Zahorski.
Adres: Zabrze, 3 Maja 13, II Klin. Chor. Wewn. A. M.

(SILICOSIS, physiology,

ECG & heart x-ray (Pol))

(ELECTROCARDIOGRAPHY, in various diseases,
silicosis (Pol))

(HEART, in various diseases,
silicosis, x-ray (Pol))

EXCERPTA MEDICA Sec.6 Vol.11/1 Internal Med. Jan 57

WOJCIK M.

642. WOJCIK M. II Klin. Chor. Wewnę. Śląskiej A. M. i Działu Chor. Zawodowych Inst. Med. Pracy, Przemysłu Węglowym i Hutniczym, Zabrze. *Układ krążenia w ostrych zatruciach tlenkiem węgla w przemyśle. The circulatory system in acute carbon monoxide poisoning in industry MED. PRACY 1956, 7/1 (51-56)

Some authors suggest that carbon monoxide (CO) exerts toxic action on the metabolism of the cardiac muscle. The air containing 0.01% CO causes only slight symptoms, 1% concentration of CO in the air brings about death in a few minutes. Autopsy findings reveal, as a result of CO poisoning, punctate haemorrhages in the pericardium or small necrotic foci. Clinically there are headaches, dizziness, nausea, restlessness - the cardiac action accelerates, the second sound above the pulmonary artery becomes accentuated, blood pressure is lowered, the ECG reveals lowering of ST, P pulmonale and low voltage QRS extrasystoles, Wilson's block. Observations on 32 cases.

(VL, 17)

WOJCIK, Marian; OLES, Andrzej; KAMINSKA, Irena

Attempted domiciliary treatment of patients with viral hepatitis in the city of Rzeszow in 1960 and 1961. Przegl. epidem. 16 no.2: 233-235 '62.

1. Z Działu Epidemiologii Woj. Stacji San Epid. w Rzeszowie Dyrektor Stacji: lek. med. Z. Mazurek.
(HEPATITIS INFECTIOUS ther)

BOGUCKI, Antoni, dr inż.; WOJCIK, Marian, inż.

Equations of steady-state frequency characteristics of reactive power consumption for typical consumer groups. Energetyka Pol 17 no.5:149-151 My '63.

1. Instytut Energetyki, Katowice.

P/053/63/000/003/003/003
E192/E382

AUTHORS: Majewski, Zdzisław and Wójcik, Maria

TITLE: Investigation of the influence of surface recombination on the transient operation of a p-n junction

PERIODICAL: Przegląd elektroniki, no. 3, 1963, 163 - 167

TEXT: Ge-In junctions, the construction of which is illustrated in Fig. 1, were investigated. The Ge surface opposite the junction inside the Ni ring of the base was used as the recombination contact of the base. Changes in the Ge surface were induced either by gradual etching in boiling H_2O_2 or by sanding. This latter operation was performed by rubbing the surface with cotton wool wetted in fine carborundum paste or by a high-pressure water jet containing carborundum powder. The switching operation of the junction can be described either by measuring the charge accumulated in the near-junction area or by measuring the dependence of the inverse current after rapidly switching off the voltage from a junction which was conducting in the forward direction. It is shown that for a thin base the relationship between the transient or the switching parameter and the surface
Card 1/3

P/053/63/000/003/003/003
E192/E382

Investigation of

recombination velocity s is defined by:

$$\frac{1}{\tau_{ef}} = \frac{1}{\tau_p} + A_t \cdot \frac{s}{w} \quad (4)$$

where $\tau_{ef} = \Delta Q_s / \Delta I_p$ is the effective lifetime of the holes in the base (where ΔQ_s is the charge stored in the near junction region and ΔI_p is the conduction current prior to the switching-off), τ_p is the volume lifetime of the holes in the base and w is the thickness of the base. The constant in Eq. (4) is expressed by:

$$A_t = \frac{w}{L_p} \frac{1}{\sinh \frac{w}{L_p}} + \frac{sL_p}{D} \left(\cosh \frac{w}{L_p} - 1 \right) \quad (5)$$

Card 2/3

P/053/63/000/003/003/003
E192/E382

Investigation of

where L_p is the diffusion path of the holes in the n-region and D_p is the diffusion constant for the holes. Eq. (4) was used to investigate the possibility of determining the surface recombination velocity s from the stored-charge measurements. It was found that, in general, s , determined by this method, differed quite significantly from the results measured by the photoelectric method. However, this discrepancy can be eliminated if the constant A_t in Eq. (4) is determined experimentally for various values of w/L and various junction configurations. There are 6 figures and 1 table.

ASSOCIATION:

Zakład Elektroniki IPPT-PAN
(Electronics Laboratory, IPPT-PAN)




Fig. 1:

Card 3/3

20068

P/015/60/000/003/001/001
A076/A126

15-2120

1142 1273 1155

AUTHOR: Wojcik, Mieczyslaw
TITLE: Quartz glass - properties
PERIODICAL: Szkło i Ceramika, no. 3, 1960, 73 - 78

TEXT: Mechanical, optical, chemical and electrical properties of quartz glass are described. Production of non-transparent quartz glass began in Poland during 1958 in the Zakłady Szklarskie "Kara" (Glass Plant "Kara") in Piotrków Trybunalski. In the first phase production of quartz blocks used to manufacture tank furnaces began in the glass plants "Wołomin" and "Polanka". Later, electrical insulators, thermocouple pipes and vessels for the chemical industry will be produced. The mechanical properties of non-transparent quartz glass, based on data compiled by V. P. Pryanishnikov and published in "Quartz Glass" 1956, Moscow and E. Goerlich published in "Chemia Krzemianów" (Silicia Chemistry) 1957, Warsaw, are given in Figure 1. Specific weight of non-transparent quartz glass ranges from 2.02 to 2.08 G/cm³. It has good tensile, bending and drawing strength and resists irregular heating. Further, it has good refractory properties compared to other type glass. It can withstand temperatures from 1,100 to 1,200°C and for a short

Card 1/7

20068

P/015/60/000/003/001/C01
A076/A126

Quartz glass - properties

time even 1,400°C. Visible crystallization in non-transparent quartz glass begins at 1,200°C and in transparent glass at 1,300°C. Crystallization speed in non-transparent glass at 1,630°C. The crystallization depends on temperature and Figure 2 shows this dependence according to investigations made by G. A. Konovalov, F. A. Kurlankin and V. P. Pryanishnikov. Average heat capacity of quartz glass, according to the All-Union Institute of Refractory Materials, USSR, is shown in Table II. Quartz glass has the best electric properties and there are practically no dielectric losses. At normal temperature specific conductivity of non-transparent quartz glass is 10^{-16} , and for transparent $10^{-18} \text{ ohm}^{-1} \cdot \text{cm}^{-1}$. Figure 3 shows the increased electric conductivity of quartz glass in relation to higher temperatures. Dielectric endurance of transparent quartz glass at 20°C is 43 kv/mm and of non-transparent glass 32 kv/mm. In addition to the above electric properties, quartz glass allows the passage of ultra-violet rays, investigation results obtained by the Institute of Optics in Moscow with a 13-mm-thick quartz glass sample are given in Table IX. White light absorption coefficient does not exceed 0.002. Absorption coefficient of a 1-mm-thick quartz sample for a 280μ wave ranges from 0.0004 to 0.0008. There are 10 tables and 6 figures.

Card 2/7


20068

F/015/60/000/003/001/001

A076/A126

Quartz glass - properties

Figure 1:



Mechanical endurance of non-transparent quartz glass in dependence on temperature, according to N. A. Konovalov; curve 1 - drawing strength; curve 2 - bending strength; curve 3 - bending impact strength.

X

Quartz glass - properties

20068

P/015/60/000/003/001/001

A076/A126

Table II:

Temperature °C	Average heat capacity in kcal/kg°C	
	Transparent quartz glass	Non-transparent quartz glass
20	0.213	0.205
200	0.213	0.205
300	0.220	0.218
400	0.230	0.218
500	0.224	0.237
600	0.240	0.242
700	0.250	0.247
800	0.260	-
1,000	0.273	-

Card 4/7


20068

P/015/60/000/003/001/001
A076/A126

quartz glass - properties

Figure 2:

Thickness of crystallization in mm



Crystallization speed of quartz glass in dependence on temperature according to G. A. Konovalov, F. A. Kurlankin and V. P. Pryanishnikov. Number 1 for non-transparent quartz; number 2 for transparent quartz.

Card 5/7


X

20068

P/015/60/000/003/00 1/001
A076/A126

Quartz glass - properties

Figure 3:



Electric conductivity depending on temperature. Curve 1 - transparent quartz glass; curve 2 - non-transparent quartz glass; curves 3 and 4 - non-transparent and transparent quartz, glass according to the Institute of Physics; curve 5 - transparent quartz glass, according to Mikhaylov

Card. 6/7

20068

P/015/60/000/003/001/001
A076/A126

Quartz glass - properties

Table IX: Permeability of quartz glass to ultra-violet rays

Wave length in m μ	Permeability in %	Wave length in m μ	Permeability in %
217	6.0	248	50.9
220	10.1	252	62.0
224	21.2	256	73.0
226	28.0	260	82.0
228	34.0	264	87.0
230	38.0	268	90.0
230	40.9	272	91.0
234	41.9	276	91.2
236	41.9	280	91.6
238	41.3	290	92.0
240	41.3	300	91.8
242	41.9	350	92.0
244	43.5	400	92.4

Card 7/7

WOJCIK, P.

Current problems of construction in rural areas, p. 69

ZAGADNIENIA EKONOMIKI ROLNEJ (Komitet Ekonomiki Rolnictwa Polskiej Akademii Nauk,
Instytut Ekonomiki Rolnej i Sekcja Ekonomiki Rolnictwa Polskiej Towarzystwa
Ekonomicznego) Warszawa, Poland. No. 1, 1959

Monthly List of East European Accessions (EEAI) LC, Vol. 8, no. 9, September 1959.
Uncl.

GAWECKA, I.; WOJCIK, R.

Observations on the problem of biological and statistical evaluation of the activity of cardiac glycosides. Acta physiol. polon. 10 no.3:423-434 May-June 59.

1. Z Zakladu Farmakologii Instytutu Lekow w Warszawie Kierownik: dr. J. Venulet.

(CARDIAC GLYCOSIDES, pharmacol.)

VENULET, Jan; WOJCIK, Ryszard

Basic methods of statistical analysis of biological problems.
Postepy biochem.6 no.1:83-113 '60.

(STATISTICS)

(BIOLOGY)

GAWECKA, Irena; SZMAL, Zdzislaw; WOJCIK, Ryszard

Evaluation of biological method for the determination of adrenalin
in drugs. Acta physiol.polon. 11 no.3:457-468 My-Je '60.

1. Z Zakladu Farmakologii Instytutu Lekow w Warszawie Kierownik:
doc. dr J.Venulet.
(EPINEPHRINE them)

JANOWIEC, M.; WOJCIK, R.

Multiphasic evaluation of the activity of antitubercular drugs
on guinea pigs. Acta physiol. polon. 11 no.5/6:739-740 '60.

1. Z Zakladu Farmakologii Instytutu Lekow w Warszawie. Kierownik:
doc.dr J.Venulet.

(ANTITUBERCULAR AGENTS pharmacol)

GAWECKA, Irena; WOJCIK, Ryszard

Studies on the effect of pigeon's weight and of the time of determination on the biological activity of *Digitalis purpurea*. Acta physiol. Pol. 13 no.1:217-226 '62.

1. Zakład Farmakologii Instytutu Leków w Warszawie Kierownik: doc. dr J. Venulet Katedra Statystyki Matematycznej SGGW Kierownik: prof. dr Z. Nawrocki.

(DIGITALIS pharmacol)

JANOWIEC, Mieczyslaw; WOJCIK, Ryszard, A.; VENULET, Jan

Associated effect of isonicotinic acid hydrazide (INH) and of some drugs influencing the macro-organism in experimental tuberculosis. Med. dosw. mikrobiol. 15 no.4:311-315 '63.

1. Z Zakładu Farmakologii Instytutu Leków w Warszawie (kierownik: doc.dr.med. J. Venulet) i z Katedry Statystyki Matematycznej SGGW w Warszawie (kierownik: prof.dr. Z. Nawrocki).

Wojcik, Seweryn, mgr inż.

Hydraulic gas accumulator with separated spaces for gas
and liquid. Przegł mech 23 no.14:400-402 25 XI '64

1. Designer, Widzew Textile Machine Works, Lodz.

WOJCIK, S.

Preparation for putting a peeling machine into motion. p. 21.
PRZEMYSŁ DRZEMNY, Warszawa, Vol. 6, no. 7, July 1955.

SO: Monthly List of East European Accessions, (ESAL), LC, Vol. 4, no. 10, Oct. 1955,
Uncl.

WOJCIK, S.

WOJCIK, S. The setting of a knife in a peeling machine. p. 274.

Vol. 6, No. 10, Oct. 1955

PRZEMYSŁ DRZEWNY

TECHNOLOGY

Warszawa, Poland

So: East European Accession, Vol. 5, No. 5, May 1956

WOJCIK, S.

How we shall travel in 1959 and in the following years. p.44.

PRZEGLAD KOLEJOWY DROGOWY. (Wydawnictwa Komunikacyjne) Warszawa, Poland
Vol.11, no.3, Mar. 1959

Monthly list of East European Accessions (EEAI) LC, Vol.8, no.7, July 1959

Uncl.

WOJCIK, S.

Rovimiz A, a concentrate of A vitamin for feeding purposes.
Przem sopolyw 16 no.1:48-49 Ia '62.

WOJCIK, Stanislaw

May fly fauna (Ephemeroptera) of the Vistula River near Tczew.
Biologia zesz nauk Poznan no.4:102-120 '63.

1. Institute of Systematic Zoology of the Adam Mickiewicz University, Poznan.

WOJCIK, STANISLAW

✓Chemical composition of coypu (*Myocastor coypus*) milk.
Stanislaw Wójcik and Zdzislaw Zdybicki (M.C.S. Univ.,
Lublin, Poland). *Ann. Univ. Mariae Curie-Skłodowska,
Lublin-Polonia*, Sect. B, 9, 321-3(1954).--Results of chem.
analysis of milk and colostrum of coypu are given. Milk:
sp. wt. 1.02, dry matter 38.4-42.3, inorg. matter 1.2-1.6,
N 1.8-2.4, total protein 11.6-15.1, casein 6.5-11.8, albu-
min 2.1-4.2, globulin 1.0-1.6, fat 20.3-31.4, lecithin 0.3,
lactose 0.2-1.1, Na 0.2, P 0.1, and total org. matter 40.3%;
carotene 200 γ , vitamin A 800 γ /%. Colostrum: sp. wt. 1,
dry matter 48.4, inorg. matter 3.3, org. matter 43.1, N 2.9,
total protein 18.3, casein 6.3, albumin and globulin 10.9,
fat 23.8, and lactose 0.8%.
R. Ehrlich

MD



FACZYNSKI, Andrzej; SZCZĘKOT, Jozef; DUNAJ, Weronika; WOJCIK, Tadeusz

Excessive physiological mobility of the cervical spine in children as a cause of diagnostic difficulties. Chir. narząd. ruchu ortop. Pol. 28 no.7:787-791 '63

1. Z Kliniki Ortopedycznej Akademii Medycznej w Gdansk
(Kierownik: doc. dr. A. Senger).

WOJCIK, Tadeusz, mgr.inz.

The Ba 46 barge. Bud okretowe Warszawa 7 no.6:181 Je '62.

1. Biuro Konstrukcyjne Taboru Morskiego, Gdansk.

WOJCIK, Tadeusz, mgr inz.

Designing inland vessels in the Merchant Marine Craft Designing
Office. Bud okretowe Warszawa 8 no.9:304-305, inserts A-C
S '63.

1. Biuro Konstrukcyjne Taboru Morskiego, Gdansk.

WOJCIK, Tadeusz, mgr inż.

Czechoslovak and Hungarian shipyards. Bud okrętowe Warszawa 8
no.4:112-114 Ap '63.

1. Biuro Konstrukcyjne Taboru Morskiego, Gdansk.

POLAND/Nuclear Physics - Nuclear Power and Technology

C

Abs Jour : Ref Zhur Fizika, No 8, 1959, 17523

Author : Frankowski, W., Wagner, J., Wojcik, T.

Inst : -

Title : Conditions of the Economic Operation of Nuclear Power
Stations in Poland

Orig Pub : Nucleonika, 1958, 3, Spec. Number, 11-17

Abstract : No abstract.

Card 1/1

WOJCIK, T.

TECHNOLOGY

Periodicals: NORMALIZACJA. Vol. 26, no. 6/7, June/July 1958

WOJCIK, T. Concerning the unreality of some "real state!"; an answer to Dr. H. Stonert. p. 269.

Monthly List of East European Accessions (EEAI) LC, Vol. 8, No. 2,
February 1959, Unclass.

WOJCIK, T.

TECHNOLOGY

Periodicals: ~~NORMALIZACJA~~. Vol. 26, no. 9, Sept. 1958

WOJCIK, T. A draft of a systematization standard. p. 420

Monthly List of East European Accessions (EEAI) LC, Vol. 8, No. 2,
February 1959, Unclass.

WOJCIK, T.

Lesions associated with hardening of steel; report of acute case of poisoning with sodium cyanide. Med. pracy 5 no.3:187-190 1954.

1. Z Wojewodskiej Stacji Sanitarnej-Epidemiologicznej w Kielcach.
(CYANIDES, poisoning,
sodium cyanide, occup. pois. in metal worker)
(OCCUPATIONAL DISEASES,
sodium cyanide pois. in metal worker)
(POISONING,
sodium cyanide, in metal worker)

ZEBROWSKI, Tadeusz; PIENIAZEK, Janina; BOROWIECKA, Anna; WOJCIK, Teresa;
JEDRUSZEK, Jerzy.

Practical value of repeated determination of isoniazid resistance
of the tubercle bacillus. Polski tygod. lek. 10 no.10:293-297 7 Mar
55.

1. Z Centralnego Laboratorium Panstw. Zespolu Sanatoriow Przeciw-
grunzlicznych w Otwocku; kierownik Laboratorium: dr med. Tadeusz
Zebrowski. Otwock, ul. Reymonta 53 m. 5.

(MYCOBACTERIUM TUBERCULOSIS, effect of drugs on,
isoniazid resist., value of repeated determ.)

(NICOTINIC ACID ISOMERS, effects,
isoniazid on M. tuberc., resist., value of repeated
determ.)

WOJCIK, T.

General principles of subject classification, p. 378.
(NORMALIZACJA. Vol. 24, no. 7, July 1956, Warszawa, Poland)

SO: Monthly List of East European Accessions (EEAL) LC. Vol. 6, no. 12, Dec. 1957.
Uncl.

WIKTOROWICZ, Maria; WOJCIK, Teresa

Examination of synthetic packages for some galenic preparations.
Ann. Univ. Lublin sect. D 19:235-240 ' 64.

1. Katedra i Zakład Farmacji Stosowanej, Wydział Farmaceutyczny
AM w Lublinie (Kierownik: prof. dr. farm. Henryk Nerlo).

WOJCIK, Tadeusz, mgr., inz.

Motor ship "Rokita" for cattle transportation.

Bud okret 7 no.3:71-75 Mr '62

WOJCIK, W.

WOJCIK, W. Problems with regard to the portioning of smoked-meat products. p. 17.
(per) Is white meat more digestible than dark meat? p. 18

Vol. 11, no. 9, Sept. 1956
PREMYSL GASTRONOMICZNY
TECHNOLOGY
Warsaw, Poland

So. East Accession Vol. 6, no. 2, Feb. 1957

WOJCIK, W.

"Remarks on Standardization in the Mining of Nonferrous Ores in Poland,"
P. 195. (WIADOMOSCI, Vol. 22, No. 4, Apr. 1954. Warszawa, Poland)

SO; Monthly List of East European Accessions, (EEAL), LC, Vol. 4,
No. 1, Jan. 1955 Uncl.

WOJCIK, Witold, mgr inz.

Increase of labor productivity in nonferrous ore mining.
Rudy i metale 9 no. 8:448-450 Ag '64.

POLAND/Chemical Technology - Chemical Products and Their
Application. Corrosion. Protection Against
Corrosion.

H-4

Abs Jour : Ref Zhur - Khimiya, No 17, 1958, 57806
Author : Wojcik Waclaw
Inst :
Title : The Use of Plating in the Repair Shipyard in Gdynia.
Orig Pub : Budown. okret., 1958, 3, No 2, 32.
Abstract : No abstract.

Card 1/1

wojciak, W.

WOJCIK, W.

Preliminary sealing of fissured water-bearing strata before shaft sinking.

p. 336 (Przeblad Gorniczny. Vol. 12, no. 9, Sept. 1956. Katowice, Poland)

Monthly Index of East European Accessions (EEAI) LC. Vol. 7, no. 2,
February 1958

Wojcik W.

Wojcik W., Eng. "Water or Compressed Air as a Medium for Transporting Stowing Material." (Woda czy powietrze jako przenosnik materiału podsadzkiowego). Przegląd Gorniczy, No. 7-8, 1950, pp. 376-380, 3 figs.

The necessity of stowing in the mining of copper-bearing marl vein, in order to prevent the subsidence of the roof above which occur, at a small vertical distance, rich water-bearing layers. Hydraulic stowing was found suitable. It appeared thereafter that the stowing with sand and gravel occurring on the surface in tertiary formation of a thickness up to 50m. was more suitable. The author gives practical analyses of the stowing by air with sand and gravel will be cheaper than and as efficacious as the hydraulic stowing.

SO: Polish Technical Abstracts - No. 2, 1951

WOJCIK, Witold, mgr., inż.

New concepts on draining opencast mines. Przegl gorn 17 no.7/8:
400-406 J1-Ag '61.

WOJCIK, Witold, mgr inż.

Economy of shaft sinking by the drilling method. Rudy i metale
9 no.11:628-630 N '64.

WOJCIK, Witold, mgr inz.

Boring method of shaft sinking. Wiadom gorn 13 no.10:339-344,
O. '62.

WOJCIK, Witold, mgr inz.

A skip delivery open pit mine. Rudy 1 metale 9 no. 1:
42-43 Ja '64.

WOJCIK, W., mgr inz.

The copper industry in Israel. Rudy i metale 8 no. 11:457-
459 N '63.

WOJCIK, Z.

WSZECHSWIAT. Warszawa. No. 9, Sept. 1958.

Mysteries of Studnisko cave. p.251.

SCIENCE

Monthly List of East European Accessions (EEAI), LC, Vol. 8, No. 2,
February 1958, Unclass.

WOJCIK, Z.; HILLERICH, A.

Review of Polish scientific publications of the last four years on the problem of population based on a bibliography of selected ecologic problems. p. 263.

SO: Monthly List of East European Accessions (FEAL) LC, Vol. 6, no. 7, July 1957. Uncl.

WOJCIK, Z.

Phosphorites from Mielnik on the Bug River. p. 172

PRZEGLAD GEOLOGICZNY. (Wydawnictwa Geologiczne)
Warszawa, Poland. Vol. 7, No. 4, Apr. 1959.

Monthly list of East European Accessions (EEAL) LC. Vol. 8, No. 7, July 1959

Uncl.

WOJCIK, Z.

The upper series of the southern slope of Mount Bobrowiec. p,165.

ACTA GEOLOGICA POLONICA. Warszawa, Poland. Vol. 9, no. 2, 1959.

Monthly List of East European Accessions (EEAI), LC. Vol. 8, No. 9, September 1959
Uncl.

WOJCIK, Z., ZWOLINSKI, S.

Young tectonic displacements in Tatra caves. p,319

ACTA GEOLOGICA POLONICA. Warszawa, Poland. Vol. 9, no.2, 1959.

Monthly List of East European Accessions Index (EEAI), LC. Vol. 8, No. 9, Sept. 1959
Uncl.

SWIDZINSKI, H.; KOSTECKI, J.; WOJCIK, Zb.; MOJSKI, J.; GLAZEK, J.

Review of publications. Przegl geol 12 no.10:428-430 0 '64.

WOJCIK, Zbigniew

The allochthonous gravel in Tatra Mountain caverns. Acta geol pol
10 no.3:401-454 '60. (EEAI 10:6)

1. Zaklad Geologii Dynamicznej Uniwersytetu Warszawskiego i Muzeum
Ziemi Polskiej Akademii Nauk
(Poland--Caves) (Poland--Gravel)
(Tatra Mountains)

WOJCIK, Zbigniew

POLAND

WOJCIK, Zbigniew

Earth Museum (Muzeum Ziemi)

Warsaw, Przegląd Geologiczny, No 8, Aug 63, pp 399-400.

"Speleological Investigations in the Tatras in 1961-62".

GLAZEK, Jerzy; WOJCIK, Zbigniew

Karst phenomena in the eastern part of the Polish Tatra Mountains,
Acta geol Pol 8 no.1:91-124 '63.

1. Laboratory of Dynamic Geology, University, Warsaw, and Museum
of the Earth, Polish Academy of Sciences, Warsaw.

KOZŁOWSKI, Stefan; WOJCIK, Zbigniew

Plan of a geologic museum to be established at Kadzielnia in Kielce.
Przeł. geol 12 no.10:416 0 '64.

1. Institute of Geology Warsaw (for Kozłowski). 2. Earth Museum,
Warsaw (for Wojcik).

WOJCIK, Zbigniew

Popularization of Tatra speleology. Przegl geol 10 no.1:57-58
Ja '62.

WOJCIK, Zbigniew

Caverns and speleology in Hungary. Przegł geol 11 no.1:
45-46 Ja '63.

WOJCIK, Z.

Hungarian speleological publications. Przegl geol 11 no.1:
59-60 Ja '63.

WOJCIK, Zbigniew

Spaleological research in the Tatra Mountains in 1961-1962.
Przegl-geol 11 no. 8:399-400 Ag 163.

1. Museum of Earth Science, Warsaw.

WOJCIK, Zbigniew; GAMS, I. [translator]

Problems of the geomorphology of Yugoslavia in Polish literature,
Geogr vest 36:88-97 '64 [publ. '65].

1. Museum of Natural Sciences of the Polish Academy of
Sciences, Warsaw (for Wojcik).

KAWECKA-GRYCZOWA, Alodia; ZABLOCKI, Stefan; VOISE, Waldemar; STASIEWICZ, Irena; ORLOWSKI, Boleslaw; PAZDUP Jan; DOBRZYCKI, Jerzy; BARYCZ, Henryk; SZPILCZYNSKI, Stanislaw; SKARZYNSKI, Boleslaw; PALACZ, Ryszard; WOJCIK, Zbigniew; JEWSIEWICKI, Wladyslaw; PILECKI, Jerzy; RAVETZ, J.R.

Book reviews. Kwart hist nauki i tech 7 no.1/2:147-219 '62.

WOJCIK, Z.

"The Influence of the Heat Treatment and Temperature on the Size of Austenite Grains in Steel." p. 171 (HUTNIK, Vol. 20, No. 5, May 1953) Warszawa

SO: Monthly List of East European Accessions, Library of Congress, Vol. 2, No. 10, October 1953. Unclassified.

WOJCIK, Z.

"The Development of Metallurgy During the Past 25 Years." p. 174 (HUTNIK, Vol. 20, No. 5, May 1953) Warszawa

SO: Monthly List of East European Accessions, Library of Congress, Vol. 2, No 109, October 1953. Unclassified.

WOJCIK, Z.

Journal of Applied Chemistry
June 1954
Chemical Engineering and
Electrochemical.

Electrolytic polishing of steel at elevated temperatures. Z. Wójcik
(*Praca Inst. Miniat. Hutnic.*, 1953, 8, No. 3, 123-128; *J. Iron Steel
Inst.*, 1954, 176, 241).—A method of investigating supercooled
austenite in steel entails electrolytic polishing at temp. up to 350°
of specimens previously quenched at supercritical rates from above
the A_c point. The electrolytes and the technique of electro-
polishing are described. Advantages and applications of the method
for studying the transformation of supercooled austenite, deter-
mining grain size, investigating the incubation period, and studying
the bainitic transformation are discussed with examples.

R. B. CLARK

Chem. Abs.

Vol. 48, No. 9

May 10, 1954

wojcih, z.

POL. 4

0

✓ Electrolytic polishing of steel strip. Z. Wojcik (Inst. Met., Gliwice, Poland). *Proc Inst. Metallurges* **1963**, **6**, 257-63 (11/4) (English summary); cf. *C.A.B.* **1963**, **6**.— In the present method W. polished C steel strips and wires by pulling them through an electrolyte at 70-80° contg. H₂PO₄ 77, H₂SO₄ 9, CrO₃ 8, and water 9 wt. %, the strips or wires being anodes at a c.d. 50 amp./sq. dm., anodic potential 3.5-3.7 v., and residence time (in the electrolyte) 1-1½ min. After the electrolyte dissolved some Fe, it became more effective. Water and then Na₂CO₃ soln. rinsing followed. After drying, the strips or wires could be submerged in oil at 130° to protect them from corrosion. During electropolishing, H₂PO₄ and H₂SO₄ dissolved the thin layer of the metal while CrO₃ oxidized C (in this layer) to CO or CO₂. From time to time Cr(III) had to be oxidized to Cr(VI) either by NH₃ persulfate or preferably by anodic oxidation. In the latter case spent electrolyte was placed into a Pb tank serving as anode and provided with a Pb cathode surrounded by a diaphragm. C.d. on the anode was 0.5 and on the cathode 20 amp./sq. dm. Electropolishing

was better than mech. polishing because the former removed the thin stressed layer and made the edges smoother.

Frank J. Hendry

Wojcik, Z.

2

P O L .

Electrolytic polishing of steel strip. Z. Wojcik (Prace Inst. Miniat. Hutnic., 1951, v. 357-253).—The problems of electrolytic polishing of ~0.8% C steel strip (cold-rolled with uniform structure and smooth surface), the selection and preparation of electrolytes capable of producing surfaces suitable for galvanising, and arrangements for continuous polishing operations (including control of the electrolyte, and the after-treatment of the strip) are discussed. A new method, utilising additional contacts in an electrolyte consisting of a mixture of H_2SO_4 , H_3PO_4 and chromic acid, with cathodes placed perpendicular to the steel surface, is described. The surface finish obtained is suitable for immediate galvanising without pickling.

L. S.
RM

WOJCIK, Z.

"Danger is Eliminated at Hala Koudratowa", P. 17. (TURYSTA, No. 2, Feb. 1954, Warszawa, Poland)

SO: Monthly List of East European Accessions, (EEAL), LC, Vol. 4, No. 1, Jan. 1955, Uncl.

Wójski, Z.

POLON

18138 The Significance of Micro-Structural Examination in Metallurgical Investigations. Znaczenie badania mikrostruktur w eksperymentach metaloznawczych. (Polish.) W. Haczewski, Z. Wójski, and J. Ogerman. *Prace Instytutu Metaloznawstwa Hutniczego*, v. 7, nos. 2-4, 1955, p. 179-182 + 4 plates. Determines causes of premature deterioration of railroad rails, cracking of carburized alloy steel gears, and deep drawing failures of low C steel sheet products. Micrographs, photographs, diagrams, graphs.

2

WOJCIK, Z.

POLAND

"Importance of Microstructure Examination in Metallurgical Investigations," by
W. HACZEWSKI, Z. WOJCIK, and J. OGEMAN; Prace Instytutow Ministerstwa Hutnictwa,
Gliwice, Nos. 2-4, 1955, Uncl.

~~_____~~

Wojcik, Z.

V. 1421 Interstage Annealing of 13 Percent Chromium Steels.
less Steel. Z. Wojcik. Henry Bratcher Translation No. 3612.
8 p. (From ~~Bratcher Informacyjny (Hutnik)~~, v. 6, no. 2, 1955,
p. 5-7.) Henry Bratcher, Altadena, Calif.
Previously abstracted from original. See item 10533, v. 4, Aug.
1955.

of 2/28

WOJCIEK, Z.

POLON

10533* Interoperational Annealing of 13% Cr Stainless Steel.
Wyznaczanie międzyoperacyjnej stali nierdzewnej 13% Cr.
(Polish.) Z. Wojcik, Hutnik, v. 22, no. 2, Feb. 1955; *Biuletyn
Informacyjny Instytutu Ministerstwa Hutnictwa*, v. 6, no. 2,
1955, p. 5-7.
Isothermal annealing; dilatometric and metallographic investiga-
tions. Heat treatment on laboratory and quasi-industrial scale.
Micrographs, graphs, tables.

M B2

62
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000

ROZYNSKA, Maria; WOJCIK, Zofia

Determination of boron in pharmaceutical preparations by the colorimetric method. Acta pol. pharm. 28 no.5:377-381 '61.

1. Z Zakładu Chemii I Instytutu Leków w Warszawie Kierownik:
doc. mgr inż. Z Margasinski.
(BORON chem) (COLORIMETRY)

WOJCIK, Zofia

Growth waves in mice. Przegł zoolog 7 no. 1:21-25 '63.

1. Zakład Biologii, Akademia Wychowania Fizycznego, Warszawa.

NASIEROWSKA, Zofia; ROZYNSKA, Maria; WOJCIK, Zofia

Colorimetric determination of 4-chlor-3,5-xyleneol.
Chem anal 8 no.4:593-595 '63.

1. Department of Analytical Chemistry, Institute of Drugs,
Warsaw.

PASCIAK, Jan; WOJCIK, Zofia

Polarographic determination of diisopropyloxantogenate disulfide (diproxid) in styrene. Chem anal 8 no.6:955-960 '63.

1. Research Department, Chemical Works, Oswiecim.

ROZYNSKA, Maria; NASIEROWSKA, Zofia; SUFFCZYNSKI, Janusz; WOJCIK, Zofia

Influence of auxiliary substances present in tablets and dragees
on the precision of the active ingredient determination. Acta
Pol. pharm. 22 no.1:21-29 '65.

1. Z Zakładu Chemii Analitycznej Instytutu Leków w Warszawie
(Kierownik: doc. mgr. inż. Z. Margasiński).

BRYC, Stanislaw; WOJCIK, Zygmunt

Normal angiographic pattern of the cerebral blood vessels in relation to the age of the patient. Folia morph. (Warsz.) 24 no.3:281-287 '65.

1. Z Zakladu Radiologii AM w Lublinie (Kierownik: doc. dr. K. Skorzynski) i z Zakladu Anatomii Prawidlowej AM w Lublinie (Kierownik: prof. dr. M. Stelmasiak).