

YANKAUSKAS, M.M. [Jankauskas, M.]

Crack resistance analysis of prestressed reinforced concrete
elements subjected to bending. Trudy AN Lit. SSR. Ser.B.
no.1:229-234 '62 (MIRA 1788)

1. Institut stroitel'stva i arkhitektury AN Litovskoy SSR.

YANKAUSKAS, M.M. [Jenkauskas, M.]; KALINAUSKAS, A.T.

Crack resistance analysis of prestressed reinforced concrete
elements subjected to bending. Trudy AN Lit. SSR. Ser.B.
no.1-235-242 '62 (MIRA 17:8)

1. Institut stroitel'stva i arkhitektury AN Litovskoy SSR.

YANKAUSKAS, N.M. [Jankauskas, N.]

Bearing capacity of a prestressed rectangular section of curved reinforced concrete elements. Trudy AN Lit. SSR Ser. B no.3:181-202 '63. (MIRA 18:3)

1. Institut stroitel'stva i arkhitektury AN Litovskoy SSR.

YANKAUSKAS, M.M. [Jankauskas, M.]

Mechanical properties of weld iron of an old bridge. Trudy AM
Lit. SSR. Ser. B. no. 1-217-222 '64 (MIRA 17x7)

1. Institut stroitel'stva i arkhitektury AN Litovskoy SSR.

YANKAUSKAS, M.M. [Jankauskas, M.]; KALINAUSKAS, A.T.

Experimental study of the effect of prestressing on the carrying capacity
of a reinforced concrete component having a rectangular cross section and
subjected to bending. Trudy AN Lit. SSR. Ser.B no.1:193-210 '65.

(MIRA 18:7)

1. Institut stroitel'stva i arkhitektury AN Litovskoy SSR.

YANKAUSKAS, T.V.

Pterocythidae, a new order of Cribriomyathea. Dokl. AN SSSR 162
no.2:438-440 My '65. (MIRA 18:5)

1. Tomskiy politekhnicheskiy institut. Submitted November 18,
1964.

YANKANSKAS, V. F.

The Second All-Union Conference on the Preparation and Analysis of High-Purity Elements, held on 24-28 December 1963 at Gorky State University im. N. I. Lobachevskiy, was sponsored by the Institute of Chemistry of the Gorky State University, the Physicochemical and Technological Department for Inorganic Materials of the Academy of Sciences USSR, and the Gorky Section of the All-Union Chemical Society im. D. I. Mendeleyev. The opening address was made by Academician N. M. Zhavoronkov. Some 90 papers were presented, among them the following:

P. V. Kristalev and L. B. Kristaleva, Yu. L. Leleshuk and others; L. F. Zaichko, M. S. Zakharov, and V. F. Yankanskas, Methods for determining iron (10^{-5} to $10^{-6}\%$), boron ($5 \times 10^{-5}\%$) and phosphorus ($10^{-6}\%$), also antimony in tin.

(Zhur. ANAL. Khim., 19 NO.6, 1964 p.777-79)

"APPROVED FOR RELEASE: 09/01/2001

CIA-RDP86-00513R001962110003-8

APPROVED FOR RELEASE: 09/01/2001

CIA-RDP86-00513R001962110003-8"

"APPROVED FOR RELEASE: 09/01/2001

CIA-RDP86-00513R001962110003-8

APPROVED FOR RELEASE: 09/01/2001

CIA-RDP86-00513R001962110003-8"

ZATCHKO, I.F.; YANKAUSKAS, V.F.; ZAKHAROV, M.S.

Accurate determination of antimony impurities in high-purity
tin by amalgam polarography. Izv. Akad. Nauk SSSR, Ser. Khim.,
(MIRA) 1961, No. 3, p. 611.
S.-o. Tomskiy politekhnicheskiy institut im. S.M. Kirova.

L 22864-66 EWT(1) IJP(c) WW/CG

ACC NR: AP6011²²

SOURCE CODE: UR/0141/66/009/002/0412/0415

AUTHOR: Yankauskas, Z. K.

ORG: Institute of Physics and Mathematics, AN Latvian SSR (Institut fiziki i matematiki AN Litovskoy SSR)

TITLE: Radial distribution of the field in a self-trapped beam of light

SOURCE: IVUZ. Radiofizika, v. 9, no. 2, 1966, 412-415

TOPIC TAGS: laser, self trapping, nonlinear optics, wave equation

ABSTRACT: A theoretical analysis is conducted of self-trapping of an optical cylindrical beam of circular polarization. The wave equation for such a beam (See: Chiao, R. Y. et al., Physical Review Letters, v. 13, no. 15, p. 479, eq. 6) is rewritten in the following dimensionless form: $E'' + 1/rE' - E + E^3 = 0$. Particular solutions of this equation obtained by the theory of oscillations are integrated to provide numerical data. It is shown that there exists an infinite amount of nonperiodic solutions corresponding to different radial distributions of the field and, therefore, to different critical powers for trapping. Orig. art. has: 5 formulas and 2 figures. [cs]

SUB CODE: 201 SUBM DATE: 20Nov65/ ORIG REF: 002/ OTH REF: 002/
ATD PRESS: 4232

Card 1/1

UDC: 530.111

YASINSKENE, E.I. [Jasinskiene, E.]; YANKAUSKENE, E.K. [Jankauskiene, E.]

Determination of microgram quantities of silver by a kinetic method (by oxidation of cation of the Institute of Chemical Reagents by potassium persulfate) in the presence of some derivatives of pyridine in solution. Trudy AN Lit. SSR. Ser. B no. 4:113-120 '65 (MIRA 19:2)

1. Vil'nyusskiy gosudarstvennyy universitet imeni V. Kapsukasa.
Submitted May 22, 1965.

YANKAYTIS, V.

YANKAYTIS, V.

4695 Kavalyauskayte, Ya. I. Yankaytis, V. Vyrashchi vaniye domashney
ptitsy. Vil'nyus, Gospolitnauch izdat, 1954. 95 c.c Ill. 22 sm.
(B-chkazkolkhoznika). 10,000 ekz. 1p. 30k- Na litov. yaz - (54-57013) 636.5

SO: Letopis' Zhurnal' nypf Statey, Vol 7, 1949

YANKE, Ye.; EMDE, F.; SEDOV, L.I. [translator]; TOLSTOVA, G.V. [translator];
BROINSHTEYN, I.N., red.; GAVRILOV, S.S., tekhn.red.

[Tables of functions with formulas and curves] Tablitsy funktsii
s formulami i krivymi. Izd.3. Moskva, Gos.izd-vo fiziko-matem.
lit-ry, 1959. 420 p. Translated from the German. (MIRA 13:3)
(Functions)

YANKELEV, L.F., kand. tekhn. nauk.

Modern techniques of obtaining mineral wool fibers. Mont. i
spets. rab. v stroi. 23 no.11:22-26 N '61. (MIRA 16.7)

(Mineral wool)

YANKELEV, L. F.

Heat insulation and refractory lining in the petroleum industry Moskva, Gos. nauch.-tekhnič. izd-vo neftianoi i gorno-toplivnoi lit-ry, 1947- (49-12326)

TH9445.P4 I 3

CtY

1. Petroleum industry and trade - Fires and

YANKELEV, L. F.

USSR/Engineering
Furnaces, Metallurgical
Peat

Jan 49

"Smelting Slags in a Peat-Burning Cupola Furnace," A. K. Yanbulov,
Cand Tech Sci, L. F. Yankelev, Engr, 1 p

"Za Ekonomiya Topliva" Vol VI, No 1

Experiments conducted in Leningrad factory imeni Lepse in a cupola furnace with a 500mm diameter showed that peat may be used for smelting slags in a cupola furnace. This requires a bed charge of coke. Both lump and fine (3 - 5 mm) slags may be used in smelting by a cupola furnace using peat.

PA 43/49T53

YANKELEV, I. F.

54/49T5D

USSR/Engineering
Thermal Technology
Insulation

Jul 49

"Methods of Protecting Thermal Insulation From
Atmospheric Action," I. F. Yankelev, Eng., 3 pp

"Za Ekonomiyu Topliva" No 7

Lists composition and characteristics of following
types of insulation: rolled waterproof materials,
asphalt mastics and pastes, asbestos-cement plas-
ters, dissolved asphalt mixed with asbestos, and
asphalt-diatomite pastes. Use of asphalt-diatomite
pastes instead of asbestos-cement plasters would (1)

54/49T56

USSR/Engineering (Contd)

Jul 49

decrease initial expenses on insulation, (2) save
fuel, (3) cut down expenses on repair, and (4) stop
occupational skin diseases.

54/49T56

CA

20

Protective covers for heat insulations. L. F. Yankelev.
Elkh. Sistemii 20, No. 11, 29-31 (1949).—A mass of diatomite paste and bitumen, made up to a paste contg., per cu. m., 250 kg. bitumen, 250 kg. diatomite, and 600 kg. H_2O , replaces asbestos cement as cover for outdoors pipes. The cover has a sp. wt. of about 1000 kg./cu. m., and a heat cond. of 0.16 kcal./m./hr./° at 30°. N. Thon

1. YANKELEV, L. F.
2. USSR (600)
4. Insulation (Heat)
7. Information from conferences of efficiency experts and innovators working in the field of heat insulation. Energ. biul. no. 10 1952.
9. Monthly List of Russian Accessions, Library of Congress, March 1953. Unclassified.

GUBINA, Ye. A.; YAKOVLEV, L. V.

Insulation (Heat)

Heat insulation from asbestos-slate waste and bentonite. Elek, sta. 23 no. 2, 1952.

Inzh.

SO: Monthly List of Russian Accessions, Library of Congress, April 2, 1958, Uncl.

YANKELEV, L.F., inzhener.

Practical heat insulating work. Energetik 1 no.1:12-14 Je '53. (MLRA 6:8)
(Insulation (Heat))

1. YANKLEV, L. F., Eng.
2. USSR (600)
4. Insulation (heat)
7. Reinforcing heat insulation with mineral wool, Elek. sta. 2¹/₄ No. 1,
1953
9. Monthly List of Russian Accessions, Library of Congress, May 1953. Unclassified.

1. YANKELEV, L. F., Eng.
2. USSR (600)
4. Mineral Wool products made with diatomic lime binding material, Elek. sta.,
24, No. 3, 1953.
9. Monthly List of Russian Accessions, Library of Congress, April 1953, Uncl.

YANKELEV, I. F.

Dissertation: "Method of Rapid Determination of Heat Coefficients Without the Selection of a Sample." Cand Tech Sci, Moscow Technological Inst of the Food Industry, 9 Jun 54. Vechernyaya Moskva, Moscow, 31 May 54.

SO: SUM 284, 26 Nov 1954

YANKELEV, L. I.

USSR/ Miscellaneous - Kiln design

Card 1/1 Pub. 104 - 10/14

Authors : Yankelev, L. F.

Title : Method of changing the crowns in an annular furnace in operation

Periodical : Stek. i ker. 11/3, 26-27, Mar 1954

Abstract : A description is given of a method of removing eroded parts in the crown of a furnace and replacing them with new ones while keeping the rest of the furnace in operation. It is found that red brick is especially susceptible to erosion and even parts made of fireclay are not sufficiently durable, so that a special fire-resistant cement is used. Illustrations.

Institution:

Submitted:.....

against the 8 hours or more taken with the old method with a thermometer. Results of tests using 2-2.5 mm x 60-70 mm cylindrical steel probes and a thermodetector (V42) are included. The difference in heat conductivity

YANKELEV, L.F., inzhener.

Heat resistant concrete blocks for brick kiln fuel pipe inlets.
Stroi.prom. 32 no.3:45 Mr '54. (MLRA 7:5)
(Kilns) (Concrete blocks)

LYKOV, A., doktor tekhnicheskikh nauk; YANKELEV, L., kandidat tekhnicheskikh nauk; SOSOWSKAYA, A., inzhener.

Method for intensive drying of building materials. Stroi.mat.izdel.
i konstr. 1 no.12:25-26 D '55. (MLRA 9:?)
(Drying apparatus)

YANKELEV, L.F.

AID P - 1837

Subject : USSR/Engineering

Card 1/1 Pub. 110-a - 14/16

Author : Yankelev, L. F., Kand. of Tech. Sci.

Title : Methods of determining thermal characteristics of insulating materials

Periodical : Teploenergetika, 3, 58-61, Mr 1955

Abstract : The author summarizes a series of articles from American, British, German, French, and other non-Russian periodicals on the subject of determining the thermal conductivity, diffusion, expansion, and specific heat of insulators for temperatures ranging from 750°C to -185°C. Four drawings, 18 references (1942-1954).

Institution: None

Submitted : No date

Yankelev, L. F.

AID P - 4063

Subject : USSR/Power

Card 1/1 Pub. 26 - 21/33

Author : Yankelev, L. F., Kand. Tech. Sci.

Title : The use of refractory concrete abroad.

Periodical : Elek. sta., 12, 50-51, 1955

Abstract : The author explains the mixing of refractory concrete and its various usages in France and the USA.

Institution : None

Submitted : No date

YANKELEV, L.F., kandidat tekhnicheskikh nauk

Concrete refractory linings for kiln furnaces. Stroi. prom. 33
no.5:46-47 My '55. (MLRA 8:6)
(Refractory materials) (Kilns)

YANKELEV, L.F., kandidat tekhnicheskikh nauk.

New high heat-resistant concrete. Stroi.pred.neft.prom.1 no.3:30-32
My '56. (Concrete) (MIRA 9:9)

YANKELEV, L.F., kandidat tekhnicheskikh nauk (Moskva)

Methed of rapid determination of heat and temperature conductivity
coefficients without taking samples. Strei.pred.neft.prom. 1 no.5:
14-17 Jl '56. (MIRA 9:9)
(Petroleum--Pipelines) (Heat--Conduction)

YANKELEV, L.F.

Hydrous calcium silicate heat insulation. Energ.biul. no.6:
32 Je '56.
(United States--Insulation (Heat))(Calcium silicates)

(MLRA 9:8)

YANKELEV, L.F., kandidat tekhnicheskikh nauk.

Flame testing of heat insulation structures. Elek. sta. 27 no.10451-54
0 '56. (MIRA 9:12)
(Insulation (Heat) - Testing)

YANKELEV, L.F., kandidat tekhnicheskikh nauk.

Lowering the cost of industrial buildings by way of locating the equipment outside. Stroi.prom. 34 no.1:27-30 Ja '56. (MLRA 9:5)
(Factories--Design and construction)

YANKELEV, L.F., kandidat tekhnicheskikh nauk.

Fire resistance of heat insulating organic roofing materials.
Stroi. prom. 34 no.3:29-31 Mr '56. (MLRA 9:6)
(Roofing) (Building, Fireproof)

"APPROVED FOR RELEASE: 09/01/2001

CIA-RDP86-00513R001962110003-8

YANKELEV, L.Y., kandidat tekhnicheskikh nauk.

Light aggregates for concrete. Stroi.prom. 34 no.4:47-49 Ap '56.
(MIRA 9:8)

(United States--Concrete)

APPROVED FOR RELEASE: 09/01/2001

CIA-RDP86-00513R001962110003-8"

USSR/Chemical Technology -- Chemical Products and Their Application. Silicates.
Glass. Ceramics. Binders, I-9

Abst Journal: Referat Zhur - Khimiya, No 1, 1957, 1715

Author: Yankelev, L. F.

Institution: None

Title: A New Type of Refractory Concrete

Original

Periodical: Str-vo predpriyatii neft. prom-sti, 1956, No 3, 30-32

Abstract: A new type of refractory concrete is described for service at temperatures $>1,000^{\circ}$. The concrete is prepared from high-alumina cement and refractory aggregate. When grog aggregate and alumina cement are used, the maximum service temperature is $1,350^{\circ}$. When sillimanite, chromite, chrome magnezite, carborundum, and corundum are used as aggregate, the service temperatures are $100-200^{\circ}$ higher. When C_3A_5 is used as the binder, the service temperature is higher than that obtained with alumina cement; the increase in service temperature is of the order of 250° and temperatures of $1,700^{\circ}$ can be used. The setting time of

Card 1/2

USSR/Chemical Technology -- Chemical Products and Their Application. Silicates.
Glass. Ceramics. Binders, I-9

Abst Journal: Referat Zhur - Khimiya, No 1, 1957, 1715

Abstract: the new binder is 3-4 hours. The rate of increase of strength is the same as for alumina cement. Shrinkage under a load of 0.5-1.0 kg/cm² at 1,600-1,725° is 3%; when fused alumina aggregate is used, the shrinkage is practically zero. The compression strength is 175-245 kg/cm². The concrete has high resistance to abrasion. The coefficient of thermal expansion of the concrete prepared from corundum aggregate ($\gamma_0 = 2,500 \text{ kg/m}^3$ [Tr. Note: specific gravity]) is 2.0 and 2.8 kcal/m³/hr/deg at 500 and 1,500°, respectively. The coefficient of thermal expansion in the temperature range 0-1,400° is $2.5-5.0 \times 10^{-6} \text{ deg}^{-1}$. The heat resistance of the concrete is exceedingly high. Depending on the grain size of the aggregate, the cement consumption is 400-480 kg/m³; the aggregate consumption is 1.2 m³/m³ of concrete. The concrete can be used in the lining of metallurgical furnaces, soaking pits, and various tube furnaces in which extremely severe temperature service conditions are encountered, as well as the lining of the calcining zones, burning zones, and hoods of rotary kilns used in cement manufacture.

Card 2/2

Yankelev, L. F.

USSR/Processes and Equipment for Chemical Industries--
Processes and apparatus for chemical technology. K-1

Abs Jour: Ref Zhur-Khimiya, No 3, 1957, 10588

Author : Yankelev, L. F.

Inst : Not given

Title : A Method for the Rapid Determination of the Coefficients
of Thermal Conductivity and of Temperature Conductivity
[sic] without Sampling

Orig Pub: Stro-vo predpriyatiy naft. prom-sti, 1956, No 5, 14-17

Abstract: A method has been developed for the rapid determination of the coefficients of thermal conductivity and of temperature conductivity, applicable to the investigation of soils, solid and viscous petroleum products, insulating and construction materials. The method consists in the introduction into the test material of a thin cylindrical metallic probe and in the recording of the temperature changes observed in the probe. The theory of the method is presented together with the differential

Card 1/2

USSR/Processes and Equipment for Chemical Industries--
Processes and apparatus for chemical technology. K-1

Abs Jour: Ref Zhur-Khimiya, No 3, 1957, 10588

Abstract: equations used; a numerical integration of the latter is carried out from the results of which calibration curves have been constructed which facilitate the calculation of the coefficients. The method used in carrying out the measurements is described and data are presented from the determination of the thermal characteristics of asbozurite, mineral wool, and diatomite bricks.

Card 2/2

SOV/112-58-3-3723

Translation from: Referativnyy zhurnal. Elektrotehnika, 1958, Nr 3, p 28 (USSR)

AUTHOR: Yankelev, L. F.

TITLE: Fire Resistance Feature of Thermal-Insulation Structures
(Ognestoykost' teploizolyatsionnykh konstruktsiy)

PERIODICAL: Energokh-vo za rubezhom, 1956, Nr 5, p 38

ABSTRACT: Fire-resistance tests of thermal-insulation structures conducted in
the U.S.A. are briefly described. See RZhE, 1957, Nr 24680.

Card 1/1

KATKINOV, L.F., knsf.beltr.nauk

Heat-insulating concrete for high temperatures. Energoizdat, za zib.
no.1:53-54 Ja-7 '57. (MIRL 12:11)
(Concrete--Specifications) (Insulation (Heat))

YANKELEV, L.F., kand.tekhn.nauk (Moskva)

Insulating coatings from bituminous rolled materials. Stroi.pred.
neft.prom. 2 no.8:15-16 Ag '57. (MIRA 11:1)
(Insulation (Heat) (Bituminous materials))

YANKELEV, L.F., kand.tekhn.nauk.

Heat insulation in power plants in the United States. Elek.sta.
supplement no.6:9-16 N-D '57. (MIRA 11:2)
(United States--Insulation (Heat))

~~SECRET~~
YANKELEV, L., kandidat tekhnicheskikh nauk.

Rapid steam-drying of heat-insulating materials. Stroi.mat. 3
no.8:33-34 Ag '57. (MLRA 10:10)
(Drying) (Insulation (Heat))

YANKELEV, L.F., kand.tekhn.nauk

Roll heat insulation for pipelines. Nov.tekh. i pered. op. v
stroi. 19 no.12:18-19 D '57. (MIRA 11;1)
(Insulation (Heat)) (Pipelines)

YANKELEV, L.F., kand. tekhn. nauk.

Heat insulation from mineral wool. Stroi. pred. neft. prom. 3
no.3:27-30 Mr '58. (MIRA 11:6)

(United States--Mineral wool)

SOV/96-58-8-21/22

AUTHOR: Yankelev, L.F. (Candidate of Technical Science)

TITLE: A Conference on the Regular Thermal Condition (Konferentsiya po reguljarnomu toplovomu rezhimu)

PERIODICAL: Teploenergetika, 1958, Nr 8, pp 94-95 (USSR)

ABSTRACT: An Inter-Vuz Conference on the Regular Thermal Condition was held in Leningrad from 18th - 20th March, 1958. There were more than 150 delegates from colleges, research and design institutes. Thirty reports were read on the theory of the subject, on new methods of calculating temperature fields and thermal stresses, and on methods of determining the thermal-physical properties of materials and the results of such determinations. The regular thermal condition is the stage of heating or cooling at which the relationship between temperature and time is given by a simple exponential. Dr.Tech.Sci. G.M. Kondrat'yev, of the Leningrad Institute of Accurate Mechanics and Optics, gave a better definition of the regular conditions.

Card
1/3 Dr.Tech.Sci. L.I. Kudryashov, of the Kuybyshev Industrial Institute, offered a generalised theory of the regular condition for the case of variable thermal coefficients of

SOV/96-58-8-21/22

A Conference on the Regular Thermal Condition

the material. Mathematical papers were also read by P.V. Cherpakov, of Voronezh University, and L.A. Vulis, of the Kazakh University. There were a number of reports on new methods of making engineering calculations on temperature fields, including one from Cand.Phys. Math.Sci. G.N. Dul'nev, of the Leningrad Institute of Accurate Mechanics and Optics, one by Cand.Tech.Sci. A.G. Temkin, of the Kuybyshев Industrial Institute, and one by Dr.Tech.Sci. I.V. Il'inskiy, of the Khar'kov Engineering School. Cand.Tech.Sci. B.N. Oleynik, of the Institute of Meteorology, gave a report on the cooling of an archimedian cylinder. Reports by N.A. Yaryshev, of the Leningrad Institute of Accurate Mechanics and Optics, on the thermal inertia of thermo-couples and by N.N. Ogorodnikov, of the Kuybyshhev Aviation Institute, on the measurement of variable temperatures in gas flows, were of practical value. Much attention was paid to determinations of coefficients of heat and thermal conductivity. Reports on these subjects were read by G.N. Dul'nev, Cand.Tech.Sci. M.P. Yemchenko, of the

Card 2/3

SOV/96-58-8-21/22

A Conference on the Regular Thermal Condition

Leningrad Forestry Academy, and by Cand.Tech.Sci. A.F. Begunkova. Various weaknesses in the reports are mentioned; in particular, the suggested methods of determining the thermal-physical properties of materials had not been compared with other methods developed by Acad. A.V. Lykov, Dr.Phys.Math.Sci. A.F. Chudnovskiy, to say nothing of recent foreign work. Nevertheless, the Conference was of practical value.

There are no figures, no literature references.

1. Thermodynamics--USSR
2. Mathematics--USSR

Card 3/3

YANKOVLEV, L.F., kand. tekhn. nauk.

Using alumina cement in industrial construction. Nov. tekhn. i
pored. op. v stroi. 20 no. 4:29-31 Ap '58. (MIRA 11:3)
(Cement)

YANKELEV, L.V., kand.tekhn. nauk

Reflecting heat insulation in architectural structures. Nov. tekhn. i
pered. op. v stroi. 20 no.9:20-23 S '58. (MIRA 11:110)
(Insulation (Heat)) (Plates, Aluminum)

YANKELEV, L.P., kand.tekhn.nauk.

Drying paste heat insulation. Elek.sta. 29 no.1:36-39 Ja '58.
(MIRA 11:2)
(Insulation (Heat)--Drying)

"APPROVED FOR RELEASE: 09/01/2001

CIA-RDP86-00513R001962110003-8

YANKELHV, L.F., kand. tekhn. nauk.

Industrial heat insulation of pipes, Elek. sta. 29 no. 4:26-28 Ap
'58. (MIRA 11:8)

(Insulation (Heat))

APPROVED FOR RELEASE: 09/01/2001

CIA-RDP86-00513R001962110003-8"

YANKELEV, L.P., kand. tekhn. nauk

Condensation of moisture in exterior walls. Stroi. prom. 36
no. 7:47- 3 of cover Jl '58. (MIRA 11:8)
(Dampness of buildings)

"APPROVED FOR RELEASE: 09/01/2001

CIA-RDP86-00513R001962110003-8

YANKELEV, L.Y., kand.tekhn.nauk

Concrete lining of smokestacks and metal flues. Energokhoz.
za ruk. no.1:23-26 Ja-Y '59. (MIRA 12:4)
(United States--Flues)

APPROVED FOR RELEASE: 09/01/2001

CIA-RDP86-00513R001962110003-8"

YANKLEV, L.F., kand.tekhn.nauk

Using concrete for protecting steel from corrosion and overheating. Nov.
tekhn.mont. i spets.rab. v stroi. 21 no.3:27-31 Mr '59.

(MIRA 12:3)

(Corrosion and anticorrosives) (Chimneys) (Concrete)

YANKELEV, L.F., kand. tekhn. nauk

Heat-insulating concrete. Nov. tekhn. mont. i spets. rab. v stroi.
21 no. 8:30-32 Ag '59. (MIRA 12:10)
(Concrete) (Insulation (Heat))

YANKELEV, L.F., kand.tekhn.nauk; DVORKIN, V.N., inzh.

Idme-silica heat insulating products. Mont.i spets.
rab.v stroi. 22 no.9:30-3 of cover 8 '60.
(MIRA 13:8)

1. Vsesoyuznyy nauchno-issledovatel'skiy proyektnyy
institut Teploproyekt.
(Sand-lime products) (Insulation(Heat))

YANKELEV, L.P., kand.tekhn.nauk

Fireproof concrete thermal insulation. Energokhoz. za rub. no.2:
21-26 Mr-Ap '60. (MIRA 13:6)
(Insulation (Heat))

YANKELEV, L.F., kand.tekhn.nauk; DVORKIN, V.N., inzh.

Experimental investigations in the technology of lime siliceous
heat insulating materials. Stroi.mat. 6 no.2:33-36 F '60.
(MIRA 13:6)

(Insulation (Heat))

YANKELEV, L.F., kand.tekhn.nauk

Use of concrete for the protection of smokestacks from corrosion.

Teploenergetika 7 no. 12:83-84 D '60. (MIRA 14:1)

(Concrete) (Flucs—Corrosion)

YANKELEV, L.F., inzh.

Using gunite in building chimneys. Prom.stroi. 38 no.1:56-58
'60. (MIRA 13:5)

(United States--Chimneys) (Gunite)

DVORKIN, V.N., inzh.; YANKELEV, L.F., kand.tekhn.nauk

New technique of producing lime-silica insulation articles.
Mont. i spets. rab. v stroi. 23 no.7:14-17 Jl '61.
(MIRA 14:7)

1. Institut Teploprojekt.
(Insulating materials)

YANKELEV, L.F., iand.tekhn.nauk

Progress in the development of high-temperature thermal insulation.
Teploenergetika 9 no.8:90-92 Ag '62. (MTR4 15·7)
(Insulation (Heat))

YANKELEV, L.F.

Production of refractory wadding in the United States. Stek.
i ker. 19 no.7:42-43 Jl '62. (MIRA 15:7)
(United States--Refractory materials)

YANKELEV, L.F., kand.tekhn.nauk

Some facts about thermal insulating materials. Mont. i spets.
rab. v stroi, 24 no,10:16-18 '62. (MIRA 15:10)

1. Vesesoyuznyy nauchnoissledovatel'skiy i proyektnyy institut
po teplotekhnicheskim sooruzheniyam.
(Insulating materials)

YANKELEV, L.F.

Manufacture of refractory fibers in foreign countries (from
foreign journals). Ogneupory 27 no.12:572-573 '62. (MIRA 15:12)
(Refractory materials)

DVORKIN, V.N., inzh.; YANKELEV, L.F., kand. tekhn. nauk

Principles of the production of lime-silica heat insulating materials. Energ. stroi. no.31:46-49 '62. (MIRA 16:7)

1. Vsesoyuznyy nauchno-issledovatel'skiy i proyektnyy institut po teplotekhnicheskim sprosuzheniyam.
(Insulation(Heat))

DVORKIN, V.N., inzh.; YANKELEV, L.F., kand. tekhn. nauk

Use of seeding in the manufacture of insulating elements,
Stroi. mat. 9 no.5:36-37 My '63. (MIRA 16:7)

(Insulation(Heat))

YANKELEV, L.F., kand. tekhn. nauk

Contact drying of shells from mineral wool. Stroi. mat. 11
no. 12:16-17 D '65. (MIRA 18:12)

YANKELEV, I.F., kand. tekhn. nauk

Efficient drying of perlite products. Stroi. mat. 11 no.1;
28-29 Ja '65. (MZRA 18:6)

YANKELOVICH, A. A.; MARKEVICH, F. K.; RAU, N. I., redaktor; MEL'NIKOVA, N. V.,
technicheskiy redaktor

[Model output standards and indexes in sawmill work for enterprises equipped with single-stage two-rod saw frames with intermittent feed] Tipovye normy: Vyrabotki i normativy po lesopil'nomu proizvodstvu dlia predpriatii. osnashchennykh odnoetazhnymi dvukhshatunnymi lesopil'nymi ramami s tolchkovoi podachei. Izd. 2-oe, Moskva, Gos. izd-vo mestnoi promyshlennosti RSFSR, 1956. 57 p. (MLRA 10:1)

1. Russia (1917- R.S.F.S.R.) Ministerstvo mestnoy promyshlennosti.
 2. Normativno-issledovatel'skaya stantsiya Leningradskogo oblastnogo oblyuprmeest-prom. (for Yankelovich) 3. Nachal'nik Normativno-issledovatel'skoy stantsii Leningradskogo oblyuprmeestproma (for Markevich)
(Sawmills)

YANKELEVICH, A.I.

Characteristics of the geological structure of the Bachatkiy
region in the Kuznetsk Basin. Trudy Lab.geol.ugl. no.6:551-
553 '56. (MLRA 10:2)

1. Trest "Kuzbassuglegeologiya."
(Kuznetsk Basin--Geology, Structural)

"APPROVED FOR RELEASE: 09/01/2001

CIA-RDP86-00513R001962110003-8

APPROVED FOR RELEASE: 09/01/2001

CIA-RDP86-00513R001962110003-8"

"APPROVED FOR RELEASE: 09/01/2001

CIA-RDP86-00513R001962110003-8

ALL INFORMATION CONTAINED

A

HEREIN IS UNCLASSIFIED
DATE 10-12-2010 BY SP2010/CLL/AM/ML/

ABSTRACTATION - none

APPROVED FOR RELEASE: 09/01/2001

CIA-RDP86-00513R001962110003-8"

YANKELEVICH, B.M. (Armavir)

Algorithms of an operator's activities in emergency situations.
Vop. psikh. 11 no.6:119-125 N-D '65. (MIRA 19:1)

"APPROVED FOR RELEASE: 09/01/2001


CIA-RDP86-00513R001962110003-8

YANKELEVICH, D.L., inzh.

We need unit specialization in the production of drilling rigs.
Neftianik 9 no.9±31-32 S '64 (MIRA 18±2)

APPROVED FOR RELEASE: 09/01/2001

CIA-RDP86-00513R001962110003-8"



YANKELEVICH, D.Ye., (Khar'kov)

Effect of higher segments of the central nervous system on
the reaction of the organism to insulin. Probl. endokr. i gorm.
Moskva, 1 no.3:75-80 My-Je '55.
(MLRA 8:10)

1. Iz otdela patofiziologii (zav. zasluzhennyj deyatel' nauki
prof. S.G.Genes) Ukrainskogo instituta eksperimental'noy
endokrinologii (dir.-kandidat meditsinskikh nauk S.V.Maksimov)
(CEREBRAL CORTEX, physiology,
regulation of organic reactivity to insulin in dogs)
(INSULIN, effects,
cerebral cortical regulation of reactivity of organ-
ism in dogs)

YANKELEVICH, D.Ye.

LOBANOVSKAYA, L.I., kandidat meditsinskikh nauk; YANKELEVICH, D.Ye.
MIRSAGATOVA, R.S.,(Khar'kov)

Characteristics of diabetes mellitus in pregnancy and lactation.
Probl. endokr. i gorm. Moskva 1 no.3:87-91 My-Je '55.(MLRA 8:10)

1. Iz patofiziologicheskogo otdela (zav.-zasluzhennyj deyatel' nauki prof. S.G.Genës), kliniko-eksperimental'nogo otdela (zav. prof. M.A.Kopelevich) Ukrainskogo instituta eksperimental'noy endokrinologii (dir. kandidat meditsinskikh nauk S.V.Maksimov) i iz Khar'kovskogo instituta okhrany selenistya i detstva (dir. kandidat meditsinskikh nauk A.I.Kornilova)

(DIABETES, MELLITUS,
in preg. & lactation)
(LACTATION, in various diseases,
diabetes mellitus)
(PREGNANCY, in various diseases, diabetes mellitus)

YANKELEVICH, D.Ye.

Effect of the higher segments of the central nervous system on the regulation of the blood sugar level [with summary in English].
Fiziol.zhur. [Ukr.] 3 no.3:12-19 '57.
(NERVOUS SYSTEM) (BLOOD SUGAR) (MLRA 10:8)

YANKELEVICH, D.Ye.

Neural regulation of glycemia and carbohydrate assimilation in
diabetics. Sbor. nauch. trud. Ukr. nauch.-issl. inst. eksper.
endok. 15:106-112 '59. (MIRA 14:11)
(DIABETES) (CARBOHYDRATE METABOLISM)
(CONDITIONED RESPONSE)

YANKELEVICH, D.Ye.

Effect of weather conditions on the course of experimental diabetes mellitus and on the reactivity of pancreatectomized dogs to insulin. Probl. endok. i gorm. 6 no. 3:68-76 My-Je '60.

(DIABETES) (INSULIN) (PANCREAS)
(WEATHER--MENTAL AND PHYSIOLOGICAL EFFECTS) (MIRA 14:1)

LOBANOVSKAYA, L.I.; MAYOROVA, B.O.; MIRSAGATOVA, R.S.; YURCHENKO, M.Z.;
YAKOVLEVA, M.Ya.; YANKELEVICH, D.Ye.

Diabetes mellitus and pregnancy. Trudy Ukr.nauch.-issl.inst.
eksper.endok. 18:141-174 '61. (MIRA 16:1)
(DIABETES) (PREGNANCY, COMPLICATIONS OF)

YANKELEVICH, D.Ye., kand.med.nauk

Role of meteorological factors in the reactivity of a sick organism.
Sov. med. 25 no.8:86-95 Ag '61. (MIRA 15:1)

1. Iz otdela patofiziologii (zav. - zasluzhennyy deyatel' nauki,
prof. S.G.Genes) Ukrainskogo instituta eksperimental'noy endokrinologii
(dir. - kand.med. nauk S.V.Maksimov).
(MAN--INFLUENCE OF CLIMATE)

YANKELEVICH, D.Ye.

Effect of seasonal factors on the course of experimental diabetes mellitus and the reactivity of depancreatized dogs to insulin.
Trudy Ukr. nauch.-issl. i st. eksper. endok. 19:34-43 '64. (MIRA 18:7)

1. Iz otdela patofiziologii Ukrainskogo instituta eksperimental'noy endokrinologii.

YURCHENKO, M.Z.; YANKELEVICH, D.Ye.; YAKOVLEVVA, M.Ya.

17-ketosteroid content in the urine of healthy women and in women
with diabetes mellitus during normal and complicated pregnancy.
Trudy Ukr. nauch.-issl. inst. eksper. endok. 19:59-66 '64. (MIRA 18:7)

1. Iz otdela patofiziologii Ukrainskogo instituta eksperimental'noy
endokrinologii.

YANKELEVICH, D.Ye.

Effect of frequent and prolonged administration of variously purified insulin on the reactivity of healthy dogs. Trudy Ukr. nauch.-issl. inst. eksper. endok. 19;106-113 '64. (MIRA 18:7)

YANKELEVICH, G.I.; REZNICHENKO, G.N.

Use of chrome magnesite powder in preparation of molds for high
manganese steel. Lit. proizv. no.10:44 O '60. (MIRA 13:10)
(Steel castings) (Molding (Foundry))

STERENBOGEN, Yu.A.; GRETSKIY, Yu.Ya.; KHORUNOV, V.F.; YANKELEVICH, G.I.
SHEKHTER, S.Ya.

Technology of repairing cast iron molds. Avtom. svar. 15 no.6:
(MIRA 15:5)
81-87 Je '62.

1. Ordona Trudovogo Krasnogo Znameni Institut elektrosvarki
imeni Ye.O.Patona AN USSR (for Sterenbogen, Gretskiy, Khorunov).
2. Magnitogorskiy metallurgicheskiy kombinat (for Yankelevich).
3. Kommunarskiy metallurgicheskiy zavod (for Shekhter).
(Ingot molds—Maintenance and repair)
(Cast iron—Welding)

YANKELEVICH, G.I., inzh.; REZNICHENKO, G.N., inzh.

Addition of steel cuttings to iron for the casting of molds.
Stal' 22 no.1:87-88 Ja '62. (MIRA 14:12)

1. Magnitogorskiy metallurgicheskiy kombinat.
(Iron founding) (Molding (Founding))

YANKELEVICH, G.I., inzh; MATETA, E.P., inzh.

Semiautomatic welding of defects in ingot molds. Stal' 22 no.10:
909-910 0'62. (MIRA 15:10)

1. Magnitogorskiy metallurgicheskiy kombinat.
(Ingot molds--Welding)

FILIPPOV, Aleksandr Semenovich; PISARENKO, Grigoriy Andreyevich;
YANKELEVICH, Genrikh Iosifovich; RADYA, Vladimir
Sergeyevich

[Cast spare parts for steel pouring equipment] Smennye
litye detali stalerazlivochnogo oborudovaniia. Moskva,
Metallurgija, 1965. 302 p. (MIRA 18:7)

YANKELEVICH, G.I., inch.; NYABOV, V.V., inch.

Effect of the manganese content on the durability of the ingot molds.
Stal' 24 no.9:804-001 S '64. (MIRA 17:10)

1. Magnitorgorskiy metallurgicheskiy kombinat.

YANKELEVICH, G.R.

Change the structure of the administrative and managerial apparatus. Stroi.truboprov. 10 no.10:35 0 '65.

(MIRA 18:10)

1. Trest Nefteprovodmontazh, Ufa.

YANKELEVICH, I.

~~Mechanizing manual work. NTO no.10:59 O '59.~~ (MIRA 13:2)

1.Uchenyy sekretar' zavodskogo soveta Nauchno-tekhnicheskogo obshchestva na zavode "Rostsel'mash," Rostov-na-Donu.
(Rostov-on-Don--Agricultural machinery industry)