

KOLESOV, V.P.; ZENKOV, I. D.; SKURATOV, S. M.

Standard enthalpies of formation of chlorotrifluoromethane and
dichlorodifluoromethane. Zhur. fiz. khim. 37 no. 3:720 Mr '63.
(MIRA 17:5)

1. Moskovskiy gosudarstvennyy universitet imeni Lomonosova,
khimicheskii fakul'tet.

KOLESOV, V.P.; ZENKOV, I.D.; SKURATOV, S.M.

Standard enthalpy of formation of chlorotrifluoromethane and
dichlorodifluoromethane. Zhur. fiz. khim. 36 no.9:2082-2084
S '62. (MIRA 17:6)

1. Moskovskiy gosudarstvennyy universitet imeni Lomonosova.

KOLESOV, V.P.; ZENKOV, I.D.; SKURATOV, S.M.

Standard enthalpy of formation of chlorotrifluoroethylene. Zhur.
fiz.khim. 37 no.1:224-225 Ja '63. (MIRA 17:3)

1. Moskovskiy gosudarstvennyy universitet imeni Lomonosova.

KOLESOV, V.P.; ZENKOV, I.D.; SKURATOV, S.M.

Standard enthalpy of formation of 2,2,2-trifluoroethanol.
Zhur.fiz.khim. 39 no.10:2474-2476 0 '65.

(MIRA 18:12)

1. Moskovskiy gosudarstvennyy universitet imeni Lomonosova.
Submitted July 13, 1964.

KOLESOV, V.P.; ZENKOV, I.D.; SKURATOV, S.M.

Standard enthalpy of the formation of tetrafluoroethylene.
Zhur. fiz. khim. 36 no.1:89-92 Ja '62. (MIRA 16:8)

1. Moskovskiy gosudarstvennyy universitet im. M.V. Lomonosova,
Termokhimicheskaya laboratoriya im. V.F. Luginina.
(Ethylene) (Enthalpy)

KOLESOV, V.P.; ZENKOV, I.D.; ALEKHIN, S.P.; SKURATOV, S.M.

Hermetic calorimeter with magnetic stirrer. Zhur. fiz. khim.
36 no.4:910-912 Ap '62. (MIRA 15:6)

1. Moskovskiy gosudarstvennyy universitet imeni Lomonosova.
(Calorimeters)

S/076/63/037/003/020/020
B101/B215

AUTHORS: Kolesov, V. P., Zenkov, I. D., Skuratov, S. M.

TITLE: Standard enthalpies of the formation of chlorotrifluoro methane and dichlorodifluoro methane

PERIODICAL: Zhurnal fizicheskoy khimii, v. 37, no. 3, 1963, 720

TEXT: The data for $\Delta H_{\text{form}}^{\circ}$ of CCl_2F_2 given in Zh. fiz. khimii, 36, 2082, 1962 were checked and found correct. The following values are given:
 $\Delta H^{\circ}(\text{CCl}_2\text{F}_2) = -112.1 \pm 1.2$ kcal/mole, $\Delta E^{\circ}(\text{CClF}_3) = -171.8 \pm 0.9$ kcal/mole.
These were determined calorimetrically on the basis of the reaction
 $\text{CCl}_n\text{F}_{(4-n)} + 4 \text{Na} = n\text{NaCl} + (4-n)\text{NaF} + \text{C}.$

ASSOCIATION: Moskovskiy gosudarstvennyy universitet im. M. V. Lomonosova
Khimicheskii fakul'tet (Moscow State Univ.)

Card 1/1 September 7, 1962

PLYUSNIN, K.P.; PLYUSNINA, A.A.; ZENKOV, I.I.

New data on grapholite slates in the eastern slope of the
Southern Urals. Izv. AN SSSR. Ser.geol. 30 no.11:121-124
N. 165. (MIRA 18:12)

1. Ural'skoye geologicheskoye upravleniye, Sverdlovsk. Submitted
December 23, 1964.

ZEN'KOV, Ivan Stepanovich, prof.; SEREBRENNYY, German Nisonovich,
dots.; KORNIYENKO, V.S., inzh., nauchnyy red.; KLENDO, M.A.,
red.izd-va; GOL'BERG, T.M., tekhn. red.

[Examples of organization planning in construction and erection work] Primery proektirovaniia organizatsii stroitel'no-montazhnykh rabot; opyt diplomnogo proektirovaniia. Moskva, Gosstroizdat, 1963. 170 p. (MIRA 16:12)
(Construction industry--Management)

ZEN'KOV, I.S.; DIKOV, N.D.; TITOVA, V.A., tekhn.red.

[Organization and planning of construction enterprises]
Organizatsiia i planirovanie stroitel'stva. Moskva, Vses.
zaochnyi inzhenerno-stroitel'stvo. No.1. 1958. 95 p.

(Construction industry)

(MIRA 14:2)

ZEN'KOV, I.S., prof.; PETROV, N.M.; KOTOVICH, B.M., dots.;
GAL'PERIN, M.I., doktor tekhn. nauk; ZEN'KOV, I.S.,
prof., red.; TITOVA, B.V., red.

[Main trends in the mechanization and automation of
the construction industry; introductory lecture for
students in the construction and mechanics courses
of the All-Union Engineering and Construction Cor-
respondence Institute] Osnovnye napravleniia v mekha-
nizatsii i avtomatizatsii stroitel'stva; vvodnaia
lektsiia dlia studentov stroitel'nykh i mekhanicheskikh
spetsial'nostei VZISI, 1961. 23 p. (MIRA 17:9)

1. Moscow. Vsesoyuznyy zaochnyy inzhenerno-stroitel'nyy
institut.

ZEN'KOV, I.S., prof.; PETROV, N.M.; KOTOVICH, B.M., dots.;
GAL'PERIN, M.I., doktor tekhn. nauk; ZEN'KOV, I.S.,
prof., red.; TITOVA, B.V., red.

[Main trends in the mechanization and automation of
the construction industry; introductory lecture for
students in the construction and mechanics courses
of the All-Union Engineering and Construction Cor-
respondence Institute] Osnovnye napravleniia v mekha-
nizatsii i avtomatizatsii stroitel'stva; vvodnaia
lektsiia dlia studentov stroitel'nykh i mekhanicheskikh
spetsial'nostei VZISI, 1961. 23 p. (MIRA 17:9)

1. Moscow. Vsesoyuznyy zaochnyy inzhenerno-stroitel'nyy
institut.

ZENKOV, Leonid Filippovich; PECHNIKOV, A.I., retsenzent;
BOYKO, A.A., retsenzent

[Establishing technical standards for strip mining
operations] Tekhnicheskoe normirovanie na otkrytykh
gornyykh rabotakh. Moskva, Nedra, 1964. 239 p.
(MIRA 18:6)

32. GROUNDWATER HYDROGEOLOGICAL INVESTIGATION METHODS EMPLOYED IN CONNEXION
WITH WATER SUPPLY, DEWATERING AND DRAINAGE PROBLEMS IN THE NATIONAL
ECONOMY AND CONSTRUCTION OF THE USSR

by
L. D. Bely and I. V. Zonkey
(Abstract)

The paper gives details of investigations conducted in the USSR in connexion with regional studies of groundwater for purposes of water supply, and in connexion with the construction of various structures. The problem is highlighted by reference to the influence of such structures on the groundwater regime, and vice versa. The importance of investigations of artificial dewatering, reclamation, drainage, etc. is noted.

Methods of drilling and testing operations are described, as well as the method for studying the groundwater regime. Information is given on dewatering and drainage in connexion with construction of hydro power structures.

The results of work carried out by Gidroenergo project on selecting the best types of filters to increase the efficiency of dewatering, drainage and water supply are given.

REPORT PRESENTED AT THE Fourth Regional Technical Conference on Water Resources
Development in Asia and the Far East, Colombo, Ceylon, 5-13 Dec 1960

ZENKOV, L.F.; STARTSEV, A.V.

Idling of railroad cars unforeseen by planning at the Upper
Kama potash combine. Nauch. trudy PermNIUI no.5:129-133 '63.
(MIRA 18:3)

ZENKOV, Leonid Filippovich; BENUNI, A.Kh., prof., red.; TSYMBALIST,
N.N., red.izd-va; MATLYUK, R.M., tekhn.red.

[Technical norms in open-pit iron mines] Tekhnicheskoe normi-
rovanie na zhelezorudnykh kar'erakh. Pod red. A.Kh.Benuni.
Sverdlovsk, Gos.nauchno-tekhn.izd-vo lit-ry po chernoi i tsvetnoi
metallurgii, 1960. 166 p. (MIRA 13:6)
(Iron mines and mining--Standards)
(Strip mining--Standards)

ZENKOV, M. F.,

"Attachment for the Rockwell Hardness Tester for Computing Errors in Hardness Measurement,"

Experience of a Plant Metallographic Laboratory, Moscow, Mashgiz, Coll. of Articles, ed. Sagaradze, V. S., 1957, 82 pp.

The author describes his invention for computing hardness measurement errors arising from the unsatisfactory character of the bearing surface of the tested part.

ZENKOV, M.V., inzh.

Draining quick grounds using underground vacuum techniques.
Shakht. stroi. 4 no. 6:25-27 Je '60. (MIRA 13:11)

1. Institut Gidroenergoprojekt.
(Vacuum pumps) (Main drainage)

RAYEVSKIY, Sergey Petrovich; ZENKOV, Mikhail Vladimirovich; SHABLINSKIY,
V.V., red.; MEDVEDEV, L.Ya., tekhn.red.

[Peat bogs fed by underground water under pressure; hydrogeological
studies and methods of drying] Torfiane mestorozhdenia naporno-
gruntovogo pitania; gidrogeologicheskie issledovaniia i sposoby
osusheniia. Moskva, Gos. energet. izd-vo, 1957. 135 p. (MIRA 11:4)
(Peat bogs)

RAYEVSKIY, S.P., inzhener; ZENKOV, M.V., inzhener.

Drainage of peat deposits fed by ground water under pressure.
Turf.prom.33 no.6:32-33 '56. (MLRA 9:10)

1.Mosgidop.
(Peat bogs) (Drainage)

ZENKOV, M.V., inzh.

Horizontal drainage using porous materials. Gidr. stroi. 30 no.10:
45-46 O '60. (MIRA 13:10)

(Drainage)

ZENKOV, M.V.

RAYEVSKIY, S.P., inzhener; ZENKOV, M.V., inzhener.

Importance of hydrogeological studies in planning a drainage network
for peat deposits. Terf.prom. 34 no.2:31-32 '57. (MLRA 10:3)

1. Mesgidop.

(Peat bogs)

(Drainage)

TERENT'YEV, O.V. [deceased]; ZENKOV, M.V.

Using adhesive sand and gravel well-point filters in lowering the
water table in soils. Osn., fund. i mekh. grun. no.1:24-26 '59.

(MIRA 12:7)

(Water, Underground) (Filters and filtration)
(Pumping machinery)

GAVRILKO, V.M.; ZENKOV, M.V.

Drainage under complex hydrochemical conditions. Osn., fund.1
mekh-grun. 3 no.2:13-15 '61. (MIRA 14:5)
(Berezniki--Drainage)

TIZDEL', R.R.; KARPYSHEV, Ye.S.; MOLOKOV, L.A.; KONYAROVA, L.P.;
PESTOVSKIY, K.N.; ZENKOV, M.V.; KIRICHENKO, N.I.; NEYSHTADT,
L.I.; MALYAROVA, I.Ye.; PIRTSKHALAYSHVILI, G.P.; KALMYKOVA,
N.I.; BELYI, L.D., doktor geol.-min. nauk; BOROVY, A.A.,
red.; GOTMAN, T.P., red.; LARIONOV, G.Ye., tekhn. red.

[Geology and dams]Geologiya i plotiny. Pod obshchei red. A.A.
Borovogo. Moskva, Gosenergoizdat, (Its Materialy po proektiro-
vaniu gidroenergeticheskikh uzlov. Seriya 2: Izyskaniia)
Vol.2. 1962. 151 p. (MIRA 15:9)

1. Moscow. Vsesoyuznyy gosudarstvennyy proyektnyy institut
"Gidroenergoproekt." 2. Vsesoyuznyy gosudarstvennyy proyekt-
nyy institut, Moscow (for all except Borovoy, Gotman,
Larionov).

(Geology) (Dams)

ZENKOV, M.V., inzh.

Filters for fine-grained and pulverized sand. Gidr.stroi. 31
no.5:42-44 My '61. (MIRA 14:6)
(Filters and filtration)

YAKOVLEV, A., kand.tekhn.nauk; ZENKOV, N., inzh.

Fire resistance of bent structures made from lightweight and porous
concrete. Pozh.delo 9 no.12:10-11 D '63. (MIRA 17:1)

ZENKOV, N.; SVETASHOV, I.

Accuracy and quality. Pozh. delo 8 no.10:12 0 '62.
(MIRA 15:10)

(Precast concrete construction)
(Fire testing)

YAKOVLEV, A.I., kand. tekhn. nauk; ZENKOV, N.I., inzh.

Study of fire-resistant curved structures made from light-weight concretes. Trudy NIIZHB no.32:270-277 '63.
(MIRA 17:1)

STREL'CHUK, N.A.; YAKOVLEV, A.I.; ZENKOV, N.I.

Use of A.P.Vanichev's method in determining the limits of
refractoriness of structural members of lightweight concrete.
Inzh.-fiz. zhur. 7 no.4:105-110 Ap '64. (MIRA 17:4)

ZVYAGINTSEVA, K.M.; ZENKOV, S.N.; KOZHEVIN, V.G.; POPOV, V.E.; SENDERZON, E.M.;
Prinimali uchastie: KOKORIN, P.I...prof.; KULIBABA, A.N...dotsent;
LINDENAU, N.I.; ZHURAVLEV, A.M.; STOLBOV, M.V.; CHETYRKIN, M.I..
otv.red.; KOROVENKOVA, Z.A., tekhn.red.

[Kuznetsk Coal Basin; a statistical handbook] Kuznetskii ugol'nyi
bassein; statisticheskii spravochnik. Moskva, Ugletekhizdat, 1959.
390 p.
(MIRA 12:8)

1. Kemerovo. Gornyy institut. 2. Sotrudniki kafedry ekonomiki
Kemerovskogo gornogo instituta (for Zvyagintseva, Popov, Kokorin,
Kulibaba). 3. Kombinat Kuzbassugol' (for Zenkov, Lindenau,
Zhuravlev, Stolbov). 4. Kemerovskiy sovnarkhoz (for Kozhevin).
5. Sibirskoye otdeleniye AN SSSR (for Senderzon).
(Kuznetsk Basin--Coal mines and mining--Statistics)

BELYAKOV, I.A., inzhener; ZENKOV, M.V., inzhener.

Light borehole filter pump (LIU-5). Torf.prom.33 no.4:35-36 '56.
(MLRA 9:9)

1.Giprotorf (for Belyakov).2.Mosgidep (for Zenkov)
(Pumping machinery)

ROYTMAN, M., kand.tekhn.nauk; ZENKOV, N., inzh.

Testing of silica bricks. Pozh.delo 5 no.12:14-15 D '59.
(Bricks--Testing) (MIRA 13:4)

BELYY, L.D., doktor geologo-mineral.nauk; LYKOSHIN, A.G., inzh.-geolog;
MOLOKOV, L.A., inzh.-geolog; KONYAROVA, L.P., inzh.-geolog;
MEYSHTADT, L.I., kand.geologo-mineral.nauk; VASIL'YEVA, L.R.,
inzh.-geolog; ZENKOV, N.A., inzh.-geolog; VOZNESENSKIY, A.N.,
prof., obshchiy red.; ASANOV, A.M., tekhn.red.

[Geology and dams] Geologiya i plotiny. Pod obshchei red.
A.N.Voznesenskogo. Moskva, Gos.energ.izd-vo. (Materialy po
proektirovaniyu gidroenergeticheskikh uzlov. Ser.2. Izyska-
niya). Vol.1. 1959. 182 p.
(MIRA 13:2)

1. Moscow. Vsesoyuznyy gosudarstvennyy proyektnyy institut
"Gidroenergoprojekt." 2. Glavnyy inzhener otдела izyskaniy
instituta "Gidroenergoprojekt" (for Belyy).
(Dams) (Engineering geology)

ZENKOV, N.I., inzh.

Strength of structural steels at high temperatures. Prom. stroi.
36 no.11:26-28 N '58. (MIRA 12:1)

(Steel, Structural)

ZENKOV, R. L.

"Conveyers of Continuous Dragging." Sub 5 Nov 47, Moscow Order of the Labor Red Banner Electromechanical Inst of Railroad Engineers imeni F. E. Dzerzhinskiy

Dissertations presented for degrees in science and engineering in Moscow in 1947.

SO: Sum.No. 457, 18 Apr 55

ZENKOV, R. L.

Konveinery so stal'noi lentoi. Montazh i ekspluatatsiia. Moskva, Mashgiz, 1950. 48 p.

(Steel belt conveyers. Installation and operation.)

SO: Manufacturing and Mechanical Engineering in the Soviet Union, Library of Congress, 1953.

ZENKOV, R. L.

Konveiry so stal'noi lentoi. (Novye mashiny). (Vestn. Mash., 1950,
no. 9, p. 26-28).

(Steel belt conveyers. (New machines.))

DLC: TN4,V4

SO: Manufacturing and Mechanical Engineering in the Soviet Union, Library of
Congress, 1953.

Zenkov, R.L.

D'YACHKOV, V.K., kandidat tekhnicheskikh nauk; ZENKOV, R.L., kandidat tekhnicheskikh nauk; ALFEROV, K.V., professor, rezensent; PRONIN, B.A., kandidat tekhnicheskikh nauk, redaktor; SOKOLOVA, T.F., tekhnicheskii redaktor

[Steel belt conveyers; principles of planning, calculation and operation] Konveyery so stal'noi lentoi; osnovy proektirovaniia, rascheta i ekspluatatsii. Moskva, Gos. nauchno-tekhn. izd-vo mashinostroit. lit-ry, 1952. 161 p. [Microfilm] (MLRA 7:10)
(Conveying machinery)

ZENKOV, R. L.

ZENKOV, R.L., kandidat tekhnicheskikh nauk; OSTOL'SKIY, Vs.O., kandidat tekhnicheskikh nauk, retsenzent; DANILOV, I.Ya., inzhener, redaktor.

[Conveyers with submerged scrapers] Konveiery s pogrushennymi skrebkami. Moskva, Gos. nauchno-tekhn. izd-vo mashino-stroitel. i sudostroitel. lit-ry, 1953, 57 p.
(Conveying machinery) (MLRA 7:7)

ZENKOV, R.L.

ALFEROV, K.V., doktor tekhnicheskikh nauk; ZENKOV, R.L., kandidat tekhnicheskikh nauk; KHYLOV, V.I., inzhener, redaktor; GOLOVIN, S.Ya., inzhener, redaktor; POPOVA, S.M., tekhnicheskiy redaktor.

[Bunker installations: design, calculations and operation] Bunkernye ustanovki; proektirovanie, raschety ekspluatatsiya. Moskva, Gos.nauchno-tekhn.izd-vo mashinostroit.lit-ry, 1955. 307 p. (MLRA 8:10)
(Conveying machinery) (Loading and unloading)

SOV/118-58-12-4/17

AUTHOR: Zenkov, R.L., Candidate of Technical Sciences

TITLE: Powerful Belt Conveyers for the Transportation of Bulk Materials Over Medium and Long Distances (Moshchnyye lentochnyye konveyery dlya transportirovaniya massovykh gruzov na sredniye i dal'niye rasstoyaniya)

PERIODICAL: Mekhanizatsiya trudoymkikh i tyazhlykh rabot, 1958, Nr 12, pp 15 - 18 (USSR)

ABSTRACT: One of the most pressing problems in ferrous metallurgy is the creation of powerful conveyers for the transportation of bulk materials (coal, ore, agglomerates, etc.) not only over medium, but also over long distances. The author advocates the use of belt conveyers for the transportation of bulk cargo, and describes various conveyor types and conveyor belt materials (referring to tests carried out by the British firm ICI). The Gosudarstvennyy Komitet po khimii pri Sovete Ministrov SSSR (State Committee on Chemistry attached to the USSR Council of Ministers) will start preparatory work for the production of polyethylene fiber, the most suitable material for conveyor belts. The VNIPTMASH has worked out various types of medium and long distance belt

Card 1/2

Powerful Belt Conveyers for the Transportation of Bulk Materials Over Medium and Long Distances

SOV/118-58-12-4/17

conveyers. The author says that preference should be given to conveyer transport even when the exploitation expenses exceed those of other means of transport. There are 3 diagrams, 1 drawing, and 2 tables.

Card 2/2

ZENKOV, R.L., doktor tekhn. nauk; PANKRATOV, S.A., doktor tekhn.
nauk, prof., retsenzent

[Mechanics of bulk freight; bases for designing loading
and unloading and transporting equipment] Mekhanika na-
sypnykh грузов; osnovaniia rascheta pogruzochno-razgru-
zochnykh i transportnykh ustroistv. Izd.2., ispr. i
dop. Moskva, Mashinostroenie, 1964. 250 p.
(MIRA 17:9)

ZENKOV, R.L.; PETROV, M.M.; KRUTIKOV, I.P., doktor tekhn. nauk,
prof., retsenzent;

[High power conveyors] Konveiery bol'shoi moshchnosti.
Moskva, Izd-vo "Mashinostroenie," 1964. 426 p.
(MIRA 17:7)

GURFINKEL', M.A.; SOROKIN, S.F.; ULIKOVSKIY, L.G. Prinimal uchastiye
KUZNETSOV, S.V. D'YACHKOV, V.K., kand.tekhn.nauk, retsenzent;
NIKOLAYEVSKIY, G.M., kand.tekhn.nauk, retsenzent; ZENKOV, R.L.,
doktor tekhn.nauk, red.; SAVEL'YEV, Ye.Ya., red.izd-va;
SOKOLOVA, G.F., tekhn.red.; UVAROVA, A.F., tekhn.red.

[Conveying and loading and unloading machinery used in the chemical
industries] Transportnye i pogruzochno-razgruzochnye mashiny
v khimicheskoi promyshlennosti. Moskva, Gos.nauchno-tekhn.izd-vo
mashinostroit.lit-ry, 1960. 495 p. (MIRA 13:12)

(Conveying machinery) (Loading and unloading)
(Chemical industries--Equipment and supplies)

ZENKOV, R. L. Doc Tech Sci -- (diss) *Principles* "Bases of the *design* calculation of transport-
loading and unloading *transport devices.* ~~installations~~ for bulk *height* ~~carried~~." Mos, 1959. 30 pp including
cover (Min of Higher and Secondary Specialized Education RSFSR. Mos Order of
Labor Red Banner Construction Engineering Inst im V. V. Kuybyshev), 150 copies
(KL, 46-59, 136)

21
~~22~~

ZENKOV, R.L., kand.tekhn.nauk

High-power belt conveyors for medium and long-distance transportation of bulk materials. Mekh.trud.rab. 12 no.12:15-18
'58. (MIRA 11:12)

(Conveying machinery)

ZENKOV, Yu.I.; DEMCHUK, G.M., elektromekhanik

Unit for connecting ATS-10-40 exchanges to station communication circuits. Avtom., telem. i svyaz' 8 no.11:39-40 N 104.

(MIRA 17:12)

1. Starshiy inzh. Nizhne-Tagil'skoy distantii Sverdlovskoy dorogi (for Zenkov).

ZENKOVICH, Vsevolod Pavlovich; AKSENOV, A.A., red. izd-va; GUS'KOVA,
O.M., tekhn. red.

[Fundamentals of the theory of the formation of seashores]
Osnovy ucheniia o razvitii morskikh beregov. Moskva, Izd-vo
Akad. nauk SSSR, 1962. 710 p. (MIRA 15:5)
(Seashore)

ZENKOVA, A.I.

Lengthening the life of fixed reeds in warping. *Obm.tekh.opyt.*
[MLP] no.15:32-33 '56. (MIRA 11:11)
(Looms)

ZENKOVA, A.V.

Changing the drive design for ChM-305 carding machine flats.
Obm.tekh.opyt. [MLP] no.16:24-25 '56. (MIRA 11:11)
(Carding machines)

PANIN, V.Ye.; ZENKOVA, E.K.

Superstructure in aluminum bronze. Izv.vys.ucheb.zav.;fiz. no.2:
201-205 '60. (MIRA 13:8)

1. Sibirskiy fiziko-tekhnicheskoy institut pri Tomskom gosuniversitete
im. V.V. Kuybysheva.
(Aluminum bronze)

PANIN, V.Ye.; ZENKOVA, E.K.; FEDIN, V.P.; KUDRYAVTSEVA, L.A.

Diffusion transformations in solid solutions at high temperatures.

Issl.po zharopr.splav. 8:161-168 '62. (MIRA 16:6)

(Copper-aluminum alloys--Metallography)

(Metals at high temperatures)

18.1220
18.7510
42(+), 18(7)
AUTHORS:

Panin, V. Ye., Zenkova, E. K.

/ 67911
SOV/20-129-5-17/64

TITLE:

The Problem of Superstructure in Aluminum Bronze

PERIODICAL:

Doklady Akademii nauk SSSR, 1959, Vol 129, Nr 5, pp 1024-1027
(USSR)

ABSTRACT:

The present paper deals with a more detailed investigation of the ordering-phenomena in aluminum bronze and of the influence exerted by superstructure upon the course of the plastic deformation of the alloy at various temperatures and velocities. The investigations were carried out with an alloy, viz. a solid solution of Cu + 15.9 at% Al. The authors repeated earlier experiments concerning ascending diffusion and obtained the same results. In the case of the alloys under investigation, usual aluminum bronze thus appears to be concerned. In order to be able to investigate the state of the alloy, the specific heat C_p , the electric resistivity ρ , and the Vickers hardness H_v were measured at a load of 5 kg. Hardening temperature exerts considerable influence upon the state of the alloy. Alloy hardness increases with rising temperature within the interval of 4

Card 1/4

67911

SOV/20-129-5-17/64

The Problem of Superstructure in Aluminum Bronze

400-600°, after which it decreases sharply until 900°. The electric resistivity here increases until 500°, decreases slightly at 600°, after which it rises again. This is apparently due to the decrease in the degree of the short-range order. In the case of a hardening temperature of more than 535°, the alloy approaches the solubility limit. With an increase in hardening temperature, especially to more than 535°, the alloy deviated more and more from equilibrium. Hereby the ordering process in the alloy is facilitated and the temperature of the specific heat minimum decreases. Especially, the state of the alloy quenched at 500° was thoroughly investigated by determining the kinetic tempering curves of the Vickers hardness H_V and the electric resistivity at various temperatures. The tempering isothermal lines of electric resistivity have the usual shape. Among the tempering isothermal lines for hardness the curve for 280° is, above all, conspicuous. It first has a sharp maximum, but later hardness decreases considerably and the curve takes a lower course than all other isothermal lines. Already a slight deviation of the tempering temperature from

Card 2/4

4

67911

SOV/20-129-5-17/64

The Problem of Superstructure in Aluminum Bronze

280° changes the shape of the isothermal lines considerably. The hitherto discussed results clearly indicate the existence of a superstructure in aluminum bronze. An alloy quenched at 500° is ordered at 280°. Naturally, the superstructure of aluminum bronze must become noticeable in its plastic deformation. This influence naturally depends on temperature and on the deformation rate. The authors investigated this during the compression of the alloy Cu + 15.9 at% Al at the velocities $v_3 = 6$ mm/min, $v_2 = 0.05$ mm/min, and $v_1 = 0.005$ mm/min within the temperature interval 20-600°. At from 20 to 200° the velocity exerted practically no influence on the resistivity to deformation. Also the deformation temperature influences the position of the flow curve only little. At 300° the velocity exerts an inverse influence upon resistivity to deformation, and the wave-like course of the flow-curves is distinctly marked. Within the entire temperature interval 20-300° deformation is jump-like. Above 300° temperature and velocity exert a normal influence upon resistivity to deformation. The results thus found agree well with the concepts on the super-

Card 3/4

67911
SOV/20-129-5-17/64

The Problem of Superstructure in Aluminum Bronze

structure in the alloy. The results obtained by the present paper apply to a less extent also to the alloy Cu + 10 at% Al. There are 4 figures and 11 references, 7 of which are Soviet.

ASSOCIATION: Sibirskiy fiziko-tekhnicheskoy nauchno-issledovatel'skiy institut pri Tomskom gosudarstvennom universitete im. V. V. Kuybysheva (Siberian Scientific Research Institute of Physics and Technology of Tomsk State University imeni V. V. Kuybyshev)

PRESENTED: August 6, 1959, by G. V. Kurdyumov, Academician

SUBMITTED: July 30, 1959

Card 4/4

S/658/62/008/000/021/028
I048/I248

AUTHORS: Panin, V.Ye., Zenkova, E.K., Fedin, V.P., and
Kudryavtseva, L.A.

TITLE: The problem of high-temperature diffusion transformations
in solid solutions

SOURCE: Akademiya nauk SSSR. Institut metallurgii, Issledovaniya
po zharoprochnym splavam. v.8. 1962. 161-168

TEXT: The alloys (Cu + 14.9% Al, Cu + 14.9% Al + 0.025% P, Cu +
14.9% Al, + 0.06% P, all percentages atomic) were homogenous solid
solutions up to 1030°C. The electric resistivity of the alloys (ρ),
measured at room temperature, was a function of the quenching tem-
perature (T_q), reaching a maximum value of 10.48 and 11.02 microhm.
cm. for pure and P-containing alloys respectively at $T_q=400-500^\circ\text{C}$.
— The ρ of the alloys quenched in water was higher than that of the
— alloys cooled in air. The hardness (H_v) - T_q relationship was simi-
lar to the ρ - T_q one, with $H_{v(\text{max})} = 55 \text{ kg./sq.mm.}$ for the pure

Card 1/3

S/659/62/008/000/021/028
I048/I248

The problem of high-temperature diffusion...

alloy quenched from 450° in water. This indicates that the increase in ρ is not caused by excessiv vacancies in the alloy, and that the P from the P-containing alloys combines with the vacancies reducing their mobility. Both ρ and H_v in the alloys quenched from 700°C are lower than in non-quenched specimens, indicating the existence of a highly ordered structure in the alloys quenched from high-temperatures. During annealing, ρ decreases with time at the annealing temperature, the decrease in the pure alloys being much larger than in the P-containing ones, i.e., the stability of the quenched state is much higher in P-containing alloys. The energy of activation of the diffusion processes increases with the P content of the alloy and reaches 35±3.7 kcal./mole in an alloy containing 0.06% P, which is almost twice the value for the pure Cu-Al alloy; due to the decreased mobility of vacancies in the P-containing alloys. Diagrams show the effect of temperature on the electric resistivity and internal friction in the alloys. In the friction

Card 2/3

S/659/62/008/000/021/028
I048/I248

The problem of high-temperature diffusion...

diagram for pure alloy maxima at 260°C and 520°C are associated with the motion of the constituent atoms, and with stress relaxation on the grain boundaries respectively. The internal friction in pure alloy specimens quenched from 700-900°C and in the alloys containing P is much lower than in the annealed pure alloy; this proves that the specimens quenched from high temperatures possess an ordered structure, and that the P from the P-containing alloys reduces the mobility of defects within the alloy. There are 3 figures.



Card 3/3

PANIN, V.Ye.; ZENKOVA, E.K.; FADIN, V.P.

Investigating the phenomena of ordering in Cu-Al alloys. Fiz.met.1
metalloved. 13 no.1:86-92 Ja '62. (MIRA 15:3)

1. Sibirskiy fiziko-tekhnicheskoy nauchno-issledovatel'skiy
institut.

(Copper-aluminum alloys--Metallography)

✓
MD Synthesis of p-aminobenzoic acid, and the preparation of anæsthesin, novocaine and cocaine, "labelled" with carbon-14. Y. V. Markova, L. N. Zenkova and M. N. Shchukina (*Zh. obshch. Khim. SSSR*, 1955, 25, 1383—1387).—A modified method of prep. of p-aminobenzoic acid "labelled" with ^{14}C is described. From this, anæsthesin "labelled" with ^{14}C in the carboxyl-group was obtained, and from this novocaine similarly "labelled". Cocaine hydrochloride "labelled" with ^{14}C in the carboxyl-group of the benzoyl residue was also obtained.

K. F. A. LISTON.



MARKOVA, Yu.V.; ZENKOVA, L.N.; SHCHUKINA, M.N.

New method for the synthesis of C^{14} labeled *p*-aminobenzoic acid and the preparation of C^{14} labeled anesthetics anesthese, novocaine. Zhur.ob.khim.25 no.7:1383-1387 J1'55. (MLRA 8:12)

1. Vsesoyuznyy nauchno-issledovatel'skiy khimiko-farmatsevticheskiy institut imeni S.Ordzhonikidze.
(Carbon--Isotopes) (Benzoic acid) (Anesthetics)

MARKOVA, Yu.V.; ZHENKOVA, L.N.; SECHUKINA, M.N.

Synthesis of S^{35} -thiamine. Khim. i med. no. 11:29-34 '59.

(MIRA 13:6)

(THIAMINE)

MARKOVA, Yu.V.; ZENKOVA, L.N.; SHCHUKINA, M.N.

New method for the synthesis of C^{14} -paraaminobenzoic acid and
obtaining C^{14} -anesthesin, novocaine, and cocaine. Khim. i med.
no. 11:53-59 '59. (MIRA 13:6)
(BENZOIC ACID) (ANESTHETICS)

MARKOVA, Yu.V.; ZENKOVA, L.N.; SHCHUKINA, M.N.

Synthesis of barbiturates labeled with C^{14} and S^{35} . Khim. i med.
no. 11:60-68 '59. (MIRA 13:6)

(BARBITURATES)

AUTHORS: Markova, Yu. V., Zenkova, L. N., SOV/79-28-7-18/64
Shchukina, M. N.

TITLE: The Synthesis of Mercapto Amino Compounds (Sintez merkaptamino-soyedineniy) III. The Synthesis of 3-Mercapto-4-Amino-2-Methylbutane and of 5-Amino-1-Mercapto Pentane (III. Sintez 3-merkaptot-4-amino-2-metilbutana i 5-amino-1-merkaptopentana)

PERIODICAL: Zhurnal obshchey khimii, 1958, Vol. 28, Nr 7, pp. 1811 - 1815 (USSR)

ABSTRACT: The homologs of β -mercapto ethylamine of the type $R-CH(SH)-CH_2$ have hitherto been little described. For this reason it was of interest to the authors to investigate the influence exerted by the length and the character of the alkyl chain as well as the positions of the functional groups, and to synthesize a number of these compounds. They synthesized for the first time the chlorine hydrate of 3-mercapto-4-amino-2-methylbutane, the chlorine hydrate of 5-amino-1-mercapto pentane and its acetyl derivative (see schemes 1 and 2). Already after this work had been completed a paper was published (Ref 3) by Langendorf in which the problems of interest to the authors of the present

Card 1/3

The Synthesis of Mercapto Amino Compounds. III. The SOV/79-28-7-18/64
Synthesis of 3-Mercapto-4-Amino-2-Methylbutane and of 5-Amino-1-Mercapto
Pentane

paper were explained to some extent. In the present paper it was shown that in the hydrolysis of N-benzoyl-5-amino-1-mercapto pentane with hydrochloric acid a partial oxidation of this compound into the corresponding disulfide takes place beside the formation of the chlorine hydrate of 5-amino-1-mercapto pentane. As final product of the oxidation hydrolysis of the chlorine hydrate of N-benzoyl-5-amino-1-isothiuronium pentane the dichlorine hydrate of 5-amino-1-isothiuronium pentane was obtained which did not further hydrolyze when heated with alkali liquor. In the oxidation of N-benzoyl-5-amino-1-mercapto pentane with an iodine alcohol solution a bis(N-benzoyl-5-aminopentyl)-disulfide was obtained. A convenient synthesis of N-benzoyl-5-amino-1-chloro pentane (in a yield of 63%) was elaborated. There are 10 references, 1 of which is Soviet.

Card 2/3

The Synthesis of Mercapto Amino Compounds. III. The SOV/79-28-7-18/64
Synthesis of 3-Mercapto-4-Amino-2-Methylbutane and of 5-Amino-1-Mercapto
Pentane

ASSOCIATION: Vsesoyuznyy nauchno-issledovatel'skiy khimiko-farmatsevticheskiy
institut imeni S.Ordzhonikidze (All-Union Institute of
Scientific Chemical and Pharmaceutical Research imeni S.
Ordzhonikidze)

SUBMITTED: June 27, 1957

1. Butanethiols--Synthesis 2. Pentanethiols--Synthesis

Card 3/3

ZENKOVA, N.F.; KARAKULOV, I.K.

Some facts on preventive inoculation of man with living brucellosis vaccine. Izv.AN Kazakh.SSSR Ser.kraev.pat. no.7:51-58 '51. (MLRA 9:8)
(BRUCELLOSIS—PREVENTIVE INOCULATION)

BEKLEMISHEV, N.D.; OSIPOVA, G.P.; ZENKOVA, N.F.; BUKEYKHANOVA, Sh.Kh.

Biomycin treatment for brucellosis. Vest. AN Kazakh SSR 11 no. 4:65-70
Ap '54. (MLRA 7:5)

Predstavleno chlenom-korrespondentom Akademii nauk KazSSR I.K. Karakulcym.
(Brucellosis) (Antibiotics)

ZENKOVA, N. F.

USSR/ Medicine - Antibiotic

Card 1/1 Pub. 123 - 12/16

Authors : Shnyreva, E. A.; Beklemyshev, N. D.; and Zenkova, N. F.

Title : Treatment of brucellosis with streptomycin

Periodical : Vest. AN Kaz. SSR 12, 82-86, Dec 1954

Abstract : The effectiveness of streptomycin in the treatment of patients suffering from brucellosis was investigated. Diurnal streptomycin dosages of 1.0 produced an evident and stable medicinal effect in about 2/3 of the patients treated. It was established that streptomycin is much slower and less reliable than biomycin and levomycetin. Some individual brucellosis cases were seen to respond much better to streptomycin than to the other two antibiotics. Streptomycin is not recommended as an independent drug for the treatment of brucellosis. A combination of any of the two antibiotics is considered more effective.

Institution :

Submitted :

BEKLEMISHEV, N.D.; SHNUREVA, Ye.A.; OSIPOVA, G.P.; ZENKOVA, N.F.
(Alma-Ata)

Comparative rating of the effectiveness of several antibiotics
in the treatment of brucellosis. Klin.med.33 no.5:45-51 My '55.

1. Iz Instituta krayevoy patologii Akademii nauk Kazakhskoy SSSR
(dir-kandidat meditsinskikh nauk B.A. Atchabarov)
(BRUCELLSIS, ther.
antibiotics, comparison of eff.)
(ANTIBIOTICS, ther. use
brucellosis, comparison of eff.)

ZENKOVA, N. F.

REMENTSOVA, M.M.; ZENKOVA, N.F.; KHRUSHCHEVA, N.F.

Brucellosis infection transmitted by the tick ornithodoros lahorensis.
Trudy Inst.kraev.pat. AN Kazakh.SSR 3:37-39 '56. (MLRA 10:2)
(BRUCELLSIS) (TICKS AS CARRIERS OF DISEASE)

ZHENKOVA, N.P.

Comparative rating of the cutaneous and subcutaneous methods for
immunizing guinea pigs with a living brucellosis vaccine. Trudy
Inst.kraev.pat. AN Kazakh.SSR 3:53-64 '56. (MLRA 10:2)
(BRUCELLOSIS--PREVENTIVE INOCULATION)

ZENKOVA, N.F.

Preventive inoculation of people with a living brucellosis vaccine
by scarification. Trudy Inst. kraev. pat. AN Kazakh. SSR 3:77-86 '56.
(BRUCELLOSIS—PREVENTIVE INOCULATION) (MLRA 10:2)

KARAKULOV, I.K.; ZENKOVA, N.F.

Diagnostic value of some brucellins. Zhur.mikrobiol.epid. i immun.
27 no.6:57-58 Je '56. (MLBA 9:8)

1. Iz Instituta krayevoy patologii AN Kazakhskoy SSR.
(BRUCELOSIS--DIAGNOSIS)

BEKLEMISHEV, N.D.; KASYMOVA, Kh.A.; SHNYREVA, Ye.A.; KLYUCHNIKOVA, Ye.A.;
MOSHKEVICH, V.S.; TLEULIN, S.Zh.; YAKOVLEVA, N.A.; ZENKOVA, N.F.

State of health in persons vaccinated with live antibrucellosis
vaccines. Zhur. mikrobiol., epid. i imm. 41 no. 2:139-140 F '64.
(MIRA 17:9)

1. Kazakhskiy institut krayevoy patologii AMN SSSR, Alma-Ata.

SHNYREVA, Ye.A.; ZENKOVA, N.F.; ISHCHANOVA, R.Zh.

Properties of Brucella isolated from guinea pigs treated
with antibiotics. Izv. AN Kazakh. SSR. Ser. med. nauk no.3:
63-70 '63. (MIRA 17:1)

ZENKOVA, N.F.; SHNYREVA, Ye.A.

Characteristics of strains of Brucella obtained from patients
treated with antibiotics. Trudy Inst.kraev.pat.AN Kazakh SSR
12:194-204 '62. (MIRA 15:11)

(BRUCELLA)

(ANTIBIOTICS)

ZENKOVA, N.F.

Superinfection and reinfection in brucellosis under experimental conditions. Trudy Inst.kraev.pat.AN Kazakh.SSR 12:75-80 '62.

(MIRA 15:11)

(BRUCELLOSIS)

ZENKOVA, N.F.

Bacteriological examination of brucellosis patients at different
periods of infection. Trudy Inst.kraev.pat.AN Kazakh.SSR 6:20-
27 '58.

(MIRA 12:6)

(BRUCELLOSIS)

ZENKOVA, N.F.

Effect of live brucellosis vaccine on infected guinea pigs.
Trudy Inst.kraev.pat.AN Kazakh.SSR 6:28-36 '58. (MIRA 12:6)
(BRUCELLOSIS)

KHRUSHCHEVA, N.F.; REMENTSOVA, M.M.; ZENKOVA, N.F.; KASYMOVA, Kh.A.;
BOGDANOVSKAYA, G.K.; BUKEYKHANOVA, Sh.Kh.; SHNYREVA, Ye.A.

Index of literature on brucellosis from 1952 through 1956.
Trudy Inst.kraev.pat.AN Kazakh.SSR 6:146-223 '58.

(MIRA 12:6)

(BIBLIOGRAPHY--BRUCELLOSIS)

KARAKULOV, I.K., prof.; ZENKOVA, N.P., kand. med. nauk: BEKETAYEVA, A.M.
(Alma-Ata)

Prevention of brucellosis. Klin. med. 37 no.3:40-44 Mr '59.

(MIRA 12:7)

1. Chlen-korrespondent Akademii nauk Kazakhskoy SSR (for Karakulov)
(BRUCELLOSIS, prev. & control
in Russia (Rus))

8/081/61/000/021/028/094
B101/B147

AUTHORS:

Zhivopistsev, V. P., Zenkova, N. I.

TITLE:

Colorimetric determination of bismuth by diantipyryl methane

PERIODICAL:

Referativnyy zhurnal. Khimiya, no. 21, 1961, 108 - 109,
abstract 21D89 (Izv. Yestestvennonauchn. in-ta pri Permsk.
un-te, v. 14, no. 4, 1960, 77 - 81)

TEXT: The authors suggest a method of determining small amounts of Bi based on the photocolometric determination of chloroform extracts of the compound formed during reaction of tetraiodo bismuthate with diantipyryl methane (I). The solution containing 0.02 - 0.3 mg Bi is mixed with 25 milliliters (ml) of CHCl_3 , 2 - 3 ml of a 10% solution of ascorbic acid (II), 5 - 6 ml of a 10% KI solution, and 10 ml of a 5% solution of I in 0.5 N HCl. After 3 - 5 min shaking, the organic layer is photometrically referred to chloroform by a photoelectric colorimeter and blue light filter in a 2-cm cuvette. In the presence of >1 - 2% Cu, the solution is mixed with 3 - 4 ml of a 10% solution of II, 5 - 6 ml of a 10% solution of KI, and the resulting Cu_2I_2 precipitate is filtered off

Card 1/2

Colorimetric determination...

S/081/61/000/021/028/094
B101/B147

after a few minutes. It is washed with a small amount of water. The filtrate is mixed with 25 ml of CHCl_3 , 10 ml of a 5% solution of thiourea, 10 ml of a 5% solution of I, and shaken for 3 - 5 min. In the presence of large amounts of Cu^{2+} and Fe^{3+} , the filtrate is mixed with a 5% NH_3 solution (in portions of 2 - 3 ml) until the organic layer assumes a pure, red-orange color. A smaller amount of CHCl_3 is used when determining small Bi quantities. Bi determination is not disturbed by $<10,000$ -fold excess of alkali and earth-alkali elements, Mg^{2+} , Al^{3+} , Cr^{3+} , Ni^{2+} , Co^{2+} , Zn^{2+} , and Mn^{2+} , a <1000 -fold excess of Cd^{2+} , a <500 -fold excess of Fe^{3+} , and a <300 -fold excess of Cu^{2+} . Analytical error $<4\%$. [Abstracter's note: Complete translation.] ✓

Card 2/2

LENKOVA, R.A.

PRIKHOT'KO, A.F.

24(7)

p.3

PHASE I BOOK EXPLOITATION 804/1365

L'vov. Universitet

Materialy X Vsesoyuznogo soveshchaniya po spektroskopii. C. 1: Molekulyarnaya spektroskopiya (Papers of the 10th All-Union Conference on Spectroscopy. Vol. 1: Molecular Spectroscopy) [L'vov] Izd-vo L'vovskogo univ-ta, 1957. 499 p. 4,000 copies printed. (Series: Its: Fizichnyy sbirnyk, vyp. 3/8/)

Additional Sponsoring Agency: Akademiya nauk SSSR. Komissiya po Spektroskopii. Ed.: Sazer, S.L.; Tech. Ed.: Saranyuk, T.V.; Editorial Board: Lavitserg, G.S., Academician (Resp. Ed., Deceased), Noporent, B.S., Doctor of Physical and Mathematical Sciences, Fabelinskiy, I.L., Doctor of Physical and Mathematical Sciences, Korotkiy, V.A., Doctor of Physical and Mathematical Sciences, Korotkiy, V.G., Candidate of Technical Sciences, Rayskiy, S.M., Candidate of Physical and Mathematical Sciences, Kiliavskiy, L.K., Candidate of Physical and Mathematical Sciences, Miliyanovich, V.S., A. Ye., Candidate of Physical and Mathematical Sciences, and Glauberman, A. Ye., Candidate of Physical and Mathematical Sciences.

Card 1/30

Sverdlov, L.M. Calculation and Interpretation of the Vibrational Spectra of Olefins

278

Sverdlov, L.M., and Ye. P. Kravnov. Vibrational Spectra and Potential Energy Constants of Cyclopropane and Deuterocyclopropane

282

Gorban', I.S., and A.A. Shishlovskiy. The Anomalous Dispersion of Light in Diluted Solutions

286

Lubchenko, A.F. Light Dispersion in the Absorption Range of Impurity Centers

289

Yakovlev, G.M., D.S. Gorbenko-Germanov, R.A. Zankova et al. Study of Binary Americium Sulfates Using Absorption Spectra in Crystals

292

Vorobyeva, M.A. Birefringence of Some Organic Crystals With A Long-chain Molecular Structure

297

Card 19/30

GORBENKO-GERMANOV, D.S.; ZENKOVA, R.A.

Microdetermination of CO_3^{2-} by the volume of CO_2 . Eur. anal.
khim. 20 no.6:749-750 '65. (MIRA 18:7)

1. Institut atomnoy energii imeni Kurchatova, Moskva.

L 36429-66 EWP(j)/EWT(m)/EWP(t)/ETI IJP(c) RM/WW/JD/JG

ACC NR: AP6015427

SOURCE CODE: UR/0051/66/020/005/0842/0847

AUTHOR: Gorbenko-Germanov, D. S.; Zenkova, R. A.

ORG: none

TITLE: Vibrational structure of the ground and excited levels of UO_2^{++} in $K_4[UO_2(CO_3)_3] \cdot 7H_2O$

SOURCE: Optika i spektroskopiya, v. 20, no. 5, 1966, 842-847

TOPIC TAGS: luminescence spectrum, absorption spectrum, uranyl ion, vibration spectrum, electron energy level, uranium compound

ABSTRACT: In order to obtain information on the vibrational states of the uranyl ion UO_2^{++} , the absorption spectra (4600-4000 Å) and luminescence spectra (4700-5700 Å) of $K_4[UO_2(CO_3)_3] \cdot 7H_2O$ crystals were recorded at 77°K. The absorption spectra were obtained with an ISP-51 spectrograph with an FEU-29 photomultiplier. Both spectra have a pronounced electronic-vibrational character due to the specific doubly oxygenated structure of UO_2^{++} . An interpretation of constant differences in the luminescence spectrum is given and compared with data on IR spectra. A preliminary interpretation of constant differences in the absorption spectrum is also given. A regular decrease in the frequencies of the symmetric and antisymmetric vibrations (ν_1 and ν_3) of uranyl during the transition from the ground state to an excited state indicates a contrac-

Card 1/2

UDC: 535.338.42

L 36429-66

ACC NR: AP6015427

tion of the vibrational sublevels of the excited level of UO_2^{++} . It is shown that the ratio $\frac{\nu_3}{\nu_1} UO_2^{++}$ (ground level) remains constant (1.09) in a series of different compounds. The ratio $\frac{\nu_3'}{\nu_1'}$ (excited level) in $K_4[UO_2(CO_3)_3]$ has a value close to $\frac{\nu_3}{\nu_1}$ (1.13). The ratio $\frac{\nu_3'}{\nu_1'}$ also remains constant (1.20) in the series of uranyl compounds studied. Orig. art. has: 2 figures and 4 tables.

SUB CODE: 20/ SUBM DATE: 06Jul64/ ORIG REF: 001/ OTH REF: 003


Card 2/2 *JS*

AUTHORS: Yakovlev, G. N., Gorbenko-Germanov, D. S., SOV/79-28-10-2/60
 Razbitnoy, V. M., Kazanskiy, K. S., Zenkova, R. A.

TITLE: Investigation of the Double Sulfates of Americium According
 to the Absorption Spectra in the Crystals (Izucheniye dvoynykh
 sul'fatov ameritsiya po spektram pogloshcheniya v kristallakh)

PERIODICAL: Zhurnal obshchey khimii, 1958, Vol 28, Nr 10,
 pp 2624 - 2637 (USSR)

ABSTRACT: In the present paper the normal sulfate and the double
 sulfate of americium with potassium, thallium, rubidium and
 cesium were investigated. The normal sulfate as well
 as the following double sulfates of americium were
 identified:



Card 1/3

As it is known, the double sulfates of the rare earths

Investigation of the Double Sulfates of Americium
According to the Absorption Spectra in the Crystals

SOV/79-28-10-2/60

and of the alkali metals are difficult to solve and, therefore, are of importance for the analytical chemistry of these elements. (According to the actinide theory, the transuranic elements are analogs of the rare earths, and in their case the analogy of the chemical properties of many compounds also plays a role, especially the similarity of the double sulfates with the alkali metals). The absorption spectra of the polycrystalline samples of these compounds were taken within the range of 4000-8500 Å at 300, 200 and 80° K (Figs 3-11). Phase diagrams were taken for the synthesis $R_2SO_4-Am_2(SO_4)_3-H_2O$ (R=K, Tl and Rb) (Figs 1, 2). The split of the electron band $Am^{+++}5030$ Å in the crystals of the compounds to be investigated was studied. The group of electronically oscillating "bands" within the range of 4500 Å were identified which are not observed in solutions and which are in a high degree sensitive to a change of the composition of the compound. The influence of the temperature and the amount of crystal water on the character of the split of the electron band $Am^{+++}5030$ Å and the combination

Card 2/3

Investigation of the Double Sulfates of Americium
According to the Absorption Spectra in the Crystals

SOV/79-28-10-2/60

of the above mentioned "bands" within the range of
4500 Å were investigated. There are 11 figures, 6 tables,
and 13 references, 3 of which are Soviet.

SUBMITTED: August 16, 1957

Card 3/3

SOV/75-13-5-16/24

AUTHORS: Gorbenko-Germanov, D. S., Zenkova, R. A., Bolotina, T. L.

TITLE: Method for the Quantitative Determination of Crystal Water in Some Crystal Hydrates by Their Absorption Spectra in the Near Infra-Red Region ($0,8-2,5\mu$) (Metod kolichestvennogo opredeleniya kristallizatsionnoy vody v nekotorykh kristallogidratakh po ikh spektram pogloshcheniya v blizhney infrakrasnoy oblasti ($0,8-2,5\mu$))

PERIODICAL: Zhurnal analiticheskoy khimii, 1958, Vol 13, Nr 5, pp 590-594 (USSR)

ABSTRACT: For the precise determination of the crystal water according to the method described in the present paper only milligram quantities of substance are needed. In order to be able to select an analytical band of the spectrum of liquid water for the subsequent investigation of crystal hydrates the authors recorded the spectrum of the liquid water in the range $0,8\mu$ and $2,5\mu$ (Refs 1, 2) with layer thickness of $0,046 - 100$ mm. All measurements were performed in an infra-red spectrometer IR-11. As analytical band the band at 5130 cm^{-1} was chosen which exhibits the greatest intensity. Besides, in wave lengths

Card 1/4

SOV/75-13-5-16/24

Method for the Quantitative Determination of Crystal Water in Some Crystal Hydrates by Their Absorption Spectra in the Near Infra-Red Region ($0,8-2,5\mu$)

$<1,9\mu$ a very dense absorption occurs owing to the low transparency of solid preparations in this range of wave length. For the recording of spectra of preparations in the solid phase the equipment MK-11, produced in series, was somewhat completed, since it did not guarantee the required precision. These modifications are detailed in the paper. For the recording of the absorption spectra of the solid crystal hydrates they were pressed in an optically inactive medium (dried, finely pulverized KCl, permeable up to 20μ). The data of the hydraulic press used for this purpose are given. The thickness of the resulting tablets was measured by micrometer. The recording of the spectra showed that the band of the liquid water at 5130 cm^{-1} in crystal hydrates is in several cases split up, the parts being divided by $100-200\text{ cm}^{-1}$. This division and splitting of the band of liquid water proves the deep penetration of the water molecule into the molecule of the crystal hydrates. The authors also established a calibration curve. As standard the octahydrate of europium-sulfate $\text{Eu}_2(\text{SO}_4)_3 \cdot 8\text{H}_2\text{O}$ was used, this compound being

Card 2/4

SOV/75-13-5-16/24

Method for the Quantitative Determination of Crystal Water in Some Crystal Hydrates by Their Absorption Spectra in the Near Infra-Red Region (0,8-2,5 μ)

very stable. Besides it is possible to check the stability of this compound during the recording of the spectra by means of the character of the dissociation of the electron bands of Eu^{3+} which lie in the range between 4000 and 5500 Å (Ref 3). This control was performed on a spectrograph ВСН-51. For the determination of the position of the 3 extreme points, which correspond with the absorption maximum as well as with the points of maximal transparency on both sides of the absorption maximum, the spectrum was recorded qualitatively. The precise measurement was then carried out on these 3 qualitatively determined extreme points only. In the same points also the absorption of a tablet of pure KCl was measured (blank test). The calculation of the optical density from the absorption values of these 3 special points is precisely described in the paper. This method was used for the analysis of various crystal hydrates; the results are satisfactory. The method renders possible the micro-determination of water in crystal hydrates in amounts which are already too small for a gravimetric

Card 3/4

SOV/75-13-5-16/24

Method for the Quantitative Determination of Crystal Water in Some Crystal Hydrates by Their Absorption Spectra in the Near Infra-Red Region (0,8-2,5 μ)

determination. There are 6 figures and 3 references, 0 of which is Soviet.

SUBMITTED: August 14, 1957

Card 4/4

GORBENKO-GERMANOV, D.S.; ZENKOVA, R.A.

Photometric microdetermination of potassium, rubidium, cesium,
and univalent thallium as dipicryl aminates. Zhur. anal. khim.
20 no.9:1020-1022 '65. (MIRA 18:9)

1. Institut atomnoy energii imeni I.V. Kurchatova, Moskva.