

ZHEDENOV, V.N.

Formation of lobar separation of the lungs in ontogenesis in mammals and men; data according to historical development. Doklady Akad nauk SSSR 86 no. 5:1061-1064 11 Oct 1952. (CJML 23:3)

1. Presented by Academician A. I. Abrikosov 31 July 1952. 2. Odessa Agricultural Institute.

ZNEBENOV, V. N.

Lungs and heart, human and animal Moskva, Sovetskaja nauka, 1954. 203 p. (54-44191)

QL848.Z5

ZHEDEYKO, Ya.V.

[Rolling threads on lathes] Nakatyvanie rez'by na tokarnykh
stankakh. Leningrad, Gos.nauchno-tekhn. izd-vo mashinostroit.
i sudostroit. lit-ry, Leningradskoe otd-nie, 1953. 24 p.

(MLRA 7:2)

(Screw threads) (Turning)

ZHEDEYKO, YA. V.

YA. V. Zhedeyko, Nakatka rez'by na tokarnom stanke [Cutting Thread on a Lathe], Mashgis
2 sheets

The brochure describes a method of cutting short and long external threads on lathes with a special attachment. A complete description is given of the design of the attachment its mounting on the lathe, estimation of supplies, and manufacturing knurling (roliki) [rollers], and includes working diagrams of the attachment.

The brochure is intended for stakhanovites and technical engineering workers of machine shops.

SO: U-6472, 12 Nov 1954

KARASEVA, A.A.; ZHEDRDEVA, L.G.; VOZNESENSKAYA, Y.V.

Production of lubricating oils from eastern sulfur-bearing
crudes. Trudy VNI NP no.7:8-19 '58. (MIRA 12:10)
(Lubrication and lubricants) (Petroleum)

POZDNYAKOV, P.G., inzhener; ZHEZDULEV, I.S., inzhener.

All-Union scientific-technical conference on piezoelectricity. Elektrichesvo no.6:85-86 Je '53.

(MIRA 6:7)
(Piezoelectricity)

ZHEDUNOVA, M.I.

Selection of smooth forms of Salmonella paratyphi A, cultures.
Zhur.mikrobiol. epid. i immun. 29 no.9:118-121 S'58 (MIRA 11:10)
(SALMONELLA PARATYPHI, culture
A, Smooth forms (Rus))

ZHEDYAYEVSKAYA, G., insh.

Reconditioning parts by porous iron plating. Avt. transp. 41
no.3:38-40 Mr '63. (MIRA 16:4)

(Iron plating)

81466

18.7400

S/123/59/000/010/042/068
A004/A001.

Translation from: Referativnyy zhurnal, Mashinostroyeniye, 1959, No. 10, p. 127,
38160

AUTHOR: Zhedyayevskaya, G. D.

TITLE: Conditions to Obtain Porous Platings With Electrolytic Steeling

PERIODICAL: Sb.: nauchn. soobshch. Saratovsk avtomob. dor. in-t, 1958, No. 11,
pp. 23-26

TEXT: The author reports on the possibility of depositing porous Fe which possesses the properties of porous Cr.¹ The deposition is effected in chlorous electrolytes of low Fe-concentration at 80°C and $D_c = 20 \text{ amp/dm}^2$. The formation of porousness over a depth of layer of 70-80μ is effected in the same electrolyte for 7-8 minutes at 80°C and $D_a = 40 \text{ amp/dm}^2$. The lattice density increases with the increase of D_c . The wettability of a porous Fe-layer exceeds that of a smoothly steeled one by 10-12 times and that of gray cast iron by 8-9 times. It can be assumed that the process of porous iron plating will be used for piston rings and cylinder liners. See also Ref. Zhurnal Mashinostr. 1959, No. 3, # 8831. S.H.A. Translator's note: This is the full translation of the original Russian abstract.

Card 1/1

ZHEDYAYEVSKAYA, G.D., kand. tekhn. nauk; BABENKO, V.A.

New techniques in reconditioning parts using hard electrolytic iron.
Mashinostroitel' no.10:9-10 0 '65. (MIRA 18:10)

SECRET
APPROVED FOR RELEASE: 07/19/2001
CIA-RDP86-00513R002064630007-3

ZHEDIAYEVSKIY, M.A.

Modernization of hydromechanization equipment at the
Nazarovo no.2 open-pit mine. Ugol' 35 no.3:1-3 Mr '60.
(MIRA 13:6)

1. Nazarovskaya kontora Gidromekhanizatsii.
(Krasnoyarsk Territory--Strip mining)
(Hydraulic mining)

ZHEDYAYEVSKIY, M.A.

Hydromechanization at the site of Nazarovo coal pits. Mekh.trud.fab.
10 no.10:23-24 O '56. (MIRA 10:1)

1. Nachal'nik Nazarovskoy kontory gidromekhanizatsii.
(Nazarovo--Coal mining machinery)

GUS'KOV, A.M.; ZHEDYAYEVSKIY, M.A.

Hydraulic mining at the Nazarovo ~~st~~tip mine. Ugol' 39 no.5141-42
My '64. (MIRA 1718)

1. Nazarovskiy kar'yer.

ZHEDYAYEVSKIY, M.A.

Experience in increasing the operative efficiency of hydraulic systems in stripping operations. Ugol' 37 no.11:13-15 N '62.
(MIRA 15:10)

1. Nachal'nik Kontory gidromekhanizatsii Nazarovskogo razrezupravleniya.
(Kuznetsk Basin--Strip mining--Hydraulic equipment)

ZHEDYAYEVSKIY, M.Ya., inzhener; MEYER, A.P., inzhener.

Sinking a reinforced concrete well with the help of a jet
elevator. Mekh.trud.rab. 11 no.3:22-23 Mr '57. (MLRA 10:5)
(Wells) (Jets)

ZHEGALENKOV, I.

High production attachments. Prof.-tekh.obr. 11 no.4:19-20
Jl '54. (MLRA 7:9)

1. Inshener remeslennogo uchilishcha No. 1 (Yaroslavskaya oblast')
(Yaroslavl' Province--Metalwork--Study and teaching)
(Metalwork--Study and teaching--Yaroslavl' Province)

ZHEGALENKOV, I. O., Engineer

"Introducing Corrections for Precision in the Operation of Screw and Worm Pairs," Stanki I
Instrument, 16, No. 12, 1945

BR-52059019

ZHEGALENKOV, I. S., Engineer

"The Manufacture of Lead Screws for Precision Machine Tools", Stanki I Instrument, 17,
Nos. 4-5, 1946

BR-52059019

1. ZHEGALENKOV, I. S.
2. USSR (600)
7. Technology of Production of Jog-Foring Machines, Machine Tools and Instruments
No. 9, Sep 1950


9. Compilation of Information of the USSR Machine and Machine Tools Industry
Contained in Soviet Publications. ~~██████████~~ ~~██████████~~

ZHEGALENKOV, I. S.

"The Technology of Production of Co-ordinated Boring Machines," Stanki i Instrument,
No. 1, 1948.

ZHEGALENKOV, I. S.

"Mechanism for a Universal Indexing Head, which Increases the Precision of the Indexing," Stanki I Instrument, No. 4, 1949.



ZHEGALIN, Ivan Kuz'mich; YERSHOV, V., red.; IZHBOLDINA, S., tekhn.red.

[Seven-year plan of Stalingrad Province, 1959-1965] Semiletka
Stalingradskoi oblasti, 1959-1965. Stalingrad, Stalingradskoe
knizhnoe izd-vo, 1959. 129 p. (MIRA 13:2)

1. Sekretar' Stalingradskogo Obkoma Kommunisticheskoy partii
Sovetskogo Soyuza (for Zhegalin).
(Stalingrad Province--Economic policy)

ZHEGALIN, I.K.; PUSTYGIN, A.A., glav. agronom; SPODENYUK, N.I.;
 BYKOV, N.I.; REDIN, P.N., glav. agronom; LOGVIN, N.P., Geroy So-
 tsialisticheskogo Truda; GUSEV, I.D.; PETROV, S.N.; VLASOV, A.N.,
 glav. zootekhnik; SHEREMET, L.D., glav. bukhgalter; SKAKUNOV, N.V.,
 glav. inzh.; SHUMILIN, V.S., glav. inzh.; CHERNORUBASHKIN, N.A.,
 kombayner; DRYABO, N.Ye.; ZABNEV, V.F., redaktor; SHIROKOV, B.G.;
 SHEPELEV, M.A.; LEONOVA, T.S.; SAYTANIDI, L.D., tekhn. red.

[Hundred million poods of grain from Stalingrad Province] 100 mil-
 lionov pudov stalingradskogo khleba. Moskva, Izd-vo M-va sel'.khoz.
 RSFSR, 1960. 133 p. (MIRA 14:9)

1. Pervyy sekretar' Stalingradskogo oblastnogo komiteta Kommunistiches-
 koy partii Sovetskogo Soyuz (for Zhegalin).
2. Oblastnoye upravleniye
 sel'skogo khozyaystva Stalingradskoy oblasti (for Pustygin).
3. Nek-
 hayevskiy rayonnyy komitet Kommunisticheskoy partii Sovetskogo Soyuz
 (for Spodenyuk).
4. Nachal'nik Kotel'nikovskoy rayonnoy sel'skokho-
 zyaystvennoy inspeksii, Krayniy Yugo-vostok (for Bykov).
5. Kolkhoz
 "Deminskiy" Novo-Annenskogo rayona, Stalingradskoy oblasti (for Redin).
6. Predsedatel' kolkhoza "Zavety Il'icha" Kalininskogo rayona (for Log-
 vin).
7. Nachal'nik Novo-Annenskoy rayonnoy sel'skokhozyaystvennoy in-
 speksii (for Gusev).
8. Direktor sovkhoza imeni Frunze Serafimovich-
 skogo rayona Stalingradskoy oblasti (for Petrov).
9. Stalingradskoye
 oblastnoye upravleniye sel'skogo khozyaystva (for Vlasov).
10. Sovkhoz
 "Dinamo" Nekhayevskogo rayona Stalingradskoy oblasti (for Sheremet).

(Continued on next card)

ZHEGALIN, I.K.— (continued) Card 2.

11. Oblastnoye upravleniye sel'skogo khozyaystva Stalingradskoy oblasti (for Skakunov). 12. Sovkhoz "Verkhne-Buzinovskiy" Stalingradskoy oblasti (for Shumilin). 13. Otdeleniye No.6 sovkhoza "Serebryakovskiy" Mikhaylovskogo rayona Stalingradskoy oblasti (for Chernorubashkin). 14. Zven'yevoy kolkhoza imeni Lenina Zhirnovskogo rayona Stalingradskoy oblasti (for Dryabo). 15. Danilovskaya rayonnaya gazeta "Kolkhoznoye znanya" Stalingradskoy oblasti (for Zabnev). 16. Zamestitel' predsedatelya oblastnogo ispolnitel'nogo komiteta Stalingradskoy oblasti (for Shirokov).

(Volgograd Province—Grain)

LETOKHOV, V.S.; VATSURA, V.V.; PUKHLIK, Yu.A.; FEDOTOV, D.I.; KOSOZHUKHIN,
A.S.; ZHABOTINSKIY, M.Ye.; DASHEVSKAYA, Ye.I.; KOZLOV, A.N.;
RUVINSKIY, L.G.; VASIN, V.A.; YURGENEV, L.S.; NOVOMIROVA, I.Z.;
PETROVA, G.N.; SHCHEDROVITSKIY, S.S.; BELYAYEVA, A.A.; BRYKINA,
L.I.; GLEBOV, V.M.; DRONOV, M.I.; KONOVALOV, M.D.; TARAPIN, V.N.;
MIKHAYLOVSKIY, S.S.; ZHEGALIN, V.G.; ZHABIN, A.I.; GRIBOV, V.S.;
MAL'KOV, A.P.; CHERNOV, V.N.; RATNOVSKIY, V.Ya.; VOROB'YEVA, L.M.;
MILOVANOVA, M.M.; ZARIPOV, M.F.; KULIKOVSKIY, L.F.; GONCHARSKIY,
L.A.; TYAN KHAK SU

Inventions.. Avtom. 1 prib. no.1:78-80 Ja-Mr '65.

(MIRA 18:8)

ZHEGALKIN, G. A.

"Modernization and Perfection of the USSR Fluorograph." Vestnik Rentfenol i Radiol (Herald of Roentgenology and Raiology), No. 5, pp 28-33, 1951.

ZHEGALKIN, G.A.; LAZUBOVA, I.G.; YAL'TSEV, P.D.

Large frame fluorography. Vest. rent. 1 rad. no. 4:56-61 J1-Ag
'55. (MLRA 8:12)

1. Iz Gosudarstvennogo nauchno-issledovatel'skogo instituta
rentogenologii i radiologii imeni V.M.Molotova (dir.prof.
P.D.Yal'tsev)

(FLUOROSCOPIC

fluorography, large size, practical evaluation)

SHMELEV, V.K.; BOGDANOV, D.I.; BLINOV, N.N.; ZHEGALKIN, G.A.

"Principles of X-ray engineering" by V.V. Dmukhovskii. Reviewed
by V.K. Shmelev and others. Elektrichestvo no.10:92-94 0 '61.
(MIRA 14:10)

(X rays)
(Dmukhovskii, V.V.)

ZHEGALKIN, I. I.

V. Ialan, S. ya Acad. Sci, 223 (1946), 1086-1087. Arifmetizatsiya simvolicheskoy logiki
Matem. sb. 35 (1928), 311-378. Arifmetizatsiya simvolicheskoy Logiki (Prodolzheniye).
Matem. SB., 36 (1929), 205-238. K probleme razreshimosti. Matem. sb., 6 (48) (1930),
185-108. Problema razreshimosti na konechnykh klassakh. M., Uchen. zap un-ta, 100
(1946), 155-211.

SO: Mathematics in the USSR, 1917-1947
edited by Kurosh, A.G.,
Markushevich, A.I.,
Rashevskiy, P.K.
Moscow-Leningrad, 1948

ZHEGALKINA, N.G.

Method of correlation analysis in the study of electroencephalogram in rabbits under the influence of a direct current anode on the sensomotor zone of the cerebral cortex. Zhur. vys. nerv. deiat. 15 no.6:1107-1112 N-D '65. (MIRA 19:1)

1. Institut vysshey nervnoy deyatel'nosti i neyrofiziologii AN SSSR. Submitted October 26, 1964.

ZHEGALKINA, N. G. (Moscow)

"Some Problems of Analysis of Electroencephalograms."

report presented at the 3rd Conference on the use of Mathematics in Biology, Leningrad University, 23-28 Jan 1961.

(Primeneniye matematicheskikh Metodov v Biologii. II, Leningrad, 1963, pp. 5-11

(Moscow Agricultural Academy imeni Pirmryazev)

ZHEGALKINA, N.G.

Visual analysis of the electroencephalogram. Nov. med. tekhn.
no.2:83-87 '62. (MIRA 17:11)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut meditsinskikh
instrumentov i oborudovaniya.


М.А.А. Кудрявцев, М.А.

PETROVSKIY, I.G.; VOVCHENKO, G.D.; SALISHCHEV, K.A.; SERGEYEV, E.M.;
MOSKVITIN, V.V.; SRETSENSKIY, L.V.; GEL'FOND, A.D.; GOLUBEV, V.V.;
ALEKSANDROV, P.S.; SOBOLEV, S.L.; BAKHVALOV, S.B.; OGUBALOV, P.M.;
KRYNYES, M.A.; MYASNIKOV, P.V.; ZHIDKOV, M.P.; GAL'PERN, S.A.;
ZHEGAIKINA-SLUDSKAYA, M.A.

Vsevolod Aleksandrovich Kudriavtsev; obituary. Vest.Mosk.un. 8
no.12:129 D '53. (MLRA 7:2)
(Kudriavtsev, Vsevolod Aleksandrovich, 1885-1953)

ZHEGALLO, V.I.

Study of the hipparion fauna in the Ortok region (Kirghia S.S.R.).
Biol.MOIP.Otd.geol. 36 no.6:119-120 N-D '61. (MIRA 15:7)
(Kirghistan--Paleontology, Stratigraphy)



ACC NR: AP700Q317

SOURCE CODE: UR/0413/66/000/022/0052/0052

AUTHOR: Kareyev, M. F.; Plakhov, A. N.; Zheglov, V. A.; Kreshtapov, Ye. Ya.

ORG: None

TITLE: A device for automatically controlling the rate of motion of the plunger on a horizontal hydraulic press. Class 21, No. 188543 [announced by the All-Union Scientific Research and Design and Planning Institute of Metallurgical Machine Building (Vsesoyuznyy nauchno-issledovatel'skiy i proyektno-konstruktorskiy institut metallurgicheskogo mashinostroyeniya)]

SOURCE: Izobreteniya, promyshlennyye obraztsy, tovarnyye znaki, no. 22, 1966, 52

TOPIC TAGS: metal press, automatic control equipment, electronic equipment


ABSTRACT: This Author's Certificate introduces a device for automatically controlling the rate of motion of the plunger on a horizontal press. The unit contains an amplifier and a DC-AC inverter. The installation is designed to handle a wide range of velocities, to improve efficiency at low velocity and to eliminate the zone of insensitivity and slow response. A master signal and a feedback signal are sent to the inputs of a discrete-analog comparator in the regulator, while the output of this comparator is connected through the inverter to a VFO which is connected through a

Card 1/2

UDC: 621.3.078.4-531.6:621.979-82

ACC NR: AP7000317

rectifier unit to the actuating step-by-step motor.



1—discrete-analog comparator; 2—inverter; 3—amplifier; 4—VFO; 5—rectifier unit;
6—step-by-step motor

SUB CODE: 13, 09/ SUBM DATE: 28May64

Card 2/2

YEL'YASHKEVICH, Samuil Abramovich; LEVYKIN, N.N., red.; FILIPPOV, A.I., red.; ZHUK, Ya.M., red.; ZHEGALOV, I.S., red.; ZINOV'YEV, G.P., red.; KOLYSHEV, P.P., red.; PORTNOV, M.N., red.; KHUDYAKOV, M.A., red.; PEVZNER, I.M., red.; SOBOLEVA, Ye.M., tekhn. red.

[Handbook on television receivers] Spravochnik po televizionnym priemnikam. Izd.3., perer. i dop. Moskva, Izd-vo "Energia," 1964. 271 p. (MIRA 17:4)

ZHUK, Ya.M., kand.tekhn.nauk; ZHEGALOV, I.S., kand.tekhn.nauk

Overall mechanization of harvesting operations. Trakt.1
sel'khoz mash. no.8:17-20 Ag '62. (MIRA 15:8)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut mekhanizatsii
sel'skogo khozyaystva.
(Harvesting machinery)

ZHEGALOV, I.S.

AFANAS' YEVA, A.L., kand.biol.nauk; BAYERTUYEV, A.A., kand.sel'skokhozyaystvennykh nauk; BAL'GHUGOV, A.V., kand.sel'skokhozyaystvennykh nauk; BHLOZHEROVA, N.A., agronom; BHLOZOROV, A.T., kand.sel'skokhozyaystvennykh nauk; MAKSIMENKO, V.P., agronom; HERNIKOV, V.V., doktor sel'skokhozyaystvennykh nauk; BOGOMYAGKOV, S.T., kand.sel'skokhozyaystvennykh nauk; VOLYNETS, O.S., agronom; BODROV, M.S., kand.sel'skokhozyaystvennykh nauk; BOGOSLAVSKIY, V.P., kand.tekhn.nauk; KHRUPPA, I.F., kand.tekhn.nauk; VERNER, A.R., doktor biol.nauk; VOZBUTSKAYA, A.Ye., kand.sel'skokhozyaystvennykh nauk; VOINOV, P.A., kand.sel'skokhozyaystvennykh nauk; VYSOKOS, G.P., kand.biol.nauk; GALDIN, M.V., inzhener-mekhanik; GERASIMOV, S.A., kand.tekhn.nauk; GORSHEVIN, K.P., doktor sel'skokhozyaystvennykh nauk; YELENEV, A.V., inzhener-mekhanik; GERASKEVICH, S.V., mekhanik [deceased]; ZHARIKOVA, L.D., kand.sel'skokhozyaystvennykh nauk; ZHEGALOV, I.S., kand.tekhn.nauk; ZIMINA, Ye.A., agronom; BARANOV, V.V., kand.tekhn.nauk; PAVLOV, V.D.; IVANOV, V.K., kand.sel'skokhozyaystvennykh nauk; KAPLAN, S.M., kand.sel'skokhozyaystvennykh nauk; KATIN-YARTSEV, L.V., kand.sel'skokhozyaystvennykh nauk; KOPYRIN, V.I., doktor sel'skokhozyaystvennykh nauk; KOCHERGIN, A.Ye., kand.sel'skokhozyaystvennykh nauk; KOZHEVNIKOV, A.R., kand.sel'skokhozyaystvennykh nauk; KUZNETSOV, I.N., kand.sel'skokhozyaystvennykh nauk; LAMBIN, A.Z., doktor biol.nauk; LEONT'YEV, S.I., kand.sel'skokhozyaystvennykh nauk; MAYBORODA, N.M., kand.sel'skokhozyaystvennykh nauk; MAKAROVA, G.I., kand.sel'skokhozyaystvennykh nauk; MEL'NIKOV, G.A., inzhener; ZHDANOV, B.A., kand.sel'skokhozyaystvennykh nauk; MIKHAYLENKO, M.A., kand.sel'skokhozyaystvennykh nauk; MAGILEVTSEVA, N.A., kand.sel'skokhozyaystvennykh nauk;

(Continued on next card)

AFANAS'YEVA, A.L.... (continued) Card 2.

NIKIFOROV, P.Ye., kand.sel'skokhozyaystvennykh nauk; MENASHEV, N.I.,
lesovod; FERVUSHINA, A.N., agronom; PLOTHNIKOV, N.A., kand.biol.nauk;
L.G.; kand.sel'skokhozyaystvennykh nauk; PAVLOV, V.D., kand.tekhn.
nauk; PRUTSKOVA, M.G., kand.sel'skokhozyaystvennykh nauk; GURCHENKO,
V.S., agronom; POPOVA, G.I., kand. sel'skokhozyaystvennykh nauk;
PORTYANKO, A.P., agronom; RUCHKIN, V.N., prof.; RUSHKOVSKIY, T.V.,
agronom; SAVITSKIY, M.S., kand.sel'skokhozyaystvennykh nauk; BOLDIN,
D.T., agronom; NESTEROVA, A.V., agronom; SERAFINOVICH, L.B., kand.
tekhn.nauk; SMIRNOV, I.N., kand.sel'skokhozyaystvennykh nauk;
SREBRYANSKAYA, P.I., kand.tekhn.nauk; TOKHTUYEV, A.V., kand. sel'sko-
khozyaystvennykh nauk; PAL'KO, O.S., iznh.; PMDYUSHIN, A.V., doktor
biol.nauk; SHEVLYAGIN, A.I., kand.sel'skokhozyaystvennykh nauk;
YUFEROV, V.A., kand.sel'skokhozyaystvennykh nauk; YAKHTENFEL'D, P.A.,
kand.sel'skokhozyaystvennykh nauk; SEMENOVSKIY, A.A., red.; GOR'KOVA,
Z.D., tekhn.red.

[Handbook for Siberian agriculturists] Spravochnaia kniga agronoma
Sibiri. Moskva, Gos. izd-vo sel'khoz. lit-ry. Vol.1. 1957. 964 p.
(Siberia--Agriculture) (MIRA 11:2)

ZHEGALOV, I. S.

Zhegalov, I. S. — "Investigation of a Combine Method of Harvesting Rice." United Academic Council of the All-Union Sci Res Inst of Mechanization of Agriculture VIM and the All-Union Sci Res Inst of Electrification of Agriculture, VIESKh, Moscow, 1955 (Dissertation for Degree of Candidate of Technical Sciences).

SO; Knizhnaya Letopis', No. 23, Moscow, June, 1955, pp. 87-104.

ZHEGALOV, I.S.; LEVKIN, A.D.; MARKOVICH, I.M.; BAYKOVA, N.Ya.; SHEV-
CHENKO, S.I.; ZHUK, Ya.M., kand. tekhn. nauk, red.; KRYUKOV, V.L.,
red.; ANTONOVA, N.M., tekhn. red.

[Harvesting grain in two and three stages] Dvukh- i trekhfaznaia
uborka zernovykh kul'tur. Moskva, Sel'khozgiz, 1961. 92 p.
(MIRA 14:9)

1. Sotrudniki laboratorii mekhanizatsii uborki, oshistki, sushki
i khraneniya zerna Vsesoyuznogo nauchno-issledovatel'skogo instituta
mekhanizatsii sel'skogo khozyaystva (for all except Zhuk, Kryukov,
Antonova).

(Grain--Harvesting)

ZHEGALOV, D.I.

Designing a scheme for the acceleration of a cam mechanism. Trudy Sem.
teor,mash. 12 no.47:89-93 '52. (MLRA 6:6)
(Cams)

Zhegalov, L. I. -- "The design of a minimum profile for a cam with flat plunger, with plunge movement predetermined, by the method of geometric loci," *Seminara potteorii mashin i mekhanizmov* (Akad. nauk SSSR, In-t mashinovedeniya), Vol. VI, Issue 21, 1949, p. 69-71

SO: U-3600, 10 July 53, (Letopis 'Zhurnal 'nykh Statey, No. 6, 1949).

ZHEGALOV, S.B.

Sex heredity law in animals. Usp. sovrem. biol. 30 no.1:130-
144 July-Aug. 1950. (CIAM 20:1)

1. Moscow.

ZHEGALOV, S. B.

Regularity in sex inheritance in animals. Uchen. zapiski vtor.
moskov. med. Inst. Stalina 1:32-43 1951. (CJML 21:3)

1. Assistant. 2. Department of General Biology (Head -- Prof.
V. V. Makhovko.

MAKHOVKO, V.V., professor; MORIN, A.N.; KOROBOVA, T.B.; KRASHENNIKOVA, A.I.;
LAPINA, V.F.; SMIRNOVA, Ye.I.; SUKHACHEV, N.G.; ZHEGALOV, S.B.

[Practical work in general biology for medical schools] Praktikum po
obshchei biologii dlia medvuzov. Moskva, Medgiz, 1953. 294 p. (MLRA 7:1)
(Biology)

L 19418-63

EWT(d)/FCC(w)/BDS

AFFTC/IJP(C)

ACCESSION NR: AR3005371

S/0044/63/000/006/B055/B055

SOURCE: RZh. Matematika, Abs. 6B259

AUTHOR: Zhegalov, V. I.

TITLE: Boundary value problem for mixed-type equation with boundary conditions on both characteristics and with discontinuities on transition line

CITED SOURCE: Uch. zap. Kazansk. un-t, v. 122, no. 3, 1962, 3-16

TOPIC TAGS: partial differential equation, boundary condition, Hilbert problem, boundary value problem, Jordan line, Riemann problem

TRANSLATION: The equation

$$\frac{\partial^2 u}{\partial x^2} \operatorname{sgn} y \frac{\partial^2 u}{\partial y^2} = 0 \quad (1)$$

is considered in a simply connected region D of the plane $z = x + iy$ limited by a Jordan line σ with end points $A(0,0)$ and $B(1,0)$ with $y > 0$, and the characteristics of equation (1). The following problem is posed: to find a function $u(x,y)$ which is a solution of equation (1) in the region D with $y \neq 0$ continuous in $\bar{D} = [\bar{0}, 1]$ and continuously differentiable in $D_1 (y > 0)$ and $D_2 (y < 0)$; moreover, its

Card 1/3

L 19418-63

ACCESSION NR: AR3005371

derivatives in the neighborhood of points A and B can go to infinity of an order lower than one if the following conditions are fulfilled on the line σ and the characteristics:

$$u = \varphi(\tau), \tau \in \sigma,$$

$$a(x)u(x, -x) + b(x)u\left(x + \frac{1}{2}, x - \frac{1}{2}\right) = c(x), \quad (2)$$

$$0 < x < \frac{1}{2}.$$

Joining conditions are fulfilled on the segment AB. The solution of the problem is sought for the case where σ is a semicircle $|z - \frac{1}{2}| = \frac{1}{2}, y > 0$. In region D_2 the general solution of equation (1) is given by the formula $u(x, y) = f_1(x+y) - f_2(x-y)$.

On the basis of the initial data and joining conditions, the relation between f_1 and f_2 is found. In region D_1 the problem is reduced to the Hilbert problem: to find a function $F(z) = u + iv$ analytic in D_1 if the following condition is fulfilled on the line $L = \sigma + AB$:

$$m(\tau)u(\tau) + n(\tau)v(\tau) = r(\tau), \tau \in L,$$

and $m(\tau), n(\tau), r(\tau)$ satisfy certain conditions. Then in this region we consider the equation

$$\left(\frac{\partial^2}{\partial x^2} + \epsilon g(x) \frac{\partial^2}{\partial y^2}\right) u = 0. \quad (3)$$

We find the solution $u(x, y)$ of equation (3) satisfying certain conditions on σ

L 19418-63

ACCESSION NR: AR3005371

and on the characteristics, and joining conditions on AB; the solution of the problem on a plane is used for this. It is shown that if all indices X_k of the Riemann problems with certain coefficients are non-negative, then the problem under consideration is soluble and its solution depends on $N - \sum_{k=0}^{A-1} (x_k + 1)$ arbitrary real constants. If at least one of the X_k is non-negative, then the solubility of the problems depends on the properties of the functions entering into the boundary conditions and the joining conditions. L. Vostrova.

DATE ACQ: 24Jul63

SUB CODE: MM

ENCL: 00

Card 3/3

ZHEGLOV, V.

It is not necessary to invent a bicycle. Inform.biul.VDNKH
no.1:35 Ja '65.

(MIRA 18:3)

L 19420-63

EWT(d)/FCC(w)/BDS AFPTC/IJP(C)

ACCESSION NR: AR3005370

S/0044/63/000/006/B054/B055

SOURCE: RZh. Matematika, Abs. 6B258

AUTHOR: Zhegalov, V. I.

53

TITLE: Some boundary problems for a system of equations of the mixed type of the second order

CITED SOURCE: Uch. zap. Kazansk. un-t, v. 122, no. 3, 1962, 17-29

TOPIC TAGS: partial differential equation, Hilbert problem

TRANSLATION: The author considers the system of equations

$$\begin{aligned} \frac{\partial^2 u}{\partial x^2} - \operatorname{sgn} y \frac{\partial^2 u}{\partial y^2} - 2 \frac{\partial^2 v}{\partial y \partial x} \\ - \operatorname{sgn} y \frac{\partial^2 v}{\partial x^2} + \frac{\partial^2 v}{\partial y^2} - 2 \frac{\partial^2 u}{\partial y \partial x} \end{aligned} \quad (1)$$

Two problems are posed.

T_∞ problem: To determine the functions $u(x, y)$ and $v(x, y)$ satisfying the following conditions: u and v satisfy (1) at all finite points of the plane, except the

Card 1/2

L 19420-63

ACCESSION NR: AR3005370

points lying on the real axis. They are continuous along with the first derivatives and are finite. Along the line $l_1 + l_2$ we have the following conditions fulfilled:

$$a(x)u + b(x)v = c(x).$$

$$a_1(x) \frac{\partial u}{\partial n} + b_1(x) \frac{\partial v}{\partial n} = c_1(x) \quad (-\infty < x < +\infty). \quad (2)$$

In the T_{∞}^* problem, conditions (2) are fulfilled on the line $l_1 + l_2$. Here l_1 and l_2 are the negative and positive real semiaxes of the plane (x, y) , respectively and l_1 and l_2 are characteristics; $x - y = 0, y \leq 0$, and $x + y = 0, y \leq 0$; D_1, D_0, D_2 are regions into which the lower semiplane is divided by the characteristics l_1 and l_2 .

The T_{∞}^* problem reduces to the Hilbert problems which are solved in two ways. A scheme is given for solving the T_{∞}^* problem by reducing it to the T_{∞} problem.

L. Vostrova.

DATE ACQ: 24Jul63

SUB CODE: MM

ENCL: 00

89600

S/020/61/136/002/003/034
C 111/ C 333

16.3500

AUTHOR: Zhegalov, V. f.

TITLE: Boundary Value Problem for a Mixed Type of Equation of Higher Order

PERIODICAL: Doklady Akademii nauk SSSR, 1961, Vol. 136, No. 2, pp. 274-276

TEXT: Let D be a simply connected domain of the plane $z = x + iy$ which is bounded by the Jordan curve Γ lying in $y > 0$ with the end points A(0,0) and B(1,0) and by the characteristics AC : $x+y = 0$ and CB : $x-y = 1$ of the equation

$$(1) \quad \left(\frac{\partial^2}{\partial x^2} + \operatorname{sgn} y \frac{\partial^2}{\partial y^2} \right)^n u = 0.$$

Problem: Determine a function $n(x,y)$ which is solution of (1) in D for $y \neq 0$, which is continuous even on the boundary, which possesses continuous partial derivatives up to the $(2n-1)$ -st order inclusively everywhere in D eventually except the neighborhoods of A and B, where the $(2n-1)$ -st derivatives may become infinite of order < 1 , and which satisfies the conditions

Card 1/4

89600

S/020/61/136/002/003/034
C 111/ C 333

Boundary Value Problem for a Mixed Type of Equation of Higher Order

$$(2) \left(\frac{\partial^2}{\partial x^2} + \operatorname{sgn} y \frac{\partial^2}{\partial y^2} \right)^k u = \begin{cases} \varphi_k(\tau) & \text{on } \bar{\sigma} \\ \psi_k(x) & \text{on } AC \end{cases}$$

$$(3) \quad \varphi_k(0) = \psi_k(0), \quad k = 0, 1, \dots, n-1$$

where the φ_k, ψ_k are given, ψ_k $(2n-2k)$ -times and φ_k $(2n-2k-1)$ -times continuously differentiable.

The author proves the existence and uniqueness of the problem for the case that $\bar{\sigma}$ is the semicircle $|z - 1/2| = 1/2, y > 0$. For the proof he replaces (1) by the equivalent system

$$(7) \quad \frac{\partial^2 u}{\partial x^2} + \operatorname{sgn} y \frac{\partial^2 u}{\partial y^2} = u_1(x, y)$$

$$(8) \quad \frac{\partial^2 u_r}{\partial x^2} + \operatorname{sgn} y \frac{\partial^2 u_r}{\partial y^2} = u_{r+1}(x, y) \quad (r = 1, \dots, n-1).$$

Card 2/4

89600

S/020/61/136/002/003/034
C 111/ C 333

Boundary Value Problem for a Mixed Type of Equation of Higher Order

Considering (2), (3) one obtains the problem T for (7) and every equation (8) (according to A. V. Bitsadze (Ref.2)). The T-problems obtained are successively solved by use of the results of M. A. Lavrent'yev, M. P. Ganin and L. J. Chibrikova (Ref.6), and give the sought solution in D_1 as real part of a polyanalytic function (D_1 is the part of D with $y > 0$). If $u^*(x,y)$ is this solution in D_1 , then $u(x,y) = u^*(x+y, 0) + G(x,y) - G(x+y,0)$, where G is known, is the solution in D_2 (the part of D with $y < 0$).

The uniqueness of the solution follows from the fact that for vanishing boundary conditions all the equations (8) and (7) turn into equations of M. A. Lavrent'yev for which the problem T has one zero solution only.

The author thanks L. J. Chibrikova for the guidance.

There are 6 Soviet references.

Card 3/4

89600

S/020/61/136/002/003/034
C 111/ C 333

Boundary Value Problem for a Mixed Type of Equation of Higher Order

[Abstracter's note: (Ref.2) is a paper of A. V. Bitsadze in Tr. Matem. inst. im. V. A. Steklova AN SSSR, 1953, 41, 3; (Ref.6) concerns a paper of L. J. Chibrikova in Uch. zap. Kazansk. univ., 1957, 117, kn. 9, 48].

ASSOCIATION: Kazanskiy gosudarstvennyy universitet imeni V. J. Ul'yanova-Lenina (Kazan' State University imeni V. J. Ul'yanov-Lenin)

PRESENTED: July 29, 1960, by J. N. Vekua, Academician

SUBMITTED: July 6, 1960

Card 4/4

ZHEGALOV, V.I.

Boundary value problem for a mixed equation of a higher order. Dokl.
AN SSSR 136 no.2:274-276 '61. (MIRA 14:1)

1. Kazanskiy gosudarstvennyy universitet imeni V.I. Ul'yanova-Lenina.
Predstavleno akademikom I.M. Vekua.
(Boundary value problems)

ZHEGALOV, V.I.

Boundary problem for a mixed-type equation of the fourth order. *Izv. vys. ucheb. zav.; mat. no.4:73-78 '60.* (MIRA 13:10)

1. Kazanskiy gosudarstvennyy universitet im. V.I. Ul'yanova-Lenina.
(Differential equations, Partial)

83210

16.3500

S/140/60/000/004/002/006
C111/0333AUTHOR: Zhegalov, V.I.TITLE: On a Boundary Value Problem for an Equation of Mixed Type and of Order FourPERIODICAL: Izvestiya vysshikh uchebnykh zavedeniy. Matematika, 1960,
No. 4, pp. 73-78

TEXT: Let D be a simply connected domain of the z -plane, $z=x+iy$, which is bounded by a Jordan curve σ with the end points $A(0,0)$ and $B(1,0)$ which lies in the half plane $y>0$, and by the characteristics $AC : x+y=0$ and $BC : x-y=1$ of the equation

$$(1) \quad \left(\frac{\partial^2}{\partial x^2} + \operatorname{sgn} y \frac{\partial^2}{\partial y^2} \right) u = 0.$$

A function $u(x,y)$ is sought which is solution of (1) in D for $y \neq 0$, which is continuous in \bar{D} and which possesses in D (with possible exception of the neighborhoods of A and B) continuous partial derivatives up to the order three (in the neighborhood of A and B the third derivatives of u can possess poles of the order <1), and which satisfies the conditions

Card 1/3

83210
 S/140/60/000/004/002/006
 C111/C333

On a Boundary Value Problem for an Equation of Mixed Type and of Order Four

$$(2) \quad u = \begin{cases} \varphi_1(y) & \text{on } \sigma \\ \psi_1(x) & \text{on } \Delta O \end{cases} \quad \frac{\partial^2 u}{\partial x^2} + \operatorname{sgn} y \frac{\partial^2 u}{\partial y^2} = \begin{cases} \varphi_2(y) & \text{on } \sigma \\ \psi_2(x) & \text{on } \Delta C \end{cases}$$

$$\varphi_1(0) = \psi_1(0), \quad \varphi_2(0) = \psi_2(0),$$

where φ_2 is once, ψ_2 twice, φ_1 three times and ψ_1 four times continuously differentiable.

The author replaces (1) by the equivalent system

$$(4) \quad \frac{\partial^2 u}{\partial x^2} + \operatorname{sgn} y \frac{\partial^2 u}{\partial y^2} = u_1(x, y), \quad (5) \quad \frac{\partial^2 u_1}{\partial x^2} + \operatorname{sgn} y \frac{\partial^2 u_1}{\partial y^2} = 0.$$

The uniqueness of the solution is proved for (4) and (5) (as in (Ref.1) by R.Ya.Agishev) by considering the problems T (according to A.V.Bitsadze (Ref. 2)). For the case $\sigma : |z - \frac{1}{2}| = \frac{1}{2}, y > 0$ the author gives an effective

Card 2/3

83210

S/140/60/000/004/002/006
C111/C333

On a Boundary Value Problem for an Equation of Mixed Type and of Order Four

proof of existence. Let D_1 and D_2 be the parts of D , where $y > 0$ or $y < 0$. For the determination of $u_1(x,y)$ one obtains the problem T , the solution of which is given in the elliptic part D_1 and in the hyperbolic part D_2 in (Ref. 2). For the determination of u from (4) the author uses complex representations of u according to Vekua as well as methods of L.I. Chibrikova (Ref. 5) for Hilbert problems and methods of M.P.Ganin (Ref.4). There are 5 Soviet references.

ASSOCIATION: Kazanskiy gosudarstvennyy universitet imeni V.I.Ul'yanova-Lenina (Kazan' State University imeni V.I.Ul'yanov-Lenin)

SUBMITTED: January 19, 1960

Card 3/3

IVANKOV, P.A.; KUBLANOVSKIY L.B.; ZHEGALOV, V.K.

Remote control of water-enclosed wells. Neft.khoz. 34 no.1:35-38
Ja '56. (MLRA 9:5)
(Oil fields--Equipment and supplies) (Remote control)

38742
S/194/62/000/005/039/157
D222/D309

16,8000

AUTHOR: Zhegalov, V.K.

TITLE: Frequency-combination system of telemechanics K4C -1
(KChS-1)

PERIODICAL: Referativnyy zhurnal. Avtomatika i radioelektronika,
no. 5, 1962, abstract 5-2-140 d (Tr. Vses. neftegaz
n.-i. in-t, 1961, no. 35, 122-128)

TEXT: VNII has designed a frequency-combination telemechanical sys-
tem, KChS-1, for the telemechanization of decentralized objects in
the oil industry. The radius of action is 5-7 km. A single-wire
line is used as a communication channel. The second conductor is
the earth. KChS-1 is intended for 20 objects, and it ensures the exe-
cution of the following functions: Remote control of objects; sig-
nalling the state of each aggregate; telephone communication. For
the selection of an object and for the sending of control instruc-
tions from a dispatcher point, various combinations of five sound
frequencies, in pairs, are transmitted. The first frequency is emit-
ted temporarily (50 - 100 msec), and the second for the whole dura-
Card 1/2

X

1
Frequency-combination system of ...

S/194/62/000/005/039/157
D222/D309

tion of selection and control of the object. The five fixed-frequency generators (500, 800, 1100, 1400 and 1700 c/s) are built with transistors. The receivers are series-connected tuned circuits, tuned to the corresponding frequencies. A tapping of the inductance coil of the tuned circuit is connected to a relay which switches on the corresponding actuating mechanism. The voltage required for the operation of the receivers is 30 - 50 v. Control of the telemechanized objects and the sending of an alarm signal from any point is executed by a DC voltage of ± 30 v. [Abstractor's note: Complete translation]. ✓

Card 2/2

ZHEGALOV, V.K.

KChs-1 frequency-combination remote control system. Trudy
VNIi no. 35:122-128 '61. (MIRA 15:1)
(Oil fields—Equipment and supplies)
(Remote control)

PLEKHANOVA, M.Ye.; ZHEGALOV, V.K.

Using power distributing networks in oil fields for transmitting
communication and remote control signals. Trudy VNII no.35:98-116
'61. (MIRA 15:1)

(Oil field Communication systems)
(Remote control)

ZHEGALOV, V.M., inzh.; KHRAMOV, N. Ya., inzh.

Speeding-up the operation of the protective network of the
automatic switching-in of reserve. Elek. sta. 31 no.12:70-
71 D '60. (MIRA 14:5)
(Electric power plants)

ZHEGLOV, V.V., inzh.; NARZYKULOV, N.B., inzh.

At the Exhibition of the Achievements of the National Economy.
Mekh. i avtom. proizv. 18 no.12:35-36 D '64.

(MIRA 18:3)

VLASOV, G.M.; YARMOLYUK, V.A.; ZHEGALOV, Yu.V.

Some basis tectonic problems of Kamchatka. Sov. geol 6 no.6:
32-50 Je '63. (MIRA 16:7)

1. Dal'nevostochnoye geologicheskoye upravleniye.
(Kamchatka—Geology, Structural)

BELOVA, M.B.; VASIL'YEV, V.G.; VLASOV, G.M.; GRYAZNOV, L.P.; DRABKIN, I.Ye.; ZHEGALOV, Yu.V.; KARBYNICHYI, I.N.; KLENOV, Ye.P.; KRYLOV, V.V.; TITOV, V.A.; ZARETSKAYA, A.I., vedushchiy red.; FEDOTOVA, I.G., tekhn. red.

[Geology and oil and gas potentials of Kamchatka] Geologicheskoe stroenie i perspektivy neftegazonosnosti Kamchatki. Moskva, Gos. nauchno-tekhn. izd-vo nef. i gorno-toplivnoi lit-ry, 1961. 343 p. (MIRA 14:9)

(Kamchatka—Petroleum geology)
(Kamchatka—Gas, Natural—Geology)

VLASOV, G.M.; VASILEVSKIY, M.M.; ZHEGALOV, Yu.V.

Geological conditions of finds and features of the genesis of
mercury ores in the central Kamchatka Range. *Biul.VSEGEI* no.1:
104-111 '58 (MIRA 14:5)
(Kamchatka--Mercury ores)

ZHEGALOVA, T.S., kandidat tekhnicheskikh nauk.

Planetary and differential gears. Trudy MAI no.72:28-54 '57.
(Gearing) (MIRA 10:4)

ZIEGALOVA, T.S.


"Kinematic Analysis of Mechanisms With Flexible Links" Tr. MAI, No 30,
1953, 10-33

A flexible link which drives a crank is wound around a drive pulley. When the pulley rotates through an angle F_1 , the crankshaft turns through another angle F_2 . The author presents a graphic determination of the positions of the crank and link for a given angle of rotation of the drive pulley. Using the conditions for compactness of vector contours for mechanisms with rigid links the author derives a differential equation connecting the first and second derivatives of F_2

with the second derivative of F_1 . (RZhMekh, No 9, 1955)

ZHEGALOVA, T.S. (Moskva)

Selecting the guiding link for a dynamic investigation of a
mechanism. Mashinovedenie no.5:36-40 '65. (MIRA 18:9)



ZHEGLOV, V.V.; NARZYKULOV, N.B.

Isotopes used in checking, automatic control and measurements.
Inform.biul.VDNKH no.5:32-33 My '64. (MIRA 18:5)

1. Starshiye inzhenery-metodisty pavil'ona "Atomnaya energiya"
na Vystavke dostizheniy narodnogo khozyaystva SSSR.

ZHEGLOV, V. V.

Isotopes test the quality of articles. Inform. biul. VDNiH no.9:
32-34 S '64. (MIRA 17:12)

1. Starshiy inzh.-metodist pavil'ona "Atomnaya energiya" na Vystavke
dostizheniy narodnogo khozyaystva SSSR.

ZHEGLOV, V.V.

From the exhibition into production. Inform. biul. VLNKH no.10:
37 0 '64 (MIRA 18:1)

1. Starshiy inzh.-metodist pavil'ona "Atomnaya energiya" na
Vystavke dostizheniy narodnogo khozyaystva SSSR.

ZHEGLOV, V.V.

Isotopes carry out the exploration. Inform.blul.VDNKH no.11:32-34
N '64. (MIPA 18:2)

1. Starshiy inzh.-metodist pavil'ona "Atomnaya energiya" na
Vystavke dostizheniy narodnogo khozyaystva SSSR.

ZHEGLOV, V.V.

Physics in construction. Inform. biul. VDNKH no.12:33-34 D '64
(MIRA 18:2)

ZHEGLOVA, D.V.

PUNSKIY, Ye.Ye.; ZHEGLOVA, D.V.

Role of camels in the epidemiology of anthrax. Zhur.mikrobiol.epid.
1 immun. 29 no.2:78-82 F '58. (MIRA 11:4)

1. Iz Turkmenskoy protivochumnoy stantsii.
(ANTHRAX, transmission,
by camels (Rus)
(ANIMALS, diseases,
camels, anthrax transm. (Rus)

L 00374-66 EWT(d)/EED-2/EWP(1) IJP(c) BB/3G

ACCESSION NR: AR5013965

UR/0284/65/000/005/0007/0007

621:65.011.56

44
B

SOURCE: Ref. zh. Voprosy tekhnicheskogo progressa i organizatsii proizvodstva v mashinostroyenii. Otd. vyp. , Abs. 5.35.63

AUTHOR: Breydo, M. D.⁴⁴; Goncharov, A. M.⁴⁴; Zheglova, N. V.⁴⁴; Zarnitsyn, G. D.⁴⁴
Kotel'nikov, I. V.⁴⁴; Moshkina, T. V.⁴⁴; Taranovitch, A. S.⁴⁴

TITLE: TEVM digital computer

16C,44

16C,44

CITED SOURCE: Tr. po vopr. primeneniya elektron. vychisl. mashin v nar. kh-vo. Gor'kiy, 1964, 171-173

TOPIC TAGS: digital computer, triple address system, computer design, computer performance range / TEVM computer, TEVM digital computer

TRANSLATION: The TEVM digital computer was designed for calculations used in planning production technology, including the process and routing of flowsheets based on pre-evolved algorithms. It is characterized by a requirement for storage of a number of element symbols in its memory system. It represents a triple address unit and operates on a system with a comma fixed after 18 digits. The total number of digits in a term is 48 (one number or one command). The operation code is expressed by 6 digits, another 6 digits are used

Card 1/2

L 00374-66
ACCESSION NR: AR5013965

for recording special instructions and the remaining digits are divided between three addresses. The unit is equipped with four memory systems: 1) a magnetic operating memory, capacity 512 terms, rotation period 6 msec; 2) an intermediate memory on a magnetic drum, capacity 1024 terms, average rotation period 10 msec; 3) permanent memory on a magnetic drum, capable of data readout only, capacity 2048 terms, average rotation period 10 msec; 4) magnetic tape with a capacity of 100 000 terms. The computer operates on a frequency of 25 kc, power consumption is 3 kw, output rate 20 terms/sec. A total of 39 commands can be performed, the unit operates at an average speed of 1500 operations per second. The unit employs semiconductors (4000 triodes), an integrator in the form of a trigger register with a continuous carry and without provision for shifts and a data input system either from a manual keyboard or via a tape reading photoinput system. The unit occupies 50 m². Bibl. with 7 titles, 1 illustration. N. S.

SUB CODE: DP

ENCL: 00

RR
Card 2/2

L 3610-66 ENT(d)/EMP(1) IJP(e) BB/GG

ACC NR: AR5014365

SOURCE CODE: UR/0271/65/000/005/B057/B058

SOURCE: Ref. zh. Avtomatika, telemekhanika i vychislitel'naya tekhnika. Svodnyy tom, Abs. 5B422

AUTHOR: Breydo, M. D.⁴⁴; Goncharov, A. M.⁴⁴; Zheglova, N. V.⁴⁴; Zarnitsyn, G. D.⁴⁴; Kotel'nikov, I. V.⁴⁴; Moshkina, T. V.⁴⁴; Tarantovich, A. S.⁴⁴

TITLE: TEVM digital computer

CITED SOURCE: Tr. po vopr. primeneniya elektron. vychisl. mashin v nar. kh-va. Gor'kiy, 1964, 171-173

TOPIC TAGS: digital computer, industrial digital computer

TRANSLATION: The TEVM digital computer is intended for planning operation and route flowsheets on the basis of developed algorithms and for other functions connected with processing. The necessity of storing the characteristics of the product is a special feature of the machine; the volume of this information is rather large. The TEVM machine has three addresses and operates on a fixed-

Card 1/2

UDC: 681.142.343

L 8610-66
ACC NR: AR5014365

after-18-digit-point system. There are 48 digits in a word (one number or one instruction). An operation code takes 6 digits. Special routine also takes 6 digits; the balance is divided among the three addresses. The computer has 4 types of storage: (1) an internal magnetic storage for 512 words with an access time of 6 microsec; (2) an intermediate magnetic-drum storage for 1024 words with an average access time of 10 millise; (3) a nonvolatile magnetic-drum storage for information readout with a capacity of 2048 words and an average access time of 10 millise; (4) a magnetic tape of 100 000-word capacity. The working frequency of the computer is 25 kc; the synchronization depends on the magnetic drum. A total of 39 instructions can be carried out, and the average speed is 1500 operations per sec. The adder is of the trigger-register type with a high-speed carry, no shift. Data photo input reads from a telegraph tape; manual keyboard input is also provided. A 20-number-per-sec output uses a printer. The computer comprises 4000 transistors and takes 3 kw. It occupies an area of 15 m². Bib. 7, fig. 1.

SUB CODE: 09

Card 2/2 jrn

ASTAULOV, V.S.; ZHEGLOVA, Ye.I.

Smelting magnesium alloys in commercial-frequency induction
furnaces of the crucible type. TSvet. met. 29 no.7:73-80
J1 '56. (MLRA 9:10)

(Magnesium alloys) (Electric furnaces)

"APPROVED FOR RELEASE: 07/19/2001

CIA-RDP86-00513R002064630007-3

APPROVED FOR RELEASE: 07/19/2001

CIA-RDP86-00513R002064630007-3"

"APPROVED FOR RELEASE: 07/19/2001

CIA-RDP86-00513R002064630007-3

APPROVED FOR RELEASE: 07/19/2001

CIA-RDP86-00513R002064630007-3"

ZHEGNEVSKAYA, G.S.

Climatic factors of humidification in the south European part
of the U.S.S.R. Izv.Vses.geog.ob-va 86 no.6:537-542 N-D '54.
(Moisture) (MLRA 8:2)

Zhelev, I. Spring sonnets: a poem. p. 25. BULGARSKI VOIN. Sofiya.
Vol. 4, no. 5, May 1955.

SO: Monthly List of the East European Accession (EEAL) LC. Vol. 4,
no. 10, Oct. 1955. Uncl.

FILONOV, S. P. (Engineer); Titaronko, V. S. (Engineer); Zheglov, Yu. A. (Engineer);
Voronov, I. P. (Candidate of technical sciences)
"Results of Testing of 3700 Turbine Units with Free Piston Gas Generator"

Energo-Mashinostroyeniye, No. 7, 1966, pp. 35-36.

Abstract: Results are presented from a testing of a gas turbine installation with a free piston gas generator produced by the Lugansk Locomotive Plant, designed for driving a centrifugal pump in an oil pipeline pumping station. The installation, the GTU 3700, demonstrated considerably higher efficiency and equivalent economic, starting and control characteristics when compared with open cycle turbine units now being produced. The gas temperature before the turbine did not exceed 490 degrees C. Economic calculations indicated that the unit would be efficiently usable in mainline oil pipeline installations. Orig. art. has: 1 figure. [JPRS: 37,564]

ORG: none

TOPIC TAGS: gas turbine, pipeline

SUB CODE: 13 / SUBM DATE: none / ORIG REF: 002

Card 1/1

UDC: 621.438.001.42

0925

0590

BARON, I.Z.; BLAGOV, V.L.; ZHEGOLEV, B.A.; DASHOVSKIY, M.YU.;
B.A.; AGREST, D.M.

Using combined assembly blocks in constructing blast furnaces.
Prom. stroi. 39 no. 2:5-9 '61. (MIRA 14:2)

1. Yuzhnyy nauchno-issledovatel'skiy inatitut Akademii stroitel'stva i arkhitektury USSR (for Blagov).
2. Donbasstal'konstruktsiya (for Zhegolev).
3. Gosudarstvennyy proyektnyy inatitut Ukrainskoyk'konstruktsiya (for Dashovskiy).
4. Donbaspromontash (for Sistar).
5. Voroshilovskstroy (for Agrest).
(Blast furnaces) (Precast concrete construction)

AKOL'ZIN, L.Ye.; BEDILO, V.Ye.; BOROZDOV, I.A.; VINARSKIY, I.S.;
GOLOVATYUK, S.A.; NIKOLAYEV, G.P. Primali uchastiye:
DATSUN, N.V.; ZHEGOV, V.T.; IVANITSKAYA, S.Yu.; KOMISSAROV,
M.A.; KALINCHUK, I.G.; LISHBERGOV, V.D.; SEMEBRENNIKOVA, S.O.;
FILIN, V.D. DUGIN, Ye.V., otv.red.; DUKALOV, M.F., red.;
BUBYR', V.A., red.; TYUTYUNIK, Ya.I., red.; VARSHAVSKIY, I.N.,
red.; MONIN, M.I., red.; PANCHENKO, A.I., red.; BELYAYEV, F.R.,
red.; RABINKOVA, L.K., red.izd-va; BOLDYREVA, Z.L., tekhn.red.

[Types of mine cross section] Tipovye sечения gornyykh vyrabotok. Moskva, Gos.nauchno-tekhn.izd-vo lit-ry po gornomu delu. Vol.5. [Cross section of mines with reinforced-concrete supports and hinge-hung crossbars for 1-, 2- and 3-ton railroad cars] Sечения vyrabotok, zakreplennykh shelezobetonnyimi stoikami s sharnirno-podvesnym vekhniakom, dlia 1-, 2- i 3-tonnykh vagonetok. 1960. 411 p. (MIRA 13:12)

1. Khar'kov. Gosudarstvennyy proyektnyy institut Yuzhgiroshakht.
(Mine timbering)

TSIRESHKIN, D.M.; ZHEGULEVTSEVA, A.P.

Acute typhoid cholecistitis. Vest. khir. 94 no.1:113-114 Ja '65.
(MIRA 18:7)

1. Iz fakul'tetskoy khirurgicheskoy kliniki imeni Spasokototskogo
(dir. - akademik A.N. Bakulev) i 1-y Moskovskoy gorodskoy klini-
cheskoy bol'nitsy imeni Pirogova (glavnyy vrach - zasluzhennyy
vrach RSFSR L.D.Chernyshev).