

<u>Objective</u>	<u>Supports DDA Goal</u>						<u>Tracking Level</u>			
		<u>84</u>	<u>85</u>	<u>86</u>	<u>87</u>	<u>88</u>	<u>DDA</u>	<u>OL</u>	<u>Div.</u>	
<u>Real Estate and Construction Division</u>										
Construct Northside utility lines to Headquarters, including electrical feeders.	3, 6, 9	*						*	*	
Provide additional water source to Headquarters, including three new fire hydrants.	3, 8	*						*	*	
Install dual setpoint summer/winter thermostats at Headquarters.	5, 6	*						*	*	
Acquire 160,000 square feet of temporary office space at [redacted]	5	*	*					*	*	25X1
Take over M&O of the Headquarters Power Plant.	3		*				*	*	*	
Complete six-floor addition to [redacted]	3, 5	*					*	*	*	25X1
Take over M&O of all Agency-occupied buildings.	3			*	*	*	*	*	*	
Expand 5,000 square feet direct-lease delegation to unlimited level.	3, 5, 7			*				*	*	
Perform required restoration work to external buildings vacated by move to new Headquarters Building.	8				*	*		*	*	
Attune Division for role related to direct leasing and M&O of Agency space in general.	3, 5			*	*	*		*	*	

<u>Objective</u>	<u>Supports</u> <u>DDA Goal</u>	84	85	86	87	88	<u>Tracking Level</u>		
		<u>83</u>	<u>84</u>	<u>85</u>	<u>86</u>	<u>87</u>	<u>DDA</u>	<u>OL</u>	<u>Div.</u>
<u>Real Estate and Construction Division</u>									
Install new cooling tower at Powerplant	5	*							*
Reconfigure powerplant chilled water headers	5	*							*
Install new standby control air compressor in main building at Headquarters	5	*							*
Install new transformer vault in Headquarters	5,9	*							*
Construct special chilled water loop to cool operational equipment separately from Headquarters building HVAC systems	5	*							*
Construct emergency electrical feeder to north side of Headquarters building	5	*							*
Construct northside utility lines to Headquarters 	5 3,6,9	*							* ILLEGIB
Provide alternate water source at Headquarters including at least three (3) new fire hydrants	3,8 3,5	*							*

SECRET

<u>Objective</u>	<u>Supports</u> <u>DDA Goal</u>						<u>Tracking Level</u>		
		<u>83</u>	<u>84</u>	<u>85</u>	<u>86</u>	<u>87</u>	<u>DDA</u>	<u>OL</u>	<u>Div.</u>
<u>Real Estate & Construction Division (contd)</u>									
? Replace one (1) SOMAT machine at Headquarters	9		*						*
? Install additional 2,500 kW generator at Headquarters	5		*						*
Install dual setpoint summer/winter thermostats on HVAC system at Headquarters	5,86	*	*						*
? Acquire operational field office space using GSA 5,000 square foot delegations	5,6,3	*	*	*	*	*			*
Complete renovations for occupancy of 30,000 square feet of NWFCU space	5	*							*
<div style="border: 1px solid black; width: 300px; height: 20px; display: inline-block;"></div>	5,6	*					*	*	*
Lease 100,000 square feet of office space	3,4	*							*
? Lease 93,000 square feet of office space	3,4		*						*
? Lease 97,000 square feet of office space	3,4			*					*
? Lease 91,000 square feet of office space	3,4				*				*
? Lease 104,000 square feet of office space	3,4					*			*
? Procure and install a 2,000 kVA UPS in new power vault at Headquarters	5			*					*

25X1

~~SECRET~~

Objective	DDA Goal	Tracking Level					Tracking Level		
		83	84	85	86	87	DDA	OL	Div.
<u>Real Estate & Construction (contd)</u>									
? Replace a 1,500 ton chiller at Headquarters Powerplant	5,9			*					*
? Investigate "Satellite Ground Station" level of maintenance on critical equipment	9			*					*
? Support Information Handling System Architects' Strategic Plan for dispersed mini-computers	9				*				*
? Replace second 1,500 ton chiller at Headquarters Powerplant	9				*				*
? Investigate establishment of periodic engineering inspection of world-wide Agency facilities	1,5,6,4,10,3	*	*						*
? Pursue improved GSA performance or Agency takeover of Special Use Areas	5		*	*	*				*
Complete modifications of Headquarters space for SAFE Program	5,6	*					*	*	*
<div style="border: 1px solid black; width: 300px; height: 30px; margin-bottom: 5px;"></div>	3	*					*	*	*
Continue to work closely with GSA to improve service to the Agency	5	*					*	*	*

25X1

<u>Objective</u>	<u>Supports DDA Goal</u>						<u>Tracking Level</u>			
		<u>83</u>	<u>84</u>	<u>85</u>	<u>86</u>	<u>87</u>	<u>DDA</u>	<u>OL</u>	<u>Div.</u>	
<u>Real Estate & Construction (contd)</u>										
? Replace supplemental HVAC system in Ames Building	9		*							*
? Modify building and support systems in support of O.C. Data Distribution System (Speedwire)	5	*	*	*	*	*				*
? Construct 50,000 net square feet of additional space at 	5	*	*					*	*	*
? Overhaul and repair automatic controls, including damper and valve mechanisms at Headquarters	9		*							*