

STAT

**ADMINISTRATIVE - INTERNAL USE ONLY****PRINTING AND PHOTOGRAPHY DIVISION
WEEKLY REPORT FOR PERIOD ENDING
8 March 1984 - 14 March 1984****I. Items or Events of Major Interest that Have Occurred
During the Preceding Week**

A. Digital Prepress: Test results on the Office of Development and Engineering's (OD&E) imagery data were received from EOCOM Corporation. EOCOM produced a printing plate of the OD&E-supplied magnetic tape data using EOCOM's Raster Image Processor (RIP) on the Laserite V laser platemaker. The results were impressive considering that this was EOCOM's first attempt at imaging the data. These test results will be shown at a Briefing Board Transmission System (BITS) meeting on 14 March 1984.

B. ADP Activities: The contract for installation of a raised floor in Room G-16, Printing and Photography Building, was awarded to Liskey, Inc. Liskey, Inc. will begin installation of the raised floor on 14 March. The Office of Communications is expected to begin installation of cables, cable trays, and the new MUX after completion of the raised floor.

C. Copier Activities: Xerox Corporation has informed P&PD that they will have two new Excalibur (Xerox 9500 replacements) copiers available for test and evaluation in mid-May 1984. The Excalibur will be placed in the Bindery and Reproduction Center, Rm. GJ-56, for testing.

D. Customer Support: The Dicomed Recorder was utilized to produce 44 viewgraphs and 24 slides on 12 March. Sixteen of these viewgraphs were generated by Design and Presentations Center, P&PD, for the Office of Personnel for use in a DCI briefing.

E. P&PD/OTS Joint Study: The draft concept paper on the joint OTS/P&PD staff study on printing and photographic production requirements was approved by all concerned parties, typed in final, and sent forward for signatures. The study will begin on 15 March 1984, with a scheduled completion date of 20 July 1984.

ADMINISTRATIVE - INTERNAL USE ONLY

ADMINISTRATIVE - INTERNAL USE ONLY

II. Significant Events Anticipated During the Coming Week

None

STAT



C/P&PD/OL

ADMINISTRATIVE - INTERNAL USE ONLY